#### OKLAHOMA COVID-19 WEEKLY REPORT

Weekly Epidemiology and Surveillance Report June 26 – July 2, 2020



PURPOSE To provide up-to-date weekly epidemiological data on COVID-19 in Oklahoma.

#### **SNAPSHOT**

	June 26- July 2	Change <sup>1</sup>	Total
Confirmed cases	2,591	-0.1%	14,539
Recovered cases <sup>2</sup>	2,541	76.9%	11,048
Deaths	20	122.2%	395

<sup>1.</sup> Change from the week of June 19-June 25, 2020.

The average	age of cases	was <b>43</b> years
-------------	--------------	---------------------

The youngest case was **less than a year old** and the oldest case was **102 years**.


The average age of individuals who died was 75 years.

The youngest individual to die from COVID-19 was 22 years and the oldest was 101 years.


Persons aged 50 and over	Persons aged 50 and over	Females	Males
<b>35%</b>	96%	51%	51%
of cases	of deaths	of cases	of deaths

<sup>2.</sup> Currently not hospitalized or deceased and 14 days after onset/report.

# Testing (reported through July 2)



## Hospitalizations



<sup>\*</sup>Ever hospitalized includes discharged, deceased, currently hospitalized and recovered as of 7/2/2020.

## **KEY POINTS**

- **2,591** confirmed cases in the past week 0.1% decrease from the week before (June 19-June 25).
- 20 deaths occurred in the past week
   122.2% increase from the week before (June 19-June 25).
- 1,615 (11.1%) confirmed cases have been hospitalized

- 279 confirmed cases were reported to OSDH as hospitalized in the past week
   82.4% increase from the week before (June 19-June 25)
- 366,289 specimens have been tested in total
- 76 counties (out of 77) have had at least one confirmed case of COVID-19

<sup>\*\*</sup>Source OSDH Beds Survey. Note, facility response rate of 86% on 7/2/2020.


#### **DISEASE TESTING**

	June 26 – July 2	Total Number
Specimens tested <sup>1</sup> , count	53,835	366,289
Specimens positive, count (%)	3,383 (6.3%)	16,721 (4.6%)
Antibody tested, count	10,523	45,013
Antibody positive, count (%)	294 (2.8%)	1,465 (3.3%)

<sup>1.</sup> Includes state and private laboratories.


Note: Specimen counts may not reflect unique individuals.

# Positive tests as a percent of total tests



Oklahoma, July 2, 2020






Oklahoma, July 2, 2020

# **EPIDEMIOLOGICAL ESTIMATES**

	Estimate	Notes / Interpretation
Cases		
Cumulative incidence	368.7 (per 100,000 persons)	From March 7 to July 2, there were about 369 (per 100,000) new cases of COVID-19 in Oklahoma.
Absolute change in cumulative incidence from previous week	-0.1 (per 100,000 persons)	Compared to June 19 - June 25, the number of new cases reported in Oklahoma during the past week (June 26 – July 2) was relatively unchanged.
Disease Severity		
Case-fatality risk (crude)	2.7%	The estimate is not adjusted for the lag time from reporting to death (i.e., delay between the time someone dies and the time their death is reported). The fatality estimate could be lower due to cases that were undiagnosed or had milder symptoms.
Cumulative Hospitalization rate (overall)	41.0 (per 100,000 persons)	About 41 people per 100,000 have ever been hospitalized for COVID-19 during this outbreak.

#### **CASES AND DEATHS**

New cases (by date of onset) and new deaths (by date of death) of COVID-19 in Oklahoma, February–June 2020



Data as of July 2, 2020.

Please note the different axes for new cases (top—from 0 to 600 for new cases) and new deaths (bottom—from 0 to 14 for new deaths). Additionally, a 7 day lag has been applied to the trend line based on information collected to-date for 5/31 and 6/6 where within 7 days of onset date approximately 80% of the cases had been reported.

### **Oklahoma Excess Death Analysis**

- + indicates observed count above threshold
- Predicted number of deaths from all causes
- threshold for excess deaths


#### Weekly number of deaths (from all causes)



Figure notes: Contains data up to the week-ending date of June 13, 2020. Data in recent weeks are incomplete. Only 60% of the death records are submitted to NCHS within 1-days of the date of death, and completeness varies by jurisdiction.

Source: CDC, National Center for Health Statistics, <a href="https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess\_deaths.htm#dashboard">https://www.cdc.gov/nchs/nvss/vsrr/covid19/excess\_deaths.htm#dashboard</a>, July 1, 2020 1pm

## PERCENT OF CASES EVER HOSPITALIZED (by date of report)



Source: OSDH Acute Disease Registry

.....

#### TIME TO EVENT\*

	N	Median	10 <sup>th</sup> to 90 <sup>th</sup> Percentile
Time from Symptom Onset to Test (Specimen Collection) <sup>1,2</sup>	7,459	3 days	0-11 days
Time from Symptom Onset to Hospitalization <sup>1,3</sup>	1,102	6 days	0-14 days
Length of Hospitalization Discharged Alive <sup>4</sup>	911	5 days	1-18 days
Length of Hospitalization Deceased <sup>4</sup>	261	8 days	2-24 days
Time from Symptom Onset to Death <sup>1,5</sup>	246	14 days	4-32 days

<sup>\*</sup>Data as of July 2, 2020.

Limited to cases with a known date of symptom onset.
 Limited to cases with a known date of a test (specimen collection) on or after the date of symptom onset.
 Limited to cases with a known hospital admission date on or after the date of symptom onset.

<sup>4.</sup> Limited to cases with a known admission and discharge date from the hospital.

<sup>5.</sup> Limited to cases who are deceased.

**DEMOGRAPHIC INFORMATION as of July 2, 2020** 

		ses t (%)¹		aths t (%)¹	Cumulative Incidence Rate <sup>2</sup>	Cumulative Mortality Rate <sup>2</sup>
Oklahoma	14,	539	39	95	368.7	10.0
Gender						
Male	7,156	(49.2)	202	(51.1)	366.4	10.3
Female	7,383	(50.8)	193	(48.9)	371.0	9.7
Age group						
Under 1- 4	265	(1.8)	0	(0.0)	101.8	
5-14	545	(3.7)	0	(0.0)	101.3	
15-24	2,383	(16.4)	1	(0.3)	443.1	0.2
25-34	2,770	(19.1)	4	(1.0)	509.9	0.7
35-44	2,444	(16.8)	4	(1.0)	498.4	0.8
45-54	1,959	(13.5)	19	(4.8)	425.6	4.1
55-64	1,773	(12.2)	51	(12.9)	359.3	10.3
65-74	1,148	(7.9)	105	(26.6)	320.1	29.3
75-84	749	(5.2)	98	(24.8)	399.0	52.2
85+	494	(3.4)	113	(28.6)	674.9	154.4
Unknown	9	(0.1)	0	(0.0)		
Race		, ,		,		
American Indian or Alaska Native	1,058	(7.3)	29	(7.3)	344.4	9.4
Asian or Pacific Islander	1,203	(8.3)	8	(2.0)	1,358.5	9.0
Black or African American	1,081	(7.4)	29	(7.3)	375.8	10.1
Multiracial/Other	579	(4.0)	10	(2.5)	139.9	2.4
White	8,345	(57.4)	298	(75.4)	293.2	10.5
Unknown	2,273	(15.6)	21	(5.3)		
Ethnicity						
Hispanic or Latino	3,030	(20.8)	14	(3.5)	706.2	3.3
Not Hispanic or Latino	9,166	(63.0)	342	(86.6)	260.8	9.7
Unknown	2,343	(16.1)	39	(9.9)		

<sup>1.</sup> Percentages may not add up to 100 due to rounding.

<sup>2.</sup> Rate per 100,000 population

## **HEALTHCARE & NON-HEALTHCARE**

Status <sup>1</sup>	Non-Healthcare Worker count (%)*	Healthcare Worker count (%)*
Active	3,016 (22.8)	80 (6.1)
Deceased	389 (2.9)	6 (0.5)
Recovered	9,814 (74.2)	1,234 (93.5)
Total	13,219	1,320

<sup>\*</sup> Percentages may not add up to 100 due to rounding.

# CASES & DEATHS BY LONG-TERM CARE AND CORRECTIONAL FACILITIES

	-	Cases	Deaths
LTCF <sup>1,2</sup>			
F	Residents	1,063	202
	Staff	648	3
Total		1,711	205
<b>Correctional Facilities</b>	2,3		•
	Inmates	358	2
	Staff	62	0
Total		420	2

<sup>1.</sup> Long term care facility or nursing home

<sup>1.</sup> Data as of July 2, 2020


<sup>2.</sup> Data as of July 2, 2020.

<sup>3.</sup> Correctional facilities include prisons, jails, and juvenile detention centers.

# **COMORBIDITIES AMONG DECEASED CASES**


Comorbidities	Number (%)
At least 1 chronic condition*	309 (78.2)
Chronic heart or circulatory disease	222 (56.2)
Diabetes	148 (37.5)
Chronic renal failure	85 (21.5)
Chronic lung failure	79 (20.0)
Chronic liver failure	13 (3.3)

<sup>\*</sup>Chronic conditions include; chronic heart or circulatory disease, diabetes, chronic lung failure, chronic liver failure and renal failure



## **RECOVERED CASES**

### Distribution of recovered cases of COVID-19, March-July 2020, Oklahoma




Note: A recovered case is an individual currently not hospitalized or deceased AND 14 days after the onset of symptoms

.....

# **Symptoms Criteria**

Weekly percentage of **Influenza-Like Illness (ILI)** (%), Morbidity and Mortality Weekly Report, Oklahoma, Jan–June 2020




**Interpretation**: Data on Influenza-Like Illness has increased slightly in the daily number and weekly percentage of influenza-like illness cases in the past week.

.....

# Upward trajectory of covid-like syndromic cases reported within the past 14-day period COVID-19 Related Emergency Department Visits






**Interpretation**: Data from syndromic surveillance shows an increase in the number of COVID-19 related emergency department visits in the past 2 weeks. COVID-19 related ED visits were significantly higher than expected for the past 11 days as indicated by the red dots on observed line.

## **OKLAHOMA IN COMPARISON**

# **Total number of reported COVID-19 cases**


Oklahoma ranks  $\bf 36$  (out of all States and DC) in the total number of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a>
Data as of July 1, 2020

# **Cumulative incidence of reported COVID-19 cases**


Oklahoma ranks 43 (out of all States and DC) in the cumulative incidence (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a>
Data as of July 1, 2020

# **Total number of reported COVID-19 deaths**

Oklahoma ranks  $\bf 35$  (out of all States and DC) in the total number of reported COVID-19 deaths in the US.




Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a> Data as of July 1, 2020

NOTE: CDC numbers include both Confirmed and Probable cases whereas the OSDH counts are limited to Confirmed cases.


# **Cumulative death rate of reported COVID-19 cases**


Oklahoma ranks **37** (out of all States and DC) in the cumulative death rate (per 100,000 persons) of reported COVID-19 cases in the US.



Data from CDC. Available at <a href="https://www.cdc.gov/covid-data-tracker/index.html">https://www.cdc.gov/covid-data-tracker/index.html</a> Data as of July 1, 2020

# Cumulative incidence and cumulative death rate of reported COVID-19 cases





Interpretation: Oklahoma has cumulative incidence and cumulative death rate below the median of the US.

#### **ACKNOWLEDGEMENT**

The weekly report is made by possible through the efforts of county and city public health and healthcare professionals.

#### **NOTES**

Every effort is made to ensure accuracy and the data is up-to-date for the time period reported. For daily updates on COVID-19, please visit <a href="https://coronavirus.health.ok.gov/">https://coronavirus.health.ok.gov/</a>

#### **DISCLAIMER**

The purpose of publishing aggregated statistical COVID-19 data through the OSDH Dashboard, the Executive Order Report, and the Weekly Epidemiology and Surveillance Report is to support the needs of the general public in receiving important and necessary information regarding the state of the health and safety of the citizens of Oklahoma. These resources may be used only for statistical purposes and may not be used in any way that would determine the identity of any reported cases.