LAW ENFORCEMENT EQUIPMENT MATRIX

Item(s)/Description	Maximum	Medium	Minimum	
Handgun(s)				
Glock or equivalent, 9mm, double or safe action, 4-5 inch barrel for replacement	50 total	40 total	25 total	
Shotgun(s)				
Remington Police Model 870 or equivalent, 12 gauge, ghost ring or rifle sight, 18-20 inch barrel, for replacement	30	15	15	
Duty/Tower Scoped Rifle				
Colt .223 AR-15 or equivalent, with tactical scope mounts, scope rings, raised cheek piece/cheek rest, Burris 3x9x40 Posi-lock or with equivalent telescopic optics that have positive locking sight adjustment features. Scoped weapons are only authorized by the agency director or designee	25	15	10	
Rifle, Tactical				
.308 caliber Remington 700 or equivalent, bolt action center fire, equipped with minimum four-power fixed or 3 x 9 variable, black synthetic stock, blue steel.	Equipment assigned to the individual by the Sniper Team Commander or designee.			
Gas Mask				
Black rubber, full face with replaceable filter, designed for adaptation to eyeglass wear, for replacement	26	26	16	
Body Armor (CERT, Transportation)				
Only body armor models that have been tested by the National Institute of Justice (NIJ) National Law Enforcement and Corrections Technology Center (NLECTC), and found to comply with the requirements of the current NIJ standards will be used.	50	35	25	
Communication Radios and Case		1	,	
Radios, black Motorola 800 band or equivalent, case black cordura construction, for replacement	Required radios will include the number of posts/positions on the master roster plus number of CERT members plus 10% to be used as replacement.			
Riot Helmets				
Black shatter-resistant with face shield, adaptable for gas mask, chinstrap, meets NIJ Standard 04104.02	26	26	16	

	Item(s)/Description	Maximum	Medium	Minimum
Batons				•
	Riot - 36" length, 1 1/4" diameter, rounded on both ends, smooth finish with gripping surface on both ends, equipped with leather strap, wood, fiberglass, polycarbonate plastic, or aluminum construction, for replacement PR24 - 24" length, 1 1/4" diameter, rounded on both ends with side handled, for replacement	26 each (Number of CERT members) Total of 78	26 each (Number of CERT members) Total of 78	16 each (Number of CERT members) Total of 48
	Expandable - No longer than 26" in length when extended, with case, for replacement			
Riot Sh	ields			
	Clear polycarbonate, 20" wide, 36" high, solid cast aluminum handles, weight 5.5 lbs., for replacement	26	26	16
Electro	nic Shield			
	Clear polycarbonate, handle made of cast aluminum, with button activation	2	2	1
Hand C	uffs			
	Nickel finished steel double lock configuration with tubular style retention mechanism, 11/32 inch thick, anti-locking swivel chain connection or high security hinged connected, meeting NIJ Standard 0307.01, for replacement	200	150	75
Leg Iron	ns			
	Nickel finished steel, double lock configuration with tubular style retention mechanism, 11/32 inch thick, anti-locking swivel chain connection or high security hinged connected, meeting NIJ Standard 0307.01, for replacement	200	150	75
Belly Cl	hains			
	Strong and durable, links to be 1/4" thick and 1.5" long	200	150	75
Plastic/	Nylon Flexcuffs			
	350 lbs. tensile strength, 22 inches long, for replacement	2000	2000	2000
Black B	Boxes	200	150	75
Batterin	ng Ram			
	30 inches long, weight 35 lbs. steel construction, 2 no slip shock absorbing handles, one person operation, impacts with a minimum of 19,000 foot per inch kinetic force, for replacement	1	1	1

Item(s)/Description		Maximum	Medium	Minimum
Knife/T	ool Combination (CERT)			
	Leatherman or equivalent, with black cordura case, for replacement	26 (CERT members only)	26 (CERT members only)	16 (CERT members only)
Magazii	ne Pouch			
	With black cordura case, for replacement	120 total	100 total	80 total
Flashlig	ht and Carrier (Law Enforcement Grade)			
	LED, for replacement	100	70	50
LOAD E	BEARING EQUIPMENT			
Duty Be	elt			
	Black leather or cordura, for replacement	60	50	35
Holster				
	Level III retention holsters.	60	50	35
Keeper	s			
	Black leather or cordura, for replacement	120	100	70
Handcu	iff Case			
	Black leather or cordura, for replacement	60	50	35
OC Dispensing Systems/Devices (types and quantity as approved by the Administrator of Institutional Operations)		# as approved by the Administrator of Institutional Operations	# as approved by the Administrator of Institutional Operations	# as approved by the Administrator of Institutional Operations
Ready Bag, black, for replacement (CERT)		26 (Number of CERT members)	26 (Number of CERT members)	16 (Number of CERT members)
AMMUN	<u>IITION</u>			
9 mm A	mmunition (Duty)			
	New, factory loaded, 9 mm or 9 mm+P, jacketed hollow point, 124-147 grain with a minimum speed of 1110 feet per second, for replacement (per weapon)	3,000 rounds, total	2,500 rounds, total	2,000 rounds, total
.223 An	nmunition (Duty)			
	New, factory loaded, minimum 55 grain, ballistic tip, for replacement	2,500 rounds	1,500 rounds	1,000 rounds

Item(s)/Description	Maximum	Medium	Minimum
12 Gauge "00" Buckshot (Duty)			
New, factory loaded, 9 pellet per round, no magnum loads, for replacement	750 rounds	600 rounds	300 rounds
12 Gauge Rifle Slug (Duty)			
New, factory loaded, 1 oz. slug, for replacement	750 rounds	600 rounds	300 rounds
.308 Ammunition (Duty) New, factory loaded, minimum 168 grain, ballistic tip, for replacement	Equipment assigned to the individual by the Sniper Team Commander of designee.		
.223 Magazines (3 per rifle)	75	45	30
9 mm Magazines (3 per pistol)	180 total	150 total	120 total
Restraint Chair	1	1	0
Custody Control Belt	1	0	0
Hand Held Metal Detectors	10	5	5
Transport Leg Braces	2 sets	1 set	0 set
Canteen (CERT)			
Camelback or similar style, black soft cordura covered, 40 fluid oz. capacity, washable, for replacement	26	26	16
Binocular			
Black polycarbonate construction, 10 x 50 optics, for replacement	15	10	10
Cell Entry Suit (CERT)	6	6	6
Spot Light			
Facility/division have the option of either plug-in or battery-powered, minimum 1,000,000 candle power	15	15	10
Less Than Lethal Munitions			
37mm/40mm CS Munitions	6	6	6
37mm/40mm Smoke Munitions	6	6	6
37mm/40mm Rubber Ball Munitions (.45 caliber)	12	12	12
Hand Grenade CS, Separating	6	6	6
Hand Grenade Smoke Separating	6	6	6
Hand Grenade, Rubber Ball Munition (.45 Caliber) - Preferred with CS Component	10	10	10

Item(s)/Description	Maximum	Medium	Minimum
37mm/40mm Diversionary/Warning Device (Bore Thunder	10	10	10
Equivalent with Adapter			

(R 06/25)