
Electronic Cigarette Use before Pregnancy

Data from the 2016-2019 Oklahoma Pregnancy Risk Assessment Monitoring System (PRAMS)

HEALTH EFFECTS

Most electronic cigarettes contain nicotine¹, which is:


- Highly addictive
- Toxic to developing fetuses
- A health danger for pregnant adults & their developing babies





of Oklahoma mothers used e-cigarettes at least 1x/day 4.2%

of Oklahoma mothers used both e-cigarettes & other tobacco products

Non-Hispanic (NH) White mothers had a higher rate of e-cigarette use before pregnancy








ELECTRONIC CIGARETTES

Electronic cigarettes (also called "e-cigarettes," "e-cigs," or "vapes") produce an aerosol by heating a liquid that usually contains nicotine, flavorings, & other chemicals. Users inhale this aerosol into their lungs. 1





Mothers with lower annual household incomes had a higher rate of e-cigarette use before pregnancy



Reference: 1. Centers for Disease Control and Prevention. (2022, March 21). About electronic cigarettes (ecigarettes). https://www.cdc.gov/tobacco/basic_information/e-cigarettes/about-e-cigarettes.html Special assistance provided by Ayesha Lampkins, MPH and Binitha Hunnel, M.S.
Funding was made possible by PRAMS, grant number U01DP006234, and by the Maternal and Child Health Bureau, Department of Health and Human Services, Maternal and Child Health Services Title V Block Grant, grant number B04MC30635.

This publication was issued by the Oklahoma State Department of Health (OSDH), an equal opportunity employer and provider.

A digital file can be accessed at documents.ok.gov. | October 2022

