

County Health Reports Summer 2017

Supplement Table 1: Total Mortality Rate and Adult Prevalence of Sufficient Fruit and Vegetable Consumption (5 or More Daily Servings), Obesity, Physical Inactivity, and Diabetes by County.

County	Total Mortality ¹ (Age-Adjusted Death Rate/100,000)	Minimum Fruit Consumption ² (%)	Minimum Vegetable Consumption ³ (%)	Obesity ³ (%)	Physical Inactivity ³ (%)	Diabetes ³ (%)
Adair	1,043.2	65.7	32.5	47.8	39.3	19.1
Alfalfa	846.1	55.3	23.3	41.7	46.6	12.1
Atoka	951.4	52.1	27.4	38.3	38.0	11.5
Beaver	678.0	52.1	30.4	35.7	37.1	15.0
Beckham	989.4	55.6	29.8	40.7	36.6	9.4
Blaine	944.2	46.6	15.8	34.9	43.9	14.1
Bryan	930.2	60.3	35.7	32.8	34.7	10.8
Caddo	1,059.5	52.1	27.2	41.0	42.2	12.8
Canadian	788.9	49.7	24.7	32.9	36.0	11.1
Carter	1,079.8	46.6	26.3	38.3	32.6	10.5
Cherokee	942.1	52.5	28.2	31.5	26.5	14.9
Choctaw	1,116.8	51.7	27.6	36.8	37.1	17.2
Cimarron	917.5	59.4	17.4	28.1	43.4	12.3
Cleveland	765.6	47.3	24.9	30.5	26.9	9.8
Coal	985.3	51.8	14.9	37.2	51.0	12.4
Comanche	896.1	53.4	27.6	33.5	30.5	10.3
Cotton	1,030.2	53.0	26.3	42.0	39.7	14.9
Craig	1,016.3	62.5	29.4	32.9	43.4	10.8
Creek	959.3	51.3	21.0	37.0	37.7	15.7
Custer	942.2	53.6	26.2	29.4	31.6	10.5
Delaware	907.7	52.6	25.6	39.7	39.7	15.5
Dewey	1,025.1	52.7	29.1	35.5	38.8	12.7
Ellis	899.9	57.0	21.0	34.0	35.7	12.2
Garfield	890.5	47.3	21.8	39.3	37.0	9.9
Garvin	1,055.2	58.5	25.2	35.6	39.6	12.0
Grady	912.2	59.4	23.2	35.6	27.2	12.0
Grant	898.5	61.2	29.6	37.6	39.3	11.1
Greer	924.7	58.6	17.0	39.0	43.1	11.3

County Health Reports Summer 2017

Supplement Table 1 continued: Total Mortality Rate and Adult Prevalence of Sufficient Fruit and Vegetable Consumption (5 or More Daily Servings), Obesity, Physical Inactivity, and Diabetes by County.

County	Total Mortality ¹ (Age-Adjusted Death Rate/100,000)	Minimum Fruit Consumption ² (%)	Minimum Vegetable Consumption ³ (%)	Obesity ³ (%)	Physical Inactivity ³ (%)	Diabetes ³ (%)
Harmon	744.1	49.5	28.1	42.7	40.8	18.1
Harper	795.1	64.8	42.3	36.4	36.2	13.5
Haskell	919.3	45.3	30.0	39.3	50.5	19.4
Hughes	1,022.2	59.2	45.0	39.5	52.2	18.4
Jackson	956.4	54.5	25.6	34.4	40.0	12.3
Jefferson	1,113.1	45.3	23.0	38.0	38.6	11.3
Johnston	991.9	52.9	27.3	42.9	37.7	13.0
Kay	941.8	55.0	30.0	27.7	31.9	12.8
Kingfisher	813.1	49.2	29.1	29.4	30.4	10.3
Kiowa	1,163.8	48.6	16.0	29.5	43.8	13.7
Latimer	902.8	48.0	31.8	30.7	25.4	16.2
Le Flore	1,014.9	50.7	22.8	41.9	36.4	16.5
Lincoln	921.7	54.7	15.8	37.6	39.5	12.2
Logan	719.3	45.0	19.1	30.3	30.7	13.2
Love	905.1	56.0	23.1	32.9	39.9	19.9
Major	821.3	49.0	19.5	37.9	40.1	10.5
Marshall	906.9	49.1	25.5	38.4	50.7	15.0
Mayer	972.9	57.7	25.0	37.9	41.3	12.5
McClain	893.1	51.0	29.9	32.9	26.4	9.7
McCurtain	1,027.4	58.6	33.1	38.3	40.7	13.2
McIntosh	973.7	51.2	32.2	39.4	38.5	13.5
Murray	1,021.8	52.3	29.0	48.0	36.4	11.6
Muskogee	1,088.3	49.0	25.9	38.7	34.6	12.6
Noble	898.6	55.9	19.6	34.3	34.4	15.4
Nowata	970.9	54.6	23.7	37.7	31.5	11.8
Okfuskee	1,177.0	56.8	26.3	35.5	27.2	12.6
Oklahoma	900.9	48.6	25.2	32.0	31.7	10.7
Okmulgee	1,015.3	45.9	24.0	40.1	35.1	12.4

County Health Reports Summer 2017

Supplement Table 1 continued: Total Mortality Rate and Adult Prevalence of Sufficient Fruit and Vegetable Consumption (5 or More Daily Servings), Obesity, Physical Inactivity, and Diabetes by County.

County	Total Mortality ¹ (Age-Adjusted Death Rate/100,000)	Minimum Fruit Consumption ² (%)	Minimum Vegetable Consumption ³ (%)	Obesity ³ (%)	Physical Inactivity ³ (%)	Diabetes ³ (%)
Osage	752.7	56.3	27.9	32.8	31.8	10.5
Ottawa	1,044.9	62.1	27.3	37.9	35.5	15.4
Pawnee	1,035.0	58.1	31.2	36.2	38.3	10.8
Payne	783.1	45.3	26.4	28.3	24.6	6.2
Pittsburg	1,032.1	57.0	29.6	30.9	37.8	13.0
Pontotoc	951.5	43.4	25.5	34.9	34.6	11.1
Pottawatomie	989.0	48.5	25.6	39.6	32.5	13.5
Pushmataha	1,025.6	58.1	25.2	31.2	39.9	24.1
Roger Mills	680.6	56.2	18.2	35.3	40.3	17.9
Rogers	828.1	49.3	24.3	32.8	31.1	10.8
Seminole	1,088.0	58.1	35.5	40.0	43.6	15.6
Sequoyah	1,035.0	61.9	29.8	38.5	42.8	18.8
Stephens	942.9	48.4	20.8	34.6	36.8	13.7
Texas	856.7	43.3	12.6	31.2	36.2	7.9
Tillman	947.0	62.0	40.8	36.1	47.4	13.8
Tulsa	862.0	47.9	22.9	31.7	31.1	11.0
Wagoner	810.9	46.9	23.9	35.7	32.8	12.6
Washington	820.6	49.1	26.3	35.6	33.5	13.6
Washita	884.3	54.5	32.2	37.0	36.4	13.3
Woods	842.2	47.3	24.9	34.4	43.0	14.1
Woodward	808.3	47.4	21.8	37.2	38.6	9.5
Oklahoma State	988.8	51.7	25.8	35.0	36.4	13.0

Data Sources:

1. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Death Statistics – Final: 2011-2015. www.health.ok.gov/ok2share.
2. Oklahoma State Department of Health, Health Care Information, Behavioral Risk Factor Surveillance System (BRFSS) County Estimates: 2013.
3. Oklahoma State Department of Health, Health Care Information, Behavioral Risk Factor Surveillance System (BRFSS) County Estimates: 2015.

County Health Reports Summer 2017

Supplement Table 2: Teen Birth Rate, Infant Mortality Rate, Prevalence of Low Birth Weight (Births Weighing < 5 lb., 8 oz.), Unintentional Injury Mortality, and Prevalence of Adult Smokers by County.

County	Teen Births ¹ (Births/1,000 Females 15-19 Yrs)	Infant Mortality ² (Deaths/1,000 Live Births)	Low Birth Weight ¹ (%)	Unintentional Injury Mortality ² (Age-Adjusted Death Rate/100,000)	Adult Smokers ³ (%)
Adair	29.5	12.4	7.4	70.1	29.9
Alfalfa	32.3	-	7.1	69.9	30.7
Atoka	56.3	9.9	8.9	67.3	32.5
Beaver	35.4	-	6.9	76.7	17.9
Beckham	80.8	12.5	10.1	54.9	25.7
Blaine	60.8	7.8	7.1	78.1	17.9
Bryan	51.3	5.5	7.5	74.6	22.7
Caddo	59.1	10.9	8.1	93.1	26.4
Canadian	27.5	6.2	7.1	49.4	18.3
Carter	63.4	8.1	9.6	89.3	27.5
Cherokee	36.4	8.5	8.5	63.3	22.5
Choctaw	68.3	6.1	8.2	75.4	28.1
Cimarron	49	-	2.6	61.8	21.7
Cleveland	19.3	5.8	7.6	51.3	17.3
Coal	44.5	-	8.1	91.4	28.5
Comanche	44.1	8.9	7.8	49.4	25.2
Cotton	53.9	-	9.2	84.0	29.6
Craig	48.5	-	6.2	84.2	18.9
Creek	43	8.6	7.7	58.6	31.5
Custer	48.2	5.2	6.9	67.9	20.0
Delaware	49.6	4.8	7.9	76.2	26.8
Dewey	49.2	-	6.3	123.6	23.5
Ellis	42.7	-	4.1	96.6	26.2
Garfield	53.3	7.1	8.0	56.0	23.4
Garvin	56.8	8.5	8.4	101.5	24.6
Grady	37.6	6.6	8.3	75.2	25.9
Grant	40.2	-	7.8	68.7	19.0
Greer	77.7	-	8.2	72.2	39.6

County Health Reports Summer 2017

Supplement Table 2 continued: Teen Birth Rate, Infant Mortality Rate, Prevalence of Low Birth Weight (Births Weighing < 5 lb., 8 oz.), Unintentional Injury Mortality, and Prevalence of Adult Smokers by County.

County	Teen Births ¹ (Births/1,000 Females 15-19 Yrs)	Infant Mortality ² (Deaths/1,000 Live Births)	Low Birth Weight ¹ (%)	Unintentional Injury Mortality ² (Age-Adjusted Death Rate/100,000)	Adult Smokers ³ (%)
Harmon	70.6	-	10.3	-	28.7
Harper	44.1	-	9.2	77.7	18.5
Haskell	53.4	13.2	6.6	60.5	20.5
Hughes	52.7	-	6.3	62.3	28.1
Jackson	56.4	9.4	9.9	67.3	17.4
Jefferson	55.3	-	10.4	123.5	33.7
Johnston	47.4	7.8	7.8	82.4	28.2
Kay	60.7	8.3	7.7	64.8	25.4
Kingfisher	35.1	-	6.4	58.5	17.8
Kiowa	45.3	-	6.8	90.8	26.4
Latimer	36.2	-	8.0	75.0	26.5
Le Flore	55.5	4	7.4	68.3	27.3
Lincoln	36.4	7.4	7.7	75.3	24.7
Logan	17.3	5.7	7.1	54.7	18.2
Love	57.5	-	9.5	71.6	22.2
Major	47.3	-	7.8	70.6	23.3
Marshall	63.6	5.3	7.9	73.8	22.3
Mayes	49	8.4	7.5	88.2	27.2
McClain	28.4	11	8.8	66.1	18.0
McCurtain	67.4	9.7	6.8	65.5	26.3
McIntosh	47.3	10.4	7.6	72.0	25.7
Murray	40	11.5	8.8	87.4	32.1
Muskogee	54.5	7.7	8.3	71.7	30.8
Noble	36.5	7.7	6.9	61.2	20.2
Nowata	32.5	-	8.1	82.4	26.7
Okfuskee	53.5	11.2	7.8	61.7	36.6
Oklahoma	48.5	7.3	8.5	57.8	20.5
Okmulgee	53.1	8	8.1	68.5	24.0

County Health Reports Summer 2017

Supplement Table 2 continued: Teen Birth Rate, Infant Mortality Rate, Prevalence of Low Birth Weight (Births Weighing < 5 lb., 8 oz.), Unintentional Injury Mortality, and Prevalence of Adult Smokers by County.

County	Teen Births ¹ (Births/1,000 Females 15-19 Yrs)	Infant Mortality ² (Deaths/1,000 Live Births)	Low Birth Weight ¹ (%)	Unintentional Injury Mortality ² (Age-Adjusted Death Rate/100,000)	Adult Smokers ³ (%)
Osage	29.2	7.3	7.7	51.0	22.2
Ottawa	59	8.3	8.7	65.7	26.0
Pawnee	40.6	8.2	7.7	102.5	19.2
Payne	15.5	5.7	6.3	54.9	16.9
Pittsburg	53.3	7.5	7.6	71.6	26.6
Pontotoc	39	6.3	7.9	69.9	25.1
Pottawatomie	45.3	9.9	7.3	69.0	24.5
Pushmataha	63	-	9.4	99.4	26.2
Roger Mills	45.1	-	6.3	61.7	17.7
Rogers	29.6	7.2	7.0	47.2	19.2
Seminole	52.7	13	7.4	74.0	28.9
Sequoyah	56.4	5.8	8.1	62.6	30.3
Stephens	48.8	9.6	8.3	73.1	25.6
Texas	54.6	9.6	6.8	62.0	19.0
Tillman	44.1	-	7.3	56.8	29.3
Tulsa	40.2	7.3	8.7	50.7	19.5
Wagoner	27	7.8	7.3	52.1	19.4
Washington	36.8	6	7.4	47.8	22.9
Washita	42.2	13	6.8	100.6	28.0
Woods	41.7	-	7.5	80.0	21.4
Woodward	71.6	6.2	8.3	81.1	26.1
Oklahoma State	20.4	7.4	8.0	61.9	23.3

Data Sources:

1. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Birth Statistics,—Final: 2011-2015. www.health.ok.gov/ok2share.
2. Oklahoma State Department of Health, Health Care Information, OK2SHARE, Death Statistics – Final: 2011-2015. www.health.ok.gov/ok2share.
3. Oklahoma State Department of Health, Health Care Information, Behavioral Risk Factor Surveillance System (BRFSS) County Estimates: 2015.



The Oklahoma State Department of Health (OSDH) is an equal opportunity employer and provider. This publication, issued by the OSDH, was authorized by Terry L. Cline, PhD, Commissioner of Health, Secretary of Health and Human Services. A digital file has been deposited with the Publications Clearinghouse of the Oklahoma Department of Libraries. Copies have not been printed but are available for download at www.health.ok.gov. May 2017

