

OKLAHOMA MDS CURRENT RESIDENT INFORMATION REPORT

4th Qtr 2003

Source: MDS National Repository

OK-Oklahoma %

NAT-National %

(*Indicates missing response or less than 10 responses.)

BASIC ASSESSMENT TRACKING FORM

SECTION AA. IDENTIFICATION INFORMATION

OK % NAT %

1.	RESIDENT NAME	(First)	(Middle Initial)	(Last)	(Jr/Sr)
2.	GENDER	1. Male		27.2	29.2
		2. Female		72.8	70.8
3.	BIRTHDATE (AGE OF RESIDENTS)	1-30		0.4	0.6
		31-64		13.2	11.7
		65-74		13.8	12.7
		75-84		31.8	32.6
		85-95		36.1	37.3
		>95		4.7	5.1
4.	RACE / ETHNICITY	1. American Indian/Alaskan Native		4.0	0.5
		2. Asian/Pacific Islander		0.2	1.3
		3. Black, not of Hispanic origin		6.8	12.5
		4. Hispanic		0.9	3.7
		5. White, not of Hispanic origin		88.0	82.1
5.	SOCIAL SECURITY & MEDICARE NUMBERS	a. Social Security Number			
		b. Medicare Number (or comparable railroad insurance number)			
6.	FACILITY PROVIDER NUMBER	a. State Number			
		b. Federal Number			
7.	MEDICAID NUMBER				
8.	REASONS FOR ASSESSMENT	a. Primary reason for assessment 1. Admission assessment (required by day 14) 2. Annual assessment 3. Significant change in status assessment 4. Significant correction of prior full assessment 5. Quarterly review assessment 10. Significant correction of prior quarterly assessment 0. NONE OF ABOVE b. Codes for assessments required for Medicare PPS or the State 1. Medicare 5 day assessment 2. Medicare 30 day assessment 3. Medicare 60 day assessment 4. Medicare 90 day assessment 5. Medicare readmission/return assessment 6. Other state required assessment 7. Medicare 14 day assessment 8. Other Medicare required assessment			

9.	Signature of Persons who Completed a Portion of the Accompanying Assessment or Tracking Form.	
I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information or the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.		
	Signature and Title	Date
a.		
b.		
c.		
d.		
e.		
f.		
g.		
h.		
i.		
j.		
k.		
l.		

GENERAL INSTRUCTIONS

Complete this information for submission with all full and quarterly assessments (Admission, Annual, Significant Change, State or Medicare required assessments, or Quarterly Reviews, etc.)

OKLAHOMA MDS CURRENT RESIDENT INFORMATION REPORT

4th Qtr 2003

Source: MDS National Repository

OK-Oklahoma %

NAT-National %

(* Indicates missing response or less than 10 responses.)

BACKGROUND (FACE SHEET) INFORMATION AT ADMISSION

SECTION AB. DEMOGRAPHIC INFORMATION

			OK%	NAT%
1.	DATE OF ENTRY	Date the stay began. Note--Does not include readmission if record was closed at time of temporary discharge to hospital, etc. In such cases, use prior admission date.		
		Month Day Year		
2.	ADMITTED FROM (AT ENTRY)	1. Private home/apt. with no home health services	21.9	12.9
		2. Private home/apt. with home health services	6.6	4.8
		3. Board and care/assisted living/ group home	5.2	6.7
		4. Nursing home	17.8	13.8
		5. Acute care hospital	39.7	56.0
		6. Psychiatric hospital, MR/DD facility	4.4	2.6
		7. Rehabilitation hospital	2.8	1.8
		8. Other	1.6	1.3
3.	LIVED ALONE (PRIOR TO ENTRY)	0. No	54.1	56.2
		1. Yes	29.4	26.7
		2. In other facility	16.5	17.1
4.	ZIP CODE OF PRIOR PRIMARY RESIDENCE			
5.	RESIDENTIAL HISTORY 5 YEARS PRIOR TO ENTRY	(Check all settings resident lived in during 5 years prior to date of entry given in item AB1 above)		
		a. Prior stay at this nursing home	12.1	17.1
		b. Stay in other nursing home	26.2	21.7
		c. Other residential facility-board and care home, assisted living, group home	9.5	15.0
		d. MH/psychiatric setting	3.2	3.4
		e. MR/DD setting	0.4	0.5
		f. NONE OF ABOVE	53.8	50.6
6.	LIFETIME OCCUPATION(S)			
7.	EDUCATION (Highest Level Completed)	1. No schooling	3.1	2.5
		2. 8th grade/less	22.2	24.9
		3. 9-11 grades	16.1	14.8
		4. High school	39.6	37.4
		5. Technical or trade school	4.3	4.4
		6. Some college	9.0	8.9
		7. Bachelor's degree	3.9	4.9
		8. Graduate degree	1.9	2.3
8.	LANGUAGE	(Code for correct response)		
		a. Primary language		
		0. English	99.0	95.0
		1. Spanish	0.5	2.6
		2. French	*	0.2
		3. Other	0.5	2.2
		b. If other, specify:		
9.	MENTAL HEALTH HISTORY	Does Resident's RECORD indicate any history of mental retardation, mental illness, or developmental disability problem?		
		0. No	88.4	87.5
		1. Yes	11.6	12.5
10.	CONDITIONS RELATED TO MR/DD STATUS	(Check all conditions that are related to MR/DD status that were manifested before age 22, and are likely to continue indefinitely.)		
		a. Not applicable--no MR/DD	94.2	95.9
		b. Down's syndrome	6.6	7.8
		c. Autism	*	1.2
		d. Epilepsy	10.0	10.1
		e. Other organic condition related to MR/DD	23.6	26.3
		f. MR/DD with no organic condition	59.1	51.7
11.	DATE BACKGROUND INFORMATION COMPLETED	Month Day Year		

SECTION AC. CUSTOMARY ROUTINE

			OK%	NAT%
1.	CUSTOMARY ROUTINE	(Check all that apply. If all information unknown, check last box only.)		
		CYCLE OF DAILY EVENTS		
		a. Stays up late at night (e.g., after 9pm)	28.3	33.6
		b. Naps regularly during day (at least 1 hour)	69.4	60.8
		c. Goes out 1+ days a week	29.8	37.6
		d. Stays busy with hobbies, reading, or fixed daily routine	40.8	46.0
		e. Spends most of time alone or watching TV	43.4	41.7
		f. Moves independently indoors (with appliances, if used)	67.3	66.0
		g. Use of tobacco products at least daily	12.1	9.1
		h. NONE OF ABOVE	3.8	5.6
		EATING PATTERNS		
		i. Distinct food preferences	16.3	18.0
		j. Eats between meals all or most days	27.9	32.9
		k. Use of alcoholic beverage(s) at least weekly	2.9	4.8
		l. NONE OF ABOVE	61.1	54.0
		ADL PATTERNS		
		m. In bed clothes much of day	10.5	8.0
		n. Wakens to toilet all or most nights	51.3	46.3
		o. Has irregular bowel movement pattern	16.6	14.6
		p. Showers for bathing	59.9	55.6
		q. Bathing in PM	13.6	11.9
		r. NONE OF ABOVE	14.6	19.1
		INVOLVEMENT PATTERNS		
		s. Daily contact with relatives/close friends	70.3	72.9
		t. Usually attends church, temple, synagogue, etc.	31.2	29.9
		u. Finds strength in faith	45.4	49.4
		v. Daily animal companion/presence	11.3	11.2
		w. Involved in group activities	26.4	23.7
		x. NONE OF ABOVE	14.1	13.1
		y. UNKNOWN--Resident/family unable to provide information	2.8	2.8

SECTION AD. FACE SHEET SIGNATURES

SIGNATURES OF PERSONS COMPLETING FACE SHEET:	
a. Signature of RN Assessment Coordinator	Date
I certify that the accompanying information accurately reflects resident assessment or tracking information for this resident and that I collected or coordinated collection of this information on the dates specified. To the best of my knowledge, this information was collected in accordance with applicable Medicare and Medicaid requirements. I understand that this information is used as a basis for ensuring that residents receive appropriate and quality care, and as a basis for payment from federal funds. I further understand that payment of such federal funds and continued participation in the government-funded health care programs is conditioned on the accuracy and truthfulness of this information, and that I may be personally subject to or may subject my organization to substantial criminal, civil, and/or administrative penalties for submitting false information. I also certify that I am authorized to submit this information by this facility on its behalf.	
Signature and Title	Sections Date
b.	
c.	
d.	
e.	
f.	
g.	

OKLAHOMA MDS CURRENT RESIDENT INFORMATION REPORT

4th Qtr 2003

Source: MDS National Repository

OK-Oklahoma %
NAT-National %

(*Indicates missing response or less than 10 responses.)

FULL ASSESSMENT FORM

(Status in last 7 days, unless other time frame indicated)

SECTION A. IDENTIFICATION AND

BACKGROUND INFORMATION

		OK%	NAT%
1.	RESIDENT NAME (First) (Middle Initial) (Last) (Jr/Sr)		
2.	ROOM NUMBER		
3.	ASSESSMENT REFERENCE DATE a. Last day of MDS observation period Month Day Year b. Original (0) or corrected copy of form (enter number of correction)		
4.	DATE OF REENTRY Date of reentry from most recent temporary discharge to a hospital in last 90 days (or since last assessment or admission if less than 90 days) Month Day Year		
5.	MARITAL STATUS 1. Never married 2. Married 3. Widowed 4. Separated 5. Divorced	11.9 18.3 56.5 1.8 11.6	15.4 19.2 54.2 1.7 9.4
6.	MEDICAL RECORD NO.		
7.	CURRENT PAYMENT SOURCES FOR N.H. STAY (Billing Office to indicate; check all that apply in last 30 days) a. Medicaid per diem b. Medicare per diem c. Medicare ancillary part A d. Medicare ancillary part B e. CHAMPUS per diem f. VA per diem g. Self or family pays for full per diem h. Medicaid resident liability or Medicare co-payment i. Private insurance per diem (including co-payment) j. Other per diem	54.9 16.6 12.0 5.1 0.1 0.6 22.8 8.3 7.0 1.5	54.9 23.5 15.1 9.5 <0.05 0.7 15.8 12.8 7.7 2.6
8.	REASONS FOR ASSESSMENT [Note--if this is a discharge or reentry assessment, only a limited subset of MDS items need be completed] a. Primary reason for assessment 1. Admission assessment (required by day 14) 2. Annual assessment 3. Significant change in status assessment 4. Significant correction of prior full assessment 5. Quarterly review assessment 6. Discharged--return not anticipated 7. Discharged--return anticipated 8. Discharged prior to completing initial assessment 9. Reentry 10. Significant correction of prior quarterly assessment b. Codes for assessments required for Medicare PPS or the State 1. Medicare 5 day assessment 2. Medicare 30 day assessment 3. Medicare 60 day assessment 4. Medicare 90 day assessment 5. Medicare readmission/return assessment 6. Other state required assessment 7. Medicare 14 day assessment 8. Other Medicare required assessment		
9.	RESPONSIBILITY / LEGAL GUARDIAN (Check all that apply) a. Legal guardian b. Other legal oversight c. Durable power of attorney/health care d. Durable power attorney/financial e. Family member responsible f. Patient responsible for self g. NONE OF ABOVE	6.9 2.6 22.7 23.8 59.9 23.6 3.4	6.7 3.0 33.2 24.3 65.9 28.5 2.9
10.	ADVANCED DIRECTIVES (For those items with supporting documentation in the medical record, check all that apply) a. Living will b. Do not resuscitate c. Do not hospitalize d. Organ donation e. Autopsy request f. Feeding restrictions g. Medication restrictions h. Other treatment restrictions i. NONE OF THE ABOVE	24.9 38.5 0.3 0.5 <0.05 3.7 0.8 1.7 (No Data)	19.2 52.4 3.2 0.4 0.1 10.5 3.0 8.4 (No Data)

SECTION B. COGNITIVE PATTERNS

1.	COMATOSE (Persistent vegetative state/no discernible consciousness) 0. No 1. Yes (If yes, skip to Section G)	99.7 0.3	99.7 0.3
2.	MEMORY (Recall of what was learned or known) a. Short-term memory OK--seems/appears to recall after 5 minutes 0. Memory OK 1. Memory problem b. Long-term memory OK--seems/appears to recall long past 0. Memory OK 1. Memory problem	35.2 64.8 49.4 50.6	27.0 73.0 45.9 54.1

		OK%	NAT%
3.	MEMORY / RECALL ABILITY (Check all that resident was normally able to recall during last 7 days) a. Current season b. Location of own room c. Staff names/faces d. That he/she is in a nursing home e. NONE OF ABOVE ARE recalled	48.1 63.5 61.1 66.1 21.6	44.5 58.4 65.6 60.7 22.8
4.	COGNITIVE SKILLS FOR DAILY DECISION-MAKING (Made decisions regarding tasks of daily life) 0. INDEPENDENT--decisions consistent/reasonable 1. MODIFIED INDEPENDENCE--some difficulty in new situations only 2. MODERATELY IMPAIRED--decisions poor; cues/supervision required 3. SEVERELY IMPAIRED--never/rarely made decisions	23.4 24.8 33.2 18.6	18.5 22.1 40.5 18.9
5.	INDICATORS OF DELIRIUM--PERIODIC DISORDERED THINKING / AWARENESS (Code for behavior in the last 7 days.) [Note: Accurate assessment requires conversations with staff and family who have direct knowledge of resident's behavior over this time.] a. EASILY DISTRACTED--(e.g., difficulty paying attention; gets sidetracked) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) b. PERIODS OF ALTERED PERCEPTION OR AWARENESS OF SURROUNDINGS--(e.g., moves lips or talks to someone not present; believes he/she is somewhere else; confuses night and day) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) c. EPISODES OF DISORGANIZED SPEECH--(e.g., speech is incoherent, nonsensical, irrelevant, or rambling from subject to subject; loses train of thought) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) d. PERIODS OF RESTLESSNESS--(e.g., fidgeting or picking at skin, clothing, napkins, etc.; frequent position changes; repetitive physical movements or calling out) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) e. PERIODS OF LETHARGY--(e.g., sluggishness; staring into space; difficult to arouse; little body movement) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening) f. MENTAL FUNCTION VARIES OVER THE COURSE OF THE DAY--(e.g., sometimes better, sometimes worse; behaviors sometimes present, sometimes not) 0. Behavior not present 1. Behavior present, not of recent onset 2. Behavior present, over last 7 days appears different from resident's usual functioning (e.g., new onset or worsening)	79.9 19.3 0.8 82.2 17.0 0.9 83.4 16.0 0.7 82.2 17.0 0.8 91.2 8.0 0.7 77.6 21.3 1.1 89.3 2.1 8.6	80.4 19.1 0.5 84.8 14.5 0.7 82.8 16.7 0.6 82.5 16.7 0.8 91.1 8.1 0.8 75.2 23.8 1.0 88.2 2.2 9.6
6.	CHANGE IN COGNITIVE STATUS Resident's cognitive status, skills, or abilities have changed as compared to status of 90 days ago (or since last assessment if less than 90 days) 0. No change 1. Improved 2. Deteriorated	89.3 2.1 8.6	88.2 2.2 9.6

SECTION C. COMMUNICATION / HEARING PATTERNS

1.	HEARING (With hearing appliance, if used) 0. HEARS ADEQUATELY--normal talk, TV, phone 1. MINIMAL DIFFICULTY when not in quiet setting 2. HEARS IN SPECIAL SITUATIONS ONLY--speaker has to adjust tonal quality and speak distinctly 3. HIGHLY IMPAIRED/absence of useful hearing	75.8 16.0 6.1 2.0	70.0 19.8 8.6 1.7
----	--	----------------------------	----------------------------

		OK %	NAT %
2.	COMMUNICATION DEVICES / TECHNIQUES	(Check all that apply during last 7 days)	
	a. Hearing aid, present and used	5.6	6.8
	b. Hearing aid, present and not used regularly	1.8	2.3
	c. Other receptive communication techniques used (e.g., lip reading)	0.4	0.5
	d. NONE OF ABOVE	92.3	90.5
3.	MODES OF EXPRESSION	(Check all used by resident to make needs known)	
	a. Speech	95.4	93.8
	b. Writing messages to express or clarify needs	0.9	0.9
	c. American sign language or Braille	0.1	0.1
	d. Signs/gestures/sounds	10.2	14.6
	e. Communication board	0.5	0.6
	f. Other	0.3	0.6
	g. NONE OF ABOVE	1.7	2.3
4.	MAKING SELF UNDERSTOOD	(Expressing information content--however able)	
	0. UNDERSTOOD	64.3	52.8
	1. USUALLY UNDERSTOOD--difficulty finding words or finishing thoughts	18.5	21.7
	2. SOMETIMES UNDERSTOOD--ability is limited to making concrete requests	10.8	15.7
	3. RARELY/NEVER UNDERSTOOD	6.5	9.8
5.	SPEECH CLARITY	(Code for speech in the last 7 days)	
	0. CLEAR SPEECH--distinct, intelligible words	81.2	77.5
	1. UNCLEAR SPEECH--slurred, mumbled words	15.1	17.7
	2. NO SPEECH--absence of spoken words	3.7	4.7
6.	ABILITY TO UNDERSTAND OTHERS	(Understanding verbal information content--however able)	
	0. UNDERSTANDS	58.1	46.4
	1. USUALLY UNDERSTANDS--may miss some part/intent of message	23.8	26.9
	2. SOMETIMES UNDERSTANDS--responds adequately to simple, direct communication	13.6	19.1
	3. RARELY/NEVER UNDERSTANDS	4.5	7.7
7.	CHANGE IN COMMUNICATION / HEARING	Resident's ability to express, understand, or hear information has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
	0. No change	93.4	91.9
	1. Improved	1.2	1.3
	2. Deteriorated	5.4	6.9

SECTION D. VISION PATTERNS

1.	VISION	(Ability to see in adequate light and with glasses if used)	
	0. ADEQUATE--sees fine detail, including regular print in newspapers/books	71.7	61.2
	1. IMPAIRED--sees large print, but not regular print in newspapers/books	17.0	20.9
	2. MODERATELY IMPAIRED--limited vision; not able to see newspaper headlines, but can identify objects	5.1	7.5
	3. HIGHLY IMPAIRED--object identification in question, but eyes appear to follow objects	3.9	7.8
	4. SEVERELY IMPAIRED--no vision or sees only light, colors, or shapes; eyes do not appear to follow objects	2.2	2.5
2.	VISUAL LIMITATIONS / DIFFICULTIES	a. Side vision problems--decreased peripheral vision (e.g., leaves food on one side of tray, difficulty traveling, bumps into people and objects, misjudges placement of chair when seating self)	
	b. Experiences any of the following: sees halos or rings around lights; sees flashes of light; sees "curtains" over eyes	0.4	0.6
	c. NONE OF ABOVE	97.8	97.0
3.	VISUAL APPLIANCES	Glasses; contact lenses; magnifying glass	
	0. No	37.3	37.1
	1. Yes	62.7	62.9

SECTION E. MOOD AND BEHAVIOR PATTERNS

1.	INDICATORS OF DEPRESSION, ANXIETY SAD MOOD	(Code for indicators observed in last 30 days, irrespective of the assumed cause)		
		VERBAL EXPRESSIONS OF DISTRESS		
		a. Resident made negative statements--e.g., "Nothing matters" Would rather be dead; What's the use; Regrets having lived so long; Let me die"		
		0. Indicator not exhibited in last 30 days	96.8	96.1
		1. Indicator of this type exhibited up to five days a week	2.6	3.4
		2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.6	0.5
		b. Repetitive questions--e.g., "Where do I go; What do I do?"		
		0. Indicator not exhibited in last 30 days	94.2	93.4
		1. Indicator of this type exhibited up to five days a week	3.7	4.6
		2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.0	2.0
		c. Repetitive verbalizations--e.g., calling out for help, ("God help me")		
		0. Indicator not exhibited in last 30 days	93.9	92.9
		1. Indicator of this type exhibited up to five days a week	3.6	4.8
2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.5	2.2		

		OK %	NAT %
	d. Persistent anger with self or others--e.g., easily annoyed, anger at placement in nursing home; anger at care received		
	0. Indicator not exhibited in last 30 days	89.2	85.7
	1. Indicator of this type exhibited up to five days a week	8.4	11.7
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.3	2.6
	e. Self deprecation--e.g., "I am nothing; I am of no use to anyone"		
	0. Indicator not exhibited in last 30 days	99.0	98.5
	1. Indicator of this type exhibited up to five days a week	0.8	1.4
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.2	0.1
	f. Expressions of what appear to be unrealistic fears--e.g., fear of being abandoned, left alone, being with others		
	0. Indicator not exhibited in last 30 days	96.0	95.6
	1. Indicator of this type exhibited up to five days a week	3.1	3.6
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	1.0	0.8
	g. Recurrent statements that something terrible is about to happen--e.g., believes he or she is about to die, have a heart attack		
	0. Indicator not exhibited in last 30 days	98.8	98.6
	1. Indicator of this type exhibited up to five days a week	0.9	1.2
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.3	0.2
	h. Repetitive health complaints--e.g., persistently seeks medical attention, obsessive concern with body functions		
	0. Indicator not exhibited in last 30 days	93.1	91.1
	1. Indicator of this type exhibited up to five days a week	4.8	6.7
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.1	2.2
	i. Repetitive anxious complaints/concerns (non-health related) e.g., persistently seeks attention/reassurance regarding schedules, meals, laundry, clothing, relationship issues		
	0. Indicator not exhibited in last 30 days	91.1	87.5
	1. Indicator of this type exhibited up to five days a week	6.4	9.4
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.5	3.1
	SLEEP CYCLE ISSUES		
	j. Unpleasant mood in morning		
	0. Indicator not exhibited in last 30 days	96.7	95.8
	1. Indicator of this type exhibited up to five days a week	2.4	3.3
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.9	0.8
	k. Insomnia/change in usual sleep pattern		
	0. Indicator not exhibited in last 30 days	96.7	94.4
	1. Indicator of this type exhibited up to five days a week	2.6	4.9
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.7	0.8
	SAD, APATHETIC, ANXIOUS APPEARANCE		
	l. Sad, pained, worried facial expressions--e.g., furrowed brows		
	0. Indicator not exhibited in last 30 days	86.9	76.3
	1. Indicator of this type exhibited up to five days a week	9.8	17.6
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	3.3	6.1
	m. Crying, tearfulness		
	0. Indicator not exhibited in last 30 days	94.7	93.0
	1. Indicator of this type exhibited up to five days a week	4.4	6.2
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	0.9	0.8
	n. Repetitive physical movements--e.g., pacing, hand wringing, restlessness, fidgeting, picking		
	0. Indicator not exhibited in last 30 days	89.7	86.2
	1. Indicator of this type exhibited up to five days a week	5.7	8.9
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	4.6	5.0
	LOSS OF INTEREST		
	o. Withdrawal from activities of interest--e.g., no interest in long standing activities or being with family/friends		
	0. Indicator not exhibited in last 30 days	94.1	95.0
	1. Indicator of this type exhibited up to five days a week	3.7	3.4
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.2	1.6
	p. Reduced social interaction		
	0. Indicator not exhibited in last 30 days	92.6	93.6
	1. Indicator of this type exhibited up to five days a week	4.6	4.5
	2. Indicator of this type exhibited daily or almost daily (6, 7 days a week)	2.8	1.9
2.	MOOD PERSISTENCE	One or more indicators of depressed, sad or anxious mood were not easily altered by attempts to "cheer up", console, or reassure the resident over last 7 days	
	0. No mood indicators	71.2	57.4
	1. Indicators present, easily altered	16.0	24.2
	2. Indicators present, not easily altered	12.8	18.5
3.	CHANGE IN MOOD	Resident's mood status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
	1. No change	91.3	86.5
	2. Improved	3.0	4.4
	3. Deteriorated	5.7	9.1

		OK %	NAT %
4.	BEHAVIORAL SYMPTOMS	a. WANDERING (moved with no rational purpose, seemingly oblivious to needs or safety)	
		(A) Behavioral symptom frequency in last 7 days	
		0. Behavior not exhibited in last 7 days	91.9 91.7
		1. Behavior of this type occurred 1 to 3 days in last 7 days	3.1 3.2
		2. Behavior of this type occurred 4 to 6 days, but less than daily	1.5 1.5
		3. Behavior of this type occurred daily	3.6 3.5
		(B) Behavioral symptom alterability in last 7 days	
		0. Behavior was not present OR behavior was easily altered	95.7 95.4
		1. Behavior was not easily altered	4.3 4.6
		b. VERBALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were threatened, screamed at, cursed at)	
		(A) Behavioral symptom frequency in last 7 days	
		0. Behavior not exhibited in last 7 days	92.0 91.0
		1. Behavior of this type occurred 1 to 3 days in last 7 days	5.5 6.4
		2. Behavior of this type occurred 4 to 6 days, but less than daily	1.6 1.7
		3. Behavior of this type occurred daily	0.9 0.9
		(B) Behavioral symptom alterability in last 7 days	
		0. Behavior was not present OR behavior was easily altered	95.3 94.6
		1. Behavior was not easily altered	4.7 5.4
		c. PHYSICALLY ABUSIVE BEHAVIORAL SYMPTOMS (others were hit, shoved, scratched, sexually abused)	
		(A) Behavioral symptom frequency in last 7 days	
		0. Behavior not exhibited in last 7 days	94.7 94.4
		1. Behavior of this type occurred 1 to 3 days in last 7 days	3.8 4.1
		2. Behavior of this type occurred 4 to 6 days, but less than daily	0.9 1.0
		3. Behavior of this type occurred daily	0.6 0.5
		(B) Behavioral symptom alterability in last 7 days	
		0. Behavior was not present OR behavior was easily altered	96.8 96.5
		1. Behavior was not easily altered	3.2 3.5
		d. SOCIALLY INAPPROPRIATE/DISRUPTIVE BEHAVIORAL SYMPTOMS (made disruptive sounds, noisiness, screaming, self-abusive acts, sexual behavior or disrobing in public, smeared/threw food/feces, hoarding, rummaged through other's belongings)	
		(A) Behavioral symptom frequency in last 7 days	
		0. Behavior not exhibited in last 7 days	91.2 88.0
		1. Behavior of this type occurred 1 to 3 days in last 7 days	4.9 6.8
		2. Behavior of this type occurred 4 to 6 days, but less than daily	2.0 2.7
		3. Behavior of this type occurred daily	2.0 2.5
		(B) Behavioral symptom alterability in last 7 days	
		0. Behavior was not present OR behavior was easily altered	94.5 92.2
		1. Behavior was not easily altered	5.5 7.8
		e. RESISTS CARE (resisted taking medications;/injections, ADL assistance, or eating)	
		(A) Behavioral symptom frequency in last 7 days	
		0. Behavior not exhibited in last 7 days	82.2 80.6
		1. Behavior of this type occurred 1 to 3 days in last 7 days	11.3 12.1
		2. Behavior of this type occurred 4 to 6 days, but less than daily	3.6 4.0
		3. Behavior of this type occurred daily	2.9 3.3
		(B) Behavioral symptom alterability in last 7 days	
		0. Behavior was not present OR behavior was easily altered	87.6 86.3
		1. Behavior was not easily altered	12.4 13.7
5.	CHANGE IN BEHAVIORAL SYMPTOMS	Resident's behavior status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change	91.8 89.4
		1. Improved	2.8 3.7
		2. Deteriorated	5.4 6.9

SECTION F. PSYCHOSOCIAL WELL-BEING

1.	SENSE OF INITIATIVE/ INVOLVEMENT	a. At ease interacting with others	77.0	78.6
		b. At ease doing planned or structured activities	46.1	47.4
		c. At ease doing self-initiated activities	43.1	44.1
		d. Establishes own goals	16.4	17.3
		e. Pursues involvement in life of facility (e.g. makes/keeps friends; involved in group activities; responds positively to new activities; assists at religious services)	21.8	15.0
		f. Accepts invitations to most group activities	37.0	22.5
		g. NONE OF ABOVE	15.8	15.2
2.	UNSETTLED RELATIONSHIPS	a. Covert/open conflict with or repeated criticism of staff	3.6	3.0
		b. Unhappy with roommate	1.1	1.1
		c. Unhappy with residents other than roommate	1.9	1.4
		d. Openly expresses conflict/anger with family/friends	3.5	2.0
		e. Absence of personal contact with family/friends	4.2	2.8
		f. Recent loss of close family member/friend	1.4	1.2

		OK %	NAT %
3.	PAST ROLES	g. Does not adjust easily to change in routines	9.0 8.3
		h. NONE OF ABOVE	82.5 85.1
		a. Strong identification with past roles and life status	10.0 10.3
		b. Expresses sadness/anger/empty feeling over lost roles/status	3.7 4.2
		c. Resident perceives that daily routine (customary routine, activities) is very different from prior pattern in the community	4.4 4.9
		d. NONE OF ABOVE	86.8 86.2

SECTION G. PHYSICAL FUNCTIONING AND STRUCTURAL PROBLEMS

1.	a. BED MOBILITY	How resident moves to and from lying position, turns side to side, and positions body while in bed	
		(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)	
		0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	50.7 33.0
		1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	5.1 6.3
		2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	15.7 17.5
		3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	13.3 25.7
		4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	15.1 17.5
		8. ACTIVITY DID NOT OCCUR during entire 7 days	0.1 0.1
		(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)	
		0. No setup or physical help from staff	50.4 31.2
		1. Set up help only	4.7 6.8
		2. One person physical assist	33.9 45.4
		3. Two+ persons physical assist	10.9 16.6
		8. ADL activity itself did not occur during entire 7 days	0.1 0.1
	b. TRANSFER	How resident moves between surfaces--to/from bed, chair, wheelchair, standing position (EXCLUDE to/from bath/toilet)	
		(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)	
		0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	33.6 21.9
		1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	6.8 7.1
		2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	18.8 18.9
		3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	17.6 26.8
		4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	22.8 24.4
		8. ACTIVITY DID NOT OCCUR during entire 7 days	0.3 0.9
		(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)	
		0. No setup or physical help from staff	33.4 20.9
		1. Set up help only	5.2 6.1
		2. One person physical assist	37.4 43.4
		3. Two+ persons physical assist	23.5 28.7
		8. ADL activity itself did not occur during entire 7 days	0.5 0.9
	c. WALK IN ROOM	How resident walks between locations in his/her room	
		(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)	
		0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	31.3 21.3

		OK %	NAT %
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	6.9	7.9
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	12.6	14.3
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	8.6	9.9
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	1.8	0.8
	8. ACTIVITY DID NOT OCCUR during entire 7 days	38.8	45.8
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	32.0	21.1
	1. Set up help only	4.7	6.3
	2. One person physical assist	20.8	23.7
	3. Two+ persons physical assist	4.1	3.7
	8. ADL activity itself did not occur during entire 7 days	38.3	45.2
d. WALK IN COORIDOR	How resident walks in corridor on unit		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	26.9	17.2
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	8.0	9.5
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	11.4	14.3
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	6.7	9.4
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	1.4	0.8
	8. ACTIVITY DID NOT OCCUR during entire 7 days	45.6	48.7
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	28.4	18.3
	1. Set up help only	4.9	6.6
	2. One person physical assist	19.0	23.1
	3. Two+ persons physical assist	2.8	3.5
	8. ADL activity itself did not occur during entire 7 days	44.9	48.5
e. LOCOMOTION ON UNIT	How resident moves between locations in his/her room and adjacent corridor on same floor. If in wheelchair, self-sufficiency once in chair.		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	44.3	30.1
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	9.3	11.7
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	14.2	14.2
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	8.1	12.3
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	21.7	29.4
	8. ACTIVITY DID NOT OCCUR during entire 7 days	2.5	2.4

		OK %	NAT %
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	43.1	28.1
	1. Set up help only	8.7	11.0
	2. One person physical assist	43.7	57.2
	3. Two+ persons physical assist	1.8	1.1
	8. ADL activity itself did not occur during entire 7 days	2.8	2.6
f. LOCOMOTION OFF UNIT	How resident moves to and returns from off unit locations (e.g., areas set aside for dining, activities, or treatments). If facility has only one floor, how resident moves to and from distant areas on the floor. If in wheelchair, self-sufficiency once in chair.		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	38.6	22.2
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	10.7	11.4
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	14.0	12.8
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	8.3	11.8
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	22.1	34.8
	8. ACTIVITY DID NOT OCCUR during entire 7 days	6.3	6.9
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	38.4	21.6
	1. Set up help only	8.2	9.0
	2. One person physical assist	45.0	61.4
	3. Two+ persons physical assist	1.5	0.7
	8. ADL activity itself did not occur during entire 7 days	6.9	7.2
g. DRESSING	How resident puts on, fastens, and takes off all items of street clothing, including donning/removing prosthesis		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	17.2	9.9
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	9.8	6.8
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	25.7	20.3
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	22.3	35.0
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	23.8	27.6
	8. ACTIVITY DID NOT OCCUR during entire 7 days	1.2	0.3
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	16.8	8.5
	1. Set up help only	9.5	7.0
	2. One person physical assist	66.0	80.2
	3. Two+ persons physical assist	6.4	3.9
	8. ADL activity itself did not occur during entire 7 days	1.4	0.4
h. EATING	How resident eats and drinks (regardless of skill). Includes intake of nourishment by other means (e.g., tube feeding, total parenteral nutrition)		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	49.5	43.6

		OK %	NAT %
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	19.4	22.5
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	9.2	8.8
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	6.2	8.0
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	15.5	17.0
	8. ACTIVITY DID NOT OCCUR during entire 7 days	0.2	0.1
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	33.9	15.3
	1. Set up help only	35.0	50.0
	2. One person physical assist	30.4	34.5
	3. Two+ persons physical assist	0.4	0.1
	8. ADL activity itself did not occur during entire 7 days	0.3	0.1
i. TOILET USE	How resident uses the toilet room (or commode, bedpan, urinal); transfers on/off toilet, cleanses, changed pad, manages ostomy or catheter, adjusts clothes		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	27.2	16.4
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	6.5	5.8
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	17.3	15.8
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	17.5	27.3
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	29.8	34.1
	8. ACTIVITY DID NOT OCCUR during entire 7 days	1.6	0.5
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	27.1	15.4
	1. Set up help only	5.4	5.3
	2. One person physical assist	51.5	63.2
	3. Two+ persons physical assist	14.0	15.6
	8. ADL activity itself did not occur during entire 7 days	2.0	0.6
j. PERSONAL HYGIENE	How resident maintains personal hygiene, including combing hair, brushing teeth, shaving, applying makeup, washing/drying face, hands, and perineum (EXCLUDE baths and showers)		
	(A) ADL SELF-PERFORMANCE--(Code for resident's PERFORMANCE OVER ALL SHIFTS during last 7 days--Not including setup)		
	0. INDEPENDENT--No help or oversight--OR--Help/oversight provided only 1 or 2 times during last 7 days	14.2	10.3
	1. SUPERVISION--Oversight encouragement or cueing provided 3 or more times during last 7 days--OR--Supervision (3 or more times) plus physical assistance provided only 1 or 2 times during last 7 days	11.9	8.5
	2. LIMITED ASSISTANCE--Resident highly involved in activity; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3 or more times--OR--More help provided only 1 or 2 times during last 7 days	25.5	19.9
	3. EXTENSIVE ASSISTANCE--While resident performed part of activity, over last 7-day period, help of following type(s) provided 3 or more times: -Weight bearing support -Full staff performance during part (but not all) of last 7 days	20.0	29.3
	4. TOTAL DEPENDENCE--Full staff performance of activity during entire 7 days	28.4	32.0
	8. ACTIVITY DID NOT OCCUR during entire 7 days	*	<0.05

		OK %	NAT %
	(B) ADL SUPPORT PROVIDED--(Code for MOST SUPPORT PROVIDED OVER ALL SHIFTS during last 7 days; code regardless of resident's self-performance classification)		
	0. No setup or physical help from staff	13.7	8.0
	1. Set up help only	12.6	9.8
	2. One person physical assist	69.1	79.3
	3. Two+ persons physical assist	4.6	2.9
	8. ADL activity itself did not occur during entire 7 days	*	<0.05
2. BATHING	How resident takes full-body bath/shower, sponge bath, and transfers in/out of tub/shower (EXCLUDE washing of back and hair.) Code for most dependent in self-performance and support.		
	(A) BATHING SELF-PERFORMANCE codes appear below		
	0. Independent--No help provided	2.6	2.2
	1. Supervision--Oversight help only	10.1	5.3
	2. Physical help limited to transfer only	11.0	7.4
	3. Physical help in part of bathing activity	40.5	45.2
	4. Total dependence	35.8	39.5
	8. ADL activity itself did not occur during entire 7 days	*	0.3
	(B) BATHING SUPPORT CODES are defined in Item 1, code B above)		
	0. No setup of physical help from staff	3.0	2.1
	1. Setup help only	9.0	4.7
	2. One person physical assist	76.2	80.4
	3. Two + persons physical assist	11.7	12.3
	8. ADL activity itself did not occur during entire 7 days	*	0.4
3. TEST FOR BALANCE	(Code for ability during test in the last 7 days)		
	a. Balance while standing		
	0. Maintained position as required in test	21.7	10.5
	1. Unsteady, but able to rebalance self without physical support	14.6	13.1
	2. Partial physical support during test; or stands (sits) but does not follow directions for test	18.5	21.4
	3. Not able to attempt test without physical help	45.2	55.0
	b. Balance while sitting--position, trunk control		
	0. Maintained position as required in test	65.3	55.4
	1. Unsteady, but able to rebalance self without physical support	8.9	10.2
	2. Partial physical support during test; or stands (sits) but does not follow directions for test	12.9	15.8
	3. Not able to attempt test without physical help	12.9	18.6
4. FUNCTIONAL LIMITATION IN RANGE OF MOTION	(Code for limitations during last 7 days that interfered with daily functions or placed resident at risk of injury)		
	a. Neck		
	(A) RANGE OF MOTION		
	0. No limitation	93.4	91.6
	1. Limitation on one side	1.7	2.0
	2. Limitation on both sides	4.9	6.4
	(B) VOLUNTARY MOVEMENT		
	0. No loss	94.0	91.8
	1. Partial loss	5.3	7.2
	2. Full loss	0.7	1.0
	b. Arm--Including shoulder or elbow		
	(A) RANGE OF MOTION		
	0. No limitation	78.0	72.1
	1. Limitation on one side	12.8	14.7
	2. Limitation on both sides	9.2	13.2
	(B) VOLUNTARY MOVEMENT		
	0. No loss	79.2	72.8
	1. Partial loss	15.8	22.3
	2. Full loss	5.0	5.0
	c. Hand--Including wrist or fingers		
	(A) RANGE OF MOTION		
	0. No limitation	79.1	78.0
	1. Limitation on one side	12.2	12.7
	2. Limitation on both sides	8.8	9.3
	(B) VOLUNTARY MOVEMENT		
	0. No loss	79.7	76.8
	1. Partial loss	14.7	17.7
	2. Full loss	5.6	5.5
	d. Leg--Including hip or knee		
	(A) RANGE OF MOTION		
	0. No limitation	62.1	62.4
	1. Limitation on one side	16.7	16.9
	2. Limitation on both sides	21.2	20.7
	(B) VOLUNTARY MOVEMENT		
	0. No loss	65.3	63.1
	1. Partial loss	26.9	29.1
	2. Full loss	7.8	7.8
	e. Foot--Including ankle or toes		
	(A) RANGE OF MOTION		
	0. No limitation	73.0	72.2
	1. Limitation on one side	12.3	12.3
	2. Limitation on both sides	14.7	15.5
	(B) VOLUNTARY MOVEMENT		
	0. No loss	73.9	71.0
	1. Partial loss	18.3	20.6
	2. Full loss	7.8	8.4
	f. Other limitation or loss		
	(A) RANGE OF MOTION		
	0. No limitation	95.6	94.4
	1. Limitation on one side	1.3	1.7
	2. Limitation on both sides	3.1	4.0

		OK % NAT %	
	(B) VOLUNTARY MOVEMENT	0. No loss	95.8 94.0
		1. Partial loss	3.4 4.8
		2. Full loss	0.8 1.2
5.	MODES OF LOCOMOTION	(Check all that apply during last 7 days)	
		a. Cane/walker/crutch	27.0 33.2
		b. Wheeled self	38.6 37.3
		c. Other person wheeled	48.7 59.6
		d. Wheelchair primary mode of locomotion	58.3 62.7
		e. NONE OF ABOVE	* *
6.	MODES OF TRANSFER	(Check all that apply during last 7 days)	
		a. Bedfast all or most of time	7.3 4.3
		b. Bed rails used for bed mobility or transfer	44.2 49.9
		c. Lifted manually	26.2 18.9
		d. Lifted mechanically	7.8 12.5
		e. Transfer aid (e.g., slide board, trapeze, cane, walker, brace)	14.5 24.5
		f. NONE OF ABOVE	* *
7.	TASK SEGMENTATION	Some or all ADL activities were broken into subtasks during last 7 days so that resident could perform them	
		0. No	76.3 62.3
		1. Yes	23.7 37.7
8.	ADL FUNCTIONAL REHABILITATION POTENTIAL	a. Resident believes he/she is capable of increased independence in at least some ADLs	9.4 17.0
		b. Direct care staff believe resident is capable of increased independence in at least some ADLs	12.7 23.2
		c. Resident able to perform tasks/activity but is very slow	13.2 11.0
		d. Difference in ADL Self-Performance or ADL Support, comparing mornings to evenings	1.5 4.3
		e. NONE OF ABOVE	74.9 66.1
		Resident's ADL self-performance status has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
9.	CHANGE IN ADL FUNCTION	0. No change	73.3 64.7
		1. Improved	6.6 7.3
		2. Deteriorated	20.2 27.9

SECTION H. CONTINENCE IN LAST 14 DAYS

		OK % NAT %	
1.	CONTINENCE SELF-CONTROL CATEGORIES (Code for resident's PERFORMANCE OVER ALL SHIFTS)		
a.	BOWEL CONTINENCE	Control of bowel movement, with appliance or bowel continence programs, if employed	
		0. CONTINENT--Complete control [includes use of indwelling urinary catheter or ostomy device that does not leak urine or stool]	48.6 44.6
		1. USUALLY CONTINENT--incontinent episodes less than weekly	8.6 7.0
		2. OCCASIONALLY INCONTINENT--Once a week	6.2 6.0
		3. FREQUENTLY INCONTINENT--tended to be incontinent daily but some control present (e.g., on day shift)	6.4 8.7
		4. INCONTINENT--Had inadequate control; all (or almost all) of the time	30.2 33.8
b.	BLADDER CONTINENCE	Control of urinary bladder function (if dribbles, volume insufficient to soak through underpants), with appliances (e.g., foley or continence programs, if employed)	
		0. CONTINENT--Complete control [includes use of indwelling urinary catheter or ostomy device that does not leak urine or stool]	39.1 34.4
		1. USUALLY CONTINENT--incontinent episodes once a week or less	11.0 6.9
		2. OCCASIONALLY INCONTINENT--Two or more times a week but not daily	9.0 7.8
		3. FREQUENTLY INCONTINENT--tended to be incontinent daily but some control present (e.g., on day shift)	17.5 16.2
		4. INCONTINENT--Had inadequate control; multiple daily episodes	35.1 34.7
2.	BOWEL ELIMINATION PATTERN	a. Bowel elimination pattern regular--at least one movement every three days	61.3 77.0
		b. Constipation	12.7 8.9
		c. Diarrhea	2.0 2.5
		d. Fecal impaction	0.4 0.1
		e. NONE OF ABOVE	* *
		a. Any scheduled toileting plan	27.1 31.9
3.	APPLIANCES AND PROGRAMS	b. Bladder retraining program	1.2 0.7
		c. External (condom) catheter	<0.05 0.2
		d. Indwelling catheter	7.9 7.5
		e. Intermittent catheter	0.3 0.6
		f. Did not use toilet room/commode/urinal	7.9 12.1
		g. Pads/briefs used	48.0 61.3
		h. Enemas/irrigation	0.4 1.0
		i. Ostomy present	1.8 2.4
		j. NONE OF ABOVE	* *
4.	CHANGE IN URINARY CONTINENCE	Resident's urinary continence has changed as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change	87.1 85.0
		1. Improved	2.6 3.2
		2. Deteriorated	10.3 11.7

SECTION I. DISEASE DIAGNOSES

		OK % NAT %	
Check only those diseases that have a relationship to current ADL status, cognitive status, mood and behavior status, medical treatments, nursing monitoring, or risk of death. (Do not list inactive diagnoses.)			
1.	DISEASES	(If none apply, CHECK the NONE OF ABOVE box)	
		ENDOCRINE / METABOLIC / NUTRITIONAL	
		a. Diabetes mellitus	23.9 26.3
		b. Hyperthyroidism	0.6 0.7
		c. Hypothyroidism	17.4 16.8
		HEART / CIRCULATION	
		d. Arteriosclerotic heart disease (ASHD)	9.5 12.6
		e. Cardiac dysrhythmias	8.1 13.1
		f. Congestive Heart Failure	24.6 21.9
		g. Deep vein thrombosis	1.5 2.2
		h. Hypertension	57.7 58.0
		i. Hypotension	1.0 1.3
		j. Peripheral vascular disease	5.8 11.4
		k. Other cardiovascular disease	14.5 19.4
		MUSCULOSKELETAL	
		l. Arthritis	32.1 30.6
		m. Hip fracture	5.6 5.1
		n. Missing limb (e.g., amputation)	1.9 2.5
		o. Osteoporosis	17.5 18.9
		p. Pathological bone fracture	0.7 0.7
		NEUROLOGICAL	
		q. Alzheimer's disease	16.5 17.3
		r. Aphasia	2.3 5.2
		s. Cerebral Palsy	1.0 0.9
		t. Cerebrovascular accident (stroke)	20.9 22.3
		u. Dementia other than Alzheimer's disease	33.8 37.0
		v. Hemiplegia/Hemiparesis	5.8 10.3
		w. Multiple sclerosis	0.9 1.2
		x. Paraplegia	0.5 0.7
		y. Parkinson's disease	6.2 6.8
		z. Quadriplegia	0.5 0.8
		aa. Seizure disorder	9.5 9.7
		bb. Transient ischemic attack (TIA)	3.5 3.5
		cc. Traumatic brain injury	0.9 0.9
		PSYCHIATRIC / MOOD	
		dd. Anxiety disorder	16.4 13.7
		ee. Depression	41.9 41.8
		ff. Manic depression (Bipolar disease)	2.1 2.6
		gg. Schizophrenia	5.6 5.4
		PULMONARY	
		hh. Asthma	2.4 2.7
		ii. Emphysema/COPD	13.3 15.8
		SENSORY	
		jj. Cataracts	3.0 9.7
		kk. Diabetic retinopathy	0.4 1.0
		ll. Glaucoma	5.8 7.6
		mm. Macular degeneration	1.9 4.9
		OTHER	
		nn. Allergies	18.4 25.8
		oo. Anemia	17.3 22.9
		pp. Cancer	4.9 6.9
		qq. Renal failure	3.8 5.5
		rr. NONE OF ABOVE	* *
2.	INFECTIONS	(If none apply, CHECK the NONE OF ABOVE box)	
		a. Antibiotic resistant infection (e.g., Methicillin resistant staph)	1.0 1.8
		b. Clostridium difficile (c. diff.)	0.2 0.6
		c. Conjunctivitis	0.5 0.6
		d. HIV infection	0.1 0.3
		e. Pneumonia	3.4 4.0
		f. Respiratory infection	3.0 2.6
		g. Septicemia	0.3 0.7
		h. Sexually transmitted diseases	0.1 0.1
		i. Tuberculosis	0.1 0.1
		j. Urinary tract infection in last 30 days	9.3 9.6
		k. Viral hepatitis	0.1 0.2
		l. Wound infection	1.7 1.9
		m. NONE OF ABOVE	* *
3.	OTHER CURRENT OR MORE DETAILED DIAGNOSES AND ICD-9 CODES	a. Infectious and Parasitic Diseases (001 - 139)	0.9 1.2
		b. Neoplasms (140 - 239)	1.8 2.3
		c. Endocrine, Nutritional, and Metabolic Diseases and Immunity Disorders (240 - 279)	8.6 6.8
		d. Diseases of the Blood and Blood-Forming Organs (280 - 289)	1.0 1.1
		e. Mental Disorders (290 - 319)	15.9 19.7
		f. Diseases of the Nervous System and Sense Organs (320 - 389)	8.7 9.5
		g. Diseases of the Circulatory System (390 - 459)	15.0 14.4
		h. Diseases of the Respiratory System (460 - 519)	3.0 3.3
		i. Diseases of the Digestive System (520 - 579)	13.2 8.5
		j. Diseases of the Genitourinary System (580 - 629)	3.8 3.9
		k. Complications of Pregnancy and Childbirth and the Puerperium (630 - 677)	* <0.05

		OK %	NAT %
	l. Diseases of the Skin and Subcutaneous Tissue (680 - 709)	2.0	2.1
	m. Diseases of the Musculoskeletal System and Connective Tissue (710 - 739)	7.5	8.2
	n. Congenital Anomalies (740 - 759)	0.7	0.5
	o. Certain Conditions Originating in the Perinatal Period (760 - 779)	*	<0.05
	p. Symptoms and Signs and Ill-Defined Conditions (780 - 799)	9.9	9.5
	q. Injury and Poisoning (800 - 999)	5.2	4.7
	r. Supplementary Classification of Factors Influencing Health Status and Contact with Health Services (V01 - V82)	2.6	3.9
	s. Supplementary Classification of External Causes of Injury and Poisoning (E800 - E999)	0.1	0.1

SECTION J. HEALTH CONDITIONS

1.	PROBLEM CONDITIONS	(Check all problems present in last 7 days unless other time frame is indicated) INDICATORS OF FLUID STATUS a. Weight gain or loss of 3 or more pounds within a 7 day period b. Inability to lie flat due to shortness of breath c. Dehydrated; output exceeds input d. Insufficient fluid; did NOT consume all/ almost all liquids provided during last 3 days OTHER e. Delusions f. Dizziness/Vertigo g. Edema h. Fever i. Hallucinations j. Internal bleeding k. Recurrent lung aspirations in last 90 days l. Shortness of breath m. Syncope (fainting) n. Unsteady gait o. Vomiting p. NONE OF ABOVE (Code the highest level of pain present in the last 7 days) a. FREQUENCY with which resident complains or shows evidence of pain 0. No pain 1. Pain less than daily 2. Pain daily b. INTENSITY of pain 1. Mild pain 2. Moderate pain 3. Times when pain is horrible or excruciating	1.9 3.5 0.5 1.2 4.4 2.4 19.6 1.5 1.9 0.2 0.6 9.1 0.4 33.2 1.3 *	2.2 3.7 0.2 2.5 3.7 1.4 19.7 1.9 1.8 0.6 0.5 8.3 0.4 35.9 1.6 *
2.	PAIN SYMPTOMS	(If pain present, check all sites that apply in last 7 days) a. Back pain b. Bone pain c. Chest pain while doing usual activities d. Headache e. Hip pain f. Incisional pain g. Joint pain (other than hip) h. Soft tissue pain (e.g., lesion, muscle) i. Stomach pain j. Other	24.0 11.5 1.2 13.4 13.8 3.0 41.2 14.2 4.4 27.5	23.6 8.9 1.4 9.6 13.6 5.7 33.0 15.3 4.1 36.3
4.	ACCIDENTS	(Check all that apply) a. Fell in past 30 days b. Fell in past 31-180 days c. Hip fracture in last 180 days d. Other fracture in last 180 days e. NONE OF ABOVE	15.5 27.5 2.3 2.7 62.5	14.9 27.4 2.8 3.2 63.2
5.	STABILITY OF CONDITIONS	a. Conditions/diseases make resident's cognitive, ADL, mood or behavior patterns unstable--(fluctuating, precarious, or deteriorating) b. Resident experiencing an acute episode or a flare-up of a recurrent or chronic problem c. End-stage disease, 6 or fewer months to live d. NONE OF ABOVE	26.2 4.3 4.0 69.1	37.4 10.5 1.7 57.6

SECTION K. ORAL/NUTRITIONAL STATUS

1.	ORAL PROBLEMS	a. Chewing problem b. Swallowing problem c. Mouth pain d. NONE OF ABOVE	21.1 16.1 0.6 *	28.1 19.5 0.4 *
----	---------------	--	--------------------------	--------------------------

2.	HEIGHT AND WEIGHT	Record (a.) height in inches and (b) weight in pounds. Base weight on most recent measure in last 30 days; measure weight consistently in accord with standard facility practice; e.g., in a.m. after voiding, before meal, with shoes off, and in nightclothes a. Height b. Weight		
3.	WEIGHT CHANGE	a. Weight loss--5% or more in last 30 days; or 10% or more in last 180 days 0. No 1. Yes b. Weight gain--5% or more in last 30 days; or 10% or more in last 180 days 0. No 1. Yes	91.8 8.2 93.7 6.3	90.9 9.1 93.1 6.9
4.	NUTRITIONAL PROBLEMS	a. Complains about the taste of many foods b. Regular or repetitive complaints of hunger c. Leaves 25% or more of food uneaten at most meals d. NONE OF ABOVE	1.8 0.5 26.9 72.0	1.0 0.3 36.5 63.0
5.	NUTRITIONAL APPROACHES	(Check all that apply in last 7 days) a. Parenteral/IV b. Feeding tube c. Mechanically altered diet d. Syringe (oral feeding) e. Therapeutic diet f. Dietary supplement between meals g. Plate guard, stabilized built-up utensil, etc. h. On a planned weight change program i. NONE OF ABOVE	1.3 5.9 33.5 0.2 33.5 19.9 1.0 13.5 *	1.5 7.1 37.1 0.1 46.9 26.4 4.3 17.0 *
6.	PARENTERAL OR ENTERAL INTAKE	(Skip to Section L if neither 5a nor 5b is checked) a. Code the proportion of total calories the resident received through parenteral or tube feedings in the last 7 days 0. None 1. 1% to 25% 2. 26% to 50% 3. 51% to 75% 4. 76% to 100% b. Code the average fluid intake per day by IV or tube in last 7 days 0. None 1. 1 to 500 cc/day 2. 501 to 1000 cc/day 3. 1001 to 1500 cc/day 4. 1501 to 2000 cc/day 5. 2001 or more cc/day	16.1 5.8 3.7 5.2 69.3 2.5 10.5 11.3 15.1 33.7 26.9	15.0 5.2 3.4 5.5 70.9 1.3 10.1 7.5 11.7 31.8 37.6

SECTION L. ORAL/DENTAL STATUS

1.	ORAL STATUS AND DISEASE PREVENTION	a. Debris (soft, easily movable substances) present in mouth prior to going to bed at night b. Has dentures or removable bridge c. Some/all natural teeth lost--does not have or does not use dentures (or partial plates) d. Broken, loose, or carious teeth e. Inflamed gums (gingival); swollen or bleeding gums; oral abscesses; ulcers or rashes f. Daily cleaning of teeth/dentures or daily mouth care--by resident or staff g. NONE OF ABOVE	0.4 42.5 29.3 5.5 0.4 97.7 0.6	0.4 42.0 32.2 4.8 0.6 98.9 0.3
----	------------------------------------	--	--	--

SECTION M. SKIN CONDITION

1.	ULCERS (Due to any cause)	(Record the number of ulcers at each ulcer state--regardless of cause. If none present at a stage, record "0" (zero). Code all that apply during last 7 days. Code 9 =9 or more) [Requires full body exam.] a. Stage 1. A persistent area of skin redness (without a break in the skin) that does not disappear when pressure is relieved. 0 1 2 3 4 5 6 7 8 9+ b. Stage 2. A partial thickness loss of skin layers that presents clinically as an abrasion, blister, or shallow crater. 0 1 2 3 4 5 6 7 8 9+	96.7 2.6 0.5 0.1 * * * * * * 92.7 5.2 1.5 0.4 0.1 * * * * *	96.5 2.5 0.7 0.2 0.1 0.05 0.05 0.05 0.05 0.05 91.8 5.6 1.8 0.5 0.2 0.1 0.05 0.05 0.05 0.05
----	---------------------------	---	--	---

		OK % NAT %	
		c. Stage 3. A full thickness of skin is lost, exposing the subcutaneous tissues --presents as a deep crater with or without undermining adjacent tissue	
		0	98.3 98.2
		1	1.3 1.4
		2	0.2 0.3
		3	0.1 0.1
		4	* <0.05
		5	* <0.05
		6	* <0.05
		7	* <0.05
		8	* <0.05
		9+	* <0.05
		d. Stage 4. A full thickness of skin and subcutaneous tissue is lost, exposing muscle or bone.	
		0	98.9 97.9
		1	0.8 1.5
		2	0.2 0.4
		3	0.1 0.1
		4	* 0.1
		5	* <0.05
		6	* <0.05
		7	* <0.05
		8	* <0.05
		9+	* <0.05
2.	TYPE OF ULCER	(For each type of ulcer, code for the highest stage in the last 7 days using scale in item M1--i.e., 0=none; stages 1, 2, 3, 4)	
	a. Pressure ulcer--any lesion caused by pressure resulting in damage of underlying tissue		
	Stage 1	2.1	2.0
	Stage 2	5.3	5.2
	Stage 3	1.1	1.1
	Stage 4	0.9	1.7
	b. Stasis ulcer--open lesion caused by poor circulation in the lower extremities		
	Stage 1	8.1	6.3
	Stage 2	65.2	56.4
	Stage 3	15.2	17.3
	Stage 4	11.5	20.0
3.	HISTORY OF RESOLVED ULCERS	Resident had an ulcer that was resolved or cured in LAST 90 DAYS	
	a. No	89.6	89.7
	b. Yes	10.4	10.3
4.	OTHER SKIN PROBLEMS OR LESIONS PRESENT	(Check all that apply during last 7 days)	
	a. Abrasions, bruises	18.1	20.4
	b. Burns (second or third degree)	0.2	0.1
	c. Open lesions other than ulcers, rashes, cuts (e.g., cancer lesions)	1.9	2.0
	d. Rashes--e.g., intertrigo, eczema, drug rash, heat rash, herpes zoster	6.9	10.4
	e. Skin desensitized to pain or pressure	3.6	6.9
	f. Skin tears or cuts (other than surgery)	6.4	6.0
	g. Surgical wounds	4.2	5.9
	h. NONE OF ABOVE	67.2	60.9
5.	SKIN TREATMENTS	(Check all that apply during last 7 days)	
	a. Pressure relieving device(s) for chair	19.3	38.3
	b. Pressure relieving device(s) for bed	35.9	60.6
	c. Turning/repositioning program	34.6	42.1
	d. Nutrition or hydration intervention to manage skin problems	10.2	15.8
	e. Ulcer care	8.5	11.1
	f. Surgical wound care	3.2	5.0
	g. Application of dressings (with or without topical medications) other than to feet	11.5	16.1
	h. Application of ointments/medications (other than to feet)	21.2	29.4
	i. Other preventative or protective skin care (other than to feet)	21.2	53.3
	j. NONE OF ABOVE	37.7	13.2
6.	FOOT PROBLEMS AND CARE	(Check all that apply during last 7 days)	
	a. Resident has one or more foot problems--e.g., corns, callouses, bunions, hammer toes, overlapping toes, pain, structural problems	8.7	18.3
	b. Infection of the foot--e.g., cellulitis, purulent drainage	0.6	0.9
	c. Open lesions on the foot	2.2	2.4
	d. Nails/calluses trimmed during last 90 days	66.0	51.4
	e. Received preventative or protective foot care (e.g., used special shoes, insert pads, toe separators)	7.7	19.9
	f. Application of dressings (with or without topical medications)	4.1	5.1
	g. NONE OF ABOVE	28.8	33.3

SECTION N. ACTIVITY PURSUIT PATTERNS

1.	TIME AWAKE	(Check appropriate time periods over last 7 days) Resident awake all or most of time (i.e., naps no more than one hour per time period) in the:	
	a. Morning	84.8	91.1
	b. Afternoon	83.3	84.0
	c. Evening	65.2	62.6
	d. NONE OF ABOVE	4.7	3.3
(If resident is comatose, skip to Section O)			
2.	AVERAGE TIME INVOLVED IN ACTIVITIES	(When awake and not receiving treatments or ADL care)	
	0. Most--more than 2/3 of time	10.6	5.1
	1. Some--from 1/3 to 2/3 of time	70.1	87.0
	2. Little--less than 1/3 of time	17.7	7.6
	3. None	1.6	0.4

		OK % NAT %	
3.	PREFERRED ACTIVITY SETTINGS	(Check all settings in which activities are preferred)	
	a. Own room	87.2	87.3
	b. Day/activity room	76.8	79.1
	c. Inside NH/off unit	42.5	53.5
	d. Outside facility	21.3	27.4
	e. NONE OF ABOVE	1.0	0.5
4.	GENERAL ACTIVITY PREFERENCES (adapted to resident's current abilities)	(Check all PREFERENCES whether or not activity is currently available to resident)	
	a. Cards/other games	36.8	45.5
	b. Crafts/arts	26.1	26.8
	c. Exercise/sports	41.6	47.0
	d. Music	83.4	90.4
	e. Reading/writing	37.8	47.2
	f. Spiritual/religious activities	57.2	67.0
	g. Trips/shopping	16.4	23.0
	h. Walking/wheeling outdoors	35.9	45.1
	i. Watching TV	76.9	81.6
	j. Gardening or plants	9.5	15.8
	k. Talking or conversing	77.6	81.7
	l. Helping others	13.2	13.6
	m. NONE OF ABOVE	1.1	0.5
5.	PREFERS CHANGE IN DAILY ROUTINE	Code for resident preferences in daily routines	
	a. Type of activities in which resident is currently involved		
	0. No change	95.2	96.2
	1. Slight change	3.7	3.1
	2. Major change	1.2	0.8
	b. Extent of resident involvement in activities		
	0. No change	95.0	95.8
	1. Slight change	3.7	3.4
	3. Major change	1.3	0.9

SECTION O. MEDICATIONS

1.	NUMBER OF MEDICATIONS	(Record the number of different medications used in the last 7 days; enter "0" if none used)	
	(a) 0	7.8	5.2
	(b) 1-5	18.3	18.2
	(c) 6-10	30.8	31.1
	(d) 11-99	43.1	45.5
2.	NEW MEDICATIONS	(Resident currently receiving medications that were initiated during the last 90 days)	
	0. No	49.1	42.0
	1. Yes	50.9	58.0
3.	INJECTIONS	(Record the number of DAYS injections of any type received during the last 7 days; enter "0" if none used)	
	0	84.4	76.1
	1	4.5	8.8
	2	0.7	1.3
	3	0.5	0.7
	4	0.4	0.5
	5	0.6	0.7
	6	0.2	0.4
	7	8.8	11.4
4.	DAYS RECEIVED THE FOLLOWING MEDICATION	(Record the number of DAYS during last 7 days; enter "0" if not used. Note--enter "1" for long-acting meds used less than weekly)	
	a. Antipsychotic		
	0	69.4	72.5
	1	0.2	0.3
	2	0.1	0.1
	3	0.1	0.2
	4	0.1	0.2
	5	0.2	0.4
	6	0.1	0.4
	7	29.6	26.0
	b. Antianxiety		
	0	81.7	84.9
	1	0.9	1.1
	2	0.5	0.7
	3	0.4	0.5
	4	0.3	0.4
	5	0.3	0.4
	6	0.2	0.3
	7	15.6	11.6
	c. Antidepressant		
	0	51.5	53.6
	1	0.2	0.3
	2	0.1	0.2
	3	0.1	0.2
	4	0.3	0.4
	5	0.5	0.6
	6	0.2	0.7
	7	47.1	44.0
	d. Hypnotic		
	0	91.7	95.0
	1	0.5	0.5
	2	0.3	0.4
	3	0.3	0.3
	4	0.3	0.3
	5	0.2	0.3
	6	0.2	0.3
	7	6.4	3.0

		OK %	NAT %
e. Diuretic			
0		58.7	63.4
1		0.2	0.3
2		0.2	0.3
3		0.5	0.8
4		0.4	0.7
5		0.4	0.5
6		0.2	0.5
7		39.3	33.4

SECTION P. SPECIAL TREATMENTS AND PROCEDURES

1.	SPECIAL TREATMENTS, PROCEDURES, AND PROGRAMS	a. SPECIAL CARE--Check treatments or programs received during the last 14 days TREATMENTS <table> <tr> <td>a. Chemotherapy</td><td>0.2</td><td>0.5</td></tr> <tr> <td>b. Dialysis</td><td>1.0</td><td>1.3</td></tr> <tr> <td>c. IV medication</td><td>4.1</td><td>7.3</td></tr> <tr> <td>d. Intake/output</td><td>20.2</td><td>22.2</td></tr> <tr> <td>e. Monitoring acute medical condition</td><td>17.3</td><td>26.0</td></tr> <tr> <td>f. Ostomy care</td><td>3.1</td><td>5.7</td></tr> <tr> <td>g. Oxygen therapy</td><td>9.8</td><td>11.4</td></tr> <tr> <td>h. Radiation</td><td>0.1</td><td>0.2</td></tr> <tr> <td>i. Suctioning</td><td>0.8</td><td>1.2</td></tr> <tr> <td>j. Tracheostomy care</td><td>0.4</td><td>1.0</td></tr> <tr> <td>k. Transfusions</td><td>0.3</td><td>0.8</td></tr> <tr> <td>l. Ventilator or respirator</td><td>0.1</td><td>0.4</td></tr> </table> PROGRAMS <table> <tr> <td>m. Alcohol/drug treatment</td><td>*</td><td>0.1</td></tr> <tr> <td>n. Alzheimer's/dementia special care unit</td><td>4.7</td><td>7.0</td></tr> <tr> <td>o. Hospice care</td><td>7.1</td><td>1.8</td></tr> <tr> <td>p. Pediatric unit</td><td>*</td><td>0.2</td></tr> <tr> <td>q. Respite care</td><td>0.1</td><td>0.1</td></tr> <tr> <td>r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)</td><td>3.3</td><td>9.2</td></tr> <tr> <td>s. NONE OF ABOVE</td><td>57.9</td><td>47.8</td></tr> </table> b. THERAPIES--Record the number of days and total minutes each of the following therapies was administered (for at least 15 minutes a day in the last 7 calendar days. (Enter 0 if none or less than 15 min. daily) [Note--count only post admission therapies] a. Speech-language pathology and audiology services (A) = # of days administered for 15 minutes or more <table> <tr> <td>0</td><td>95.0</td><td>94.3</td></tr> <tr> <td>1</td><td>0.3</td><td>0.6</td></tr> <tr> <td>2</td><td>0.5</td><td>0.7</td></tr> <tr> <td>3</td><td>0.6</td><td>1.0</td></tr> <tr> <td>4</td><td>0.8</td><td>0.9</td></tr> <tr> <td>5</td><td>2.7</td><td>2.2</td></tr> <tr> <td>6</td><td>0.2</td><td>0.2</td></tr> <tr> <td>7</td><td>*</td><td><0.05</td></tr> </table> (B) = total # of minutes provided in last 7 days <table> <tr> <td>(a) 0</td><td>94.9</td><td>94.3</td></tr> <tr> <td>(b) 1-44</td><td>0.3</td><td>0.5</td></tr> <tr> <td>(c) 45-149</td><td>1.3</td><td>2.2</td></tr> <tr> <td>(d) 150-324</td><td>3.3</td><td>2.8</td></tr> <tr> <td>(e) 325-499</td><td>0.2</td><td>0.1</td></tr> <tr> <td>(f) 500-719</td><td>*</td><td><0.05</td></tr> <tr> <td>(g) 720-999</td><td>*</td><td>*</td></tr> <tr> <td>(h) 1000-1999</td><td>*</td><td><0.05</td></tr> <tr> <td>(i) 2000-2999</td><td>*</td><td><0.05</td></tr> <tr> <td>(j) 3000-3999</td><td>*</td><td>*</td></tr> <tr> <td>(k) 4000+</td><td>*</td><td>*</td></tr> </table> b. Occupational therapy (A) = # of days administered for 15 minutes or more <table> <tr> <td>0</td><td>86.7</td><td>80.0</td></tr> <tr> <td>1</td><td>0.7</td><td>1.2</td></tr> <tr> <td>2</td><td>1.0</td><td>1.7</td></tr> <tr> <td>3</td><td>1.3</td><td>2.5</td></tr> <tr> <td>4</td><td>1.6</td><td>2.8</td></tr> <tr> <td>5</td><td>7.9</td><td>10.4</td></tr> <tr> <td>6</td><td>0.7</td><td>1.4</td></tr> <tr> <td>7</td><td>0.1</td><td>0.1</td></tr> </table> (B) = total # of minutes provided in last 7 days <table> <tr> <td>(a) 0</td><td>86.6</td><td>80.0</td></tr> <tr> <td>(b) 1-44</td><td>0.6</td><td>0.9</td></tr> <tr> <td>(c) 45-149</td><td>3.0</td><td>5.6</td></tr> <tr> <td>(d) 150-324</td><td>8.8</td><td>12.4</td></tr> <tr> <td>(e) 325-499</td><td>1.0</td><td>1.1</td></tr> <tr> <td>(f) 500-719</td><td>*</td><td><0.05</td></tr> <tr> <td>(g) 720-999</td><td>*</td><td><0.05</td></tr> <tr> <td>(h) 1000-1999</td><td>*</td><td><0.05</td></tr> <tr> <td>(i) 2000-2999</td><td>*</td><td><0.05</td></tr> <tr> <td>(j) 3000-3999</td><td>*</td><td>*</td></tr> <tr> <td>(k) 4000+</td><td>*</td><td>*</td></tr> </table> c. Physical therapy (A) = # of days administered for 15 minutes or more <table> <tr> <td>0</td><td>82.7</td><td>76.0</td></tr> <tr> <td>1</td><td>0.8</td><td>1.3</td></tr> <tr> <td>2</td><td>1.3</td><td>1.9</td></tr> <tr> <td>3</td><td>2.2</td><td>2.9</td></tr> <tr> <td>4</td><td>2.0</td><td>3.1</td></tr> <tr> <td>5</td><td>9.9</td><td>12.6</td></tr> <tr> <td>6</td><td>0.8</td><td>2.0</td></tr> <tr> <td>7</td><td>0.3</td><td>0.3</td></tr> </table>	a. Chemotherapy	0.2	0.5	b. Dialysis	1.0	1.3	c. IV medication	4.1	7.3	d. Intake/output	20.2	22.2	e. Monitoring acute medical condition	17.3	26.0	f. Ostomy care	3.1	5.7	g. Oxygen therapy	9.8	11.4	h. Radiation	0.1	0.2	i. Suctioning	0.8	1.2	j. Tracheostomy care	0.4	1.0	k. Transfusions	0.3	0.8	l. Ventilator or respirator	0.1	0.4	m. Alcohol/drug treatment	*	0.1	n. Alzheimer's/dementia special care unit	4.7	7.0	o. Hospice care	7.1	1.8	p. Pediatric unit	*	0.2	q. Respite care	0.1	0.1	r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)	3.3	9.2	s. NONE OF ABOVE	57.9	47.8	0	95.0	94.3	1	0.3	0.6	2	0.5	0.7	3	0.6	1.0	4	0.8	0.9	5	2.7	2.2	6	0.2	0.2	7	*	<0.05	(a) 0	94.9	94.3	(b) 1-44	0.3	0.5	(c) 45-149	1.3	2.2	(d) 150-324	3.3	2.8	(e) 325-499	0.2	0.1	(f) 500-719	*	<0.05	(g) 720-999	*	*	(h) 1000-1999	*	<0.05	(i) 2000-2999	*	<0.05	(j) 3000-3999	*	*	(k) 4000+	*	*	0	86.7	80.0	1	0.7	1.2	2	1.0	1.7	3	1.3	2.5	4	1.6	2.8	5	7.9	10.4	6	0.7	1.4	7	0.1	0.1	(a) 0	86.6	80.0	(b) 1-44	0.6	0.9	(c) 45-149	3.0	5.6	(d) 150-324	8.8	12.4	(e) 325-499	1.0	1.1	(f) 500-719	*	<0.05	(g) 720-999	*	<0.05	(h) 1000-1999	*	<0.05	(i) 2000-2999	*	<0.05	(j) 3000-3999	*	*	(k) 4000+	*	*	0	82.7	76.0	1	0.8	1.3	2	1.3	1.9	3	2.2	2.9	4	2.0	3.1	5	9.9	12.6	6	0.8	2.0	7	0.3	0.3
a. Chemotherapy	0.2	0.5																																																																																																																																																																																																			
b. Dialysis	1.0	1.3																																																																																																																																																																																																			
c. IV medication	4.1	7.3																																																																																																																																																																																																			
d. Intake/output	20.2	22.2																																																																																																																																																																																																			
e. Monitoring acute medical condition	17.3	26.0																																																																																																																																																																																																			
f. Ostomy care	3.1	5.7																																																																																																																																																																																																			
g. Oxygen therapy	9.8	11.4																																																																																																																																																																																																			
h. Radiation	0.1	0.2																																																																																																																																																																																																			
i. Suctioning	0.8	1.2																																																																																																																																																																																																			
j. Tracheostomy care	0.4	1.0																																																																																																																																																																																																			
k. Transfusions	0.3	0.8																																																																																																																																																																																																			
l. Ventilator or respirator	0.1	0.4																																																																																																																																																																																																			
m. Alcohol/drug treatment	*	0.1																																																																																																																																																																																																			
n. Alzheimer's/dementia special care unit	4.7	7.0																																																																																																																																																																																																			
o. Hospice care	7.1	1.8																																																																																																																																																																																																			
p. Pediatric unit	*	0.2																																																																																																																																																																																																			
q. Respite care	0.1	0.1																																																																																																																																																																																																			
r. Training in skills required to return to the community (e.g., taking medications, house work, shopping, transportation, ADLs)	3.3	9.2																																																																																																																																																																																																			
s. NONE OF ABOVE	57.9	47.8																																																																																																																																																																																																			
0	95.0	94.3																																																																																																																																																																																																			
1	0.3	0.6																																																																																																																																																																																																			
2	0.5	0.7																																																																																																																																																																																																			
3	0.6	1.0																																																																																																																																																																																																			
4	0.8	0.9																																																																																																																																																																																																			
5	2.7	2.2																																																																																																																																																																																																			
6	0.2	0.2																																																																																																																																																																																																			
7	*	<0.05																																																																																																																																																																																																			
(a) 0	94.9	94.3																																																																																																																																																																																																			
(b) 1-44	0.3	0.5																																																																																																																																																																																																			
(c) 45-149	1.3	2.2																																																																																																																																																																																																			
(d) 150-324	3.3	2.8																																																																																																																																																																																																			
(e) 325-499	0.2	0.1																																																																																																																																																																																																			
(f) 500-719	*	<0.05																																																																																																																																																																																																			
(g) 720-999	*	*																																																																																																																																																																																																			
(h) 1000-1999	*	<0.05																																																																																																																																																																																																			
(i) 2000-2999	*	<0.05																																																																																																																																																																																																			
(j) 3000-3999	*	*																																																																																																																																																																																																			
(k) 4000+	*	*																																																																																																																																																																																																			
0	86.7	80.0																																																																																																																																																																																																			
1	0.7	1.2																																																																																																																																																																																																			
2	1.0	1.7																																																																																																																																																																																																			
3	1.3	2.5																																																																																																																																																																																																			
4	1.6	2.8																																																																																																																																																																																																			
5	7.9	10.4																																																																																																																																																																																																			
6	0.7	1.4																																																																																																																																																																																																			
7	0.1	0.1																																																																																																																																																																																																			
(a) 0	86.6	80.0																																																																																																																																																																																																			
(b) 1-44	0.6	0.9																																																																																																																																																																																																			
(c) 45-149	3.0	5.6																																																																																																																																																																																																			
(d) 150-324	8.8	12.4																																																																																																																																																																																																			
(e) 325-499	1.0	1.1																																																																																																																																																																																																			
(f) 500-719	*	<0.05																																																																																																																																																																																																			
(g) 720-999	*	<0.05																																																																																																																																																																																																			
(h) 1000-1999	*	<0.05																																																																																																																																																																																																			
(i) 2000-2999	*	<0.05																																																																																																																																																																																																			
(j) 3000-3999	*	*																																																																																																																																																																																																			
(k) 4000+	*	*																																																																																																																																																																																																			
0	82.7	76.0																																																																																																																																																																																																			
1	0.8	1.3																																																																																																																																																																																																			
2	1.3	1.9																																																																																																																																																																																																			
3	2.2	2.9																																																																																																																																																																																																			
4	2.0	3.1																																																																																																																																																																																																			
5	9.9	12.6																																																																																																																																																																																																			
6	0.8	2.0																																																																																																																																																																																																			
7	0.3	0.3																																																																																																																																																																																																			

		OK %	NAT %
	(B) = total # of minutes provided in last 7 days		
	(a) 0	82.6	75.9
	(b) 1-44	0.8	1.0
	(c) 45-149	5.1	6.6
	(d) 150-324	10.1	14.6
	(e) 325-499	1.4	1.7
	(f) 500-719	0.1	0.1
	(g) 720-999	*	<0.05
	(h) 1000-1999	*	<0.05
	(i) 2000-2999	*	<0.05
	(j) 3000-3999	*	<0.05
	(k) 4000+	*	*
	d. Respiratory therapy		
	(A) = # of days administered for 15 minutes or more		
	0	98.8	97.7
	1	0.1	0.1
	2	0.1	0.1
	3	0.1	0.1
	4	0.1	0.1
	5	0.2	0.2
	6	*	0.1
	7	0.6	1.6
	(B) = total # of minutes provided in last 7 days		
	(a) 0	*	*
	(b) 1-44	*	*
	(c) 45-149	*	*
	(d) 150-324	*	*
	(e) 325-499	*	*
	(f) 500-719	*	*
	(g) 720-999	*	*
	(h) 1000-1999	*	*
	(i) 2000-2999	*	*
	(j) 3000-3999	*	*
	(k) 4000+	*	*
	e. Psychological therapy (by any licensed mental health professional)		
	(A) = # of days administered for 15 minutes or more		
	0	99.7	98.4
	1	0.1	1.3
	2	0.1	0.2
	3	*	<0.05
	4	*	<0.05
	5	*	<0.05
	6	*	<0.05
	7	*	<0.05
	(B) = total # of minutes provided in last 7 days		
	(a) 0	*	*
	(b) 1-44	*	*
	(c) 45-149	*	*
	(d) 150-324	*	*
	(e) 325-499	*	*
	(f) 500-719	*	*
	(g) 720-999	*	*
	(h) 1000-1999	*	*
	(i) 2000-2999	*	*
	(j) 3000-3999	*	*
	(k) 4000+	*	*
2.	INTER-VENTION PROGRAMS FOR MOOD, BEHAVIOR, COGNITIVE LOSS	(Check all interventions or strategies used in last 7 days--no matter where received)	
	a. Special behavior symptom evaluation program	3.4	6.0
	b. Evaluation by a licensed mental health specialist in last 90 days	4.8	16.1
	c. Group therapy	1.0	0.9
	d. Resident-specific deliberate changes in the environment to address mood/behavior patterns--e.g., providing bureau in which to rummage.	0.6	1.6
	e. Reorientation--e.g., cueing	29.2	45.4
	f. NONE OF ABOVE	66.5	45.1
3.	NURSING REHABILITATION/ RESTORATIVE CARE	Record the NUMBER OF DAYS each of the following rehabilitation or restorative techniques or practices was provided to the resident for more than or equal to 15 minutes per day in the last 7 days (Enter 0 if none or less than 15 minutes daily)	
	a. Range of motion (passive)		
	0	85.7	88.8
	1	0.2	0.2
	2	0.6	0.4
	3	3.6	1.2
	4	0.6	0.5
	5	5.0	1.8
	6	0.1	1.0
	7	4.2	6.1
	b. Range of motion (active)		
	0	85.6	88.3
	1	0.2	0.3
	2	0.7	0.5
	3	3.5	1.5
	4	0.6	0.6
	5	4.7	1.9
	6	0.2	1.5
	7	4.4	5.3
	c. Splint or brace assistance		
	0	97.5	97.0
	1	*	<0.05
	2	*	<0.05
	3	0.2	0.1
	4	0.1	0.1
	5	0.8	0.3
	6	*	0.2
	7	1.3	2.2

		OK %	NAT %
	TRAINING AND SKILL PRACTICE IN:		
	d. Bed mobility		
	0	96.5	98.1
	1	0.1	<0.05
	2	0.1	<0.05
	3	0.2	0.1
	4	0.1	0.1
	5	0.7	0.2
	6	0.1	0.1
	7	2.3	1.3
	e. Transfer		
	0	94.1	95.7
	1	0.1	0.1
	2	0.1	0.1
	3	0.6	0.4
	4	0.1	0.2
	5	1.5	0.6
	6	0.1	0.5
	7	3.2	2.4
	f. Walking		
	0	90.0	89.3
	1	0.3	0.4
	2	0.4	0.5
	3	2.6	1.4
	4	0.4	0.6
	5	3.1	2.0
	6	0.3	1.4
	7	2.9	4.4
	g. Dressing or grooming		
	0	95.2	95.7
	1	0.1	0.1
	2	0.1	0.1
	3	0.2	0.2
	4	0.1	0.1
	5	0.8	0.4
	6	0.1	0.4
	7	3.5	3.1
	h. Eating or swallowing		
	0	97.6	97.4
	1	<0.05	0.1
	2	0.1	0.1
	3	0.1	0.1
	4	0.1	0.1
5	0.4	0.3	
6	*	0.3	
7	1.7	1.8	
i. Amputation/prosthesis care			
0	99.8	99.9	
1	*	<0.05	
2	*	<0.05	
3	*	<0.05	
4	*	<0.05	
5	*	<0.05	
6	*	<0.05	
7	0.1	0.1	
j. Communication			
0	98.8	99.5	
1	*	<0.05	
2	*	<0.05	
3	*	<0.05	
4	*	<0.05	
5	0.2	0.1	
6	*	<0.05	
7	0.9	0.3	
k. Other			
0	98.5	97.9	
1	<0.05	0.1	
2	0.1	0.1	
3	0.3	0.4	
4	*	0.1	
5	0.4	0.4	
6	<0.05	0.2	
7	0.7	0.8	
4.	DEVICES AND RESTRAINTS	(Use the following codes for last 7 days)	
	a. Full bed rails on all open sides of bed		
	0. Not used	74.9	81.7
	1. Used less than daily	0.6	0.3
	2. Used daily	24.5	17.9
	b. Other types of side rails used (e.g., half rail, one side)		
	0. Not used	88.1	73.7
	1. Used less than daily	0.7	0.9
	2. Used daily	11.1	25.4
	c. Trunk restraint		
	0. Not used	93.0	95.8
	1. Used less than daily	0.4	0.3
	2. Used daily	6.6	4.0
	d. Limb restraint		
	0. Not used	99.9	99.7
	1. Used less than daily	*	<0.05
	2. Used daily	0.1	0.2
	e. Chair prevents rising		
	0. Not used	95.3	96.5
	1. Used less than daily	0.5	0.4
	2. Used daily	4.1	3.1

		OK %	NAT %
5.	HOSPITAL STAY(S)	Record number of times resident was admitted to hospital with an overnight stay in last 90 days (or since last assessment if less than 90 days). (Enter 0 if no hospital admissions)	
		(a) 0	0.0 (No Data)
		(b) 1	0.0 (No Data)
		(c) 2-4	0.0 (No Data)
		(d) 5-9	(No Data) (No Data)
		(e) 10+	(No Data) (No Data)
6.	EMERGENCY ROOM (ER) VISIT(S)	Record number of times resident visited ER without an overnight stay in last 90 days (or since last assessment if less than 90 days). (Enter 0 if no ER visits)	
		(a) 0	(No Data) (No Data)
		(b) 1	(No Data) (No Data)
		(c) 2-4	(No Data) (No Data)
		(d) 5-9	(No Data) (No Data)
		(e) 10+	(No Data) (No Data)
7.	PHYSICIAN VISITS	In the LAST 14 DAYS (or since admission if less than 14 days in facility), how many days has the physician (or authorized assistant or practitioner) examined the resident? (Enter 0 if none)	
		(a) 0	50.6 43.0
		(b) 1	42.0 41.9
		(c) 2-4	4.9 10.6
		(d) 5-9	1.5 3.2
		(e) 10+	0.9 1.3
8.	PHYSICIAN ORDERS	In the LAST 14 DAYS (or since admission if less than 14 days in facility), how many days has the physician (or authorized assistant or practitioner) changed the resident's orders? Do not include order renewals without change. (Enter 0 if none)	
		(a) 0	41.2 *
		(b) 1	27.0 41.0
		(c) 2-4	15.4 28.0
		(d) 5-9	10.3 18.9
		(e) 10+	6.2 12.2
9.	ABNORMAL LAB VALUES	Has the resident had any abnormal lab values during the last 90 days (or since admission)?	
		0. No	40.9 31.3
		1. Yes	59.1 68.7

SECTION Q. DISCHARGE POTENTIAL AND OVERALL STATUS

1.	DISCHARGE POTENTIAL	a. Resident expresses/indicates preference to return to the community	
		0. No	84.4 81.1
		1. Yes	15.6 19.5
		b. Resident has a support person who is positive towards discharge	
		0. No	91.5 85.6
		1. Yes	8.5 14.4
		c. Stay projected to be of a short duration--discharge projected within 90 days (do not include expected discharge due to death)	
		0. No	82.9 81.0
		1. Within 30 days	3.5 3.5
		2. Within 31-90 days	1.8 2.7
		3. Discharge status uncertain	11.7 12.8
2.	OVERALL CHANGE IN CARE NEEDS	Resident's overall self sufficiency has changed significantly as compared to status of 90 days ago (or since last assessment if less than 90 days)	
		0. No change	86.0 83.8
		1. Improved--receives fewer supports, needs less restrictive level of care	4.5 4.9
		2. Deteriorated--receives more support	9.5 11.3

SECTION R. ASSESSMENT INFORMATION

1.	PARTICIPATION IN ASSESSMENT	a. Resident	
		0. No	14.4 11.4
		1. Yes	85.6 88.6
		b. Family	
		0. No	53.1 53.5
		1. Yes	45.7 45.2
		2. No family	1.2 1.3
		c. Significant other	
		0. No	61.1 61.7
		1. Yes	7.0 6.3
		2. None	31.9 32.0

SECTION T. THERAPY SUPPLEMENT FOR MEDICARE PPS

1.	SPECIAL TREATMENTS AND PROCEDURES	a. RECREATION THERAPY--Enter number of days and total minutes of recreation therapy administered (for at least 15 minutes a day) in the last 7 days (Enter 0 if none)	
		(A) = # of days administered for 15 minutes or more	
		(B) = total # of minutes provided in last 7 days	
		b. ORDERED THERAPIES--Has physician ordered any of following therapies to begin in FIRST 14 days of stay--physical therapy, occupational therapy, or speech pathology service?	
		0. No	19.2 24.1
		1. Yes	80.8 75.9
		c. Through day 15, provide an estimate of the number of days when at least 1 therapy service can be expected to have been delivered.	
		(a) 1-5	4.3 4.1
		(b) 6-9	16.1 15.4
		(c) 10+	79.7 80.5

		OK %		NAT %	
		d. Through day 15, provide an estimate of the number of therapy minutes (across the therapies) that can be expected to be delivered			
		(a) 1-44	1.9	2.2	
		(b) 45-149	1.7	1.1	
		(c) 150-324	10.9	10.9	
		(d) 325-499	9.4	8.4	
		(e) 500-719	28.2	31.0	
		(f) 720-999	15.7	16.6	
		(g) 1000-1999	32.0	29.8	
		(h) 2000-2999	*	0.1	
		(i) 3000-3999	*	<0.05	
		(j) 4000+	*	<0.05	
2.	WALKING WHEN MOST SELF SUFFICIENT	Complete item 2 if ADL self-performance score for TRANSFER (G,1,b,A) is 0, 1, 2, or 3 AND at least one of the following are present: -Resident received physical therapy involving gait training (P,1,b,c) -Physical therapy was ordered for the resident involving gait training (T,1,b) -Resident received nursing rehabilitation for walking (P,3,f) -Physical therapy involving walking has been discontinued within the past 180 days Skip to item 3 if resident did not walk in last 7 days (FOR FOLLOWING FIVE ITEMS, BASE CODING ON THE EPISODE WHEN THE RESIDENT WALKED THE FARTHEST WITHOUT SITTING DOWN. INCLUDE WALKING DURING REHABILITATION SESSIONS.) a. Furthest distance walked without sitting down during this episode. 0. 150+ feet 1. 51-149 feet 2. 26-50 feet 3. 10-25 feet 4. Less than 10 feet b. Time walked without sitting down during this episode. 0. 1-2 minutes 1. 3-4 minutes 2. 5-10 minutes 3. 11-15 minutes 4. 16-30 minutes 5. 31 + minutes c. Self-Performance in walking during this episode. 0. INDEPENDENT--No help or oversight 1. SUPERVISION--Oversight, encouragement or cueing provided 2. LIMITED ASSISTANCE--Resident highly involved in walking; received physical help in guided maneuvering of limbs or other nonweight bearing assistance 3. EXTENSIVE ASSISTANCE--Resident received weight bearing assistance while walking. d. Walking support provided associated with this episode (code regardless of resident's self-performance classification). 0. No setup of physical help from staff 1. Setup help only 2. One person physical assist 3. Two + persons physical assist e. Parallel bars used by resident in association with this episode. 0. No 1. Yes			
3.	CASE MIX GROUP	Medicare State			

