

In addition to selecting a hearing venue and providing any applicable legal locations, when filing a new case on the Conservation Docket, you will be prompted to answer additional questions if you select one of the following relief types:

- Allowables
- Drilling and Spacing Unit
- Location Exception.

Allowables:

Progress: **Initiation** (complete) | **Reliefs** (current) | Case Details (3)

Please select the type of relief(s) requested in the application:

Relief *
Allowables

Relief sought as it appears on the application
Example Relief Requested as it Appears on Application

Max 1500 characters

Assistance with ECF is available from 8:00 a.m. to 4:30 p.m.

Select Allowable Type:

Progress: **Initiation** (complete) | **Reliefs** (complete) | Case Details

Preferred Hearing Venue
OKC TUL

Allowable Type

- Most efficient rate
- Transfer
- Classification of oil pools and projects – Excessive water exempt oil pr...
- Classification of oil pools and projects – Reservoir dewatering oil spaci...
- Excessive water exempt oil project allowables
- Production tests and reports for reservoir dewatering oil spacing units

from 8:00 a.m. to 4:30 p.m.

Drilling and Spacing Unit:

Initiation — Reliefs

Please select the type of relief(s) requested in the application:

Relief *

Drilling and Spacing Unit

Relief sought as it appears on the application

Example Relief Requested As It Appears on Application

Max 1500 characters

Select spacing unit type:

Initiation — Reliefs

Preferred Hearing Venue

OKC TUL

Spacing Unit Type *

— Select Any —

Both

Horizontal

Vertical

statewide?

Location Exception:

✓ Initiation — Reliefs

Please select the type of relief(s) requested in the application:

Relief *

Location Exception

[Relief sought as it appears on the application](#)

Example Relief as it Appears on the Application

Max 1500 characters

Are You Seeking an Exception to the 300' or 600' Rule (OAC 165:10-3-28(c)(2))?:

Select **Yes** or **No**:

✓ Initiation — ✓ Reliefs

Preferred Hearing Venue

OKC TUL

Seeking an exception to OAC 165:10-3-28(c)(2)?

Yes No

Is the legal description on the application statewide?

Yes No

If **Yes**, select the type of exception to this rule:

Initiation Reliefs Case Details Parties

Preferred Hearing Venue
 OKC TUL

Seeking an exception to OAC 165:10-3-28(c)(2)?
 Yes No

Is the legal description on the application statewide?
 Yes No

Wall Location Exception #
-- Select Any --
300 Foot
600 Foot
Both