

Form 1000B

Page 1 of 2

Application to Drill Deep Anode Groundbed

OAC 165:10-7-14

WELL LOCATION:

QUARTER SECTIONS 1/4

1/4


1/4 1/4

Section Township

Range

County

OPERATOR: Name Address City State Zip Phone No. **CONTRACTOR:** Name Address State City Zip Phone No. **DEEP ANODE GROUNDBED (DAG):** Name of DAG Distance From No. of DAG To Be Drilled Pipeline Minimum Top of Minimum Surface Casing Coke Breeze Base of Treatable Water Anode Top To obtain Base of Treatable Water send an email to: OGBTW@occ.ok.gov Material To Be Used In Annulus Approx. Depth To Top of Coke Breeze Column Maximum Depth of Hole



I declare under penalty of perjury that I am authorized to act on behalf of the applicant and that I have read this form and any attachments to this form, that I have knowledge of the contents of this form and any such attachments, which was/were prepared by me or under my supervision and direction, and that the facts and information set forth herein are true, correct, and complete to the best of my knowledge and belief.

Signature Date

Printed Name Email Address Phone Number

OCC USE ONLY

Signature Date Tracking Number Expiration Date

- 1) A permit to drill shall be valid only for one or more deep anode groundbeds within a designated 10 acre tract.
- 2) The Commission shall approve or deny the application within 30 days of date of receipt.
- 3) Any contractor drilling a deep anode groundbed shall be licensed within the State of Oklahoma.
- 4) Any operator who drills a deep anode groundbed without a permit may be fined up to one thousand dollars (\$1,000.00).
- 5) A permit to drill shall expire six (6) months from the date of issuance, unless drilling operations are commenced.
- 6) The operator shall maintain at the site a legible copy of the permit to drill for inspection.
- 7) The Commission's District Manager or Field Inspector shall be given at least twenty-four (24) hours notice prior to commencing drilling operations.
- 8) The operator shall notify the district office or the field inspector within twenty-four (24) hours of any failure to comply with the construction requirements approved on the permit.
- 9) In the event the hole is lost during drilling, the hole will be plugged as soon as possible.
- 10) Upon abandonment of a deep anode groundbed, the hole shall be plugged within thirty (30) days of abandonment.