



☐ Approved ☐ Disapproved

Notice of Surface Discharge of Hydrostatic Test Water

District Manager		OAC 165:10-7-17		OCC Log-In No.	
Operator/Company				OCC No.	
Address				Phone No.	
City	State	Zip	Email Address		

Facility Type: ☐ New Pipeline ☐ Existing Pipeline ☐ New Tank ☐ Existing Tank

TO SEND THIS FORM TO THE OCC, PLEASE USE
THE APPROPRIATE DISTRICT EMAIL ADDRESS
(ON THE BACK OF THIS FORM)

Location of Discharge				Sec.	Twp.	Rge.	County
1/4	1/4	1/4	1/4				

The following facts are submitted:

Method of release: ☐ Discharge to stream ☐ Discharge to land ☐ Other _____

Which District Office was sent a copy? ☐ District I ☐ District II ☐ District III ☐ District IV

Maximum volume to be discharged at one time _____ Bbls.

Numbers of acres in proposed discharge area (if applicable) _____

Source of Water to be used for test _____

☐ The oil and grease content does not exceed 15 mg/l.

☐ There is no visible sheen or discoloration on the water.

☐ The Total Suspended Solids does not exceed 45 mg/l.

☐ The pH is not less than 6.5 or greater than 9 s.u.

☐ The discharge is free from foreign material.

☐ The discharge point is designed to prevent erosion.

☐ If the discharge water is to be land applied, a copy of this notice was sent and approval was obtained from the surface owner.

Executed this _____ day of _____, _____.

Signature of Affiant

STATE OF _____)

COUNTY OF _____)

Before me, the undersigned authority, on this day personally appeared _____ known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on oath states that he is duly authorized to make the above report and that he has knowledge of the facts stated therein, and that said report is true and correct.

Subscribed and sworn to before me this _____ day of _____, _____.

My Commission Expires: _____

Notary Public

INSTRUCTIONS

- A. A representative of the operator shall be on the discharge site at all times during which water is being applied.
- B. Surface owner approval must be obtained prior to discharge to land.
- C. Weather restrictions for surface discharge to land:
1. During precipitation events or when precipitation is imminent;
 2. When the soil moisture content is at a level such that the soil would not readily take the additional water;
 3. When the ground is frozen; or
 4. By spray irrigation when the wind velocity is such that even distribution of water be accomplished or the buffer zones below cannot be maintained.
- D. No runoff or ponding of discharged water shall be allowed during application.
- E. Buffer zones for surface discharge to land:
1. 50 feet from a property line boundary;
 2. 300 feet from any actively-producing water well used for domestic or irrigation purposes; and
 3. 800 feet from any actively-producing water well used for municipal purposes.

[DISTRICT I \(Tulsa\) District Office \(918\)367-3396 OGTulsaOffice@occ.ok.gov](#)

Counties Served:

Adair	Cherokee	Craig	Creek	Delaware	Kay	Lincoln	Mayes
Muskogee	Noble	Nowata	Ottawa	Pawnee	Payne	Rogers	Tulsa
Wagoner	Washington						

[DISTRICT II \(Kingfisher\) District Office \(405\)522-0716 OKingfisherOffice@occ.ok.gov](#)

Counties Served:

Alfalfa	Beaver	Blaine	Canadian	Cimarron	Custer	Dewey	Ellis
Garfield	Grant	Harper	Kingfisher	Logan	Major	Oklahoma	Roger Mills
Texas	Woods	Woodward					

[DISTRICT III \(Duncan\) District Office \(405\)522-0728 OGDuncanOffice@occ.ok.gov](#)

Counties Served:

Beckham	Caddo	Carter	Cleveland	Comanche	Cotton	Garvin	Grady
Greer	Harmon	Jackson	Jefferson	Kiowa	Love	McClain	Murray
Stephens	Tillman	Washita					

[DISTRICT IV \(Ada\) District Office \(580\)332-3441 OGAdaOffice@occ.ok.gov](#)

Counties Served:

Atoka	Bryan	Choctaw	Coal	Haskell	Hughes	Johnston	Latimer
Leflore	McCurtain	McIntosh	Marshall	Okfuskee	Okmulgee	Pittsburg	Pontotoc
Pottawatomie	Pushmataha	Seminole	Sequoyah				

<https://oklahoma.gov/occ.html>