

ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




SoonerCare Members

Total SoonerCare Enrollment


In SFY2024, there was a small decrease in the total number of SoonerCare members diagnosed with diabetes, and this is also reflected in the prevalence.

There was a small increase in Unspecified Diabetes, which usually means self-reported diabetes without a specific type. It is usually safe to assume these are mostly Type II or gestational diabetes.



Diabetes Prevalence Rates

Diabetes Type: Total | Type I | Type II | Unspecified




In SFY2024 there were

88,169

members with diabetes,
or 5.8% of all members

Total Prevalence Rate of Diabetes Type Among SoonerCare Members
SFY2024



Members with Diabetes by Eligibility Type SFY2024




64.2%


were Non-Dual Eligible*
56,630 members

**Dual Eligible: members enrolled in both Medicaid and Medicare*

Members with Diabetes by Delivery System
SFY2024



Members with Diabetes by Qualifying Group
SFY2024



ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




Prevalence Rates

Prevalence
2.0-3.9%
4.0-5.9%

6.0-7.9%
8.0-9.9%

In SFY2024, the prevalence of diabetes was higher in eastern counties than in western counties. Prevalence of diabetes was highest in Okfuske (9.4%) and Harmon (9.3%) counties.





SoonerCare Members with Diabetes

In SFY2024, diabetes was more prevalent among adults, females, Black/African Americans, and Caucasians than would be expected based on the demographic composition of all SoonerCare members. See details below. The black line represents the percent of total SoonerCare members.

93.2%
were adults
82,141 members

62.2%
were female
54,866 members

64.0%
were Caucasian
56,444 members






Prevalence Rates Among SoonerCare Members

9.7%
of all adult members had diabetes

7.5%
of all female members had diabetes

6.8%
of all Asian or Pacific Islander members had diabetes



Demographics

ANALYSIS OF Diabetes in Oklahoma's SoonerCare Program




Reimbursement Cost

While only 5.8% of SoonerCare members had diabetes in SFY2024, the total reimbursement associated with their services made up 17.5% of all SoonerCare reimbursements paid in SFY2024.


The trend in increased total annual reimbursements since SFY21 continued, and per-member reimbursements annual continued to rise. If the trend holds, per-member total annual reimbursements are expected to rise approximately \$2K per state fiscal year.

The rise in total reimbursement from to \$1,681M in SFY23 to \$1,809M in SFY24 represents a 7.6% rise in reimbursement. This outpaces the 3.4% annual inflation rate estimated by the OK State Treasurer for CY2023.


Annual Reimbursement for Members with Diabetes



SoonerCare Members with Diabetes: Percent of Total Reimbursement Compared to Percent of Total SoonerCare Enrollment



Average Reimbursement per Member with Diabetes
Diabetes Type: Total | Type I | Type II | Unspecified



\$1,809,312,946

Total reimbursement for members with diabetes

\$20,521

Average reimbursement for members with diabetes

	Total Reimbursement	% of Total Reimbursement	Reimbursement per Member
Dual Eligible	\$573,406,357	31.7%	\$18,181
Non-Dual Eligible	\$1,235,906,589	68.3%	\$21,824
Adult	\$1,696,939,803	93.8%	\$20,659
Child	\$112,373,143	6.2%	\$18,642
Female	\$1,069,128,363	59.1%	\$19,486
Male	\$740,184,583	40.9%	\$22,226