Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	108.32	=	0.795236	x .2	0.159047	Х	108.32	=_	17.23
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

District: C019 - PEAVINE County: 01 - ADAIR

- If school district's total area in square miles <u>26.107870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- В. Compute areal density: School District's Raw ADM <u>108.32</u> divided by district's total area in square mile <u>26.107870</u> = District's Areal Density <u>4.15</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.50, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		108.32	
	= _	0.00	- 1.00 = Disti	rict Cost Factor		0	

- 5) (District's Square Miles <u>26.107870</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) $\underline{0}$ by lessor of the Area Factor (Line 5 above) $\underline{0}$ or 1.00 = Isolation Factor $\underline{0}$
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 108.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.23

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 1 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	631.81	=	0.000000	x .2	0.000000	Х _	631.81	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C022 - MARYETTA**

- If school district's total area in square miles 22.207800 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>631.81</u> divided by district's total area in square mile <u>22.207800</u> = District's Areal В Density <u>28.45</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		631.81	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.207800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 631.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 2 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	174.22	= _	0.670662	x .2	0.134132	Х	174.22	=_	23.37
	529		_	·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR District: C024 - ROCKY MOUNTAIN

- A. If school district's total area in square miles <u>19.652120</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>174.22</u> divided by district's total area in square mile <u>19.652120</u> = District's Areal Density <u>8.87</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 174.22

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>19.652120</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{174.22}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.37_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 3 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	318.91	=	0.397146	x .2	0.079429	Х _	318.91	=_	25.33
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C028 - ZION**

- If school district's total area in square miles 27.852150 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>318.91</u> divided by district's total area in square mile <u>27.852150</u> = District's Areal В Density 11.45.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	318.91	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.852150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>318.91</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.33</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 4 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	204.12	=	0.614140	x .2	0.122828	x	204.12	_ = _	25.07
	529			·		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C029 - DAHLONEGAH**

- If school district's total area in square miles <u>50.195860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>204.12</u> divided by district's total area in square mile <u>50.195860</u> = District's Areal В Density <u>4.07</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	= 0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	oove					
	0.00 =	= 0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove					
	0.00 =	= 0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

204.12

0.00 5) (District's Square Miles <u>50.195860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 204.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.50

Page 5 of 540 Report# FB107b Printed: 1/5/2022 1:08:56 PM

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	269.85	= _	0.489887	x .2	0.097977	Х	269.85	=	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I004 - WATTS**

- If school district's total area in square miles <u>38.601980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>269.85</u> divided by district's total area in square mile <u>38.601980</u> = District's Areal В Density <u>6.99</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

269.85

0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>38.601980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>269.85</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.44

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 6 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,124.24	=	0.000000	x .2	0.000000	Х _	1,124.24	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR District: I011 - WESTVILLE

- A. If school district's total area in square miles <u>194.695720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,124.24</u> divided by district's total area in square mile <u>194.695720</u> = District's Areal Density <u>5.77</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,124.24

5) (District's Square Miles <u>194.695720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,124.24}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 7 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,331.32	= _	0.000000	x .2	0.000000	Х	1,331.32	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: 1025 - STILWELL**

- If school district's total area in square miles 127.842580 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,331.32 divided by district's total area in square mile 127.842580 = District's Areal В Density 10.41.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	1,331.32	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>127.842580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.331.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 8 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	157.82	=	0.701664	x .2	0.140333	Х	157.82	_ = _	22.15
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I030 - CAVE SPRINGS**

- If school district's total area in square miles 39.115110 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>157.82</u> divided by district's total area in square mile <u>39.115110</u> = District's Areal В Density <u>4.03</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	157.82	

divided by district's Raw ADM

- 1.00 = District Cost Factor

157.82

0.00 5) (District's Square Miles <u>39.115110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 157.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.15

Page 9 of 540 Report# FB107b Printed: 1/5/2022 1:08:56 PM

Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	132.73	=	0.749093	x .2	0.149819	Х	132.73	_ = _	19.89
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: I001 - BURLINGTON

- A. If school district's total area in square miles <u>266.702720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>132.73</u> divided by district's total area in square mile <u>266.702720</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	75.29	+	23 =	98.29	(Ca)
Grades	6th - 8th	26.89	+	133 =	159.89	(Cb)
Grades	PK3,9 -OHP	30.55	+	128 =	158.55	(Cc)
		132.73				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	98.29	= _	0.752874	+ .85 =	1.602874	х	75.29 =	120.68
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	159.89	= _	0.763025	+ .85 =	1.613025	х	26.89 =	43.37
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	158.55	= _	1.841690	+ .78 =	2.621690	х	30.55 =	80.09
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		244.14	divided by dis	strict's Raw ADM		132.73	

- 1.00 = District Cost Factor

0.84

5) (District's Square Miles <u>266.702720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.95</u>

1.84

- 6) Multiply District Cost Factor (Line 4 above) 0.84 by lessor of the Area Factor (Line 5 above) 0.95 or 1.00 = Isolation Factor 0.80
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 132.73 = Isolation Weight 105.92
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___105.92_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 10 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	419.62	= _	0.206767	x .2	0.041353	Х	419.62	_ = _	17.35
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1046 - CHEROKEE

- A. If school district's total area in square miles <u>179.382260</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>419.62</u> divided by district's total area in square mile <u>179.382260</u> = District's Areal Density <u>2.34</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	214.34	+	23 =	237.34	(Ca)
Grades	6th - 8th	83.00	+	133 =	216.00	(Cb)
Grades	PK3,9 -OHP	122.28	+	128 =	250.28	(Cc)
		419.62				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

249.02	214.34 =	1.161789 x	+ .85 =	0.311789	237.34 =	
EC-5 Cost Factor	EC-5 ADM					
) 122 divided by " <u>Cb</u> " from above	2)
117.43	83.00 =	1.414815 x	+ .85 =	0.564815	216.00 =	
6-8 Cost Factor	6-8 ADM					
) 292 divided by " <u>Cc</u> " from above	3)
238.04	122.28 =	1.946693 x	+ .78 =	1.166693	250.28 =	
9-OHP Cost Factor	9-OHP ADM					

divided by district's Raw ADM

- 1.00 = District Cost Factor

419.62

0.44

5) (District's Square Miles <u>179.382260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.31</u>

604.49

1.44

- 6) Multiply District Cost Factor (Line 4 above) 0.44 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 419.62 = Isolation Weight 57.24
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __57.24_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 11 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	292.48	=	0.447108	x .2	0.089422	Х	292.48	_ = _	26.15
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1093 - TIMBERLAKE

- A. If school district's total area in square miles <u>402.369310</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>292.48</u> divided by district's total area in square mile <u>402.369310</u> = District's Areal Density <u>0.73</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	165.16	+	23 =	188.16	(Ca)
Grades	6th - 8th	61.00	+	133 =	194.00	(Cb)
Grades	PK3,9 -OHP	66.32	+	128 =	194.32	(Cc)
		292.48				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	188.16 =	0.393282	+ .85 =	1.243282	Х	165.16 =	205.34
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	ve .					
	194.00 =	0.628866	+ .85 =	1.478866	х	61.00 =	90.21
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e					
	194.32 =	1.502676	+ .78 =	2.282676	х	66.32 =	151.39
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	446 94	divided by dis	trict's Raw ADM		292 48	

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>402.369310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.94</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 1.94 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.48 = Isolation Weight 155.01
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __155.01_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 12 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	220.11	=	0.583913	x .2	0.116783	Х	220.11	=	25.71
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: C021 - HARMONY

- A. If school district's total area in square miles <u>89.940300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>220.11</u> divided by district's total area in square mile <u>89.940300</u> = District's Areal Density <u>2.45</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 220.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>89.940300</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 220.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.71_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 13 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	277.03	=	0.476314	x .2	0.095263	х	277.03	_ = _	26.39
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: C022 - LANE

- A. If school district's total area in square miles <u>202.316690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>277.03</u> divided by district's total area in square mile <u>202.316690</u> = District's Areal Density <u>1.37</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	180.92	+	23 =	203.92	(Ca)
Grades	6th - 8th	79.87	+	133 =	212.87	(Cb)
Grades	PK3,9 -OHP	16.24	+	128 =	144.24	(Cc)
		277.03				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	203.92	=	0.362887	+ .85 =	1.212887	Х	180.92 =	219.44
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	212.87	=	0.573120	+ .85 =	1.423120	х	79.87 =	113.66
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	144.24	= _	2.024404	+ .78 =	2.804404	Х	16.24 =	45.54
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

277.03

0.37

5) (District's Square Miles <u>202.316690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.48</u>

378.64

1.37

- 6) Multiply District Cost Factor (Line 4 above) 0.37 by lessor of the Area Factor (Line 5 above) 0.48 or 1.00 = Isolation Factor 0.18
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 277.03 = Isolation Weight 49.20
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.20

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 14 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	234.49	=	0.556730	x .2	0.111346	х _	234.49	_ = _	26.11
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I007 - STRINGTOWN

- A. If school district's total area in square miles <u>176.595430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>234.49</u> divided by district's total area in square mile <u>176.595430</u> = District's Areal Density <u>1.33</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	99.12	+	23 =	122.12	(Ca)
Grades	6th - 8th	45.86	+	133 =	178.86	(Cb)
Grades	PK3,9 -OHP	89.51	+	128 =	217.51	(Cc)
		234.49				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	122.12 =	0.605961	+ .85 =	1.455961	x 99.12 =	144.31
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve				
	178.86 =	0.682098	+ .85 =	1.532098	x 45.86 =	70.26
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	217.51 =	1.342467	+ .78 =	2.122467	x 89.51 =	189.98
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

234.49

0.73

= 1.73 - 1.00 = District Cost Factor 0

5) (District's Square Miles 176.595430 - 137.00000) divided by 137.00000 = Area Factor 0.29

404.55

- 6) Multiply District Cost Factor (Line 4 above) 0.73 by lessor of the Area Factor (Line 5 above) 0.29 or 1.00 = Isolation Factor 0.21
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 234.49 = Isolation Weight 49.64
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.64

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 15 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	919.06	=	0.000000	x .2	0.000000	Х _	919.06	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I015 - ATOKA

- A. If school district's total area in square miles <u>126.141970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>919.06</u> divided by district's total area in square mile <u>126.141970</u> = District's Areal Density <u>7.29</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	919.06	5

- 1.00 = District Cost Factor

5) (District's Square Miles <u>126.141970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 919.06 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 16 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	467.06	=	0.117089	x .2	0.023418	Х _	467.06	_ = _	10.94
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: I019 - TUSHKA**

- If school district's total area in square miles 60.225280 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>467.06</u> divided by district's total area in square mile <u>60.225280</u> = District's Areal В Density <u>7.76</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =		0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =		0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		467.06	

divided by district's Raw ADM

- 1.00 = District Cost Factor

467.06

0.00 5) (District's Square Miles <u>60.225280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{467.06}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.94

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	266.59	=	0.496049	x .2	0.099210	х _	266.59	=_	26.45
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: I026 - CANEY**

- If school district's total area in square miles <u>85.221540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>266.59</u> divided by district's total area in square mile <u>85.221540</u> = District's Areal В Density <u>3.13</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

266.59

0.00 5) (District's Square Miles <u>85.221540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>266.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 18 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	299.74	=_	0.433384	x .2	0.086677	х _	299.74	_ = _	25.98
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I022 - BEAVER

- A. If school district's total area in square miles <u>304.584780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>299.74</u> divided by district's total area in square mile <u>304.584780</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	154.47	+	23 =	177.47	(Ca)
Grades	6th - 8th	61.33	+	133 =	194.33	(Cb)
Grades	PK3,9 -OHP	83.94	+	128 =	211.94	(Cc)
		299.74				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	177.47 =	0.416972	+ .85 =	1.266972	x 154.4	.7 =	195.71
					EC-5 ADI	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	194.33 =	0.627798	+ .85 =	1.477798	x61.3	3 =	90.63
					6-8 ADI	M	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2					
	211.94 =	1.377748	+ .78 =	2.157748	x 83.9)4 =	181.12
					9-OHP ADI	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	467.46	divided by di	strict's Raw ADM	299.7	'4	

- 1.00 = District Cost Factor

0.56

5) (District's Square Miles <u>304.584780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.22</u>

1.56

- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 1.22 or 1.00 = Isolation Factor 0.56
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 299.74 = Isolation Weight 167.85
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 167.85

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 19 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	149.04	=	0.718261	x .2	0.143652	Х _	149.04	=_	21.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I075 - BALKO

- If school district's total area in square miles 441.127620 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>149.04</u> divided by district's total area in square mile <u>441.127620</u> = District's Areal В Density <u>0.34</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	66.44	+	23 =	89.44	(Ca)
Grades	6th - 8th	28.00	+	133 =	161.00	(Cb)
Grades	PK3,9 -OHP	54.60	+	128 =	182.60	(Cc)
		149.04			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	89.44	=	0.827370	+ .85 =	1.677370	Х	66.44 =	111.44
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	161.00	=	0.757764	+ .85 =	1.607764	Х	28.00 =	45.02
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	182.60	=	1.599124	+ .78 =	2.379124	Х	54.60 =	129.90
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		286.36	divided by di	strict's Raw ADM		149.04	

- 1.00 = District Cost Factor

0.92

- 1.92 5) (District's Square Miles <u>441.127620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.22</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 2.22 or 1.00 = Isolation Factor 0.92
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 149.04 = Isolation Weight 137.12
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 137.12

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 20 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	133.09	=	0.748412	x .2	0.149682	Х	133.09	_ = _	19.92
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I123 - FORGAN

- A. If school district's total area in square miles <u>375.847080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>133.09</u> divided by district's total area in square mile <u>375.847080</u> = District's Areal Density <u>0.35</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	65.05	+	23 =	88.05	(Ca)
Grades	6th - 8th	29.00	+	133 =	162.00	(Cb)
Grades	PK3,9 -OHP	39.04	+	128 =	167.04	(Cc)
		133.09				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	88.05	=	0.840432	+ .85 =	1.690432	Х	65.05 =	109.96
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	162.00	= _	0.753086	+ .85 =	1.603086	x	29.00 =	46.49
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	167.04	= _	1.748084	+ .78 =	2.528084	x	39.04 =	98.70
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		255.15	divided by di	strict's Raw ADM		133.09	

- 1.00 = District Cost Factor

0.92

5) (District's Square Miles <u>375.847080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.74</u>

1.92

- 6) Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 0.92
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 133.09 = Isolation Weight 122.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 122.44

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 21 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	445.93	_ =	0.157032	x .2	0.031406	Х	445.93	=_	14.01
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I128 - TURPIN

- A. If school district's total area in square miles <u>356.688990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>445.93</u> divided by district's total area in square mile <u>356.688990</u> = District's Areal Density <u>1.25</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	217.19	+	23 =	240.19	(Ca)
Grades	6th - 8th	108.00	+	133 =	241.00	(Cb)
Grades	PK3,9 -OHP	120.74	+	128 =	248.74	(Cc)
		445.93				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	240.19 =	0.308089	+ .85 =	1.158089 x	217.19 =	251.53
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	241.00 =	0.506224	+ .85 =	1.356224 x	108.00 =	146.47
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	248.74 =	1.173917	+ .78 =	1.953917 x	120.74 =	235.92
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	633.92	divided by distric	t's Raw ADM	445.93	
	=	1.42	- 1.00 = District	Cost Factor	0.42	

- 5) (District's Square Miles <u>356.688990</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.60</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 1.60 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 445.93 = Isolation Weight 187.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 187.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 22 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	814.37	=	0.000000	x .2	0.000000	Х	814.37	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1002 - MERRITT

- A. If school district's total area in square miles <u>242.704900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>814.37</u> divided by district's total area in square mile <u>242.704900</u> = District's Areal Density <u>3.36</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		814.37	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>242.704900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 814.37 = Isolation Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,176.31	=	0.000000	x .2	0.000000	Х	2,176.31	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1006 - ELK CITY

- If school district's total area in square miles 63.330770 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,176.31 divided by district's total area in square mile 63.330770 = District's Areal В Density 34.36.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
			_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	x	0.00 =	0.00
							·	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,176.31

0.00 5) (District's Square Miles <u>63.330770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.176.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 24 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	713.37	=	0.000000	x .2	0.000000	Х	713.37	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: I031 - SAYRE

- If school district's total area in square miles 273.341880 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>713.37</u> divided by district's total area in square mile <u>273.341880</u> = District's Areal В Density <u>2.61</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

713.37

0.00 5) (District's Square Miles <u>273,341880</u> - <u>137,00000</u>) divided by <u>137,00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{713.37}{10.00}$ = Isolation Weight $\frac{0.00}{10.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 25 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	222.50	=	0.579395	x .2	0.115879	Х	222.50	_ = _	25.78
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1051 - ERICK

- A. If school district's total area in square miles <u>269.104390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>222.50</u> divided by district's total area in square mile <u>269.104390</u> = District's Areal Density <u>0.83</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	116.91	+	23 =	139.91	(Ca)
Grades	6th - 8th	53.05	+	133 =	186.05	(Cb)
Grades	PK3,9 -OHP	52.54	+	128 =	180.54	(Cc)
		222.50				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	139.91	=	0.528911	+ .85 =	1.378911	Х	116.91 =	161.21
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	oove						
	186.05	=	0.655738	+ .85 =	1.505738	x	53.05 =	79.88
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	180.54	= _	1.617370	+ .78 =	2.397370	х	52.54 =	125.96
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		367.05	divided by c	listrict's Raw ADM		222.50	

- 1.00 = District Cost Factor

0.65

5) (District's Square Miles <u>269.104390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.96</u>

1.65

- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 0.96 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 222.50 = Isolation Weight 138.84

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 26 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	334.83	=	0.367051	x .2	0.073410	х _	334.83	=_	24.58
_	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1009 - OKEENE

- A. If school district's total area in square miles <u>225.991110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>334.83</u> divided by district's total area in square mile <u>225.991110</u> = District's Areal Density <u>1.48</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	163.98	+	23 =	186.98	(Ca)
Grades	6th - 8th	87.29	+	133 =	220.29	(Cb)
Grades	PK3,9 -OHP	83.56	+	128 =	211.56	(Cc)
		334.83				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	186.98	= _	0.395764	+ .85 =	1.245764	х	163.98 =	204.28
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	220.29	=	0.553815	+ .85 =	1.403815	x	87.29 =	122.54
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	211.56	=	1.380223	+ .78 =	2.160223	х	83.56 =	180.51
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	_	507.33	divided by dis	strict's Raw ADM		334.83	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>225.991110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.65</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.65 or 1.00 = Isolation Factor 0.34
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 334.83 = Isolation Weight 113.17
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __113.17_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 27 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	749.20	<u> </u>	0.000000	x .2	0.000000	х	749.20	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1042 - WATONGA

- A. If school district's total area in square miles <u>207.639390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>749.20</u> divided by district's total area in square mile <u>207.639390</u> = District's Areal Density <u>3.61</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

749.20

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 207.639390 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{749.20}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 28 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	320.65	=	0.393856	x .2	0.078771	Х	320.65	_ = _	25.26
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I080 - GEARY

- A. If school district's total area in square miles <u>297.443870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>320.65</u> divided by district's total area in square mile <u>297.443870</u> = District's Areal Density <u>1.08</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	152.68	+	23 =	175.68	(Ca)
Grades	6th - 8th	83.67	+	133 =	216.67	(Cb)
Grades	PK3,9 -OHP	84.30	+	128 =	212.30	(Cc)
		320.65				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	175.68	=	0.421220	+ .85 =	1.271220	Χ	152.68 =	194.09
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	216.67	= _	0.563068	+ .85 =	1.413068	х	83.67 =	118.23
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	212.30	= _	1.375412	+ .78 =	2.155412	х	84.30 =	181.70
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		494.02	divided by o	district's Raw ADM		320.65	

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>297.443870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.17</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.54
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 320.65 = Isolation Weight 173.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __173.15_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 29 of 540

Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	346.15	=	0.345652	x .2	0.069130	х	346.15	=_	23.93
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I105 - CANTON

- A. If school district's total area in square miles <u>252.165750</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>346.15</u> divided by district's total area in square mile <u>252.165750</u> = District's Areal Density <u>1.37</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	170.69	+	23 =	193.69	(Ca)
Grades	6th - 8th	80.39	+	133 =	213.39	(Cb)
Grades	PK3,9 -OHP	95.07	+	128 =	223.07	(Cc)
		346.15				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	193.69 =	0.382054	+ .85 =	1.232054	x 170.69	= 210.30
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	213.39 =	0.571723	+ .85 =	1.421723	x 80.39	= 114.29
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	223.07 =	1.309006	+ .78 =	2.089006	x 95.07	= 198.60
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	523.19	divided by dis	trict's Raw ADM	346.15	_

- 1.00 = District Cost Factor

0.51

5) (District's Square Miles <u>252.165750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.84</u>

1.51

- 6) Multiply District Cost Factor (Line 4 above) 0.51 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 346.15 = Isolation Weight 148.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 148.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 30 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	\Box	М

529 -	1,028.32	=	0.000000	x .2	0.000000	Х	1,028.32	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I001 - SILO

- If school district's total area in square miles 121.181600 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,028.32 divided by district's total area in square mile 121.181600 = District's Areal В Density <u>8.49</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
		_			EC-5 A	DM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
					6-8 A	DM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-OHP A	DM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	1,02	8.32	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>121.181600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.028.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 31 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	448.01	_ =	0.153100	x .2	0.030620	_ x	448.01	=_	13.72
_	529			_	Sa		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I002 - ROCK CREEK

- A. If school district's total area in square miles <u>224.401860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>448.01</u> divided by district's total area in square mile <u>224.401860</u> = District's Areal Density <u>2.00</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	242.50	+	23 =	265.50	(Ca)
Grades	6th - 8th	82.63	+	133 =	215.63	(Cb)
Grades	PK3,9 -OHP	122.88	+	128 =	250.88	(Cc)
		448.01				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	265.50 =	0.278719	+ .85 =	1.128719	x 242	50 =	273.71
					EC-5 AI	DM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	215.63 =	0.565784	+ .85 =	1.415784	x 82	63 =	116.99
					6-8 AI	MC	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	250.88 =	1.163903	+ .78 =	1.943903	x 122	.88 =	238.87
					9-OHP AI	MC	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	629.57	divided by di	strict's Raw ADM	448	.01	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>224.401860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.64</u>

1.41

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 0.64 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 448.01 = Isolation Weight 117.56
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 117.56

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 32 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	340.25	=_	0.356805	x .2	0.071361	х	340.25	_ = _	24.28
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1003 - ACHILLE

- A. If school district's total area in square miles <u>166.478190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>340.25</u> divided by district's total area in square mile <u>166.478190</u> = District's Areal Density <u>2.04</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	178.99	+	23 =	201.99	(Ca)
Grades	6th - 8th	73.88	+	133 =	206.88	(Cb)
Grades	PK3,9 -OHP	87.38	+	128 =	215.38	(Cc)
		340.25				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	201.99	=	0.366355	+ .85 =	1.216355	Χ	178.99 =	217.72
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	206.88	=	0.589714	+ .85 =	1.439714	х	73.88 =	106.37
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	215.38	=	1.355743	+ .78 =	2.135743	x	87.38 =	186.62
		·					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		510.71	divided by d	listrict's Raw ADM		340.25	

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>166.478190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.22</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.22 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.25 = Isolation Weight 37.43
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.43

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 33 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	787.82	=	0.000000	x .2	0.000000	Х	787.82	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I004 - COLBERT**

- If school district's total area in square miles 66.664430 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>787.82</u> divided by district's total area in square mile <u>66.664430</u> = District's Areal В Density 11.82.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

787.82

0.00 5) (District's Square Miles <u>66.664430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>787.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 34 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	503.59	=	0.048034	x .2	0.009607	Х	503.59	_ = _	4.84
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I005 - CADDO

- If school district's total area in square miles 134.727690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>503.59</u> divided by district's total area in square mile <u>134.727690</u> = District's Areal В Density <u>3.74</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

503.59

0.00 5) (District's Square Miles <u>134.727690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 503.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.84

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	310.91	= _	0.412268	x .2	0.082454	_ x	310.91	_ = _	25.64
_	529		Same Year			Small School			
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I040 - BENNINGTON

- A. If school district's total area in square miles <u>160.529620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>310.91</u> divided by district's total area in square mile <u>160.529620</u> = District's Areal Density <u>1.94</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	138.74	+	23 =	161.74	(Ca)
Grades	6th - 8th	76.35	+	133 =	209.35	(Cb)
Grades	PK3,9 -OHP	95.82	+	128 =	223.82	(Cc)
		310.91				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	161.74 =	0.457524	+ .85 =	1.307524	X	138.74 =	181.41
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	209.35 =	0.582756	+ .85 =	1.432756	х	76.35 =	109.39
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	223.82 =	1.304620	+ .78 =	2.084620	х	95.82 =	199.75
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	490.55	divided by dist	rict's Raw ADM		310.91	

- 1.00 = District Cost Factor

0.58

5) (District's Square Miles <u>160.529620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

1.58

- 6) Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 310.91 = Isolation Weight 30.66
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.66

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 36 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	787.27	=	0.000000	x .2	0.000000	Х _	787.27	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I048 - CALERA**

- If school district's total area in square miles 47.496820 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>787.27</u> divided by district's total area in square mile <u>47.496820</u> = District's Areal В Density 16.58.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

787.27

0.00 5) (District's Square Miles <u>47.496820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>787.27</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 37 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,774.11	=	0.000000	x .2	0.000000	Х	3,774.11	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1072 - DURANT

- A. If school district's total area in square miles <u>43.274830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,774.11</u> divided by district's total area in square mile <u>43.274830</u> = District's Areal Density <u>87.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

3,774.11

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 43.274830 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.774.11 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 38 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	469.26	=_	0.112930	x .2	0.022586	х _	469.26	_ = _	10.60
•	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I011 - HYDRO-EAKLY

- A. If school district's total area in square miles <u>188.146720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>469.26</u> divided by district's total area in square mile <u>188.146720</u> = District's Areal Density <u>2.49</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	237.15	+	23 =	260.15	(Ca)
Grades	6th - 8th	99.07	+	133 =	232.07	(Cb)
Grades	PK3,9 -OHP	133.04	+	128 =	261.04	(Cc)
		469.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	260.15 =	0.284451	+ .85 =	1.134451	x 237.15	= 269.04
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	232.07 =	0.525703	+ .85 =	1.375703	x99.07	= 136.29
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	261.04 =	1.118603	+ .78 =	1.898603	x 133.04	= 252.59
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	657.92	divided by di	strict's Raw ADM	469.26	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>188.146720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.37</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.37 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 469.26 = Isolation Weight 69.45
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 69.45

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 39 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	235.92	= _	0.554026	x .2	0.110805	Х	235.92	=	26.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I012 - LOOKEBA SICKLES**

- If school district's total area in square miles 106.109890 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>235.92</u> divided by district's total area in square mile <u>106.109890</u> = District's Areal В Density <u>2.22</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

235.92

0.00 5) (District's Square Miles <u>106.109890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.14</u>

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,593.94	=	0.000000	x .2	0.000000	Х	1,593.94	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I020 - ANADARKO**

- A. If school district's total area in square miles 109.468710 is greater than the state average area in square miles 137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,593.94 divided by district's total area in square mile 109.468710 = District's Areal В Density 14.56.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,593.94

0.00 5) (District's Square Miles <u>109.468710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.593.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 41 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	547.08	=	0.000000	x .2	0.000000	Х	547.08	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I033 - CARNEGIE**

- If school district's total area in square miles 202.627650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>547.08</u> divided by district's total area in square mile <u>202.627650</u> = District's Areal В Density <u>2.70</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

547.08

0.00 5) (District's Square Miles <u>202.627650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 547.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 42 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	551.89	= _	0.000000	x .2	0.000000	Х	551.89	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I056 - BOONE-APACHE**

- If school district's total area in square miles 137.572000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>551.89</u> divided by district's total area in square mile <u>137.572000</u> = District's Areal В Density <u>4.01</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	551.89	

divided by district's Raw ADM

- 1.00 = District Cost Factor

551.89

5) (District's Square Miles <u>137.572000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>551.89</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 43 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	331.08	=	0.374140	x .2	0.074828	Х	331.08	=_	24.77
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I064 - CYRIL

- If school district's total area in square miles <u>54.330010</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>331.08</u> divided by district's total area in square mile <u>54.330010</u> = District's Areal В Density <u>6.09</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	′8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		331.08	

divided by district's Raw ADM

- 1.00 = District Cost Factor

331.08

0.00 5) (District's Square Miles <u>54.330010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 331.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.77

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	118.87	=	0.775293	x .2	0.155059	Х	118.87	=	18.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I086 - GRACEMONT**

- If school district's total area in square miles 100.695810 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>118.87</u> divided by district's total area in square mile <u>100.695810</u> = District's Areal В Density <u>1.18</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	_	0.000000	+ .85	=	0.850000	X	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .78	=	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d bv	district's Raw ADM		118.87	

divided by district's Raw ADM

- 1.00 = District Cost Factor

118.87

5) (District's Square Miles <u>100.695810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 118.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.43

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 45 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	212.39	_ =	0.598507	x .2	0.119701	Х	212.39	_ =	25.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I160 - CEMENT**

- If school district's total area in square miles 67.954700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>212.39</u> divided by district's total area in square mile <u>67.954700</u> = District's Areal В Density <u>3.13</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		212.39	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>67.954700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.42

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 46 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	731.88	=	0.000000	x .2	0.000000	Х	731.88	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I161 - HINTON

- A. If school district's total area in square miles <u>171.602870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>731.88</u> divided by district's total area in square mile <u>171.602870</u> = District's Areal Density <u>4.26</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
				·	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

731.88

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 171.602870 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{731.88}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 47 of 540

Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	337.17	=_	0.362628	x .2	0.072526	х	337.17	_ = _	24.45
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I167 - FORT COBB-BROXTON

- A. If school district's total area in square miles <u>154.630030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>337.17</u> divided by district's total area in square mile <u>154.630030</u> = District's Areal Density <u>2.18</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	165.92	+	23 =	188.92	(Ca)
Grades	6th - 8th	79.86	+	133 =	212.86	(Cb)
Grades	PK3,9 -OHP	91.39	+	128 =	219.39	(Cc)
		337.17				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	188.92	=	0.391700	+ .85 =	1.241700	X	165.92 =	206.02
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	212.86	=	0.573147	+ .85 =	1.423147	х	79.86 =	113.65
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	219.39	=	1.330963	+ .78 =	2.110963	х	91.39 =	192.92
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		512.59	divided by di	strict's Raw ADM		337.17	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>154.630030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 337.17 = Isolation Weight 22.79
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.45

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 48 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	331.79	= _	0.372798	x .2	0.074560	Х	331.79	=	24.74
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I168 - BINGER-ONEY

- A. If school district's total area in square miles <u>150.041550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>331.79</u> divided by district's total area in square mile <u>150.041550</u> = District's Areal Density <u>2.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	142.25	+	23 =	165.25	(Ca)
Grades	6th - 8th	75.69	+	133 =	208.69	(Cb)
Grades	PK3,9 -OHP	113.85	+	128 =	241.85	(Cc)
		331.79				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	165.25 =	0.447806	+ .85 =	1.297806	x 142.25 =	184.61
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	208.69 =	0.584599	+ .85 =	1.434599	x 75.69 =	108.58
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	241.85 =	1.207360	+ .78 =	1.987360	x 113.85 =	226.26
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	519.45	divided by dist	rict's Raw ADM	331.79	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>150.041550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.10</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.06
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 331.79 = Isolation Weight 18.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.74

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 49 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	161.11	_ =	0.695444	x .2	0.139089	Х	161.11	=	22.41
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C029 - RIVERSIDE

- A. If school district's total area in square miles <u>32.663660</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>161.11</u> divided by district's total area in square mile <u>32.663660</u> = District's Areal Density <u>4.93</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 161.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 32.663660 137.00000) divided by 137.00000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 161.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.41_

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	298.33	=	0.436049	x .2	0.087210	Х	298.33	=_	26.02
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C031 - BANNER

- If school district's total area in square miles 40.343620 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>298.33</u> divided by district's total area in square mile <u>40.343620</u> = District's Areal В Density <u>7.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		298.33	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>40.343620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 298.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.02</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 51 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	232.48	=	0.560529	x .2	0.112106	Х	232.48	=	26.06
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C070 - DARLINGTON

- If school district's total area in square miles 60.989720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>232.48</u> divided by district's total area in square mile <u>60.989720</u> = District's Areal В Density 3.81.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		232.48	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>60.989720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.06</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 52 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	186.91	=	0.646673	x .2	0.129335	Х	186.91	_ = _	24.17
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C162 - MAPLE

- A. If school district's total area in square miles <u>92.545800</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>186.91</u> divided by district's total area in square mile <u>92.545800</u> = District's Areal Density <u>2.02</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

186.91

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 92.545800 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __24.17_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 53 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	4,530.65	=	0.000000	x .2	0.000000	Х	4,530.65	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1022 - PIEDMONT

- If school district's total area in square miles <u>92.229020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 4,530.65 divided by district's total area in square mile 92.229020 = District's Areal В Density 49.12.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	4,530.65	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.229020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 4.530.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 54 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	8,988.82	=	0.000000	x .2	0.000000	Х	8,988.82	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1027 - YUKON

- If school district's total area in square miles <u>68.066780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>8,988.82</u> divided by district's total area in square mile <u>68.066780</u> = District's Areal В Density <u>132.06</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	•		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	8,988.82	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>68.066780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 8,988.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 55 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	2,895.88	=	0.000000	x .2	0.000000	х	2,895.88	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1034 - EL RENO

- If school district's total area in square miles 44.776400 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,895.88 divided by district's total area in square mile 44.776400 = District's Areal В Density <u>64.67</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	2,895.88		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>44.776400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.895.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 56 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	317.46	_ =	0.399887	x .2	0.079977	Х	317.46	=	25.39
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1057 - UNION CITY

- If school district's total area in square miles <u>84.704430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>317.46</u> divided by district's total area in square mile <u>84.704430</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	317.46	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.704430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.39

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 57 of 540

Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	12,341.85	=	0.000000	x .2	0.000000	Х	12,341.85	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1069 - MUSTANG

- If school district's total area in square miles _73.281790_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12,341.85 divided by district's total area in square mile 73.281790 = District's Areal В Density 168.42 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		· ·					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	- <u> </u>	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		12 3/1 85	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>73.281790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12.341.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 58 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	282.68	=	0.465633	x .2	0.093127	Х	282.68	_ = _	26.33
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1076 - CALUMET

- If school district's total area in square miles <u>94.832100</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>282.68</u> divided by district's total area in square mile <u>94.832100</u> = District's Areal В Density <u>2.98</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	350000 x	0.85	5 =	+ .85	0.000000	=	0.00	
EC-5 Cost Factor	EC-5 ADM								
							bove) 122 divided by " <u>Cb</u> " from al	2)
0.00	0.00 =	350000 x	0.85	5 =	+ .85	0.000000	=	0.00	
6-8 Cost Factor	6-8 ADM								
							bove) 292 divided by " <u>Cc</u> " from ab	3)
0.00	0.00 =	780000 x	0.78	'8 =	+ .78	0.000000	=	0.00	
9-OHP Cost Factor	9-OHP ADM								
	282.68	DM	strict's Raw ADN	ed by d	divide	0.00	<u> </u>	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>94.832100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 282.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.33</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 59 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	305.31	=	0.422854	x .2	0.084571	Х	305.31	=	25.82
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: C072 - ZANEIS

- If school district's total area in square miles <u>57.485890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>305.31</u> divided by district's total area in square mile <u>57.485890</u> = District's Areal В Density <u>5.31</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	305.31	

divided by district's Raw ADM

- 1.00 = District Cost Factor

305.31

0.00 5) (District's Square Miles <u>57.485890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 305.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.82</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 60 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,832.89	=	0.000000	x .2	0.000000	Х	2,832.89	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I019 - ARDMORE

- If school district's total area in square miles 27.450310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,832.89 divided by district's total area in square mile 27.450310 = District's Areal В Density 103.20 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		2.832.89	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.450310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.832.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 61 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	207.57	=	0.607618	x .2	0.121524	Х	207.57	=	25.22
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I021 - SPRINGER

- If school district's total area in square miles 102.231650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>207.57</u> divided by district's total area in square mile <u>102.231650</u> = District's Areal В Density <u>2.03</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	207.57	

divided by district's Raw ADM

- 1.00 = District Cost Factor

207.57

5) (District's Square Miles <u>102.231650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 207.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.22

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 62 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,523.54	= _	0.000000	x .2	0.000000	Х	1,523.54	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I027 - PLAINVIEW

- If school district's total area in square miles <u>74.392900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,523.54 divided by district's total area in square mile 74.392900 = District's Areal В Density 20.48 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
		_	_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .7	'8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		1.523.54	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,523.54

0.00 5) (District's Square Miles <u>74.392900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.523.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,437.74	=	0.000000	x .2	0.000000	Х	1,437.74	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER **District: I032 - LONE GROVE**

- If school district's total area in square miles 127.716870 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,437.74 divided by district's total area in square mile 127.716870 = District's Areal В Density 11.26.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,437.74

0.00 5) (District's Square Miles <u>127.716870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.437.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 64 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	429.11	=	0.188828	x .2	0.037766	х	429.11	=_	16.21
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I043 - WILSON

- A. If school district's total area in square miles <u>91.258010</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>429.11</u> divided by district's total area in square mile <u>91.258010</u> = District's Areal Density <u>4.70</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_			'	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4)	Sum $1 + 2 + 3$ from above	0.00	divided by district's Raw ADM	429.11
	=	0.00	- 1.00 = District Cost Factor	0

- 5) (District's Square Miles <u>91.258010</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 429.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.21

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 65 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	482.51	=	0.087883	x .2	0.017577	Х	482.51	_ = _	8.48
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I055 - HEALDTON

- If school district's total area in square miles <u>98.298860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>482.51</u> divided by district's total area in square mile <u>98.298860</u> = District's Areal В Density <u>4.91</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>98.298860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 482.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 8.48

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 66 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	244.75	=	0.537335	x .2	0.107467	х _	244.75	=_	26.30
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: 1074 - FOX

- A. If school district's total area in square miles <u>135.463420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>244.75</u> divided by district's total area in square mile <u>135.463420</u> = District's Areal Density <u>1.81</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

244.75

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 135.463420 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 244.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.30_

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,344.82	=	0.000000	x .2	0.000000	Х	1,344.82	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I077 - DICKSON

- If school district's total area in square miles 128.078370 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,344.82 divided by district's total area in square mile 128.078370 = District's Areal В Density 10.50.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,344.82

0.00 5) (District's Square Miles <u>128.078370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.344.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 68 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	127.42	=	0.759130	x .2	0.151826	Х	127.42	=_	19.35
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C010 - LOWREY

- If school district's total area in square miles <u>52.165590</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>127.42</u> divided by district's total area in square mile <u>52.165590</u> = District's Areal В Density <u>2.44</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	0.0	
EC-5 Cost Factor	EC-5 ADM							
						from above	2) 122 divided by " <u>Cb</u> " from	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	0.0	
6-8 Cost Factor	6-8 ADM				_			
						from above	3) 292 divided by " <u>Cc</u> " from	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	0.0	
9-OHP Cost Factor	9-OHP ADM				_			
	127.42		trict's Raw ADM	divided by dis	0.00	n above	1) Sum 1 + 2 + 3 from abo	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>52.165590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 127.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.35

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 69 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	147.86	= _	0.720491	x .2	0.144098	Х	147.86	=	21.31
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C014 - NORWOOD

- If school district's total area in square miles 30.063940 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>147.86</u> divided by district's total area in square mile <u>30.063940</u> = District's Areal В Density <u>4.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

147.86

0.00 5) (District's Square Miles <u>30.063940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{147.86}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.31

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 70 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	444.22	=	0.160265	x .2	0.032053	Х	444.22	_ = _	14.24
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C021 - WOODALL

- If school district's total area in square miles 22.851420 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 444.22 divided by district's total area in square mile 22.851420 = District's Areal В Density 19.44.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		444.22	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.851420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 444.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 71 of 540

Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	151.87	=	0.712911	x .2	0.142582	Х	151.87	=_	21.65
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C026 - SHADY GROVE

- If school district's total area in square miles 24.080630 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>151.87</u> divided by district's total area in square mile <u>24.080630</u> = District's Areal В Density <u>6.31</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .85	=	0.850000	X	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	_	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	bv di	strict's Raw ADM		151.87	

divided by district's Raw ADM

- 1.00 = District Cost Factor

151.87

0.00 5) (District's Square Miles <u>24.080630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 151.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.65

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 72 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	211.31	=	0.600548	x .2	0.120110	Χ	211.31	_ = _	25.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C031 - PEGGS

- If school district's total area in square miles 69.689150 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>211.31</u> divided by district's total area in square mile <u>69.689150</u> = District's Areal В Density 3.03.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	′8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		211.31	

divided by district's Raw ADM

- 1.00 = District Cost Factor

211.31

0.00 5) (District's Square Miles <u>69.689150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>211.31</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.38

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	582.10	=	0.000000	x .2	0.000000	Х	582.10	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C034 - GRAND VIEW

- If school district's total area in square miles 29.375230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>582.10</u> divided by district's total area in square mile <u>29.375230</u> = District's Areal В Density 19.82.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00	=	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
	_		_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00	- <u> </u>	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
	_		_					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	by dis	strict's Raw ADM		582.10	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>29.375230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>582.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 74 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	487.33	= _	0.078771	x .2	0.015754	Х	487.33	=	7.68
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C044 - BRIGGS

- If school district's total area in square miles 64.127980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>487.33</u> divided by district's total area in square mile <u>64.127980</u> = District's Areal В Density <u>7.60</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	rict's Raw ADM	487.33	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>64.127980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 487.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.68

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	257.88	=	0.512514	x .2	0.102503	Х	257.88	=	26.43
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C066 - TENKILLER

- If school district's total area in square miles 49.471590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>257.88</u> divided by district's total area in square mile <u>49.471590</u> = District's Areal В Density <u>5.21</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	•	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	257.88	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>49.471590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>257.88</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 76 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	677.60	=	0.000000	x .2	0.000000	х	677.60	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1006 - KEYS

- A. If school district's total area in square miles <u>109.171230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>677.60</u> divided by district's total area in square mile <u>109.171230</u> = District's Areal Density <u>6.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		677.60	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>109.171230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 677.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 77 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	539.41	=	0.000000	x .2	0.000000	Х	539.41	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: I016 - HULBERT

- If school district's total area in square miles <u>91.391150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>539.41</u> divided by district's total area in square mile <u>91.391150</u> = District's Areal В Density <u>5.90</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		539.41	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>91.391150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>539.41</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 78 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	3,637.52	=	0.000000	x .2	0.000000	Х	3,637.52	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1035 - TAHLEQUAH

- If school district's total area in square miles 139.598260 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,637.52 divided by district's total area in square mile 139.598260 = District's Areal В Density <u>26.06</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	3,637.52	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>139.598260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.637.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	120.69	=	0.771853	x .2	0.154371	х	120.69	_ = _	18.63
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: T001 - CHEROKEE IMMERSION CHARTER SCH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>120.69</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.50, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00			. =		

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 120.69

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{120.69}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	340.39	=	0.356541	x .2	0.071308	х	340.39	_ = _	24.27
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I001 - BOSWELL

- A. If school district's total area in square miles <u>178.648170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>340.39</u> divided by district's total area in square mile <u>178.648170</u> = District's Areal Density <u>1.91</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	183.64	+	23 =	206.64	(Ca)
Grades	6th - 8th	68.78	+	133 =	201.78	(Cb)
Grades	PK3,9 -OHP	87.97	+	128 =	215.97	(Cc)
		340.39			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	206.64 =	=	0.358111	+ .85 =	1.208111	Х	183.64 =	221.86
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	201.78 =	- <u> </u>	0.604619	+ .85 =	1.454619	х	68.78 =	100.05
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	215.97 =	<u> </u>	1.352040	+ .78 =	2.132040	х	87.97 =	187.56
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		509.47	divided by di	strict's Raw ADM	_	340.39	

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>178.648170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.30</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.39 = Isolation Weight 51.06
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __51.06_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 81 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	339.21	=	0.358771	x .2	0.071754	Х _	339.21	_ = _	24.34
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I002 - FORT TOWSON

- If school district's total area in square miles 193.657950 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>339.21</u> divided by district's total area in square mile <u>193.657950</u> = District's Areal В Density <u>1.75</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	165.34	+	23 =	188.34	(Ca)
Grades	6th - 8th	79.38	+	133 =	212.38	(Cb)
Grades	PK3,9 -OHP	94.49	+	128 =	222.49	(Cc)
		339.21				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	188.34 =	0.392906	+ .85 =	1.242906	x 165.34	4 = 205.50
					EC-5 ADM	M EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	212.38 =	0.574442	+ .85 =	1.424442	x79.38	8 = 113.07
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	222.49 =	1.312419	+ .78 =	2.092419	x94.49	9 = 197.71
					9-OHP ADM	9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above

516.28 divided by district's Raw ADM 1.52 - 1.00 = District Cost Factor

339.21

0.52

- 5) (District's Square Miles <u>193.657950</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.41</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.41 or 1.00 = Isolation Factor 0.21
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 339.21 = Isolation Weight 71.23
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 71.23

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 82 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	356.77	=	0.325577	x .2	0.065115	х _	356.77	_ = _	23.23
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: 1004 - SOPER

- If school district's total area in square miles 138.618690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>356.77</u> divided by district's total area in square mile <u>138.618690</u> = District's Areal В Density <u>2.57</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_			EC-5 A	.DM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
					6-8 A	.DM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
					9-OHP A	DM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

356.77

0.00 5) (District's Square Miles <u>138.618690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>356.77</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.23

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 83 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,194.59	=	0.000000	x .2	0.000000	Х	1,194.59	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: 1039 - HUGO

- A. If school district's total area in square miles <u>250.001630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,194.59</u> divided by district's total area in square mile <u>250.001630</u> = District's Areal Density <u>4.78</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve .					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abov	⁄e					
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,194.59

5) (District's Square Miles <u>250.001630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.194.59 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 84 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	317.60	=	0.399622	x .2	0.079924	х	317.60	_ = _	25.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: 1002 - BOISE CITY

- A. If school district's total area in square miles <u>1444.505880</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>317.60</u> divided by district's total area in square mile <u>1444.505880</u> = District's Areal Density <u>0.22</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	170.01	+	23 =	193.01	(Ca)
Grades	6th - 8th	64.09	+	133 =	197.09	(Cb)
Grades	PK3,9 -OHP	83.50	+	128 =	211.50	(Cc)
		317.60				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	193.01 =	0.383400	+ .85 =	1.233400	x 170.01 =	209.69
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	197.09 =	0.619007	+ .85 =	1.469007	x64.09 =	94.15
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	211.50 =	1.380615	+ .78 =	2.160615	x 83.50 =	180.41
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	484.25	divided by di	strict's Raw ADM	317.60	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>1444.505880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>9.54</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 9.54 or 1.00 = Isolation Factor 0.52
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.60 = Isolation Weight 165.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __165.15_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 85 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	83.57	=	0.842023	x .2	0.168405	Х	83.57	_ = _	14.07
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: I010 - FELT

- A. If school district's total area in square miles <u>345.773170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>83.57</u> divided by district's total area in square mile <u>345.773170</u> = District's Areal Density <u>0.24</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	40.84	+	23 =	63.84	(Ca)
Grades	6th - 8th	14.00	+	133 =	147.00	(Cb)
Grades	PK3,9 -OHP	28.73	+	128 =	156.73	(Cc)
		83.57				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	63.84 =	1.159148	+ .85 =	2.009148 x	40.84 =	82.05
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	ve .				
	147.00 =	0.829932	+ .85 =	1.679932 x	14.00 =	23.52
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	⁄e				
	156.73 =	1.863077	+ .78 =	2.643077 x	28.73 =	75.94
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	181.51	divided by dis	strict's Raw ADM	83.57	

- 1.00 = District Cost Factor

1.17

5) (District's Square Miles <u>345.773170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.52</u>

2.17

- 6) Multiply District Cost Factor (Line 4 above) 1.17 by lessor of the Area Factor (Line 5 above) 1.52 or 1.00 = Isolation Factor 1.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 83.57 = Isolation Weight 97.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 97.78

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 86 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	366.14	=	0.307864	x .2	0.061573	Х	366.14	=_	22.54
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: C016 - ROBIN HILL

- If school district's total area in square miles 17.076080 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>366.14</u> divided by district's total area in square mile <u>17.076080</u> = District's Areal В Density 21.44.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
		' <u></u>					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 366.14 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>17.076080</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.54

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	24,886.75	=	0.000000	x .2	0.000000	Х	24,886.75	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1002 - MOORE

- If school district's total area in square miles 124.959040 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>24,886.75</u> divided by district's total area in square mile <u>124.959040</u> = District's Areal В Density 199.16.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

24,886.75

0.00 5) (District's Square Miles <u>124.959040</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 24.886.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 88 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	16,251.28	=	0.000000	x .2	0.000000	Х _	16,251.28	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1029 - NORMAN

- A. If school district's total area in square miles <u>128.119470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>16,251.28</u> divided by district's total area in square mile <u>128.119470</u> = District's Areal Density <u>126.84</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		16,251.28	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>128.119470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 16,251.28 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 89 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,775.21	=	0.000000	x .2	0.000000	Х	2,775.21	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1040 - NOBLE

- If school district's total area in square miles 118.737060 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,775.21 divided by district's total area in square mile 118.737060 = District's Areal В Density 23.37.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,775.21

0.00 5) (District's Square Miles <u>118.737060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2,775.21}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 90 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,039.25	=	0.000000	x .2	0.000000	Х	1,039.25	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1057 - LEXINGTON

- If school district's total area in square miles 104.763960 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,039.25 divided by district's total area in square mile 104.763960 = District's Areal В Density <u>9.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided l	ov dis	strict's Raw ADM		1.039.25	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,039.25

5) (District's Square Miles <u>104.763960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.039.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 91 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,289.77	=	0.000000	x .2	0.000000	Х	1,289.77	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1070 - LITTLE AXE

- If school district's total area in square miles <u>57.039110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,289.77 divided by district's total area in square mile 57.039110 = District's Areal В Density 22.61 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,289.77

0.00 5) (District's Square Miles <u>57.039110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.289.77 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 92 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	179.82	=	0.660076	x .2	0.132015	X	179.82	=	23.74
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL **District: C004 - COTTONWOOD**

- If school district's total area in square miles 35.835380 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>179.82</u> divided by district's total area in square mile <u>35.835380</u> = District's Areal В Density <u>5.02</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

179.82

0.00 5) (District's Square Miles <u>35.835380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 179.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.74

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 93 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	639.04	=	0.000000	x .2	0.000000	х _	639.04	_ = _	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL District: I001 - COALGATE

- A. If school district's total area in square miles <u>357.636810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>639.04</u> divided by district's total area in square mile <u>357.636810</u> = District's Areal Density <u>1.79</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	267.96	+	23 =	290.96	(Ca)
Grades	6th - 8th	137.49	+	133 =	270.49	(Cb)
Grades	PK3,9 -OHP	233.59	+	128 =	361.59	(Cc)
		639.04				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	290.96 =	0.254330	+ .85 =	1.104330	x 267.96	= 295.92
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	270.49 =	0.451033	+ .85 =	1.301033	x137.49	= 178.88
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	361.59 =	0.807544	+ .78 =	1.587544	x 233.59	= 370.83
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	845.63	divided by di	strict's Raw ADM	639.04	

- 1.00 = District Cost Factor

0.32

5) (District's Square Miles <u>357.636810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.61</u>

1.32

- 6) Multiply District Cost Factor (Line 4 above) 0.32 by lessor of the Area Factor (Line 5 above) 1.61 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 639.04 = Isolation Weight 204.49
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __204.49_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 94 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	235.38	=	0.555047	x .2	0.111009	Х	235.38	=_	26.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL District: I002 - TUPELO

- A. If school district's total area in square miles <u>118.346980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.38</u> divided by district's total area in square mile <u>118.346980</u> = District's Areal Density <u>1.99</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
		_			6-8 ADN	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADN	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	235.38	8

- 1.00 = District Cost Factor

5) (District's Square Miles <u>118.346980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.38 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.13_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 95 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	326.39	_ =	0.383006	x .2	0.076601	Х	326.39	=	25.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C048 - FLOWER MOUND

- If school district's total area in square miles __9.929080_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 326.39 divided by district's total area in square mile 9.929080 = District's Areal В Density 32.87.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	.00 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						m above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	.00 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						m above	292 divided by " <u>Cc</u> " from a	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	.00 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	326.39		trict's Raw ADM	divided by dis	0.00	oove	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.929080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 96 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	570.64	=	0.000000	x .2	0.000000	х _	570.64	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C049 - BISHOP

- If school district's total area in square miles __7.334230_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>570.64</u> divided by district's total area in square mile <u>7.334230</u> = District's Areal В Density <u>77.81</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	570.64	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles $\frac{7.334230}{10000}$ - $\frac{137.00000}{10000}$) divided by $\frac{137.00000}{100000}$ = Area Factor $\frac{0}{100000}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 570.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 97 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,037.66	=	0.000000	x .2	0.000000	Х	2,037.66	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1001 - CACHE

- If school district's total area in square miles 273.744470 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,037.66 divided by district's total area in square mile 273.744470 = District's Areal В Density <u>7.44</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	listrict's Raw ADM		2,037.66	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>273.744470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.037.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 98 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	188.86	=	0.642987	x .2	0.128597	Х	188.86	=	24.29
	529			·			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1002 - INDIAHOMA

- A. If school district's total area in square miles <u>122.742730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>188.86</u> divided by district's total area in square mile <u>122.742730</u> = District's Areal Density <u>1.54</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		188.86	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>122.742730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 99 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	347.99	=	0.342174	x .2	0.068435	х	347.99	=	23.81
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1003 - STERLING

- If school district's total area in square miles <u>92.635920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>347.99</u> divided by district's total area in square mile <u>92.635920</u> = District's Areal В Density <u>3.76</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>92.635920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>347.99</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.81

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 100 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	332.32	_ = _	0.371796	x .2	0.074359	Х	332.32	=_	24.71
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1004 - GERONIMO

- If school district's total area in square miles <u>83.668790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>332.32</u> divided by district's total area in square mile <u>83.668790</u> = District's Areal В Density <u>3.97</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		-
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM						
	332 32		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>83.668790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 332.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.71

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 101 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	13,593.11	=	0.000000	x .2	0.000000	Х	13,593.11	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1008 - LAWTON

- If school district's total area in square miles <u>185.020600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>13,593.11</u> divided by district's total area in square mile <u>185.020600</u> = District's Areal В Density <u>73.47</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	13.593.11	

divided by district's Raw ADM

- 1.00 = District Cost Factor

13,593.11

5) (District's Square Miles <u>185.020600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 13,593.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 102 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	477.75	=	0.096881	x .2	0.019376	Х	477.75	=_	9.26
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1009 - FLETCHER

- If school district's total area in square miles 60.286000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>477.75</u> divided by district's total area in square mile <u>60.286000</u> = District's Areal В Density <u>7.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	= 0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	oove					
	0.00 =	= 0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove					
	0.00 =	= 0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>60.286000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{477.75}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.26

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,399.80	=	0.000000	x .2	0.000000	Х	2,399.80	=	0.00
	529						Same Year Raw ADM		Small School District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I016 - ELGIN

- A. If school district's total area in square miles <u>123.101580</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,399.80</u> divided by district's total area in square mile <u>123.101580</u> = District's Areal Density <u>19.49</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						om above) 122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						om above) 292 divided by " <u>Cc</u> " from a	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	2.399.80		trict's Raw ADM	divided by dist	0.00	oove	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>123.101580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.399.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 104 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	236.14	=	0.553611	x .2	0.110722	х	236.14	_ = _	26.15
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I132 - CHATTANOOGA

- A. If school district's total area in square miles <u>265.362420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>236.14</u> divided by district's total area in square mile <u>265.362420</u> = District's Areal Density <u>0.89</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	116.40	+	23 =	139.40	(Ca)
Grades	6th - 8th	53.67	+	133 =	186.67	(Cb)
Grades	PK3,9 -OHP	66.07	+	128 =	194.07	(Cc)
		236.14			<u> </u>	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	139.40	=	0.530846	+ .85 =	1.380846	Х	116.40 =	160.73
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	186.67	= _	0.653560	+ .85 =	1.503560	x	53.67 =	80.70
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	194.07	= _	1.504612	+ .78 =	2.284612	х	66.07 =	150.94
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		392.37	divided by	district's Raw ADM		236.14	

- 1.00 = District Cost Factor

0.66

5) (District's Square Miles <u>265.362420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.94</u>

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.94 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 236.14 = Isolation Weight 146.50
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __146.50_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 105 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	642.49	=	0.000000	x .2	0.000000	Х	642.49	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I001 - WALTERS

- A. If school district's total area in square miles <u>196.308690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>642.49</u> divided by district's total area in square mile <u>196.308690</u> = District's Areal Density <u>3.27</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

642.49

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 196.308690 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 642.49 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 106 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

2 2141	Λ	\Box	NΛ
\avv	\sim	$\boldsymbol{\mathcal{L}}$	IVI

529 -	188.15	=	0.644329	x .2	0.128866	х	188.15	_ = _	24.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I101 - TEMPLE

- A. If school district's total area in square miles <u>177.790220</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>188.15</u> divided by district's total area in square mile <u>177.790220</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	107.05	+	23 =	130.05	(Ca)
Grades	6th - 8th	30.05	+	133 =	163.05	(Cb)
Grades	PK3,9 -OHP	51.05	+	128 =	179.05	(Cc)
		188.15				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	130.05 =	0.569012	+ .85 =	1.419012 x	107.05 =	151.91
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	163.05 =	0.748237	+ .85 =	1.598237 x	30.05 =	48.03
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	179.05 =	1.630829	+ .78 =	2.410829 x	51.05 =	123.07
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	323.01	divided by dist	rict's Raw ADM	188.15	

- 1.00 = District Cost Factor

0.72

5) (District's Square Miles <u>177.790220</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.30</u>

1.72

- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.15 = Isolation Weight 40.64
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 40.64

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 107 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	194.42	=	0.632476	x .2	0.126495	Х	194.42	_ = _	24.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I333 - BIG PASTURE

- A. If school district's total area in square miles <u>202.430230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>194.42</u> divided by district's total area in square mile <u>202.430230</u> = District's Areal Density <u>0.96</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	94.25	+	23 =	117.25	(Ca)
Grades	6th - 8th	42.44	+	133 =	175.44	(Cb)
Grades	PK3,9 -OHP	57.73	+	128 =	185.73	(Cc)
		194.42				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	117.25 =	0.631130	+ .85 =	1.481130	x 94.25	= 139.60
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	175.44 =	0.695394	+ .85 =	1.545394	x 42.44	= 65.59
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	185.73 =	1.572175	+ .78 =	2.352175	x 57.73	= 135.79
		_			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	340.98	divided by di	strict's Raw ADM	194.42	

- 1.00 = District Cost Factor

0.75

5) (District's Square Miles <u>202.430230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.48</u>

1.75

- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.48 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 194.42 = Isolation Weight 69.99
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 69.99

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 108 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	32.81	=	0.937977	x .2	0.187595	Х	32.81	_ = _	6.16
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: C001 - WHITE OAK**

- If school district's total area in square miles 115.258660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>32.81</u> divided by district's total area in square mile <u>115.258660</u> = District's Areal В Density <u>0.28</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

32.81

- 0.00 5) (District's Square Miles <u>115.258660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 32.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.15

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	599.52	=	0.000000	x .2	0.000000	Х	599.52	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: I006 - KETCHUM**

- If school district's total area in square miles 60.397310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>599.52</u> divided by district's total area in square mile <u>60.397310</u> = District's Areal В Density <u>9.93</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>60.397310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 599.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 110 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	277.36	= _	0.475690	x .2	0.095138	х	277.36	_ = _	26.39
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I017 - WELCH

- A. If school district's total area in square miles <u>247.688250</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>277.36</u> divided by district's total area in square mile <u>247.688250</u> = District's Areal Density <u>1.12</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	127.95	+	23 =	150.95	(Ca)
Grades	6th - 8th	65.12	+	133 =	198.12	(Cb)
Grades	PK3,9 -OHP	84.29	+	128 =	212.29	(Cc)
		277.36				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	150.95 =	0.490229	+ .85 =	1.340229	Х	127.95 =	171.48
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ė					
	198.12 =	0.615788	+ .85 =	1.465788	х	65.12 =	95.45
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	212.29 =	1.375477	+ .78 =	2.155477	х	84.29 =	181.69
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	448.62	divided by di	strict's Raw ADM		277.36	

- 1.00 = District Cost Factor

0.62

5) (District's Square Miles <u>247.688250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.81</u>

1.62

- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 277.36 = Isolation Weight 139.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 139.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 111 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	206.44	=	0.609754	x .2	0.121951	Х	206.44	_ = _	25.18
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: I020 - BLUEJACKET**

- If school district's total area in square miles 167.882870 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 206.44 divided by district's total area in square mile 167.882870 = District's Areal В Density <u>1.23</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	115.70	+	23 =	138.70	(Ca)
Grades	6th - 8th	34.05	+	133 =	167.05	(Cb)
Grades	PK3,9 -OHP	56.69	+	128 =	184.69	(Cc)
		206.44				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	138.70 =	0.533526	+ .85 =	1.383526	х	115.70 =	160.07
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	167.05 =	0.730320	+ .85 =	1.580320	x	34.05 =	53.81
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	184.69 =	1.581028	+ .78 =	2.361028	х	56.69 =	133.85
					9.	-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

206.44

0.68

1.68 5) (District's Square Miles <u>167.882870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.23</u>

347.73

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 0.23 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 206.44 = Isolation Weight 32.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 112 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,362.98	=	0.000000	x .2	0.000000	Х _	1,362.98	=_	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I065 - VINITA

- A. If school district's total area in square miles <u>172.553680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,362.98</u> divided by district's total area in square mile <u>172.553680</u> = District's Areal Density <u>7.90</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	1 362 98		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>172.553680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.362.98}{1.362.98}$ = Isolation Weight $\frac{0.00}{1.362.98}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 113 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	932.83	=	0.000000	x .2	0.000000	Х	932.83	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C008 - LONE STAR**

- If school district's total area in square miles <u>15.820290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>932.83</u> divided by district's total area in square mile <u>15.820290</u> = District's Areal В Density <u>58.96</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		932.83	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>15.820290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>932.83</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 114 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	45.91	=	0.913214	x .2	0.182643	Х	45.91	=_	8.39
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: C012 - GYPSY

- A. If school district's total area in square miles <u>46.367290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>45.91</u> divided by district's total area in square mile <u>46.367290</u> = District's Areal Density <u>0.99</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

45.91

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>46.367290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 45.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>8.39</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 115 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	240.88	=	0.544650	x .2	0.108930	х _	240.88	=	26.24
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C034 - PRETTY WATER**

- If school district's total area in square miles <u>9.346740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>240.88</u> divided by district's total area in square mile <u>9.346740</u> = District's Areal В Density <u>25.77</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		240.88	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.346740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 240.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.24</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 116 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	328.95	=	0.378166	x .2	0.075633	Х	328.95	_ = _	24.88
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C035 - ALLEN-BOWDEN**

- If school district's total area in square miles <u>9.965340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 328.95 divided by district's total area in square mile 9.965340 = District's Areal В Density 33.01.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	.850000 x	3.0	+ .85 =	.000000		0.00 =	
EC-5 Cost Factor	EC-5 ADM							
						⁄e	122 divided by "Cb" from above	2)
0.00	0.00 =	.850000 x	3.0	+ .85 =	.000000		0.00 =	
6-8 Cost Factor	6-8 ADM							
						е	292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	.780000 x	0.7	+ .78 =	.000000		0.00 =	
9-OHP Cost Factor	9-OHP ADM							
	328.95	\DM	district's Raw AI	divided by d	0.00		Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.965340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 328.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.88

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 117 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,749.47	=	0.000000	x .2	0.000000	Х _	1,749.47	=_	0.00
	529					_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I002 - BRISTOW

- A. If school district's total area in square miles <u>242.569520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,749.47</u> divided by district's total area in square mile <u>242.569520</u> = District's Areal Density <u>7.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,749.47

5) (District's Square Miles <u>242.569520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.749.47 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 118 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,474.39	=	0.000000	x .2	0.000000	Х	1,474.39	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I003 - MANNFORD**

- If school district's total area in square miles __77.469790_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,474.39 divided by district's total area in square mile 77.469790 = District's Areal В Density 19.03.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		-
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		-
	1 474 39		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>77.469790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.474.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 119 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	578.46	=	0.000000	x .2	0.000000	Х	578.46	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I005 - MOUNDS**

- If school district's total area in square miles 39.962980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>578.46</u> divided by district's total area in square mile <u>39.962980</u> = District's Areal В Density 14.47.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

5) (District's Square Miles <u>39.962980</u> - <u>137.00000</u>)

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

578.46

0.00 - 1.00 = District Cost Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 578.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 120 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	260.44	=	0.507675	x .2	0.101535	Х	260.44	=	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I017 - OLIVE**

- If school district's total area in square miles __95.670020_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>260.44</u> divided by district's total area in square mile <u>95.670020</u> = District's Areal В Density 2.72.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

260.44

0.00 5) (District's Square Miles <u>95.670020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 260.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 121 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
Kaw	Α	U	IV

529 -	912.41	= _	0.000000	x .2	0.000000	Х	912.41	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I018 - KIEFER**

- If school district's total area in square miles 13.588540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 912.41 divided by district's total area in square mile 13.588540 = District's Areal В Density <u>67.15</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

912.41

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>13.588540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 912.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 122 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	256.42	= _	0.515274	x .2	0.103055	Х	256.42	=_	26.43
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I020 - OILTON**

- If school district's total area in square miles 39.143860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>256.42</u> divided by district's total area in square mile <u>39.143860</u> = District's Areal В Density <u>6.55</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	listrict's Raw ADM		256.42	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.143860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>256.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 123 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	367.28	=	0.305709	x .2	0.061142	х _	367.28	_ = _	22.46
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I021 - DEPEW

- A. If school district's total area in square miles <u>130.532130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>367.28</u> divided by district's total area in square mile <u>130.532130</u> = District's Areal Density <u>2.81</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		367.28	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>130.532130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 367.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.46_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 124 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	855.78	=	0.000000	x .2	0.000000	Х	855.78	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I031 - KELLYVILLE

- A. If school district's total area in square miles <u>129.645740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>855.78</u> divided by district's total area in square mile <u>129.645740</u> = District's Areal Density <u>6.60</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	·	0.00 =	0.00
						EC	-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	·	0.00 =	0.00
						6	-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	·	0.00 =	0.00
						9-OH	HP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	by district's Raw ADM		855.78	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.645740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>855.78</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 125 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,644.59	=	0.000000	x .2	0.000000	Х	3,644.59	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: I033 - SAPULPA

- A. If school district's total area in square miles <u>37.485690</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,644.59</u> divided by district's total area in square mile <u>37.485690</u> = District's Areal Density <u>97.23</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

3,644.59

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 37.485690 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.644.59 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 126 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	471.89	=	0.107958	x .2	0.021592	Х	471.89	=	10.19
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I039 - DRUMRIGHT**

- If school district's total area in square miles 67.179360 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>471.89</u> divided by district's total area in square mile <u>67.179360</u> = District's Areal В Density <u>7.02</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

471.89

0.00 5) (District's Square Miles <u>67.179360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 471.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.19

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 127 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	482.05	=	0.088752	x .2	0.017750	Х _	482.05	_ = _	8.56
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER **District: I005 - ARAPAHO-BUTLER**

- If school district's total area in square miles 294.649410 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>482.05</u> divided by district's total area in square mile <u>294.649410</u> = District's Areal В Density <u>1.64</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	258.27	+	23 =	281.27	(Ca)
Grades	6th - 8th	110.38	+	133 =	243.38	(Cb)
Grades	PK3,9 -OHP	113.40	+	128 =	241.40	(Cc)
		482.05				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	281.27	=	0.263092	+ .85 =	1.113092	Х	258.27 =	287.48
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	243.38	=	0.501274	+ .85 =	1.351274	x	110.38 =	149.15
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	241.40	=	1.209611	+ .78 =	1.989611	x	113.40 =	225.62
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		662.25	divided by dis	strict's Raw ADM		482.05	

- 1.00 = District Cost Factor

0.37

- 1.37 5) (District's Square Miles <u>294.649410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.15</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.37 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.37
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 482.05 = Isolation Weight 178.36
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 178.36

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 128 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	479.26	=	0.094026	x .2	0.018805	Х	479.26	_ = _	9.01
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: 1007 - THOMAS-FAY-CUSTER UNIFIED DIST

- A. If school district's total area in square miles <u>463.581660</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>479.26</u> divided by district's total area in square mile <u>463.581660</u> = District's Areal Density <u>1.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	248.05	+	23 =	271.05	(Ca)
Grades	6th - 8th	104.64	+	133 =	237.64	(Cb)
Grades	PK3,9 -OHP	126.57	+	128 =	254.57	(Cc)
		479.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	271.05 =	0.273012	+ .85 =	1.123012	Х	248.05 =	278.56
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e					
	237.64 =	0.513382	+ .85 =	1.363382	x	104.64 =	142.66
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	254.57 =	1.147032	+ .78 =	1.927032	x	126.57 =	243.90
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	665.12	divided by d	istrict's Raw ADM		479.26	

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>463.581660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.38</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 2.38 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 479.26 = Isolation Weight 186.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __186.91_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 129 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,442.17	= _	0.000000	x .2	0.000000	Х	2,442.17	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I026 - WEATHERFORD

- If school district's total area in square miles <u>154.036070</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,442.17 divided by district's total area in square mile 154.036070 = District's Areal В Density 15.85.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,442.17 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>154.036070</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.442.17}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 130 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,175.99	=	0.000000	x .2	0.000000	Х	2,175.99	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: 1099 - CLINTON

- A. If school district's total area in square miles 136.882430 is greater than the state average area in square miles 137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,175.99 divided by district's total area in square mile 136.882430 = District's Areal В Density 15.90 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,175.99 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>136.882430</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.175.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 131 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	130.10	_ =	0.754064	x .2	0.150813	Х	130.10	=	19.62
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C006 - CLEORA

- If school district's total area in square miles 32.248480 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>130.10</u> divided by district's total area in square mile <u>32.248480</u> = District's Areal В Density <u>4.03</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	130.10	

divided by district's Raw ADM

- 1.00 = District Cost Factor

130.10

0.00 5) (District's Square Miles <u>32.248480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 130.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.62

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	148.96	=	0.718412	x .2	0.143682	Х	148.96	=	21.40
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C014 - LEACH

- If school district's total area in square miles 30.067610 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>148.96</u> divided by district's total area in square mile <u>30.067610</u> = District's Areal В Density <u>4.95</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		148.96	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.067610</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 148.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.40

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 133 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	92.64	_ =	0.824877	x .2	0.164975	Χ	92.64	=	15.28
	529		_	·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C030 - KENWOOD

- A. If school district's total area in square miles <u>28.791030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>92.64</u> divided by district's total area in square mile <u>28.791030</u> = District's Areal Density <u>3.22</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4)	Sum $1 + 2 + 3$ from above	0.00	divided by district's Raw ADM	92.64
	=	0.00	- 1.00 = District Cost Factor	0

- 5) (District's Square Miles <u>28.791030</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>92.64</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___15.28_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 134 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	161.24	_ =	0.695198	x .2	0.139040	Х	161.24	=	22.42
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C034 - MOSELEY

- If school district's total area in square miles 23.255850 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>161.24</u> divided by district's total area in square mile <u>23.255850</u> = District's Areal В Density <u>6.93</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	161.24		istrict's Raw ADM	divided by d	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

161.24

0.00 5) (District's Square Miles <u>23.255850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 161.24 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.42

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 135 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,488.51	=	0.000000	x .2	0.000000	Х	1,488.51	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: I001 - JAY

- If school district's total area in square miles <u>255.020460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,488.51 divided by district's total area in square mile 255.020460 = District's Areal В Density <u>5.84</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,488.51

0.00 5) (District's Square Miles <u>255.020460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.488.51}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.22

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 136 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,520.39	=	0.000000	x .2	0.000000	Х	2,520.39	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: I002 - GROVE

- A. If school district's total area in square miles <u>188.381650</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,520.39</u> divided by district's total area in square mile <u>188.381650</u> = District's Areal Density <u>13.38</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	=	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by " <u>Cb</u> " from al	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	=	0.00	
6-8 Cost Factor	6-8 ADM				_			
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	=	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	2.520.39		trict's Raw ADM	divided by dist	0.00	e	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>188,381650</u> - <u>137,00000</u>) divided by <u>137,00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.520.39 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 137 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	836.16	=	0.000000	x .2	0.000000	Х	836.16	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1003 - KANSAS

- If school district's total area in square miles 133.351650 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>836.16</u> divided by district's total area in square mile <u>133.351650</u> = District's Areal В Density <u>6.27</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

836.16

0.00 5) (District's Square Miles <u>133.351650</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 836.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 138 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	610.36	=	0.000000	x .2	0.000000	Х	610.36	_ = _	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1004 - COLCORD

- If school district's total area in square miles <u>84.102190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>610.36</u> divided by district's total area in square mile <u>84.102190</u> = District's Areal В Density <u>7.26</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	·					_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		610.36	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.102190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 610.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 139 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	163.50	=	0.690926	x .2	0.138185	Х	163.50	_ = _	22.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1005 - OAKS-MISSION

- If school district's total area in square miles <u>55.482380</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>163.50</u> divided by district's total area in square mile <u>55.482380</u> = District's Areal В Density 2.95.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		163.50	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.482380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{163.50}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.59

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 140 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	\Box	М

529 -	311.90	=_	0.410397	x .2	0.082079	х _	311.90	_ = _	25.60
_	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1005 - VICI

- A. If school district's total area in square miles <u>295.067810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>311.90</u> divided by district's total area in square mile <u>295.067810</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	148.48	+	23 =	171.48	(Ca)
Grades	6th - 8th	68.19	+	133 =	201.19	(Cb)
Grades	PK3,9 -OHP	95.23	+	128 =	223.23	(Cc)
		311.90				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	171.48	=	0.431537	+ .85 =	1.281537	Χ	148.48 =	190.28
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	201.19	=	0.606392	+ .85 =	1.456392	х	68.19 =	99.31
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	223.23	=	1.308068	+ .78 =	2.088068	х	95.23 =	198.85
	·						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		488.44	divided by di	strict's Raw ADM		311.90	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>295.067810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.15</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.57
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 311.90 = Isolation Weight 177.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 177.78

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 141 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	461.38	= _	0.127826	x .2	0.025565	_ x	461.38	_ = _	11.80
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1008 - SEILING

- A. If school district's total area in square miles <u>298.492290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>461.38</u> divided by district's total area in square mile <u>298.492290</u> = District's Areal Density <u>1.55</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	238.54	+	23 =	261.54	(Ca)
Grades	6th - 8th	97.47	+	133 =	230.47	(Cb)
Grades	PK3,9 -OHP	125.37	+	128 =	253.37	(Cc)
		461.38				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	261.54 =	0.282940	+ .85 =	1.132940	x 238.54 =	270.25
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9				
	230.47 =	0.529353	+ .85 =	1.379353	x 97.47 =	134.45
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	253.37 =	1.152465	+ .78 =	1.932465	x 125.37 =	242.27
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	646.97	divided by dist	rict's Raw ADM	461.38	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>298.492290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.18</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 1.18 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{461.38}{184.55}$ = Isolation Weight $\frac{184.55}{184.55}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.55_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 142 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	88.29	_ =	0.833100	x .2	0.166620	х	88.29	=_	14.71
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: I010 - TALOGA

- A. If school district's total area in square miles <u>350.719110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>88.29</u> divided by district's total area in square mile <u>350.719110</u> = District's Areal Density <u>0.25</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	52.72	+	23 =	75.72	(Ca)
Grades	6th - 8th	14.83	+	133 =	147.83	(Cb)
Grades	PK3,9 -OHP	20.74	+	128 =	148.74	(Cc)
		88.29				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

96.33	52.72 =	Χ	1.827285	+ .85 =	0.977285	75.72 =	
EC-5 Cost Factor	EC-5 ADM						
						ivided by " <u>Cb</u> " from above	2) 122 divi
24.84	14.83 =	х	1.675272	+ .85 =	0.825272	147.83 =	
6-8 Cost Factor	6-8 ADM				_		
						ivided by " <u>Cc</u> " from above	3) 292 divi
56.89	20.74 =	х	2.743157	+ .78 =	1.963157	148.74 =	
9-OHP Cost Factor	9-OHP ADM						
	88.29		trict's Raw ADM	divided by dis	178.06	1 + 2 + 3 from above	4) Sum 1 +

- 1.00 = District Cost Factor

1.02

5) (District's Square Miles <u>350.719110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.56</u>

2.02

- 6) Multiply District Cost Factor (Line 4 above) 1.02 by lessor of the Area Factor (Line 5 above) 1.56 or 1.00 = Isolation Factor 1.02
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>88.29</u> = Isolation Weight <u>90.06</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __90.06_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 143 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	AD	M

529 -	248.20	_ =	0.530813	x .2	0.106163	х	248.20	=_	26.35
_	529	_				Same Year			Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1002 - FARGO

- A. If school district's total area in square miles <u>343.826620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>248.20</u> divided by district's total area in square mile <u>343.826620</u> = District's Areal Density <u>0.72</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	131.80	+	23 =	154.80	(Ca)
Grades	6th - 8th	53.37	+	133 =	186.37	(Cb)
Grades	PK3,9 -OHP	63.03	+	128 =	191.03	(Cc)
		248.20				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	154.80 =	= 0.478036	+ .85 =	1.328036	x131.80	= 175.04
	_		-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	186.37 =	= 0.654612	+ .85 =	1.504612	x 53.37	= 80.30
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	191.03 =	= 1.528556	+ .78 =	2.308556	x 63.03	= 145.51
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	400.85	divided by d	listrict's Raw ADM	248.20	

- 1.00 = District Cost Factor

0.62

5) (District's Square Miles <u>343.826620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.51</u>

1.62

- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 1.51 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 248.20 = Isolation Weight 153.88
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __153.88_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 144 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	167.45	=	0.683459	x .2	0.136692	х _	167.45	=_	22.89
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1003 - ARNETT

- A. If school district's total area in square miles <u>540.839110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>167.45</u> divided by district's total area in square mile <u>540.839110</u> = District's Areal Density <u>0.31</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	76.77	+	23 =	99.77	(Ca)
Grades	6th - 8th	39.12	+	133 =	172.12	(Cb)
Grades	PK3,9 -OHP	51.56	+	128 =	179.56	(Cc)
		167.45				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	99.77 =	0.741706	+ .85 =	1.591706 x	76.77 =	122.20
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	172.12 =	0.708808	+ .85 =	1.558808 x	39.12 =	60.98
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	179.56 =	1.626197	+ .78 =	2.406197 x	51.56 =	124.06
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	307.24	divided by dist	rict's Raw ADM	167.45	

- 1.00 = District Cost Factor

0.83

5) (District's Square Miles <u>540.839110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.95</u>

1.83

- 6) Multiply District Cost Factor (Line 4 above) 0.83 by lessor of the Area Factor (Line 5 above) 2.95 or 1.00 = Isolation Factor 0.83
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 167.45 = Isolation Weight 138.98

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 145 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	366.41	=	0.307353	x .2	0.061471	х _	366.41	=	22.52
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1042 - SHATTUCK

- A. If school district's total area in square miles <u>285.910360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>366.41</u> divided by district's total area in square mile <u>285.910360</u> = District's Areal Density <u>1.28</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	178.25	+	23 =	201.25	(Ca)
Grades	6th - 8th	81.25	+	133 =	214.25	(Cb)
Grades	PK3,9 -OHP	106.91	+	128 =	234.91	(Cc)
		366.41				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	201.25 =	=	0.367702	+ .85 =	1.217702	х _	178.25 =	= _	217.06
	_						EC-5 ADM		EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	214.25 =	= <u></u>	0.569428	+ .85 =	1.419428	Х	81.25 =	· _	115.33
							6-8 ADM		6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	234.91 =	= <u></u>	1.243029	+ .78 =	2.023029	х	106.91 =	· _	216.28
							9-OHP ADM		9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		548.67	divided by o	listrict's Raw ADM		366.41		

- 1.00 = District Cost Factor

0.50

5) (District's Square Miles <u>285.910360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.09</u>

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 1.09 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.41 = Isolation Weight 183.21

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 146 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	394.47	=	0.254310	x .2	0.050862	X	394.47	=_	20.06
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I001 - WAUKOMIS

- If school district's total area in square miles <u>82.067840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>394.47</u> divided by district's total area in square mile <u>82.067840</u> = District's Areal В Density <u>4.81</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>82.067840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 394.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.06

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 147 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	280.33	=	0.470076	x .2	0.094015	Х	280.33	=_	26.36
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I018 - KREMLIN-HILLSDALE

- If school district's total area in square miles 131.828860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>280.33</u> divided by district's total area in square mile <u>131.828860</u> = District's Areal В Density <u>2.13</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	280.33	

divided by district's Raw ADM

- 1.00 = District Cost Factor

280.33

5) (District's Square Miles <u>131.828860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 280.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.36</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 148 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,173.91	=	0.000000	x .2	0.000000	Х	1,173.91	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1042 - CHISHOLM

- If school district's total area in square miles <u>87.329100</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,173.91 divided by district's total area in square mile 87.329100 = District's Areal В Density 13.44.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	= 0.000000	- 28. +	0.850000	Х	0.00 =	0.00
	_		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	oove					
	0.00 =	= 0.000000) + .85 =	0.850000	х	0.00 =	0.00
			_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove					
	0.00 =	= 0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_			9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,173.91

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>87.329100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,173.91}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	398.78	=	0.246163	x .2	0.049233	х	398.78	=_	19.63
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1047 - GARBER

- A. If school district's total area in square miles <u>173.685340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>398.78</u> divided by district's total area in square mile <u>173.685340</u> = District's Areal Density <u>2.30</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	190.07	+	23 =	213.07	(Ca)
Grades	6th - 8th	96.23	+	133 =	229.23	(Cb)
Grades	PK3,9 -OHP	112.48	+	128 =	240.48	(Cc)
		398.78				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	213.07 =	0.347304	+ .85 =	1.197304	х	190.07 =	227.57
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е					
	229.23 =	0.532217	+ .85 =	1.382217	х	96.23 =	133.01
	_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2					
	240.48 =	1.214238	+ .78 =	1.994238	Х	112.48 =	224.31
						9-OHP ADM	9-OHP Cost Factor
3)	292 divided by " <u>Cc</u> " from above					6-8 ADM	6-8 Cost Fact 224.

divided by district's Raw ADM

- 1.00 = District Cost Factor

398.78

0.47

5) (District's Square Miles <u>173.685340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.27</u>

584.89

1.47

- 6) Multiply District Cost Factor (Line 4 above) 0.47 by lessor of the Area Factor (Line 5 above) 0.27 or 1.00 = Isolation Factor 0.13
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 398.78 = Isolation Weight 50.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __50.61_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 150 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	503.00	=	0.049149	x .2	0.009830	Х	503.00	=_	4.94
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1056 - PIONEER-PLEASANT VALE

- A. If school district's total area in square miles <u>126.144330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>503.00</u> divided by district's total area in square mile <u>126.144330</u> = District's Areal Density <u>3.99</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	- <u> </u>	0.000000	+ .85	=	0.850000	×	0.00 =	0.00
						· · · · · · · · · · · · · · · · · · ·		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	κ	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	=	0.000000	+ .78	=	0.780000	κ	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

503.00

5) (District's Square Miles <u>126.144330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 503.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.94

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	7,780.68	_ = _	0.000000	x .2	0.000000	Х	7,780.68	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1057 - ENID

- If school district's total area in square miles 47.885990 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _7,780.68 _ divided by district's total area in square mile _47.885990 = District's Areal В Density 162.48 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by d	istrict's Raw ADM		7,780.68	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.885990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{7.780.68}{1.00}$ = Isolation Weight $\frac{0.00}{1.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 152 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	356.15	=	0.326749	x .2	0.065350	х _	356.15	_ = _	23.27
	529					Sa			Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1085 - DRUMMOND

- If school district's total area in square miles <u>87.518900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>356.15</u> divided by district's total area in square mile <u>87.518900</u> = District's Areal В Density <u>4.07</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	356.15	

divided by district's Raw ADM

- 1.00 = District Cost Factor

356.15

0.00 5) (District's Square Miles <u>87.518900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>356.15</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.27

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 153 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw A	ADN	1
-------	-----	---

529 -	271.44	=	0.486881	x .2	0.097376	х	271.44	=_	26.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1094 - COVINGTON-DOUGLAS

- A. If school district's total area in square miles <u>271.007870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>271.44</u> divided by district's total area in square mile <u>271.007870</u> = District's Areal Density <u>1.00</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	120.49	+	23 =	143.49	(Ca)
Grades	6th - 8th	58.33	+	133 =	191.33	(Cb)
Grades	PK3,9 -OHP	92.62	+	128 =	220.62	(Cc)
		271.44				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	143.49 =	0.515715	+ .85 =	1.365715	х	120.49 =	164.56
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	191.33 =	0.637642	+ .85 =	1.487642	х	58.33 =	86.77
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	220.62 =	1.323543	+ .78 =	2.103543	х	92.62 =	194.83
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

271.44

0.64

5) (District's Square Miles <u>271.007870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.98</u>

446.16

1.64

- 6) Multiply District Cost Factor (Line 4 above) 0.64 by lessor of the Area Factor (Line 5 above) 0.98 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 271.44 = Isolation Weight 170.25
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 170.25

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 154 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	395.52	=	0.252325	x .2	0.050465	Х	395.52	=	19.96
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN **District: C016 - WHITEBEAD**

- If school district's total area in square miles 29.386720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>395.52</u> divided by district's total area in square mile <u>29.386720</u> = District's Areal В Density <u>13.46</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						-	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		395.52	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>29.386720</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 395.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.96

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 155 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	649.74	= _	0.000000	x .2	0.000000	Х	649.74	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1002 - STRATFORD

- A. If school district's total area in square miles <u>153.772450</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>649.74</u> divided by district's total area in square mile <u>153.772450</u> = District's Areal Density <u>4.23</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 649.74 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>153.772450</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 649.74 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 156 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 - 211.39 = 0.600397 x .2 0.120079 x 211.39 = 25.38

529 Same Year Small School Raw ADM District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1005 - PAOLI

- A. If school district's total area in square miles <u>48.188450</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>211.39</u> divided by district's total area in square mile <u>48.188450</u> = District's Areal Density <u>4.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 211.39

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{48.188450}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>211.39</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.38_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 157 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	323.59	=	0.388299	x .2	0.077660	х	323.59	=_	25.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I007 - MAYSVILLE

- If school district's total area in square miles <u>80.746110</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>323.59</u> divided by district's total area in square mile <u>80.746110</u> = District's Areal В Density <u>4.01</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	v district's Raw ADM		323.59	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>80.746110</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.13

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 158 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,225.47	=	0.000000	x .2	0.000000	Х	1,225.47	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1009 - LINDSAY

- A. If school district's total area in square miles <u>185.036280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,225.47</u> divided by district's total area in square mile <u>185.036280</u> = District's Areal Density <u>6.62</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,225.47

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 185.036280 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.225.47 = Isolation Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	1,293.12	=	0.000000	x .2	0.000000	Х	1,293.12	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I018 - PAULS VALLEY

- If school district's total area in square miles __51.121810_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,293.12 divided by district's total area in square mile 51.121810 = District's Areal В Density <u>25.29</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,293.12

- 0.00 5) (District's Square Miles <u>51.121810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.293.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 160 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	720.21	=	0.000000	x .2	0.000000	Х	720.21	=_	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN **District: I038 - WYNNEWOOD**

- If school district's total area in square miles 152.953480 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>720.21</u> divided by district's total area in square mile <u>152.953480</u> = District's Areal В Density <u>4.71</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 720.21 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>152.953480</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>720.21</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	507.56	=	0.040529	x .2	0.008106	х	507.56	_ = _	4.11
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1072 - ELMORE CITY-PERNELL

- A. If school district's total area in square miles <u>220.567160</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>507.56</u> divided by district's total area in square mile <u>220.567160</u> = District's Areal Density <u>2.30</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	218.52	+	23 =	241.52	(Ca)
Grades	6th - 8th	130.59	+	133 =	263.59	(Cb)
Grades	PK3,9 -OHP	158.45	+	128 =	286.45	(Cc)
		507.56			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	241.52 =	0.306393	+ .85 =	1.156393	x 218.52	= 252.69
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	263.59 =	0.462840	+ .85 =	1.312840	x 130.59	= 171.44
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	/e				
	286.45 =	1.019375	+ .78 =	1.799375	x 158.45	= 285.11
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	709.24	divided by di	strict's Raw ADM	507.56	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>220.567160</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.61</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 507.56 = Isolation Weight 123.84
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __123.84_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 162 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	259.25	= _	0.509924	x .2	0.101985	Х	259.25	=	26.44
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C037 - FRIEND**

- If school district's total area in square miles 30.794390 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>259.25</u> divided by district's total area in square mile <u>30.794390</u> = District's Areal В Density <u>8.42</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		-
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM						-
	259.25		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.794390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>259.25</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 163 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	205.91	=	0.610756	x .2	0.122151	Х	205.91	=	25.15
_	529	_	_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: C096 - MIDDLEBERG

- A. If school district's total area in square miles <u>52.300890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>205.91</u> divided by district's total area in square mile <u>52.300890</u> = District's Areal Density <u>3.94</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

205.91

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 52.300890 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>205.91</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.15_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 164 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	386.45	=	0.269471	x .2	0.053894	Х	386.45	_ = _	20.83
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C131 - PIONEER**

- If school district's total area in square miles <u>38.644960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>386.45</u> divided by district's total area in square mile <u>38.644960</u> = District's Areal В Density 10.00 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	·						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х _	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		386.45	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>38.644960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 386.45 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.83

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 165 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,192.60	_ = _	0.000000	x .2	0.000000	Х	2,192.60	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I001 - CHICKASHA**

- If school district's total area in square miles 43.276080 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,192.60 divided by district's total area in square mile 43.276080 = District's Areal В Density <u>50.67</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by d	istrict's Raw ADM		2.192.60	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>43.276080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.192.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 166 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	552.84	_ = _	0.000000	x .2	0.000000	Х	552.84	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I002 - MINCO**

- If school district's total area in square miles 119.359350 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>552.84</u> divided by district's total area in square mile <u>119.359350</u> = District's Areal В Density <u>4.63</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .78	3 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d by	district's Raw ADM		552.84	

divided by district's Raw ADM

- 1.00 = District Cost Factor

552.84

5) (District's Square Miles <u>119.359350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>552.84</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Λ	\Box	ΝЛ

529 -	534.09	=	0.000000	x .2	0.000000	Х	534.09	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I051 - NINNEKAH**

- If school district's total area in square miles <u>97.122750</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>534.09</u> divided by district's total area in square mile <u>97.122750</u> = District's Areal В Density <u>5.50</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		534.09	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>97.122750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>534.09</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 168 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	319.51	=	0.396011	x .2	0.079202	Х	319.51	=_	25.31
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: I056 - ALEX

- A. If school district's total area in square miles <u>144.553630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>319.51</u> divided by district's total area in square mile <u>144.553630</u> = District's Areal Density <u>2.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	157.76	+	23 =	180.76	(Ca)
Grades	6th - 8th	65.44	+	133 =	198.44	(Cb)
Grades	PK3,9 -OHP	96.31	+	128 =	224.31	(Cc)
		319.51				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	180.76 =	0.409383	+ .85 =	1.259383	x 157.76 =	198.68
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	198.44 =	0.614795	+ .85 =	1.464795	x 65.44 =	95.86
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	224.31 =	1.301770	+ .78 =	2.081770	x 96.31 =	200.50
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	495.04	divided by dis	trict's Raw ADM	319.51	

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>144.553630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.06</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.06 or 1.00 = Isolation Factor 0.03
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 319.51 = Isolation Weight 10.54
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.31_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 169 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	508.04	_ =	0.039622	x .2	0.007924	Х	508.04	=	4.03
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1068 - RUSH SPRINGS

- A. If school district's total area in square miles <u>165.156680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>508.04</u> divided by district's total area in square mile <u>165.156680</u> = District's Areal Density <u>3.08</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		508.04	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>165.156680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 508.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.03

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 170 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,677.72	= _	0.000000	x .2	0.000000	Х	1,677.72	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1095 - BRIDGE CREEK**

- If school district's total area in square miles 44.108530 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,677.72 divided by district's total area in square mile 44.108530 = District's Areal В Density 38.04.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re .				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	е				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	1,677.72	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>44.108530</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.677.72}{1.677.72}$ = Isolation Weight $\frac{0.00}{1.677.72}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 171 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,963.83	_ =	0.000000	x .2	0.000000	Х	1,963.83	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1097 - TUTTLE**

- If school district's total area in square miles <u>81.804340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,963.83 divided by district's total area in square mile 81.804340 = District's Areal В Density 24.01.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.0	00 =	0.00
		_			EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	00 =	0.00
					6-8 AD	М	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	00 =	0.00
					9-OHP AD	M	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,963.83

0.00 5) (District's Square Miles <u>81.804340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.963.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 172 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	289.39	=	0.452949	x .2	0.090590	Х _	289.39	_ = _	26.22
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I099 - VERDEN**

- If school district's total area in square miles 100.684490 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>289.39</u> divided by district's total area in square mile <u>100.684490</u> = District's Areal В Density <u>2.87</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

289.39

0.00 5) (District's Square Miles 100.684490 - 137.00000) divided by 137.00000 = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>289.39</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.22

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	496.50	=	0.061437	x .2	0.012287	Х	496.50	=_	6.10
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I128 - AMBER-POCASSET**

- If school district's total area in square miles 146.023230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>496.50</u> divided by district's total area in square mile <u>146.023230</u> = District's Areal В Density <u>3.40</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>146.023230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{496.50}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.10

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 174 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	279.42	=	0.471796	x .2	0.094359	Х	279.42	_ = _	26.37
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1054 - MEDFORD

- A. If school district's total area in square miles <u>507.194350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>279.42</u> divided by district's total area in square mile <u>507.194350</u> = District's Areal Density <u>0.55</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	148.25	+	23 =	171.25	(Ca)
Grades	6th - 8th	65.04	+	133 =	198.04	(Cb)
Grades	PK3,9 -OHP	66.13	+	128 =	194.13	(Cc)
		279.42				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	171.25	=	0.432117	+ .85 =	1.282117	Х	148.25 =	190.07
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	198.04	=	0.616037	+ .85 =	1.466037	х	65.04 =	95.35
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	194.13	= _	1.504147	+ .78 =	2.284147	х	66.13 =	151.05
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		<i>4</i> 36 <i>4</i> 7	divided by d	listrict's Raw ADM		279 42	

- 1.00 = District Cost Factor

0.56

5) (District's Square Miles <u>507.194350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.70</u>

1.56

- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 2.70 or 1.00 = Isolation Factor 0.56
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{279.42}$ = Isolation Weight $\underline{156.48}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 156.48

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 175 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	337.86	=	0.361323	x .2	0.072265	Х	337.86	_ = _	24.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1090 - POND CREEK-HUNTER

- A. If school district's total area in square miles <u>214.283860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>337.86</u> divided by district's total area in square mile <u>214.283860</u> = District's Areal Density <u>1.58</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	158.18	+	23 =	181.18	(Ca)
Grades	6th - 8th	79.73	+	133 =	212.73	(Cb)
Grades	PK3,9 -OHP	99.95	+	128 =	227.95	(Cc)
		337.86				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	181.18 =	0.408434	+ .85 =	1.258434 x	158.18 =	199.06
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	е				
	212.73 =	0.573497	+ .85 =	1.423497 x	79.73 =	113.50
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	227.95 =	1.280983	+ .78 =	2.060983 x	99.95 =	206.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	518.56	divided by dist	rict's Raw ADM	337.86	

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>214.283860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.56</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.56 or 1.00 = Isolation Factor 0.30
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 337.86 = Isolation Weight 100.28
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 100.28

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 176 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	139.58	= _	0.736144	x .2	0.147229	Х	139.58	_ = _	20.55
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT **District: 1095 - DEER CREEK-LAMONT**

- If school district's total area in square miles 249.871990 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>139.58</u> divided by district's total area in square mile <u>249.871990</u> = District's Areal В Density <u>0.56</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	65.94	+	23 =	88.94	(Ca)
Grades	6th - 8th	34.60	+	133 =	167.60	(Cb)
Grades	PK3,9 -OHP	39.04	+	128 =	167.04	(Cc)
		139.58			·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	88.94 =	0.832022	+ .85 =	1.682022	x 65.94	4 =	110.91
					EC-5 ADM	1	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e					
	167.60 =	0.727924	+ .85 =	1.577924	x 34.60) =	54.60
					6-8 ADM	1	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e					
	167.04 =	1.748084	+ .78 =	2.528084	x 39.04	4 =	98.70
					9-OHP ADM	1	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	264.21	divided by dis	trict's Raw ADM	139.58	3	

- 1.00 = District Cost Factor

0.89

5) (District's Square Miles <u>249.871990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.82</u>

1.89

- 6) Multiply District Cost Factor (Line 4 above) 0.89 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.73
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 139.58 = Isolation Weight 101.87
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 101.87

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 177 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	718.14	=	0.000000	x .2	0.000000	х	718.14	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: I001 - MANGUM

- A. If school district's total area in square miles <u>393.436230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>718.14</u> divided by district's total area in square mile <u>393.436230</u> = District's Areal Density <u>1.83</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	373.35	+	23 =	396.35	(Ca)
Grades	6th - 8th	135.95	+	133 =	268.95	(Cb)
Grades	PK3,9 -OHP	208.84	+	128 =	336.84	(Cc)
		718.14				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	396.35 =	0.186704	+ .85 =	1.036704	x 373.35	= 387.05
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	268.95 =	0.453616	+ .85 =	1.303616	x 135.95	= 177.23
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	336.84 =	0.866880	+ .78 =	1.646880	x 208.84	= 343.93
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	908.21	divided by di	strict's Raw ADM	718.14	

- 1.00 = District Cost Factor

0.26

5) (District's Square Miles <u>393.436230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.87</u>

1.26

- 6) Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.87 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 718.14 = Isolation Weight 186.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __186.72_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 178 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	223.49	=	0.577524	x .2	0.115505	х	223.49	=_	25.81
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: 1003 - GRANITE

- A. If school district's total area in square miles <u>178.837370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>223.49</u> divided by district's total area in square mile <u>178.837370</u> = District's Areal Density <u>1.25</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	98.70	+	23 =	121.70	(Ca)
Grades	6th - 8th	56.89	+	133 =	189.89	(Cb)
Grades	PK3,9 -OHP	67.90	+	128 =	195.90	(Cc)
		223.49			·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	121.70 =	0.608053	+ .85 =	1.458053	x 98.70 =	143.91
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	189.89 =	0.642477	+ .85 =	1.492477	x 56.89 =	84.91
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	195.90 =	1.490556	+ .78 =	2.270556	x 67.90 =	154.17
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	382.99	divided by di	strict's Raw ADM	223.49	

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>178.837370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.31</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>223.49</u> = Isolation Weight <u>49.19</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.19

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 179 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	542.11	=	0.000000	x .2	0.000000	х	542.11	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 29 - HARMON District: 1066 - HOLLIS

- A. If school district's total area in square miles <u>510.819850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>542.11</u> divided by district's total area in square mile <u>510.819850</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	271.71	+	23 =	294.71	(Ca)
Grades	6th - 8th	116.97	+	133 =	249.97	(Cb)
Grades	PK3,9 -OHP	153.43	+	128 =	281.43	(Cc)
		542.11			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	294.71	=	0.251094	+ .85 =	1.101094	Х	271.71 =	29	99.18
			_				EC-5 ADM	EC-5 Cost Fa	actor
2)	122 divided by "Cb" from ab	ove							
	249.97	=	0.488059	+ .85 =	1.338059	Х	116.97 =	15	56.51
			_				6-8 ADM	6-8 Cost Fa	actor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	281.43	= _	1.037558	+ .78 =	1.817558	х	153.43 =	27	78.87
							9-OHP ADM	9-OHP Cost Fa	actor
4)	Sum 1 + 2 + 3 from above		734.56	divided by	district's Raw ADM		542.11		

- 1.00 = District Cost Factor

0.36

5) (District's Square Miles <u>510.819850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.73</u>

1.36

- 6) Multiply District Cost Factor (Line 4 above) 0.36 by lessor of the Area Factor (Line 5 above) 2.73 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 542.11 = Isolation Weight 195.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __195.16_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 180 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	478.78	=_	0.094934	x .2	0.018987	х _	478.78	=_	9.09
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: 1001 - LAVERNE

- A. If school district's total area in square miles <u>833.946150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>478.78</u> divided by district's total area in square mile <u>833.946150</u> = District's Areal Density <u>0.57</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	259.31	+	23 =	282.31	(Ca)
Grades	6th - 8th	103.61	+	133 =	236.61	(Cb)
Grades	PK3,9 -OHP	115.86	+	128 =	243.86	(Cc)
		478.78			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	282.31 =	0.262123	+ .85 =	1.112123	x 259.31 =	288.38
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	236.61 =	0.515616	+ .85 =	1.365616	x 103.61 =	141.49
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	243.86 =	1.197408	+ .78 =	1.977408	x 115.86 =	229.10
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	658.97	divided by di	strict's Raw ADM	478.78	

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>833.946150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>5.09</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 5.09 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{478.78}{100}$ = Isolation Weight $\frac{181.94}{100}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __181.94_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 181 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	294.74	=	0.442836	x .2	0.088567	Х	294.74	_ = _	26.10
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: 1004 - BUFFALO

- A. If school district's total area in square miles <u>532.967840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>294.74</u> divided by district's total area in square mile <u>532.967840</u> = District's Areal Density <u>0.55</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	144.35	+	23 =	167.35	(Ca)
Grades	6th - 8th	68.00	+	133 =	201.00	(Cb)
Grades	PK3,9 -OHP	82.39	+	128 =	210.39	(Cc)
		294.74				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	167.35 =	0.442187	+ .85 =	1.292187	Х	144.35 =	186.53
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	201.00 =	0.606965	+ .85 =	1.456965	х	68.00 =	99.07
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	210.39 =	1.387899	+ .78 =	2.167899	х	82.39 =	178.61
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	464.21	divided by di	strict's Raw ADM		294.74	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>532.967840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.89</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 2.89 or 1.00 = Isolation Factor 0.57
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 294.74 = Isolation Weight 168.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 168.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 182 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	195.89	_ =	0.629698	x .2	0.125940	Х	195.89	_ = _	24.67
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: C010 - WHITEFIELD

- If school district's total area in square miles 30.938300 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 195.89 divided by district's total area in square mile 30.938300 = District's Areal В Density <u>6.33</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>30.938300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 195.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.67

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 183 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	198.31	=	0.625123	x .2	0.125025	Х	198.31	=_	24.79
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: I013 - KINTA

- If school district's total area in square miles 129.226520 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>198.31</u> divided by district's total area in square mile <u>129.226520</u> = District's Areal В Density <u>1.53</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

198.31

0.00 5) (District's Square Miles <u>129.226520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 198.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.79

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 184 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,253.69	=	0.000000	x .2	0.000000	х _	1,253.69	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1020 - STIGLER

- If school district's total area in square miles 214.933700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,253.69 divided by district's total area in square mile 214.933700 = District's Areal В Density <u>5.83</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .8.	5 =	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .8	5 =	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .7	8 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		1,253.69	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,253.69

5) (District's Square Miles <u>214.933700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.253.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 185 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	214.04	_ =	0.595388	x .2	0.119078	Х	214.04	=	25.49
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1037 - MCCURTAIN

- A. If school district's total area in square miles 105.106730 is greater than the state average area in square miles 137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>214.04</u> divided by district's total area in square mile <u>105.106730</u> = District's Areal В Density <u>2.04</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.	.00 =	0.00
		_			EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x0	.00 =	0.00
	-				6-8 AE	MC	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x0	.00 =	0.00
		_			9-OHP AD	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	214.	.04	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>105.106730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 214.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.49

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 186 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	414.13	=	0.217146	x .2	0.043429	Х	414.13	=	17.99
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1043 - KEOTA

- If school district's total area in square miles 136.098490 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>414.13</u> divided by district's total area in square mile <u>136.098490</u> = District's Areal В Density 3.04.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

414.13

0.00 5) (District's Square Miles <u>136.098490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 414.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.99

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	262.93	=	0.502968	x .2	0.100594	x	262.93	_ = _	26.45
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1001 - MOSS

- A. If school district's total area in square miles <u>147.902730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>262.93</u> divided by district's total area in square mile <u>147.902730</u> = District's Areal Density <u>1.78</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	135.34	+	23 =	158.34	(Ca)
Grades	6th - 8th	58.90	+	133 =	191.90	(Cb)
Grades	PK3,9 -OHP	68.69	+	128 =	196.69	(Cc)
		262.93				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	158.34 =	0.467349	+ .85 =	1.317349 x	135.34 =	178.29
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	e				
	191.90 =	0.635748	+ .85 =	1.485748 x	58.90 =	87.51
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	196.69 =	1.484570	+ .78 =	2.264570 x	68.69 =	155.55
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	421.35	divided by dis	trict's Raw ADM	262.93	

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>147.902730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.08</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 0.08 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 262.93 = Isolation Weight 12.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.45_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 188 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	427.06	=	0.192703	x .2	0.038541	Х	427.06	=_	16.46
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1005 - WETUMKA

- If school district's total area in square miles 140.270560 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>427.06</u> divided by district's total area in square mile <u>140.270560</u> = District's Areal В Density 3.04.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	427.06		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>140.270560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{427.06}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.46

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	1,013.60	=	0.000000	x .2	0.000000	Х	1,013.60	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: I035 - HOLDENVILLE

- A. If school district's total area in square miles <u>150.954730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,013.60</u> divided by district's total area in square mile <u>150.954730</u> = District's Areal Density <u>6.71</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		1,013.60	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>150.954730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.013.60 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 190 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	152.95	=	0.710870	x .2	0.142174	х _	152.95	=_	21.75
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1048 - CALVIN

- A. If school district's total area in square miles <u>155.023520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>152.95</u> divided by district's total area in square mile <u>155.023520</u> = District's Areal Density <u>0.99</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	82.51	+	23 =	105.51	(Ca)
Grades	6th - 8th	22.85	+	133 =	155.85	(Cb)
Grades	PK3,9 -OHP	47.59	+	128 =	175.59	(Cc)
		152.95				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	105.51 =	0.701355	+ .85 =	1.551355	x 82.	51 =	128.00
					EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	ve .					
	155.85 =	0.782804	+ .85 =	1.632804	x 22.	85 =	37.31
					6-8 AD	М	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	⁄e					
	175.59 =	1.662965	+ .78 =	2.442965	x 47.	59 =	116.26
					9-OHP AD	М	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	281.57	divided by di	strict's Raw ADM	152.	95	

- 1.00 = District Cost Factor

0.84

5) (District's Square Miles <u>155.023520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.84

- 6) Multiply District Cost Factor (Line 4 above) 0.84 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 152.95 = Isolation Weight 16.70
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.75_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 191 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	255.59	=	0.516843	x .2	0.103369	х	255.59	_ = _	26.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1054 - STUART

- A. If school district's total area in square miles <u>151.521500</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>255.59</u> divided by district's total area in square mile <u>151.521500</u> = District's Areal Density <u>1.69</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	95.29	+	23 =	118.29	(Ca)
Grades	6th - 8th	56.74	+	133 =	189.74	(Cb)
Grades	PK3,9 -OHP	103.56	+	128 =	231.56	(Cc)
		255.59				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	118.29 =	0.625581	+ .85 =	1.475581	x 95.29 =	140.61
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	189.74 =	0.642985	+ .85 =	1.492985	x 56.74 =	84.71
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	231.56 =	1.261012	+ .78 =	2.041012	x 103.56 =	211.37
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	436.69	divided by dis	strict's Raw ADM	255.59	

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>151.521500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.11</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.11 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 255.59 = Isolation Weight 19.96
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.42_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 192 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	478.96	= _	0.094594	x .2	0.018919	Х _	478.96	=_	9.06
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I001 - NAVAJO

- If school district's total area in square miles 145.684440 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>478.96</u> divided by district's total area in square mile <u>145.684440</u> = District's Areal В Density 3.29 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

478.96

0.00 5) (District's Square Miles <u>145.684440</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{478.96}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.06

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	162.50	=	0.692817	x .2	0.138563	х _	162.50	=_	22.52
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1014 - DUKE

- A. If school district's total area in square miles <u>157.101760</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>162.50</u> divided by district's total area in square mile <u>157.101760</u> = District's Areal Density <u>1.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	68.07	+	23 =	91.07	(Ca)
Grades	6th - 8th	40.48	+	133 =	173.48	(Cb)
Grades	PK3,9 -OHP	53.95	+	128 =	181.95	(Cc)
		162.50				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	91.07 =	0.812562	+ .85 =	1.662562	Х	68.07 =	113.17
					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	173.48 =	0.703251	+ .85 =	1.553251	х	40.48 =	62.88
					6-	8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	181.95 =	1.604836	+ .78 =	2.384836	х	53.95 =	128.66
					9-OH	P ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	304.71	divided by dis	trict's Raw ADM		162.50	

- 1.00 = District Cost Factor

0.88

5) (District's Square Miles <u>157.101760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.15</u>

1.88

- 6) Multiply District Cost Factor (Line 4 above) 0.88 by lessor of the Area Factor (Line 5 above) 0.15 or 1.00 = Isolation Factor 0.13
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 162.50 = Isolation Weight 21.45
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.52_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 194 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,353.04	=	0.000000	x .2	0.000000	Х	3,353.04	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I018 - ALTUS

- If school district's total area in square miles 245.426320 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>3,353.04</u> divided by district's total area in square mile <u>245.426320</u> = District's Areal В Density <u>13.66</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,353.04

0.00 5) (District's Square Miles <u>245.426320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.353.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 195 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	200.39	=	0.621191	x .2	0.124238	х	200.39	_ = _	24.90
	529			_	Same \		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1040 - OLUSTEE-ELDORADO

- A. If school district's total area in square miles <u>284.717470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>200.39</u> divided by district's total area in square mile <u>284.717470</u> = District's Areal Density <u>0.70</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	114.56	+	23 =	137.56	(Ca)
Grades	6th - 8th	36.33	+	133 =	169.33	(Cb)
Grades	PK3,9 -OHP	49.50	+	128 =	177.50	(Cc)
		200.39				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	137.56 =	0.537947	+ .85 =	1.387947	x 114.5	56 = 159.00
					EC-5 ADI	DM EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	169.33 =	0.720487	+ .85 =	1.570487	x36.3	33 = 57.06
	<u> </u>	_			6-8 ADI	OM 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	177.50 =	1.645070	+ .78 =	2.425070	x 49.5	50 = 120.04
					9-OHP ADI	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	336.10	divided by dis	strict's Raw ADM	200.3	39

- 1.00 = District Cost Factor

0.68

5) (District's Square Miles <u>284.717470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.08</u>

1.68

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 1.08 or 1.00 = Isolation Factor 0.68
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 200.39 = Isolation Weight 136.27
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __136.27_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 196 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	246.67	=	0.533705	x .2	0.106741	Х	246.67	=	26.33
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1054 - BLAIR

- A. If school district's total area in square miles <u>58.428260</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>246.67</u> divided by district's total area in square mile <u>58.428260</u> = District's Areal Density <u>4.22</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

246.67

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 58.428260 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 246.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.33_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 197 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	36.25	=	0.931474	x .2	0.186295	х _	36.25	=_	6.75
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: C003 - TERRAL

- If school district's total area in square miles 63.163940 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 36.25 divided by district's total area in square mile 63.163940 = District's Areal В Density <u>0.57</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	36.25	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>63.163940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 36.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.75

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 198 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	236.18	= _	0.553535	x .2	0.110707	х _	236.18	_ = _	26.15
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1001 - RYAN

- A. If school district's total area in square miles <u>215.179300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>236.18</u> divided by district's total area in square mile <u>215.179300</u> = District's Areal Density <u>1.10</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	103.27	+	23 =	126.27	(Ca)
Grades	6th - 8th	55.91	+	133 =	188.91	(Cb)
Grades	PK3,9 -OHP	77.00	+	128 =	205.00	(Cc)
		236.18				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	126.27	= _	0.586046	+ .85 =	1.436046	Х	103.27 =	148.30
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	188.91	= _	0.645810	+ .85 =	1.495810	x	55.91 =	83.63
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	205.00	=	1.424390	+ .78 =	2.204390	х	77.00 =	169.74
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		401.67	divided by d	istrict's Raw ADM		236.18	

- 1.00 = District Cost Factor

0.70

5) (District's Square Miles <u>215.179300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.57</u>

1.70

- 6) Multiply District Cost Factor (Line 4 above) 0.70 by lessor of the Area Factor (Line 5 above) 0.57 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 236.18 = Isolation Weight 94.24
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 94.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 199 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	378.13	= _	0.285198	x .2	0.057040	х _	378.13	_ = _	21.57
_	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1014 - RINGLING

- A. If school district's total area in square miles <u>270.453400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>378.13</u> divided by district's total area in square mile <u>270.453400</u> = District's Areal Density <u>1.40</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	186.38	+	23 =	209.38	(Ca)
Grades	6th - 8th	75.91	+	133 =	208.91	(Cb)
Grades	PK3,9 -OHP	115.84	+	128 =	243.84	(Cc)
		378.13				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	209.38 =	0.353424	+ .85 =	1.203424 x	186.38 =	224.29
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	re				
	208.91 =	0.583984	+ .85 =	1.433984 x	75.91 =	108.85
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e				
	243.84 =	1.197507	+ .78 =	1.977507 x	115.84 =	229.07
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	562.21	divided by distr	rict's Raw ADM	378.13	

- 1.00 = District Cost Factor

0.49

5) (District's Square Miles <u>270.453400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.97</u>

1.49

- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 0.97 or 1.00 = Isolation Factor 0.48
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 378.13 = Isolation Weight 179.73
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 179.73

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 200 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	429.60	=	0.187902	x .2	0.037580	Х	429.60	=	16.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1023 - WAURIKA

- If school district's total area in square miles 261.493700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>429.60</u> divided by district's total area in square mile <u>261.493700</u> = District's Areal В Density <u>1.64</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	245.21	+	23 =	268.21	(Ca)
Grades	6th - 8th	81.13	+	133 =	214.13	(Cb)
Grades	PK3,9 -OHP	103.26	+	128 =	231.26	(Cc)
		429.60			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	268.21 =	0.275903	+ .85 =	1.125903 x	245.21 =	276.08
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	214.13 =	0.569747	+ .85 =	1.419747 x	81.13 =	115.18
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	231.26 =	1.262648	+ .78 =	2.042648 x	103.26 =	210.92
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	602.18	divided by distri	ct's Raw ADM	429.60	

divided by district's Raw ADM

- 1.00 = District Cost Factor

429.60

0.40

5) (District's Square Miles <u>261.493700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.91</u>

602.18

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.91 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 429.60 = Isolation Weight 156.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>156.37</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 201 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	106.14	=	0.799357	x .2	0.159871	Х	106.14	=	16.97
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C007 - MANNSVILLE

- If school district's total area in square miles 44.689270 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 106.14 divided by district's total area in square mile 44.689270 = District's Areal В Density <u>2.38</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	- <u> </u>	0.000000	+ .85	=	0.850000	×	0.00 =	0.00
						· · · · · · · · · · · · · · · · · · ·		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	κ	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	=	0.000000	+ .78	=	0.780000	κ	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

106.14

0.00 5) (District's Square Miles <u>44.689270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 106.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.97

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529	91.76	=	0.826541	x .2	0.165308	X	91.76	=	15.17
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C010 - RAVIA

- If school district's total area in square miles 43.820740 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 91.76 divided by district's total area in square mile 43.820740 = District's Areal В Density 2.09 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
3)	·		+ .78 =	0.780000 x		

divided by district's Raw ADM

- 1.00 = District Cost Factor

91.76

0.00 5) (District's Square Miles <u>43.820740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 91.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.17

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 203 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	171.33	=	0.676125	x .2	0.135225	Х	171.33	_ = _	23.17
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1002 - MILL CREEK

- A. If school district's total area in square miles <u>159.835890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>171.33</u> divided by district's total area in square mile <u>159.835890</u> = District's Areal Density <u>1.07</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	86.14	+	23 =	109.14	(Ca)
Grades	6th - 8th	35.11	+	133 =	168.11	(Cb)
Grades	PK3,9 -OHP	50.08	+	128 =	178.08	(Cc)
		171.33				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	109.14 =	0.678028	+ .85 =	1.528028 x	86.14 =	131.62
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	168.11 =	0.725715	+ .85 =	1.575715 x	35.11 =	55.32
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	178.08 =	1.639712	+ .78 =	2.419712 x	50.08 =	121.18
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	308.12	divided by dis	trict's Raw ADM	171.33	

- 1.00 = District Cost Factor

0.80

5) (District's Square Miles <u>159.835890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

1.80

- 6) Multiply District Cost Factor (Line 4 above) 0.80 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 171.33 = Isolation Weight 23.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.30_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 204 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	912.16	=	0.000000	x .2	0.000000	Х	912.16	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1020 - TISHOMINGO

- A. If school district's total area in square miles <u>221.949870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>912.16</u> divided by district's total area in square mile <u>221.949870</u> = District's Areal Density <u>4.11</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	912.16	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>221.949870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 912.16 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 205 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	191.54	=	0.637921	x .2	0.127584	Х	191.54	=_	24.44
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1029 - MILBURN

- If school district's total area in square miles <u>64.699310</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 191.54 divided by district's total area in square mile 64.699310 = District's Areal В Density <u>2.96</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
					EC-5 AD	M EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					6-8 AD	M 6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP AD	M 9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	0.00	divided by dis	trict's Raw ADM	191.	54

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>64.699310</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 191.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.44

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 206 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	\Box	М

529 -	155.49	= _	0.706068	x .2	0.141214	Х	155.49	=	21.96
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1035 - COLEMAN

- If school district's total area in square miles 62.234810 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>155.49</u> divided by district's total area in square mile <u>62.234810</u> = District's Areal В Density <u>2.50</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		155.49	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>62.234810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 155.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.96

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 207 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	237.51	=	0.551021	x .2	0.110204	х _	237.51	_ = _	26.17
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1037 - WAPANUCKA

- A. If school district's total area in square miles <u>139.399530</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>237.51</u> divided by district's total area in square mile <u>139.399530</u> = District's Areal Density <u>1.70</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	111.50	+	23 =	134.50	(Ca)
Grades	6th - 8th	50.42	+	133 =	183.42	(Cb)
Grades	PK3,9 -OHP	75.59	+	128 =	203.59	(Cc)
		237.51				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	134.50 =	0.550186	+ .85 =	1.400186 x	111.50 =	156.12
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	183.42 =	0.665140	+ .85 =	1.515140 x	50.42 =	76.39
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	203.59 =	1.434255	+ .78 =	2.214255 x	75.59 =	167.38
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	399.89	divided by distric	ct's Raw ADM	237.51	

- 1.00 = District Cost Factor

0.68

5) (District's Square Miles <u>139.399530</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.02</u>

1.68

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 0.02 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.51 = Isolation Weight 3.23
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.17_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 208 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	100.03	=	0.810907	x .2	0.162181	Х	100.03	_ = _	16.22
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: C027 - PECKHAM**

- If school district's total area in square miles <u>82.977430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 100.03 divided by district's total area in square mile 82.977430 = District's Areal В Density <u>1.21</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>82.977430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 100.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.22

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 209 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	110.38	=	0.791342	x .2	0.158268	Х	110.38	=_	17.47
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: C050 - KILDARE

- A. If school district's total area in square miles <u>99.362780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>110.38</u> divided by district's total area in square mile <u>99.362780</u> = District's Areal Density <u>1.11</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

110.38

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 99.362780 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{110.38}{10.38}$ = Isolation Weight $\frac{0.00}{10.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __17.47_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 210 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	1,136.24	=	0.000000	x .2	0.000000	х	1,136.24	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: 1045 - BLACKWELL

- A. If school district's total area in square miles <u>114.353960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,136.24</u> divided by district's total area in square mile <u>114.353960</u> = District's Areal Density <u>9.94</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		1,136.24	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>114.353960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,136.24}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 211 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	4,737.15	=	0.000000	x .2	0.000000	Х _	4,737.15	_ = _	0.00
	529			_		_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I071 - PONCA CITY

- A. If school district's total area in square miles <u>172.954960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4,737.15</u> divided by district's total area in square mile <u>172.954960</u> = District's Areal Density <u>27.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

4,737.15

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles <u>172.954960</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4,737.15}{2}$ = Isolation Weight $\frac{0.00}{2}$

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Dave	٨		۸ ۸
Kaw	А	ט	IV

529 -	797.78	=	0.000000	x .2	0.000000	х	797.78	_ = _	0.00
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: I087 - TONKAWA**

- If school district's total area in square miles 127.563100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>797.78</u> divided by district's total area in square mile <u>127.563100</u> = District's Areal В Density <u>6.25</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>127.563100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>797.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 213 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	752.12	=	0.000000	x .2	0.000000	х	752.12	_ = _	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I125 - NEWKIRK

- A. If school district's total area in square miles <u>336.399600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>752.12</u> divided by district's total area in square mile <u>336.399600</u> = District's Areal Density <u>2.24</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	317.19	+	23 =	340.19	(Ca)
Grades	6th - 8th	183.37	+	133 =	316.37	(Cb)
Grades	PK3,9 -OHP	251.56	+	128 =	379.56	(Cc)
		752.12				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	340.19	= _	0.217526	+ .85 =	1.067526	х	317.19 =	338.61
			<u> </u>				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	316.37	= _	0.385624	+ .85 =	1.235624	х	183.37 =	226.58
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	379.56	= _	0.769312	+ .78 =	1.549312	х	251.56 =	389.74
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	_	954.93	divided by dis	strict's Raw ADM		752.12	

- 1.00 = District Cost Factor

0.27

5) (District's Square Miles <u>336.399600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.46</u>

1.27

- 6) Multiply District Cost Factor (Line 4 above) 0.27 by lessor of the Area Factor (Line 5 above) 1.46 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>752.12</u> = Isolation Weight <u>203.07</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __203.07_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 214 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	149.45	=	0.717486	x .2	0.143497	Х _	149.45	=_	21.45
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1002 - DOVER

- A. If school district's total area in square miles <u>123.525640</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>149.45</u> divided by district's total area in square mile <u>123.525640</u> = District's Areal Density <u>1.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

149.45

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 123.525640 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{149.45}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.45_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 215 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	222.20	=	0.579962	x .2	0.115992	х	222.20	_ = _	25.77
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1003 - LOMEGA

- A. If school district's total area in square miles <u>220.517250</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>222.20</u> divided by district's total area in square mile <u>220.517250</u> = District's Areal Density <u>1.01</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	100.82	+	23 =	123.82	(Ca)
Grades	6th - 8th	58.07	+	133 =	191.07	(Cb)
Grades	PK3,9 -OHP	63.31	+	128 =	191.31	(Cc)
		222.20			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	123.82 =	0.597642	+ .85 =	1.447642 x	100.82 =	145.95
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	191.07 =	0.638509	+ .85 =	1.488509 x	58.07 =	86.44
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	191.31 =	1.526319	+ .78 =	2.306319 x	63.31 =	146.01
					9-OHP ADM	9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above

378.40 divided by district's Raw ADM

1.70 - 1.00 = District Cost Factor

222.20

- Vrea Factor 0.61
- 5) (District's Square Miles <u>220.517250</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.61</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.70 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 222.20 = Isolation Weight 94.88
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 94.88

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 216 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,517.71	=	0.000000	x .2	0.000000	Х	1,517.71	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1007 - KINGFISHER

- If school district's total area in square miles 184.203710 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,517.71 divided by district's total area in square mile 184.203710 = District's Areal В Density <u>8.24</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,517.71

0.00 5) (District's Square Miles <u>184.203710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.517.71 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 217 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	882.71	=	0.000000	x .2	0.000000	Х	882.71	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I016 - HENNESSEY

- A. If school district's total area in square miles <u>243.314830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>882.71</u> divided by district's total area in square mile <u>243.314830</u> = District's Areal Density <u>3.63</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 882.71

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>243.314830</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 882.71 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 218 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	631.37	=	0.000000	x .2	0.000000	х	631.37	=_	0.00
	529				San		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1089 - CASHION

- A. If school district's total area in square miles <u>115.299310</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>631.37</u> divided by district's total area in square mile <u>115.299310</u> = District's Areal Density <u>5.48</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000	x 0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000	x = 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	631.37	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>115,299310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 631.37 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 219 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	391.05	=	0.260775	x .2	0.052155	X	391.05	=	20.40
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I105 - OKARCHE

- If school district's total area in square miles 153.981750 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>391.05</u> divided by district's total area in square mile <u>153.981750</u> = District's Areal В Density <u>2.54</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85 =		0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85 =		0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78 =		0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	v district'	s Raw ADM		391.05	

divided by district's Raw ADM

- 1.00 = District Cost Factor

391.05

0.00 5) (District's Square Miles <u>153.981750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 391.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.40

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 220 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	730.22	=	0.000000	x .2	0.000000	Х _	730.22	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA **District: I001 - HOBART**

- If school district's total area in square miles 136.741860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>730.22</u> divided by district's total area in square mile <u>136.741860</u> = District's Areal В Density <u>5.34</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

730.22

0.00 5) (District's Square Miles <u>136.741860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>730.22</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 221 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	103.30	=	0.804726	x .2	0.160945	Х	103.30	=	16.63
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I002 - LONE WOLF

- A. If school district's total area in square miles <u>160.661230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>103.30</u> divided by district's total area in square mile <u>160.661230</u> = District's Areal Density <u>0.64</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	58.96	+	23 =	81.96	(Ca)
Grades	6th - 8th	17.97	+	133 =	150.97	(Cb)
Grades	PK3,9 -OHP	26.37	+	128 =	154.37	(Cc)
		103.30				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

103.35	58.96 =	Χ	1.752879	+ .85 =	0.902879	81.96 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
29.80	17.97 =	х	1.658108	+ .85 =	0.808108	150.97 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
70.45	26.37 =	х	2.671559	+ .78 =	1.891559	154.37 =	
9-OHP Cost Factor	9-OHP ADM						
	103 30		rict's Raw ADM	divided by dis	203 60	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.97

5) (District's Square Miles <u>160.661230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.17</u>

1.97

- 6) Multiply District Cost Factor (Line 4 above) 0.97 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 103.30 = Isolation Weight 17.03
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.03

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 222 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	241.65	=	0.543195	x .2	0.108639	Х	241.65	=_	26.25
	529			•			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I003 - MOUNTAIN VIEW-GOTEBO

- A. If school district's total area in square miles <u>410.046550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>241.65</u> divided by district's total area in square mile <u>410.046550</u> = District's Areal Density <u>0.59</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	127.40	+	23 =	150.40	(Ca)
Grades	6th - 8th	53.73	+	133 =	186.73	(Cb)
Grades	PK3,9 -OHP	60.52	+	128 =	188.52	(Cc)
		241.65				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	150.40	=	0.492021	+ .85 =	1.342021	Χ	127.40 =	170.97
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	186.73	= _	0.653350	+ .85 =	1.503350	x	53.73 =	80.77
						·	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	188.52	= <u> </u>	1.548907	+ .78 =	2.328907	x	60.52 =	140.95
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		392.69	divided by dis	strict's Raw ADM		2/1 65	

- 1.00 = District Cost Factor

0.63

5) (District's Square Miles <u>410.046550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.99</u>

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 1.99 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{241.65}$ = Isolation Weight $\underline{152.24}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 152.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 223 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	478.81	=	0.094877	x .2	0.018975	Х	478.81	_ = _	9.09
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: 1004 - SNYDER

- A. If school district's total area in square miles <u>450.575680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>478.81</u> divided by district's total area in square mile <u>450.575680</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	229.56	+	23 =	252.56	(Ca)
Grades	6th - 8th	98.42	+	133 =	231.42	(Cb)
Grades	PK3,9 -OHP	150.83	+	128 =	278.83	(Cc)
		478.81			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	252.56 =	0.293000	+ .85 =	1.143000 x	229.56 =	262.39
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	231.42 =	0.527180	+ .85 =	1.377180 x	98.42 =	135.54
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	278.83 =	1.047233	+ .78 =	1.827233 x	150.83 =	275.60
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	673.53	divided by dis	trict's Raw ADM	478.81	

- 1.00 = District Cost Factor

0.41

5) (District's Square Miles <u>450.575680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.29</u>

1.41

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 2.29 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 478.81 = Isolation Weight 196.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 224 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	93.58	_ =	0.823100	x .2	0.164620	Χ	93.58	=	15.41
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: C004 - PANOLA

- A. If school district's total area in square miles <u>120.302740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>93.58</u> divided by district's total area in square mile <u>120.302740</u> = District's Areal Density <u>0.78</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		93.58	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>120.302740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __15.41_

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	860.11	=	0.000000	x .2	0.000000	Х	860.11	=_	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1001 - WILBURTON

- If school district's total area in square miles 180.857840 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>860.11</u> divided by district's total area in square mile <u>180.857840</u> = District's Areal В Density <u>4.76</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		860.11	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>180.857840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 860.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 226 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	323.06	=	0.389301	x .2	0.077860	Х	323.06	=	25.15
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1002 - RED OAK

- If school district's total area in square miles 129.971690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>323.06</u> divided by district's total area in square mile <u>129.971690</u> = District's Areal В Density <u>2.49</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	x	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	323.06		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.971690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.06 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.15

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Α	D	М

529 -	133.95	=	0.746786	x .2	0.149357	х	133.95	_ = _	20.01
	529						Same Year Sma		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

- A. If school district's total area in square miles <u>154.248550</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>133.95</u> divided by district's total area in square mile <u>154.248550</u> = District's Areal Density <u>0.87</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	58.75	+	23 =	81.75	(Ca)
Grades	6th - 8th	32.00	+	133 =	165.00	(Cb)
Grades	PK3,9 -OHP	43.20	+	128 =	171.20	(Cc)
		133.95				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	81.75 =	0.905199	+ .85 =	1.755199	x 58.75 =	103.12
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve				
	165.00 =	0.739394	+ .85 =	1.589394	x 32.00 =	50.86
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	ve				
	171.20 =	1.705607	+ .78 =	2.485607	x 43.20 =	107.38
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	261.36	divided by dis	strict's Raw ADM	133.95	

- 1.00 = District Cost Factor

0.95

5) (District's Square Miles <u>154.248550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.13</u>

1.95

- 6) Multiply District Cost Factor (Line 4 above) 0.95 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 133.95 = Isolation Weight 16.54
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __20.01_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 228 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	157.31	=	0.702628	x .2	0.140526	х	157.31	=_	22.11
	529			_			Same Year Small		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C004 - SHADY POINT

- If school district's total area in square miles <u>5.017140</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>157.31</u> divided by district's total area in square mile <u>5.017140</u> = District's Areal В Density 31.35.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.	00 =	0.00
					EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above	!					
	0.00 =	0.000000	+ .85 =	0.850000	x0.	00 =	0.00
					6-8 AD	M	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x0.	00 =	0.00
					9-OHP AD	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	157.	31	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>5.017140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 157.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.11

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 229 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	123.43	=	0.766673	x .2	0.153335	Х	123.43	=	18.93
_	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C011 - MONROE

- A. If school district's total area in square miles <u>51.244900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>123.43</u> divided by district's total area in square mile <u>51.244900</u> = District's Areal Density <u>2.41</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

123.43

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 51.244900 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 123.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __18.93_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 230 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	229.89	=	0.565425	x .2	0.113085	Х	229.89	=_	26.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C014 - HODGEN

- A. If school district's total area in square miles <u>140.519870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>229.89</u> divided by district's total area in square mile <u>140.519870</u> = District's Areal Density <u>1.64</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	170.09	+	23 =	193.09	(Ca)
Grades	6th - 8th	54.68	+	133 =	187.68	(Cb)
Grades	PK3,9 -OHP	5.12	+	128 =	133.12	(Cc)
		229.89			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	193.09 =	0.383241	+ .85 =	1.233241	x 170.09	= 209.76
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	187.68 =	0.650043	+ .85 =	1.500043	x 54.68	= 82.02
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	133.12 =	2.193510	+ .78 =	2.973510	x5.12	= 15.22
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	307.00	divided by di	strict's Raw ADM	229.89	

- 1.00 = District Cost Factor

0.34

5) (District's Square Miles <u>140.519870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.03</u>

1.34

- 6) Multiply District Cost Factor (Line 4 above) 0.34 by lessor of the Area Factor (Line 5 above) 0.03 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 229.89 = Isolation Weight 2.34
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.00_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 231 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	101.30	=	0.808507	x .2	0.161701	х	101.30	_ = _	16.38
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C039 - FANSHAWE

- If school district's total area in square miles __77.827380_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 101.30 divided by district's total area in square mile 77.827380 = District's Areal В Density <u>1.30</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		101.30	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>77.827380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{101.30}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.38

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 232 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,039.34	_ =	0.000000	x .2	0.000000	Х	1,039.34	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1002 - SPIRO

- A. If school district's total area in square miles <u>129.790770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,039.34</u> divided by district's total area in square mile <u>129.790770</u> = District's Areal Density <u>8.01</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	1,039.34	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.790770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.039.34 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 233 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	908.79	=	0.000000	x .2	0.000000	х _	908.79	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1003 - HEAVENER

- A. If school district's total area in square miles <u>127.745680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>908.79</u> divided by district's total area in square mile <u>127.745680</u> = District's Areal Density <u>7.11</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	X	0.00 =	0.00
	_		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	oove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 127.745680 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 908.79 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 234 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	771.51	=	0.000000	x .2	0.000000	Х	771.51	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1007 - POCOLA

- If school district's total area in square miles 31.600120 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _771.51 divided by district's total area in square mile _31.600120 = District's Areal В Density 24.41 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

5) (District's Square Miles <u>31.600120</u> - <u>137.00000</u>)

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-	OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

771.51

0.00 - 1.00 = District Cost Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 771.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 235 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	262.33	=	0.504102	x .2	0.100820	Х	262.33	_ = _	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I016 - LE FLORE

- A. If school district's total area in square miles <u>183.232290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>262.33</u> divided by district's total area in square mile <u>183.232290</u> = District's Areal Density <u>1.43</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	128.17	+	23 =	151.17	(Ca)
Grades	6th - 8th	45.45	+	133 =	178.45	(Cb)
Grades	PK3,9 -OHP	88.71	+	128 =	216.71	(Cc)
		262.33				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

171.69	128.17 =	1.339515 x	+ .85 =	0.489515	151.17 =	
EC-5 Cost Factor	EC-5 ADM					
					2) 122 divided by " <u>Cb</u> " from above	2)
69.71	45.45 =	1.533665 x	+ .85 =	0.683665	178.45 =	
6-8 Cost Factor	6-8 ADM					
					3) 292 divided by " <u>Cc</u> " from above	3)
188.72	88.71 =	2.127423 x	+ .78 =	1.347423	216.71 =	
9-OHP Cost Factor	9-OHP ADM					

divided by district's Raw ADM

- 1.00 = District Cost Factor

262.33

0.64

5) (District's Square Miles <u>183.232290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.34</u>

430.12

1.64

- 6) Multiply District Cost Factor (Line 4 above) 0.64 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 262.33 = Isolation Weight 57.08
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __57.08_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 236 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	270.12	=	0.489376	x .2	0.097875	х _	270.12	_ = _	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I017 - CAMERON

- If school district's total area in square miles <u>74.836890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>270.12</u> divided by district's total area in square mile <u>74.836890</u> = District's Areal В Density <u>3.61</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		270.12	

divided by district's Raw ADM

- 1.00 = District Cost Factor

270.12

0.00 5) (District's Square Miles <u>74.836890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 270.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 237 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	732.19	=	0.000000	x .2	0.000000	Χ	732.19	=_	0.00
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I020 - PANAMA

- If school district's total area in square miles _90.148450_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>732.19</u> divided by district's total area in square mile <u>90.148450</u> = District's Areal В Density <u>8.12</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					EC-5 /	4DM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					6-8	4DM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-OHP A	4DM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	73	2.19	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>90.148450</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 732.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 238 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	159.84	=	0.697845	x .2	0.139569	Х	159.84	=_	22.31
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1026 - BOKOSHE

- If school district's total area in square miles <u>58.574330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>159.84</u> divided by district's total area in square mile <u>58.574330</u> = District's Areal В Density <u>2.73</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		159.84	

divided by district's Raw ADM

- 1.00 = District Cost Factor

159.84

0.00 5) (District's Square Miles <u>58.574330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 159.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.31

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 239 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,275.64	=	0.000000	x .2	0.000000	х _	2,275.64	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1029 - POTEAU

- If school district's total area in square miles <u>85.049330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,275.64 divided by district's total area in square mile 85.049330 = District's Areal В Density <u>26.76</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	<u> </u>						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		2,275.64	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>85.049330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.275.64}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 240 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	476.15	=	0.099905	x .2	0.019981	Х	476.15	_ = _	9.51
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1049 - WISTER

- If school district's total area in square miles 49.648690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>476.15</u> divided by district's total area in square mile <u>49.648690</u> = District's Areal В Density <u>9.59</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	476.15	

divided by district's Raw ADM

- 1.00 = District Cost Factor

476.15

0.00 5) (District's Square Miles <u>49.648690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{476.15}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.51

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 241 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	549.76	=	0.000000	x .2	0.000000	Х	549.76	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1052 - TALIHINA

- If school district's total area in square miles __71.093350_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>549.76</u> divided by district's total area in square mile <u>71.093350</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		549.76	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.093350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 549.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 242 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	196.81	= _	0.627958	x .2	0.125592	Х	196.81	=	24.72
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1062 - WHITESBORO

- A. If school district's total area in square miles <u>253.464530</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>196.81</u> divided by district's total area in square mile <u>253.464530</u> = District's Areal Density <u>0.78</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	92.05	+	23 =	115.05	(Ca)
Grades	6th - 8th	38.88	+	133 =	171.88	(Cb)
Grades	PK3,9 -OHP	65.88	+	128 =	193.88	(Cc)
		196.81				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	115.05 =	= 0.643199	+ .85 =	1.493199	х	92.05 =	137.45
					E	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	pove					
	171.88 =	= 0.709798	+ .85 =	1.559798	х	38.88 =	60.64
	_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove					
	193.88 =	= 1.506086	+ .78 =	2.286086	x	65.88 =	150.61
					9-0	OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

196.81

= 1.77 - 1.00 = District Cost Factor 0.77

5) (District's Square Miles 253.464530 - 137.00000) divided by 137.00000 = Area Factor 0.85

348.70

- 6) Multiply District Cost Factor (Line 4 above) 0.77 by lessor of the Area Factor (Line 5 above) 0.85 or 1.00 = Isolation Factor 0.65
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 196.81 = Isolation Weight 128.81
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __128.81_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 243 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	640.25	=	0.000000	x .2	0.000000	Х	640.25	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1067 - HOWE

- If school district's total area in square miles 31.343610 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 640.25 divided by district's total area in square mile 31.343610 = District's Areal В Density 20.43.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

640.25

0.00 5) (District's Square Miles <u>31.343610</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 640.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 244 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	377.85	=	0.285728	x .2	0.057146	Х	377.85	=_	21.59
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1091 - ARKOMA

- If school district's total area in square miles <u>3.596940</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 377.85 divided by district's total area in square mile 3.596940 = District's Areal В Density 105.05.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =).850000 x	=	+ .85	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						22 divided by " <u>Cb</u> " from above	2) 122
0.00	0.00 =).850000 x	=	+ .85	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						92 divided by " <u>Cc</u> " from above	3) 292
0.00	0.00 =).780000 x	=	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	377.85	ADM	by district's Rav	divided k	0.00	um 1 + 2 + 3 from above	4) Sur

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>3.596940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 377.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.59

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 245 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	97.22	= _	0.816219	x .2	0.163244	Х	97.22	=	15.87
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: C005 - WHITE ROCK

- If school district's total area in square miles _50.614950_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 97.22 divided by district's total area in square mile 50.614950 = District's Areal В Density <u>1.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		97.22	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>50.614950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 97.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.87

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 246 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,182.35	=	0.000000	x .2	0.000000	Х	1,182.35	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1001 - CHANDLER

- A. If school district's total area in square miles <u>113.540920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,182.35</u> divided by district's total area in square mile <u>113.540920</u> = District's Areal Density <u>10.41</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	1,182.35	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>113,540920</u> - <u>137,00000</u>) divided by <u>137,00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,182.35}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 247 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	409.88	=	0.225180	x .2	0.045036	Х _	409.88	=_	18.46
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I003 - DAVENPORT

- If school district's total area in square miles <u>78.458540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 409.88 divided by district's total area in square mile 78.458540 = District's Areal В Density <u>5.22</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>78.458540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 409.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.46

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 248 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	564.34	= _	0.000000	x .2	0.000000	Х	564.34	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1004 - WELLSTON

- If school district's total area in square miles 104.159380 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>564.34</u> divided by district's total area in square mile <u>104.159380</u> = District's Areal В Density <u>5.42</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		564.34	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>104.159380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>564.34</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 249 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	793.92	=	0.000000	x .2	0.000000	Х	793.92	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1054 - STROUD

- If school district's total area in square miles 160.059490 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>793.92</u> divided by district's total area in square mile <u>160.059490</u> = District's Areal В Density <u>4.96</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	9				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

793.92

0.00 5) (District's Square Miles <u>160.059490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>793.92</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 250 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	769.26	=	0.000000	x .2	0.000000	Х	769.26	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1095 - MEEKER

- A. If school district's total area in square miles <u>119.873900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>769.26</u> divided by district's total area in square mile <u>119.873900</u> = District's Areal Density <u>6.42</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 769.26

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>119.873900</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{769.26}{}$ = Isolation Weight $\frac{0.00}{}$

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,033.27	=	0.000000	x .2	0.000000	Х	1,033.27	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I103 - PRAGUE

- A. If school district's total area in square miles <u>139.804880</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,033.27</u> divided by district's total area in square mile <u>139.804880</u> = District's Areal Density <u>7.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,033.27

5) (District's Square Miles <u>139.804880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.033.27 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 252 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	228.17	=	0.568677	x .2	0.113735	Х	228.17	=_	25.95
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I105 - CARNEY

- A. If school district's total area in square miles <u>48.930910</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>228.17</u> divided by district's total area in square mile <u>48.930910</u> = District's Areal Density <u>4.66</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

228.17

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 48.930910 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 228.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.95_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 253 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	294.61	=	0.443081	x .2	0.088616	х _	294.61	=_	26.11
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I134 - AGRA

- If school district's total area in square miles <u>54.937080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>294.61</u> divided by district's total area in square mile <u>54.937080</u> = District's Areal В Density <u>5.36</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	= <u></u>	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	= <u></u>	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	·	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's	Raw ADM		294.61	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.937080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 294.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.11

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 254 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,492.50	=	0.000000	x .2	0.000000	х	3,492.50	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: 1001 - GUTHRIE

- A. If school district's total area in square miles <u>207.678060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,492.50</u> divided by district's total area in square mile <u>207.678060</u> = District's Areal Density <u>16.82</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		3.492.50	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>207.678060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.492.50 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 255 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	553.82	_ = _	0.000000	x .2	0.000000	Х	553.82	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN **District: I002 - CRESCENT**

- If school district's total area in square miles 136.920590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>553.82</u> divided by district's total area in square mile <u>136.920590</u> = District's Areal В Density <u>4.04</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

553.82

0.00 5) (District's Square Miles <u>136.920590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>553.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 256 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

529 -	221.45	=	0.581380	x .2	0.116276	х _	221.45	=_	25.75
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I003 - MULHALL-ORLANDO

- A. If school district's total area in square miles <u>223.687850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>221.45</u> divided by district's total area in square mile <u>223.687850</u> = District's Areal Density <u>0.99</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	105.26	+	23 =	128.26	(Ca)
Grades	6th - 8th	54.36	+	133 =	187.36	(Cb)
Grades	PK3,9 -OHP	61.83	+	128 =	189.83	(Cc)
		221.45				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	128.26		0.576953	+ .85 =	1.426953	Х	105.26 =	150.20
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	187.36	=	0.651153	+ .85 =	1.501153	х	54.36 =	81.60
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	189.83	= <u> </u>	1.538218	+ .78 =	2.318218	Х	61.83 =	143.34
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

221.45

0.69

5) (District's Square Miles <u>223.687850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.63</u>

375.14

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.63 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 221.45 = Isolation Weight 96.26
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __96.26_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 257 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
ĸaw	Α	U	IV

529 -	307.75	=	0.418242	x .2	0.083648	Х	307.75	_ = _	25.74
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I014 - COYLE

- A. If school district's total area in square miles <u>180.094850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.75</u> divided by district's total area in square mile <u>180.094850</u> = District's Areal Density <u>1.71</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	168.61	+	23 =	191.61	(Ca)
Grades	6th - 8th	68.27	+	133 =	201.27	(Cb)
Grades	PK3,9 -OHP	70.87	+	128 =	198.87	(Cc)
		307.75				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	191.61	=	0.386201	+ .85 =	1.236201	Х	168.61 =	208.44
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	201.27	= _	0.606151	+ .85 =	1.456151	х	68.27 =	99.41
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	198.87	= _	1.468296	+ .78 =	2.248296	х	70.87 =	159.34
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		467.19	divided by di	strict's Raw ADM		307.75	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>180.094850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.31</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.75 = Isolation Weight 49.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.61

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 258 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	99.63	=	0.811664	x .2	0.162333	х _	99.63	=_	16.17
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: C003 - GREENVILLE**

- If school district's total area in square miles 45.645930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 99.63 divided by district's total area in square mile 45.645930 = District's Areal В Density <u>2.18</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						from above	2) 122 divided by " <u>Cb</u> " from	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						from above	292 divided by " <u>Cc</u> " from a	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	99.63		trict's Raw ADM	divided by dis	0.00	above	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>45.645930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 99.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.17

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 259 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	275.05	=	0.480057	x .2	0.096011	Х	275.05	_ = _	26.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: I004 - THACKERVILLE**

- If school district's total area in square miles 60.495730 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>275.05</u> divided by district's total area in square mile <u>60.495730</u> = District's Areal В Density <u>4.55</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

275.05

0.00 5) (District's Square Miles <u>60.495730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 275.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.41</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 260 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	312.25	=	0.409735	x .2	0.081947	х	312.25	_ = _	25.59
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE District: 1005 - TURNER

- A. If school district's total area in square miles <u>237.380970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>312.25</u> divided by district's total area in square mile <u>237.380970</u> = District's Areal Density <u>1.32</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	162.18	+	23 =	185.18	(Ca)
Grades	6th - 8th	66.24	+	133 =	199.24	(Cb)
Grades	PK3,9 -OHP	83.83	+	128 =	211.83	(Cc)
		312.25				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	185.18 =	0.399611	+ .85 =	1.249611	x 162.18 =	202.66
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	199.24 =	0.612327	+ .85 =	1.462327	x 66.24 =	96.86
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	211.83 =	1.378464	+ .78 =	2.158464	x 83.83 =	180.94
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	480.46	divided by dis	trict's Raw ADM	312.25	

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>237.380970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.73</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.73 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 312.25 = Isolation Weight 123.09
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __123.09_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 261 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,124.59	=	0.000000	x .2	0.000000	Х	1,124.59	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE District: I016 - MARIETTA

- A. If school district's total area in square miles <u>119.185270</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,124.59</u> divided by district's total area in square mile <u>119.185270</u> = District's Areal Density <u>9.44</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		1,124.59	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>119.185270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,124.59}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 262 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	367.70	=	0.304915	x .2	0.060983	х _	367.70	_ = _	22.42
	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: I001 - RINGWOOD

- A. If school district's total area in square miles <u>119.517330</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>367.70</u> divided by district's total area in square mile <u>119.517330</u> = District's Areal Density <u>3.08</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

367.70

5) (District's Square Miles <u>119.517330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{367.70}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.42_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 263 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
Kaw	Α	U	IV	

529 -	127.61	=	0.758771	x .2	0.151754	х	127.61	_ = _	19.37
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR **District: I004 - ALINE-CLEO**

- If school district's total area in square miles 193.963170 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>127.61</u> divided by district's total area in square mile <u>193.963170</u> = District's Areal В Density <u>0.66</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	66.69	+	23 =	89.69	(Ca)
Grades	6th - 8th	28.27	+	133 =	161.27	(Cb)
Grades	PK3,9 -OHP	32.65	+	128 =	160.65	(Cc)
		127.61				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	89.69 =	0.825064	+ .85 =	1.675064 x	66.69 =	111.71
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е				
	161.27 =	0.756495	+ .85 =	1.606495 x	28.27 =	45.42
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	160.65 =	1.817616	+ .78 =	2.597616 x	32.65 =	84.81
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	241.94	divided by distr	rict's Raw ADM	127.61	

divided by district's Raw ADM

- 1.00 = District Cost Factor

127.61

0.90

5) (District's Square Miles <u>193.963170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.42</u>

241.94

1.90

- 6) Multiply District Cost Factor (Line 4 above) 0.90 by lessor of the Area Factor (Line 5 above) 0.42 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 127.61 = Isolation Weight 48.24
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 264 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	804.80	=	0.000000	x .2	0.000000	х _	804.80	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1084 - FAIRVIEW

- A. If school district's total area in square miles <u>316.772720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>804.80</u> divided by district's total area in square mile <u>316.772720</u> = District's Areal Density <u>2.54</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's Raw ADM		804.80	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>316.772720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 804.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 265 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
ĸaw	Α	U	IV

529 -	262.98	=	0.502873	x .2	0.100575	Х	262.98	_ = _	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1092 - CIMARRON

- A. If school district's total area in square miles <u>150.526340</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>262.98</u> divided by district's total area in square mile <u>150.526340</u> = District's Areal Density <u>1.75</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	139.64	+	23 =	162.64	(Ca)
Grades	6th - 8th	50.39	+	133 =	183.39	(Cb)
Grades	PK3,9 -OHP	72.95	+	128 =	200.95	(Cc)
		262.98				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	162.64 =	0.454993	+ .85 =	1.304993	x 139.64	= 182.23
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	e				
	183.39 =	0.665249	+ .85 =	1.515249	x 50.39	= 76.35
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е				
	200.95 =	1.453098	+ .78 =	2.233098	x 72.95	= 162.90
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	421.48	divided by dis	strict's Raw ADM	262.98	

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>150.526340</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.10</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.06
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 262.98 = Isolation Weight 15.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.45_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 266 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,734.57	=	0.000000	x .2	0.000000	х _	1,734.57	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1002 - MADILL

- If school district's total area in square miles <u>258.015080</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,734.57 divided by district's total area in square mile 258.015080 = District's Areal В Density <u>6.72</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
3)	·		+ .78 =	0.780000 x		

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,734.57

0.00 5) (District's Square Miles <u>258.015080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,734.57}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 267 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	1,238.27	= _	0.000000	x .2	0.000000	х	1,238.27	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1003 - KINGSTON

- A. If school district's total area in square miles <u>169.463960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,238.27</u> divided by district's total area in square mile <u>169.463960</u> = District's Areal Density <u>7.31</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	strict's Raw ADM		1,238.27	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>169.463960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.238.27 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 268 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	61.46	=_	0.883819	x .2	0.176764	Х	61.46	=_	10.86
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: C035 - WICKLIFFE**

- If school district's total area in square miles 20.487720 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 61.46 divided by district's total area in square mile 20.487720 = District's Areal В Density <u>3.00</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	61.46	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>20.487720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 61.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.86

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 269 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	147.34	=	0.721474	x .2	0.144295	Х	147.34	=	21.26
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: C043 - OSAGE**

- If school district's total area in square miles 33.497550 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>147.34</u> divided by district's total area in square mile <u>33.497550</u> = District's Areal В Density <u>4.40</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>33.497550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 147.34 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.26

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 270 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,747.18	= _	0.000000	x .2	0.000000	Х	2,747.18	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I001 - PRYOR**

- If school district's total area in square miles _99.385590_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,747.18 divided by district's total area in square mile 99.385590 = District's Areal В Density 27.64.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

2,747.18

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>99.385590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2,747.18}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 271 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,066.19	_ =	0.000000	x .2	0.000000	Х	1,066.19	=_	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES District: I002 - ADAIR

- A. If school district's total area in square miles <u>162.013540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,066.19</u> divided by district's total area in square mile <u>162.013540</u> = District's Areal Density <u>6.58</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,066.19

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>162.013540</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.066.19}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.98_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 272 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	796.19	_ =	0.000000	x .2	0.000000	Х	796.19	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I016 - SALINA**

- If school district's total area in square miles <u>78.948060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>796.19</u> divided by district's total area in square mile <u>78.948060</u> = District's Areal В Density 10.08.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		· ·					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	- <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by div	strict's Raw ADM		796 19	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>78.948060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 796.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>5.65</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 273 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	1,329.41	=	0.000000	x .2	0.000000	Х	1,329.41	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I017 - LOCUST GROVE**

- If school district's total area in square miles 152.530880 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,329.41 divided by district's total area in square mile 152.530880 = District's Areal В Density <u>8.72</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,329.41

0.00 5) (District's Square Miles <u>152.530880</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.329.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 274 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Dave	٨		۸ ۸
Kaw	А	ט	IV

529 -	834.84	=	0.000000	x .2	0.000000	х	834.84	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES District: 1032 - CHOUTEAU-MAZIE

- A. If school district's total area in square miles <u>135.249010</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>834.84</u> divided by district's total area in square mile <u>135.249010</u> = District's Areal Density <u>6.17</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_		·	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

834.84

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 135.249010 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 834.84 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 275 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,317.52	=	0.000000	x .2	0.000000	Х	2,317.52	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1001 - NEWCASTLE

- If school district's total area in square miles <u>54.669960</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,317.52 divided by district's total area in square mile 54.669960 = District's Areal В Density 42.39 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve .				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	⁄e				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	2,317.52	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>54.669960</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.317.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	694.01	=	0.000000	x .2	0.000000	Х	694.01	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1002 - DIBBLE

- If school district's total area in square miles __73.367940_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 694.01 divided by district's total area in square mile 73.367940 = District's Areal В Density <u>9.46</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
	_		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						· <u></u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

694.01

0.00 5) (District's Square Miles <u>73.367940</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 694.01 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,025.46	=	0.000000	Х	.2	0.000000	Х	1,025.46	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1005 - WASHINGTON

- If school district's total area in square miles <u>96.222400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,025.46 divided by district's total area in square mile 96.222400 = District's Areal В Density 10.66.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	· · · · · · · · · · · · · · · · · · ·					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,025.46

0.00 5) (District's Square Miles <u>96.222400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.025.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 278 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	476.89	_ =	0.098507	x .2	0.019701	Х	476.89	=	9.40
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: I010 - WAYNE

- If school district's total area in square miles 184.939950 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>476.89</u> divided by district's total area in square mile <u>184.939950</u> = District's Areal В Density <u>2.58</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

476.89

0.00 5) (District's Square Miles <u>184.939950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{476.89}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.40

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 279 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,421.78	=	0.000000	x .2	0.000000	Х	1,421.78	_ = _	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1015 - PURCELL

- If school district's total area in square miles 41.673330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>1,421.78</u> divided by district's total area in square mile <u>41.673330</u> = District's Areal В Density 34.12.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		1.421.78	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>41.673330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.421.78}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 280 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	2,055.46	=	0.000000	x .2	0.000000	Х	2,055.46	=_	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1029 - BLANCHARD

- If school district's total area in square miles 62.336550 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,055.46 divided by district's total area in square mile 62.336550 = District's Areal В Density 32.97.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,055.46

0.00 5) (District's Square Miles <u>62.336550</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.055.46}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 281 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	116.83	= _	0.779149	x .2	0.155830	Х	116.83	=	18.21
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C001 - FOREST GROVE

- If school district's total area in square miles 44.277860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>116.83</u> divided by district's total area in square mile <u>44.277860</u> = District's Areal В Density <u>2.64</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0 x	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		•
						122 divided by "Cb" from above	2)
0.00	0.00 =	0 x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	0 x	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	116.83		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

116.83

0.00 5) (District's Square Miles <u>44.277860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 116.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.21

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 282 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	394.00	=	0.255198	x .2	0.051040	х	394.00	=_	20.11
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C009 - LUKFATA

- If school district's total area in square miles 22.654310 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>394.00</u> divided by district's total area in square mile <u>22.654310</u> = District's Areal В Density 17.39.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	50000 x	0.850	<u> </u>	+ .85	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM							
							" <u>Cb</u> " from above	2) 122 divided by " <u>Cl</u>
0.00	0.00 =	50000 x	0.850	5 =	+ .85	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM							
							" <u>Cc</u> " from above	3) 292 divided by " <u>Co</u>
0.00	0.00 =	80000 x	0.780	3 =	+ .78	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM							
	394.00	M	strict's Raw ADM	d by d	divided	0.00	from above	4) Sum 1 + 2 + 3 fro

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.654310</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 394.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.11

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 283 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	65.83	=	0.875558	x .2	0.175112	Х	65.83	=	11.53
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C023 - GLOVER

- If school district's total area in square miles 27.839680 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 65.83 divided by district's total area in square mile 27.839680 = District's Areal В Density <u>2.36</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	65.83		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.839680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 65.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.53

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 284 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	321.10	=	0.393006	x .2	0.078601	Х	321.10	=	25.24
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C037 - DENISON

- If school district's total area in square miles 27.728860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>321.10</u> divided by district's total area in square mile <u>27.728860</u> = District's Areal В Density 11.58.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.	.00 =	0.00
	_				EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove					
	0.00 =	0.000000	+ .85 =	0.850000	x0.	.00 =	0.00
					6-8 AD	M	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove					
	0.00 =	0.000000	+ .78 =	0.780000	x0.	.00 =	0.00
					9-OHP AD	M	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	0.00	divided by dis	trict's Raw ADM	321.	.10	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>27.728860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 321.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 285 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	232.80	=	0.559924	x .2	0.111985	X	232.80	=	26.07
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C072 - HOLLY CREEK

- If school district's total area in square miles 34.862860 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>232.80</u> divided by district's total area in square mile <u>34.862860</u> = District's Areal В Density <u>6.68</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		232.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>34.862860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.07</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 286 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	1,255.06	=	0.000000	x .2	0.000000	Х _	1,255.06	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1005 - IDABEL

- If school district's total area in square miles 127.266250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,255.06 divided by district's total area in square mile 127.266250 = District's Areal В Density <u>9.86</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	50000 x	0.85000	85 =	+ .8	0.000000	0 =	0.00	
EC-5 Cost Factor	EC-5 ADM					_	_		
							above	2) 122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	50000 x	0.85000	85 =	+ .8	0.000000	0 =	0.00	
6-8 Cost Factor	6-8 ADM								
							above	3) 292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	30000 x	0.78000	78 =	+ .7	0.000000	0 =	0.00	
9-OHP Cost Factor	9-OHP ADM								
	1,255.06	М	strict's Raw ADM	ded by di	divid	0.00	ve	4) Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>127.266250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.255.06 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 287 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	511.46	_ =	0.033157	x .2	0.006631	Х _	511.46	_ = _	3.39
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1006 - HAWORTH

- A. If school district's total area in square miles <u>281.558970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>511.46</u> divided by district's total area in square mile <u>281.558970</u> = District's Areal Density <u>1.82</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	222.07	+	23 =	245.07	(Ca)
Grades	6th - 8th	127.52	+	133 =	260.52	(Cb)
Grades	PK3,9 -OHP	161.87	+	128 =	289.87	(Cc)
		511.46				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	245.07	= 0.30195	5 + .85 =	1.151955	x 222.0)7 =	255.81
			_		EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	oove					
	260.52	= 0.46829	4 + .85 =	1.318294	x 127.5	52 =	168.11
					6-8 AD	М	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove					
	289.87	= 1.00734	8 + .78 =	1.787348	x 161.8	37 =	289.32
					9-OHP AD	М	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	713.2	4 divided by	district's Raw ADM	511.4	16	

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>281.558970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.06</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 1.06 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{511.46}$ = Isolation Weight $\underline{199.47}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 288 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	898.25	_ =	0.000000	x .2	0.000000	Х	898.25	=_	0.00
-	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I011 - VALLIANT

- A. If school district's total area in square miles 152.312730 is greater than the state average area in square miles 137.00000, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>898.25</u> divided by district's total area in square mile <u>152.312730</u> = District's Areal В Density <u>5.90</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
		_			6-8 ADI	M 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP ADI	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	898.2	5

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>152.312730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 898.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 289 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	150.16	=	0.716144	x .2	0.143229	Х	150.16	_ = _	21.51
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I013 - EAGLETOWN

- A. If school district's total area in square miles <u>299.892420</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>150.16</u> divided by district's total area in square mile <u>299.892420</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	72.78	+	23 =	95.78	(Ca)
Grades	6th - 8th	29.40	+	133 =	162.40	(Cb)
Grades	PK3,9 -OHP	47.98	+	128 =	175.98	(Cc)
		150.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	95.78 =	0.772604	+ .85 =	1.622604	x 72.78 =	118.09
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	162.40 =	0.751232	+ .85 =	1.601232	x 29.40 =	47.08
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	175.98 =	1.659279	+ .78 =	2.439279	x 47.98 =	117.04
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	282.21	divided by di	strict's Raw ADM	150.16	

- 1.00 = District Cost Factor

0.88

5) (District's Square Miles <u>299.892420</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.19</u>

1.88

- 6) Multiply District Cost Factor (Line 4 above) 0.88 by lessor of the Area Factor (Line 5 above) 1.19 or 1.00 = Isolation Factor 0.88
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 150.16 = Isolation Weight 132.14
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __132.14_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 290 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	272.20	=	0.485444	x .2	0.097089	х	272.20	_ = _	26.43
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I014 - SMITHVILLE

- A. If school district's total area in square miles <u>384.180830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>272.20</u> divided by district's total area in square mile <u>384.180830</u> = District's Areal Density <u>0.71</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	132.96	+	23 =	155.96	(Ca)
Grades	6th - 8th	60.77	+	133 =	193.77	(Cb)
Grades	PK3,9 -OHP	78.47	+	128 =	206.47	(Cc)
		272.20				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	155.96 =	0.474481	+ .85 =	1.324481 x	132.96 =	176.10
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	193.77 =	0.629612	+ .85 =	1.479612 x	60.77 =	89.92
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	206.47 =	1.414249	+ .78 =	2.194249 x	78.47 =	172.18
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

272.20

0.61

5) (District's Square Miles <u>384.180830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.80</u>

438.20

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 1.80 or 1.00 = Isolation Factor 0.61
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 272.20 = Isolation Weight 166.04
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>166.04</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 291 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	488.83	= _	0.075936	x .2	0.015187	Х	488.83	=	7.42
	529		_	_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1039 - WRIGHT CITY

- If school district's total area in square miles 166.057030 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>488.83</u> divided by district's total area in square mile <u>166.057030</u> = District's Areal В Density <u>2.94</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	=	0.000000	+ .85 =	=	0.850000	x	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	- <u> </u>	0.000000	+ .78 =	:	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>166.057030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 488.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.42

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 292 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	ADM
110000	$\Delta DIVI$

529 -	237.38	= _	0.551267	x .2	0.110253	Х	237.38	_ = _	26.17
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1071 - BATTIEST

- A. If school district's total area in square miles <u>397.582840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>237.38</u> divided by district's total area in square mile <u>397.582840</u> = District's Areal Density <u>0.60</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	117.19	+	23 =	140.19	(Ca)
Grades	6th - 8th	58.05	+	133 =	191.05	(Cb)
Grades	PK3,9 -OHP	62.14	+	128 =	190.14	(Cc)
		237.38				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	140.19 =	0.527855	+ .85 =	1.377855	x117.19 =	161.47
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	191.05 =	0.638576	+ .85 =	1.488576	x 58.05 =	86.41
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	190.14 =	1.535711	+ .78 =	2.315711	x 62.14 =	143.90

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 391.78 divided by district's Raw ADM 237.38

 = 1.65 1.00 = District Cost Factor 0.65
- 5) (District's Square Miles 397.582840 137.00000) divided by 137.00000 = Area Factor 1.90
- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 1.90 or 1.00 = Isolation Factor 0.65
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.38 = Isolation Weight 154.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __154.30_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 293 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,591.16	_ =	0.000000	x .2	0.000000	Х	1,591.16	=	0.00
	529	_	_			_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1074 - BROKEN BOW

- If school district's total area in square miles 214.022050 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,591.16 divided by district's total area in square mile 214.022050 = District's Areal В Density <u>7.43</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,591.16

0.00 5) (District's Square Miles <u>214.022050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.591.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Page 294 of 540 Report# FB107b Printed: 1/5/2022 1:08:56 PM

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	71.28	=	0.865255	x .2	0.173051	х	71.28	=_	12.34
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C003 - RYAL

- If school district's total area in square miles <u>18.055270</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 71.28 divided by district's total area in square mile 18.055270 = District's Areal В Density 3.95.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	71.28	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>18.055270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 71.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.34

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 295 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	87.53	=	0.834537	x .2	0.166907	Χ	87.53	=_	14.61
	529					_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C016 - STIDHAM

- If school district's total area in square miles <u>62.708600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 87.53 divided by district's total area in square mile 62.708600 = District's Areal В Density <u>1.40</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		87.53	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>62.708600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 87.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.61

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 296 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	1,175.67	=	0.000000	x .2	0.000000	Х	1,175.67	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1001 - EUFAULA

- If school district's total area in square miles 140.244630 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,175.67 divided by district's total area in square mile 140.244630 = District's Areal В Density <u>8.38</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,175.67

- 0.00 5) (District's Square Miles <u>140.244630</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,175.67}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 297 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,391.34	=	0.000000	x .2	0.000000	X	1,391.34	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1019 - CHECOTAH

- A. If school district's total area in square miles <u>282.720850</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,391.34</u> divided by district's total area in square mile <u>282.720850</u> = District's Areal Density <u>4.92</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	1,391.34	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>282.720850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.391.34 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 298 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	224.29	=	0.576011	x .2	0.115202	Х	224.29	=_	25.84
	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1027 - MIDWAY

- A. If school district's total area in square miles <u>108.988230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>224.29</u> divided by district's total area in square mile <u>108.988230</u> = District's Areal Density <u>2.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		224.29	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>108.988230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 224.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.84_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 299 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	74.84	=	0.858526	x .2	0.171705	х _	74.84	_ = _	12.85
	529			·			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1064 - HANNA

- A. If school district's total area in square miles <u>111.923280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>74.84</u> divided by district's total area in square mile <u>111.923280</u> = District's Areal Density <u>0.67</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
•					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
•		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

74.84

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>111.923280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 74.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.85

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 300 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,566.11	= _	0.000000	x .2	0.000000	Х	1,566.11	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: I001 - SULPHUR

- If school district's total area in square miles 144.852920 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,566.11 divided by district's total area in square mile 144.852920 = District's Areal В Density 10.81.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,566.11

0.00 5) (District's Square Miles <u>144.852920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.566.11</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 301 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	956.37	=	0.000000	x .2	0.000000	х	956.37	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: I010 - DAVIS

- If school district's total area in square miles 229.508500 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>956.37</u> divided by district's total area in square mile <u>229.508500</u> = District's Areal В Density <u>4.17</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

956.37

0.00 5) (District's Square Miles <u>229.508500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>956.37</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 302 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	92.19	= _	0.825728	x .2	0.165146	Х	92.19	=_	15.22
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: C009 - WAINWRIGHT

- If school district's total area in square miles <u>55.369090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>92.19</u> divided by district's total area in square mile <u>55.369090</u> = District's Areal В Density <u>1.67</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		92.19	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.369090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{92.19}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.22

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 303 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	740.02	=	0.000000	x .2	0.000000	Х	740.02	=	0.00
_	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: I002 - HASKELL

- A. If school district's total area in square miles <u>146.469430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>740.02</u> divided by district's total area in square mile <u>146.469430</u> = District's Areal Density <u>5.05</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					6-8 ADN	M 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP ADN	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	740.0	2

- 1.00 = District Cost Factor

5) (District's Square Miles <u>146.469430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{740.02}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 304 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,773.21	=	0.000000	x .2	0.000000	х _	1,773.21	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1003 - FORT GIBSON

- A. If school district's total area in square miles <u>57.038590</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,773.21 divided by district's total area in square mile 57.038590 = District's Areal Density 31.09.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,773.21

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 57.038590 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,773.21}{2}$ = Isolation Weight $\frac{0.00}{2}$

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	300.97	_ =	0.431059	x .2	0.086212	Х	300.97	_ = _	25.95
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1006 - WEBBERS FALLS

- If school district's total area in square miles <u>89.348020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>300.97</u> divided by district's total area in square mile <u>89.348020</u> = District's Areal В Density <u>3.37</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	300 97		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.348020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 300.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.95

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 306 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	669.83	_ = _	0.000000	x .2	0.000000	Х	669.83	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1008 - OKTAHA

- If school district's total area in square miles <u>67.711700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 669.83 divided by district's total area in square mile 67.711700 = District's Areal В Density <u>9.89</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's Raw ADM		669.83	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>67.711700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 669.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 307 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	5,336.53	_ =	0.000000	x .2	0.000000	Х	5,336.53	=	0.00
	529	_	_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1020 - MUSKOGEE

- A. If school district's total area in square miles <u>133.595810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5,336.53</u> divided by district's total area in square mile <u>133.595810</u> = District's Areal Density <u>39.95</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						· ·	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		5 336 53	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>133.595810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{5.336.53}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 308 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,955.65	=	0.000000	x .2	0.000000	Х	1,955.65	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1029 - HILLDALE

- If school district's total area in square miles 27.340780 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,955.65 divided by district's total area in square mile 27.340780 = District's Areal В Density <u>71.53</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove							
	0.00	= _	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dis	trict's Raw ADM		1,955.65	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.340780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.955.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 309 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	158.94	= _	0.699546	x .2	0.139909	Х	158.94	=	22.24
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1046 - BRAGGS

- If school district's total area in square miles __77.226770_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>158.94</u> divided by district's total area in square mile <u>77.226770</u> = District's Areal В Density <u>2.06</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

158.94

0.00 5) (District's Square Miles <u>77.226770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 158.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 310 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	802.36	= _	0.000000	x .2	0.000000	Х	802.36	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1074 - WARNER

- If school district's total area in square miles <u>84.171710</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>802.36</u> divided by district's total area in square mile <u>84.171710</u> = District's Areal В Density <u>9.53</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		802.36	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.171710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 802.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 311 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	447.60	=	0.153875	x .2	0.030775	Х	447.60	=_	13.77
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1088 - PORUM

- If school district's total area in square miles 101.106180 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>447.60</u> divided by district's total area in square mile <u>101.106180</u> = District's Areal В Density <u>4.43</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

447.60

0.00 5) (District's Square Miles <u>101.106180</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 447.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.77

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 312 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,078.02	=	0.000000	x .2	0.000000	Х	1,078.02	=_	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE **District: I001 - PERRY**

- If school district's total area in square miles 199.233100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,078.02 divided by district's total area in square mile 199.233100 = District's Areal В Density <u>5.41</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,078.02

0.00 5) (District's Square Miles <u>199.233100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.078.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 313 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	\Box	М

529 -	71.15	=	0.865501	x .2	0.173100	х _	71.15	=	12.32
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1002 - BILLINGS

- A. If school district's total area in square miles <u>183.465060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>71.15</u> divided by district's total area in square mile <u>183.465060</u> = District's Areal Density <u>0.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	28.93	+	23 =	51.93	(Ca)
Grades	6th - 8th	15.27	+	133 =	148.27	(Cb)
Grades	PK3,9 -OHP	26.95	+	128 =	154.95	(Cc)
		71.15				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

65.82	28.93 =	2.274995 x	+ .85 =	1.424995	51.93 =	
EC-5 Cost Factor	EC-5 ADM			_		
					2) 122 divided by " <u>Cb</u> " from above	2)
25.54	15.27 =	1.672823 x	+ .85 =	0.822823	148.27 =	
6-8 Cost Factor	6-8 ADM					
					3) 292 divided by " <u>Cc</u> " from above	3)
71.81	26.95 =	2.664479 x	+ .78 =	1.884479	154.95 =	
9-OHP Cost Factor	9-OHP ADM					

divided by district's Raw ADM

- 1.00 = District Cost Factor

71.15

1.29

5) (District's Square Miles <u>183.465060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.34</u>

163.17

2.29

- 6) Multiply District Cost Factor (Line 4 above) 1.29 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.44
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{71.15}{1.00}$ = Isolation Weight $\frac{31.21}{1.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.21

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 314 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	367.13	=	0.305992	x .2	0.061198	Х	367.13	_ = _	22.47
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1004 - FRONTIER

- A. If school district's total area in square miles <u>261.738460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>367.13</u> divided by district's total area in square mile <u>261.738460</u> = District's Areal Density <u>1.40</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	198.17	+	23 =	221.17	(Ca)
Grades	6th - 8th	75.13	+	133 =	208.13	(Cb)
Grades	PK3,9 -OHP	93.83	+	128 =	221.83	(Cc)
		367.13				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	221.17	=	0.334584	+ .85 =	1.184584	Х	198.17 =	234.75
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	208.13	=	0.586172	+ .85 =	1.436172	x	75.13 =	107.90
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	221.83	=	1.316323	+ .78 =	2.096323	x	93.83 =	196.70
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		539.35	divided by d	istrict's Raw ADM		367.13	

- 1.00 = District Cost Factor

0.47

5) (District's Square Miles <u>261.738460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.91</u>

1.47

- 6) Multiply District Cost Factor (Line 4 above) 0.47 by lessor of the Area Factor (Line 5 above) 0.91 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 367.13 = Isolation Weight 157.02
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __157.02_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 315 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	583.06	= _	0.000000	x .2	0.000000	Χ	583.06	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: I006 - MORRISON

- A. If school district's total area in square miles <u>146.879400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>583.06</u> divided by district's total area in square mile <u>146.879400</u> = District's Areal Density <u>3.97</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	583.06	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>146.879400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>583.06</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 316 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw A	D	M
-------	---	---

529 -	607.47	=	0.000000	x .2	0.000000	Х	607.47	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: 1003 - OKLAHOMA UNION

- A. If school district's total area in square miles <u>307.759370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 607.47 divided by district's total area in square mile 307.759370 = District's Areal Density 1.97.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	296.91	+	23 =	319.91	(Ca)
Grades	6th - 8th	128.49	+	133 =	261.49	(Cb)
Grades	PK3,9 -OHP	182.07	+	128 =	310.07	(Cc)
		607.47				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	319.91 =	0.231315	+ .85 =	1.081315	x 296.91	= 321.05
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9				
	261.49 =	0.466557	+ .85 =	1.316557	x128.49	= 169.16
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	310.07 =	0.941723	+ .78 =	1.721723	x182.07	= 313.47
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	803.68	divided by di	strict's Raw ADM	607.47	

- 1.00 = District Cost Factor

0.32

5) (District's Square Miles <u>307.759370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.25</u>

1.32

- 6) Multiply District Cost Factor (Line 4 above) 0.32 by lessor of the Area Factor (Line 5 above) 1.25 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 607.47 = Isolation Weight 194.39
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 194.39

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 317 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	796.48	=	0.000000	x .2	0.000000	Х	796.48	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: I040 - NOWATA

- A. If school district's total area in square miles <u>197.574220</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>796.48</u> divided by district's total area in square mile <u>197.574220</u> = District's Areal Density <u>4.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

796.48

5) (District's Square Miles <u>197.574220</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 796.48 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 318 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	215.78	=	0.592098	x .2	0.118420	Х _	215.78	_ = _	25.55
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: I051 - SOUTH COFFEYVILLE

- If school district's total area in square miles <u>59.386560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>215.78</u> divided by district's total area in square mile <u>59.386560</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

215.78

0.00 5) (District's Square Miles <u>59.386560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>215.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.55

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 319 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	147.57	=	0.721040	x .2	0.144208	Х _	147.57	=_	21.28
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: C029 - BEARDEN

- If school district's total area in square miles __71.829140__ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>147.57</u> divided by district's total area in square mile <u>71.829140</u> = District's Areal В Density <u>2.05</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	′8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		147.57	

divided by district's Raw ADM

- 1.00 = District Cost Factor

147.57

0.00 5) (District's Square Miles <u>71.829140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{147.57}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.28

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	252.29	=	0.523081	x .2	0.104616	х _	252.29	_ = _	26.39
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1002 - MASON

- If school district's total area in square miles 112.527660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>252.29</u> divided by district's total area in square mile <u>112.527660</u> = District's Areal В Density <u>2.24</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 252.29 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>112.527660</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>252.29</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.39

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 321 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	237.36	=	0.551304	x .2	0.110261	Х	237.36	=_	26.17
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: I014 - PADEN

- If school district's total area in square miles 102.816760 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>237.36</u> divided by district's total area in square mile <u>102.816760</u> = District's Areal В Density <u>2.31</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		237 36	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>102.816760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.17</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 322 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	782.93	=	0.000000	x .2	0.000000	Х _	782.93	=_	0.00
	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1026 - OKEMAH

- If school district's total area in square miles 164.910900 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>782.93</u> divided by district's total area in square mile <u>164.910900</u> = District's Areal В Density <u>4.75</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

782.93

0.00 5) (District's Square Miles <u>164.910900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>782.93</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	424.80	=	0.196975	x .2	0.039395	Х	424.80	=_	16.74
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1031 - WELEETKA

- If school district's total area in square miles 147.179990 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>424.80</u> divided by district's total area in square mile <u>147.179990</u> = District's Areal В Density <u>2.89</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	× 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

424.80

0.00 5) (District's Square Miles <u>147.179990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{424.80}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.73

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 324 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	166.07	= _	0.686068	x .2	0.137214	Х	166.07	_ = _	22.79
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1054 - GRAHAM-DUSTIN

- If school district's total area in square miles 137.440820 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>166.07</u> divided by district's total area in square mile <u>137.440820</u> = District's Areal В Density <u>1.21</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	72.51	+	23 =	95.51	(Ca)
Grades	6th - 8th	39.19	+	133 =	172.19	(Cb)
Grades	PK3,9 -OHP	54.37	+	128 =	182.37	(Cc)
		166.07				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	95.51 =	0.774788	+ .85 =	1.624788	x 72.51	= 117.81
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	172.19 =	0.708520	+ .85 =	1.558520	x 39.19	= 61.08
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	182.37 =	1.601141	+ .78 =	2.381141	x 54.37	= 129.46
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	308.35	divided by dis	trict's Raw ADM	166.07	

- 1.00 = District Cost Factor

0.86

5) (District's Square Miles <u>137.440820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.00</u>

1.86

- 6) Multiply District Cost Factor (Line 4 above) 0.86 by lessor of the Area Factor (Line 5 above) 0.00 or 1.00 = Isolation Factor 0.00
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{166.07}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.79

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 325 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	682.80	=	0.000000	x .2	0.000000	Х _	682.80	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C029 - OAKDALE

- If school district's total area in square miles <u>8.965300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>682.80</u> divided by district's total area in square mile <u>8.965300</u> = District's Areal В Density <u>76.16</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
	_		_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	682.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>8.965300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 682.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 326 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	343.98	=	0.349754	x .2	0.069951	Х	343.98	_ = _	24.06
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C074 - CRUTCHO

- If school district's total area in square miles <u>5.552790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>343.98</u> divided by district's total area in square mile <u>5.552790</u> = District's Areal В Density 61.95.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	0.00	divided by dis	trict's Raw ADM		343.98	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>5.552790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>343.98</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.06

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 327 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	311.76	=	0.410662	x .2	0.082132	Х	311.76	=_	25.61
	529			_	Same Yea		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E001 - OKC CHARTER: INDEPENDENCE MS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>311.76</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00	0.000000	. 70	0.700000	0.00	0.00

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 311.76

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 311.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	330.61	=	0.375028	x .2	0.075006	х _	330.61	_ = _	24.80
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E003 - OKC CHARTER: HUPFELD/W VILLAGE

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>330.61</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00			. =		

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 330.61 = 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 330.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 329 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	458.79	=	0.132722	x .2	0.026544	Х _	458.79	_ = _	12.18
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E008 - OKC CHARTER: HARDING CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>458.79</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	è				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00

0.850000 x

+ .85 =

0.00 =

9-OHP ADM

0.00

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 458.79

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{458.79}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	363.88	= _	0.312136	x .2	0.062427	Х	363.88	=	22.72
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E010 - OKC CHARTER: HARDING FINE ARTS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>363.88</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	9				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

+ .85 =

0.00 =

0.00

- 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 363.88 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 363.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 331 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	297.25	=	0.438091	x .2	0.087618	Х	297.25	_ = _	26.04
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E012 - OKC CHARTER: KIPP REACH COLL.

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>297.25</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.50, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 297.25

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{297.25}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 332 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,496.65	=	0.000000	x .2	0.000000	Х	3,496.65	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E021 - OKC CHARTER SANTA FE SOUTH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,496.65 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,496.65 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.496.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	638.97	=	0.000000	x .2	0.000000	Х	638.97	=	0.00
	529	_				_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E028 - JOHN W REX CHARTER ELEMENTARY

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>638.97</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		638.97	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 638.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 334 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	ח	NΛ
1\avv	$\overline{}$	$\boldsymbol{\mathcal{L}}$	ıvı

529 -	1,006.41	=	0.000000	x .2	0.000000	х _	1,006.41	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G004 - ASTEC CHARTERS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,006.41 divided by district's total area in square mile 0 = District's Areal Density 0 .

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

0.00

+ .85 =

- 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,006.41

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{0}$ $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,006.41}{1,006.41}$ = Isolation Weight $\frac{0.00}{1,000}$

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	10,695.76	=	0.000000	x .2	0.000000	Х	10,695.76	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G008 - EPIC BLENDED LEARNING CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>10,695.76</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	re				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	10,695.76	;

- 1.00 = District Cost Factor

0

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 10.695.76 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 336 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,290.99	=	0.000000	x .2	0.000000	Х	1,290.99	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G009 - DOVE SCHOOLS OF OKC

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,290.99 divided by district's total area in square mile 0.000000 = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		1,290.99	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.290.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 337 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	0.00	=	1.000000	x .2	0.200000	х	0.00	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G010 - (OPEN 22-23)WK JACKSON LEAD AC

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{0.00}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 0.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	19,531.57	=	0.000000	x .2	0.000000	Х	19,531.57	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1001 - PUTNAM CITY

- If school district's total area in square miles <u>42.784870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 19,531.57 divided by district's total area in square mile 42.784870 = District's Areal В Density 456.51.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		19,531.57	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>42.784870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 19.531.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 339 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	772.84	=	0.000000	x .2	0.000000	X	772.84	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1003 - LUTHER

- A. If school district's total area in square miles <u>132.723790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>772.84</u> divided by district's total area in square mile <u>132.723790</u> = District's Areal Density <u>5.82</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 772.84

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>132.723790</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 772.84 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 340 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	5,714.95	_ =	0.000000	Х	.2	0.000000	Х	5,714.95	=_	0.00
	529		_					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1004 - CHOCTAW-NICOMA PARK

- If school district's total area in square miles <u>57.987860</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,714.95</u> divided by district's total area in square mile <u>57.987860</u> = District's Areal В Density <u>98.55</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

5,714.95

0.00 5) (District's Square Miles <u>57.987860</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.714.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 341 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	6,852.78	=	0.000000	x .2	0.000000	Х	6,852.78	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1006 - DEER CREEK

- If school district's total area in square miles __71.388240_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>6,852.78</u> divided by district's total area in square mile <u>71.388240</u> = District's Areal В Density <u>95.99</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve .				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	6.852.78	

divided by district's Raw ADM

- 1.00 = District Cost Factor

6,852.78

0.00 5) (District's Square Miles <u>71.388240</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>6.852.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 342 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,261.07	=	0.000000	x .2	0.000000	х	2,261.07	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1007 - HARRAH

- If school district's total area in square miles <u>64.549770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,261.07 divided by district's total area in square mile 64.549770 = District's Areal В Density <u>35.03</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .78	=	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	d by	district's Raw ADM		2.261.07	

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,261.07

0.00 5) (District's Square Miles <u>64.549770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.261.07 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 343 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,122.83	=	0.000000	x .2	0.000000	Х	1,122.83	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1009 - JONES

- If school district's total area in square miles _51.597490_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,122.83 divided by district's total area in square mile 51.597490 = District's Areal В Density 21.76.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,122.83

0.00 5) (District's Square Miles <u>51.597490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.122.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 344 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	25,566.10	=	0.000000	x .2	0.000000	Х	25,566.10	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: I012 - EDMOND

- A. If school district's total area in square miles <u>128.842520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>25,566.10</u> divided by district's total area in square mile <u>128.842520</u> = District's Areal Density <u>198.43</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
		_			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	25,566.10	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>128.842520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>25,566.10</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 345 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	955.53	=	0.000000	x .2	0.000000	Х	955.53	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1037 - MILLWOOD

- If school district's total area in square miles <u>9.079680</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>955.53</u> divided by district's total area in square mile <u>9.079680</u> = District's Areal В Density 105.24.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM	955.53	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>9.079680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>955.53</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 346 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	3,365.58	=	0.000000	x .2	0.000000	Х	3,365.58	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1041 - WESTERN HEIGHTS

- If school district's total area in square miles <u>25.785320</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,365.58 divided by district's total area in square mile 25.785320 = District's Areal В Density 130.52.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		3,365.58	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>25.785320</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.365.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 347 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	14,133.70	=	0.000000	x .2	0.000000	х	14,133.70	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1052 - MIDWEST CITY-DEL CITY

- If school district's total area in square miles _70.375760_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 14,133.70 divided by district's total area in square mile 70.375760 = District's Areal В Density 200.83.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
	_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	⁄e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	_	14,133.70	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>70.375760</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 14,133.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 348 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,216.69	_ =	0.000000	x .2	0.000000	Х	1,216.69	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1053 - CROOKED OAK

- If school district's total area in square miles <u>4.418570</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,216.69 divided by district's total area in square mile 4.418570 = District's Areal В Density 275.36.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	!				
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 ×	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	1,216.69	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>4.418570</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.216.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 349 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,718.59	=	0.000000	x .2	0.000000	Х	1,718.59	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1088 - BETHANY

- If school district's total area in square miles <u>0.713490</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,718.59 divided by district's total area in square mile 0.713490 = District's Areal В Density 2408.71 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	!				
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 ×	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	1,718.59	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>0.713490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,718.59}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 350 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	35,475.26	=	0.000000	Х	.2	0.000000	Χ	35,475.26	=	0.00
_	529							Same Year	_	Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1089 - OKLAHOMA CITY

- A. If school district's total area in square miles <u>134.215150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>35,475.26</u> divided by district's total area in square mile <u>134.215150</u> = District's Areal Density <u>264.32</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		35.475.26	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>134.215150</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 35.475.26 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 351 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	87.30	=	0.834972	x .2	0.166994	Х	87.30	=_	14.58
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J001 - OKLAHOMA YOUTH ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>87.30</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

Privacy Level: Public

	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_	_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 87.30

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 87.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	282.94	=	0.465142	x .2	0.093028	х _	282.94	=	26.32
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J002 - ACADEMY OF SEMINOLE CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>282.94</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00			0.70000		

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 282.94

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>282.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 353 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	200.21	=	0.621531	x .2	0.124306	Х	200.21	=_	24.89
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J003 - LE MONDE INTERNATIONAL SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>200.21</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.50, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 200.21

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 200.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 354 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	39.43	=	0.925463	x .2	0.185093	Х	39.43	=_	7.30
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J004 - SOVEREIGN COMMUNITY SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>39.43</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.00 = 0.000	0000 + .85 =	= 0.850000	x0.00	= 0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.00 = 0.000)0000 + .78 =	0.780000	x0.00	= 0.00
				9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 39.43

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 39.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529	16,784.23	=	0.000000	x .2	0.000000	Х	16,784.23	=_	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z001 - EPIC ONE ON ONE CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>16,784.23</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 16.784.23 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 356 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,614.95	=	0.000000	x .2	0.000000	Х	2,614.95	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z002 - OKLAHOMA VIRTUAL CHARTER ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,614.95</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,614.95

5) (District's Square Miles 0 - 137.00000) divided by 137.00000 =Area Factor 0

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.614.95 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 357 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,040.13	=	0.000000	x .2	0.000000	х _	1,040.13	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z003 - OKLAHOMA CONNECTIONS ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,040.13 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove					
	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	pove					
	0.00	=	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

divided by district's Raw ADM

9-OHP ADM

1,040.13

9-OHP Cost Factor

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles 0 - 137.00000) divided by 137.00000 = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.040.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 358 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	624.98	=	0.000000	x .2	0.000000	Х	624.98	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z004 - INSIGHT SCHOOL OF OKLAHOMA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>624.98</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			·	

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove					
	0.00	=	0.000000	+ .85 =	0.850000	x0.00	= 0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from a	bove					
	0.00	=	0.000000	+ .78 =	0.780000	x 0.00	= 0.00
						9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 624.98

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 624.98 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	35.54	=	0.932817	x .2	0.186563	_ X	35.54	=	6.63
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z006 - eSCHOOL VIRTUAL CHARTER ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 35.54 divided by district's total area in square mile 0 = District's Areal Density 0.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ve				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	/e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 35.54

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.0000) divided by 137.0000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 35.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	326.50	=	0.382798	x .2	0.076560	Х	326.50	=_	25.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: C011 - TWIN HILLS

- If school district's total area in square miles <u>94.254360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>326.50</u> divided by district's total area in square mile <u>94.254360</u> = District's Areal В Density <u>3.46</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		326.50	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>94.254360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.50 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 361 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,197.69	=	0.000000	Х	.2	 0.000000	Х	1,197.69	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

- If school district's total area in square miles __77.053190_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,197.69 divided by district's total area in square mile 77.053190 = District's Areal В Density 15.54.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,197.69

0.00 5) (District's Square Miles <u>77.053190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.197.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 362 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,172.02	=	0.000000	x .2	0.000000	х	1,172.02	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1002 - HENRYETTA

- If school district's total area in square miles <u>48.260170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,172.02 divided by district's total area in square mile 48.260170 = District's Areal В Density 24.29 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,172.02

0.00 5) (District's Square Miles <u>48.260170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,172.02}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 363 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	988.86	=	0.000000	x .2	0.000000	х	988.86	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1003 - MORRIS

- If school district's total area in square miles 138.495540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>988.86</u> divided by district's total area in square mile <u>138.495540</u> = District's Areal В Density <u>7.14</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM				_		_
	988.86		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>138.495540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>988.86</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 364 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,006.58	=	0.000000	x .2	0.000000	Х	1,006.58	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1004 - BEGGS

- If school district's total area in square miles 170.447950 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,006.58 divided by district's total area in square mile 170.447950 = District's Areal В Density <u>5.91</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .8	35 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =		0.000000	+ .8	35 =	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .	78 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divic	led by	district's Raw ADM		1.006.58	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,006.58

5) (District's Square Miles <u>170.447950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.006.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 365 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	579.48	=	0.000000	x .2	0.000000	Х	579.48	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1005 - PRESTON

- If school district's total area in square miles 39.127690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>579.48</u> divided by district's total area in square mile <u>39.127690</u> = District's Areal В Density 14.81.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

579.48

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>39.127690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 579.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 366 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	132.27	=	0.749962	x .2	0.149992	Х	132.27	=_	19.84
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1006 - SCHULTER

- If school district's total area in square miles <u>26.434790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>132.27</u> divided by district's total area in square mile <u>26.434790</u> = District's Areal В Density <u>5.00</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	-						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		132.27	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>26.434790</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 132.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.84

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 367 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	255.05	=	0.517864	x .2	0.103573	Х	255.05	_ = _	26.42
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1007 - WILSON

- If school district's total area in square miles <u>36.577990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>255.05</u> divided by district's total area in square mile <u>36.577990</u> = District's Areal В Density <u>6.97</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

255.05

0.00 5) (District's Square Miles <u>36.577990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>255.05</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.42

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 368 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	448.49	=	0.152193	x .2	0.030439	х _	448.49	=	13.65
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1008 - DEWAR

- If school district's total area in square miles 33.975510 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 448.49 divided by district's total area in square mile 33.975510 = District's Areal В Density 13.20 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		448.49	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>33.975510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 448.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.65

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 369 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	192.27	=	0.636541	x .2	0.127308	X	192.27	_ = _	24.48
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C003 - OSAGE HILLS**

- If school district's total area in square miles 23.621330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 192.27 divided by district's total area in square mile 23.621330 = District's Areal В Density <u>8.14</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
					-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

192.27

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>23.621330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 192.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.48

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 370 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

				B 4
ŀ	кav	V F	٩IJ	IVI

529 -	59.75	=	0.887051	x .2	0.177410	Х	59.75	=_	10.60
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: C007 - BOWRING

- A. If school district's total area in square miles <u>278.764150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>59.75</u> divided by district's total area in square mile <u>278.764150</u> = District's Areal Density <u>0.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	40.25	+	23 =	63.25	(Ca)
Grades	6th - 8th	19.50	+	133 =	152.50	(Cb)
Grades	PK3,9 -OHP	0.00	+	128 =	0.00	(Cc)
		59.75				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	63.25 =	1.169960	+ .85 =	2.019960	x 40.25 =	81.30
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	152.50 =	0.800000	+ .85 =	1.650000	x 19.50 =	32.18
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.000000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	113.48	divided by distr	rict's Raw ADM	59.75	

- 1.00 = District Cost Factor

0.90

5) (District's Square Miles $\underline{278.764150}$ - $\underline{137.00000}$) divided by $\underline{137.00000}$ = Area Factor $\underline{1.03}$

1.90

- 6) Multiply District Cost Factor (Line 4 above) 0.90 by lessor of the Area Factor (Line 5 above) 1.03 or 1.00 = Isolation Factor 0.90
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{59.75}$ = Isolation Weight $\underline{53.78}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __53.78_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 371 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	80.83	=	0.847202	x .2	0.169440	Х	80.83	=	13.70
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C035 - AVANT**

- If school district's total area in square miles __71.307990_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 80.83 divided by district's total area in square mile 71.307990 = District's Areal В Density <u>1.13</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>71.307990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 80.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.70

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	352.55	=	0.333554	x .2	0.066711	Х	352.55	=	23.52
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C052 - ANDERSON**

- If school district's total area in square miles 31.400850 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>352.55</u> divided by district's total area in square mile <u>31.400850</u> = District's Areal В Density 11.23.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		352.55	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>31.400850</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 352.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.52

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 373 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	336.72	=	0.363478	x .2	0.072696	Х	336.72	_ = _	24.48
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C077 - MCCORD**

- If school district's total area in square miles <u>14.846950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>336.72</u> divided by district's total area in square mile <u>14.846950</u> = District's Areal В Density 22.68.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	-						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		336.72	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>14.846950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 336.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.48

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 374 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	746.32	=	0.000000	x .2	0.000000	х	746.32	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1002 - PAWHUSKA

- A. If school district's total area in square miles <u>328.814840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>746.32</u> divided by district's total area in square mile <u>328.814840</u> = District's Areal Density <u>2.27</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	376.88	+	23 =	399.88	(Ca)
Grades	6th - 8th	167.85	+	133 =	300.85	(Cb)
Grades	PK3,9 -OHP	201.59	+	128 =	329.59	(Cc)
		746.32				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	399.88 =	0.185056	+ .85 =	1.035056	x 376.88 =	390.09
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	300.85 =	0.405518	+ .85 =	1.255518	x 167.85 =	210.74
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	329.59 =	0.885949	+ .78 =	1.665949	x 201.59 =	335.84
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	936.67	divided by dis	strict's Raw ADM	746.32	

- 1.00 = District Cost Factor

0.26

5) (District's Square Miles <u>328.814840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.40</u>

1.26

- 6) Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.40 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{746.32}{194.04}$ = Isolation Weight $\frac{194.04}{194.04}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 194.04

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 375 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	235.35	=	0.555104	x .2	0.111021	Х	235.35	=	26.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: I011 - SHIDLER

- A. If school district's total area in square miles <u>409.729200</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.35</u> divided by district's total area in square mile <u>409.729200</u> = District's Areal Density <u>0.57</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	111.15	+	23 =	134.15	(Ca)
Grades	6th - 8th	64.22	+	133 =	197.22	(Cb)
Grades	PK3,9 -OHP	59.98	+	128 =	187.98	(Cc)
		235.35				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	134.15 =	0.551621	+ .85 =	1.401621	x111.15 =	155.79
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	197.22 =	0.618599	+ .85 =	1.468599	x 64.22 =	94.31
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	187.98 =	1.553357	+ .78 =	2.333357	x 59.98 =	139.95
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	390.05	divided by di	strict's Raw ADM	235.35	

- 1.00 = District Cost Factor

0.66

5) (District's Square Miles <u>409.729200</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.99</u>

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 1.99 or 1.00 = Isolation Factor 0.66
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.35 = Isolation Weight 155.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __155.33_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 376 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	392.32	<u> </u>	0.258374	x .2	0.051675	Х	392.32	_ = _	20.27
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I029 - BARNSDALL**

- If school district's total area in square miles 149.146970 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 392.32 divided by district's total area in square mile 149.146970 = District's Areal В Density <u>2.63</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

392.32

0.00 5) (District's Square Miles <u>149.146970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 392.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.27

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 377 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	89.39	=	0.831021	x .2	0.166204	Х	89.39	=_	14.86
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I030 - WYNONA**

- If school district's total area in square miles <u>92.780870</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 89.39 divided by district's total area in square mile 92.780870 = District's Areal В Density <u>0.96</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	listrict's Raw ADM		89.39	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.780870</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 89.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.86

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 378 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	572.91	=	0.000000	x .2	0.000000	Х	572.91	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I038 - HOMINY**

- If school district's total area in square miles 227.598000 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>572.91</u> divided by district's total area in square mile <u>227.598000</u> = District's Areal В Density <u>2.52</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	572.91	

divided by district's Raw ADM

- 1.00 = District Cost Factor

572.91

5) (District's Square Miles <u>227.598000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 572.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 379 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	292.74	=	0.446616	x .2	0.089323	х _	292.74	_ = _	26.15
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: I050 - PRUE

- If school district's total area in square miles 111.428030 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>292.74</u> divided by district's total area in square mile <u>111.428030</u> = District's Areal В Density <u>2.63</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

292.74

0.00 5) (District's Square Miles <u>111.428030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.15</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 380 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	405.79	=	0.232911	x .2	0.046582	Х	405.79	_ = _	18.90
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1090 - WOODLAND

- A. If school district's total area in square miles <u>350.392350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>405.79</u> divided by district's total area in square mile <u>350.392350</u> = District's Areal Density <u>1.16</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	212.90	+	23 =	235.90	(Ca)
Grades	6th - 8th	85.84	+	133 =	218.84	(Cb)
Grades	PK3,9 -OHP	107.05	+	128 =	235.05	(Cc)
		405.79				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	235.90 =	0.313692	+ .85 =	1.163692 x	212.90 =	247.75
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	218.84 =	0.557485	+ .85 =	1.407485 x	85.84 =	120.82
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	235.05 =	1.242289	+ .78 =	2.022289 x	107.05 =	216.49
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	585.06	divided by dis	trict's Raw ADM	405.79	

- 1.00 = District Cost Factor

0.44

5) (District's Square Miles <u>350.392350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.56</u>

1.44

- 6) Multiply District Cost Factor (Line 4 above) 0.44 by lessor of the Area Factor (Line 5 above) 1.56 or 1.00 = Isolation Factor 0.44
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{405.79}{100}$ = Isolation Weight $\frac{178.55}{100}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 178.55

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 381 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	101.79	=	0.807580	x .2	0.161516	Х	101.79	=	16.44
•	529	_					Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: C010 - TURKEY FORD**

- If school district's total area in square miles 36.260710 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 101.79 divided by district's total area in square mile 36.260710 = District's Areal В Density <u>2.81</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

101.79

0.00 5) (District's Square Miles <u>36.260710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 101.79 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.44

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 382 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	778.36	=	0.000000	x .2	0.000000	Х	778.36	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: I001 - WYANDOTTE**

- If school district's total area in square miles 111.721680 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM __778.36 _ divided by district's total area in square mile __111.721680 _ = District's Areal В Density <u>6.97</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

778.36

0.00 5) (District's Square Miles <u>111.721680</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>778.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 383 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	567.82	=	0.000000	x .2	0.000000	Х	567.82	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I014 - QUAPAW

- If school district's total area in square miles <u>76.814900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>567.82</u> divided by district's total area in square mile <u>76.814900</u> = District's Areal В Density <u>7.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

567.82

0.00 5) (District's Square Miles <u>76.814900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>567.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 384 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	854.73	=	0.000000	x .2	0.000000	Х	854.73	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: I018 - COMMERCE**

- If school district's total area in square miles <u>57.010700</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>854.73</u> divided by district's total area in square mile <u>57.010700</u> = District's Areal В Density 14.99 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =		0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =		0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		854.73	

divided by district's Raw ADM

- 1.00 = District Cost Factor

854.73

0.00 5) (District's Square Miles <u>57.010700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 854.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 385 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,180.91	=	0.000000	x .2	0.000000	Х	2,180.91	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I023 - MIAMI

- If school district's total area in square miles <u>78.080620</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,180.91 divided by district's total area in square mile 78.080620 = District's Areal В Density 27.93.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		2.180.91	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>78.080620</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2,180.91}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 386 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I026 - AFTON

- A. If school district's total area in square miles <u>105.864280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>477.86</u> divided by district's total area in square mile <u>105.864280</u> = District's Areal Density <u>4.51</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove					
	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove					
	0.00	=	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above	0.00	divided by district's Raw ADM	477.86	
=	0.00	- 100 = District Cost Factor	0	

- 5) (District's Square Miles <u>105.864280</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{477.86}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 387 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	636.80	=	0.000000	x .2	0.000000	Х	636.80	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I031 - FAIRLAND

- If school district's total area in square miles <u>72.745990</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>636.80</u> divided by district's total area in square mile <u>72.745990</u> = District's Areal В Density <u>8.75</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	rict's Raw ADM	636.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>72.745990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 636.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 388 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	218.71	=	0.586560	x .2	0.117312	Х	218.71	=	25.66
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: C002 - JENNINGS

- If school district's total area in square miles <u>26.071300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.71</u> divided by district's total area in square mile <u>26.071300</u> = District's Areal В Density <u>8.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

218.71

0.00 5) (District's Square Miles <u>26.071300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.71 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.66</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 389 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	650.84	=	0.000000	x .2	0.000000	х	650.84	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I001 - PAWNEE

- A. If school district's total area in square miles <u>291.478540</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>650.84</u> divided by district's total area in square mile <u>291.478540</u> = District's Areal Density <u>2.23</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	311.79	+	23 =	334.79	(Ca)
Grades	6th - 8th	160.26	+	133 =	293.26	(Cb)
Grades	PK3,9 -OHP	178.79	+	128 =	306.79	(Cc)
		650.84				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	334.79 =	0.221034	+ .85 =	1.071034	x31	1.79 =	333.94
					EC-5 A	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e					
	293.26 =	0.416013	+ .85 =	1.266013	x16	0.26 =	202.89
					6-8 A	ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	306.79 =	0.951791	+ .78 =	1.731791	x17	8.79 =	309.63
					9-OHP <i>A</i>	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	846.46	divided by d	istrict's Raw ADM	65	0.84	

- 1.00 = District Cost Factor

0.30

5) (District's Square Miles <u>291.478540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.13</u>

1.30

- 6) Multiply District Cost Factor (Line 4 above) 0.30 by lessor of the Area Factor (Line 5 above) 1.13 or 1.00 = Isolation Factor 0.30
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 650.84 = Isolation Weight 195.25
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __195.25_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 390 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,638.58	=	0.000000	x .2	0.000000	Х	1,638.58	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I006 - CLEVELAND

- If school district's total area in square miles 182.067710 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,638.58 divided by district's total area in square mile 182.067710 = District's Areal В Density <u>9.00</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	= 0.000	+ .85	= 0.850	0000 x	0.00 =	0.00
	_			,	EC-!	5 ADM EC	C-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove					
	0.00 =	= 0.000	0000 + .85	= 0.850	0000 x	0.00 =	0.00
					6-8	B ADM 6	5-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove					
	0.00 =	= 0.000	0000 + .78	= 0.780	0000 x	0.00 =	0.00
					9-OHI	P ADM 9-OF	HP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,638.58

0.00 5) (District's Square Miles <u>182.067710</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.638.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 391 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	177.63	_ =	0.664216	x .2	0.132843	Х	177.63	=_	23.60
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: C104 - OAK GROVE**

- If school district's total area in square miles 12.551830 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 177.63 divided by district's total area in square mile 12.551830 = District's Areal В Density 14.15.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	177.63	

divided by district's Raw ADM

- 1.00 = District Cost Factor

177.63

0.00 5) (District's Square Miles <u>12.551830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{177.63}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.60

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 392 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	454.19	=	0.141418	x .2	0.028284	Х	454.19	_ = _	12.85
	529			_	Sal		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1003 - RIPLEY**

- If school district's total area in square miles <u>84.197350</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>454.19</u> divided by district's total area in square mile <u>84.197350</u> = District's Areal В Density <u>5.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	·	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	- <u></u>	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	= <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by dis	strict's Raw ADM		454.19	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>84.197350</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 454.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.85

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 393 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	6,299.44	=	0.000000	x .2	0.000000	Х	6,299.44	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: I016 - STILLWATER**

- If school district's total area in square miles 123.505370 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>6,299.44</u> divided by district's total area in square mile <u>123.505370</u> = District's Areal В Density <u>51.01</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

6,299.44

0.00 5) (District's Square Miles <u>123.505370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6,299.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 394 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	1,536.84	=	0.000000	x .2	0.000000	Х	1,536.84	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1056 - PERKINS-TRYON**

- If school district's total area in square miles 186.323240 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,536.84 divided by district's total area in square mile 186.323240 = District's Areal В Density <u>8.25</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	t's Raw ADM	1.536.84	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,536.84

5) (District's Square Miles <u>186.323240</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.536.84}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 395 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,774.61	=	0.000000	x .2	0.000000	Х	1,774.61	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1067 - CUSHING**

- If school district's total area in square miles <u>84.394390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,774.61 divided by district's total area in square mile 84.394390 = District's Areal В Density 21.03.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	1,774.61	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>84.394390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,774.61}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 396 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	347.59	=	0.342930	x .2	0.068586	х	347.59	=_	23.84
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: I101 - GLENCOE**

- If school district's total area in square miles <u>89.371830</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>347.59</u> divided by district's total area in square mile <u>89.371830</u> = District's Areal В Density 3.89.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		347.59	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.371830</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>347.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.84

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 397 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	422.70	=	0.200945	x .2	0.040189	х _	422.70	_ = _	16.99
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I103 - YALE

- If school district's total area in square miles 130.722660 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>422.70</u> divided by district's total area in square mile <u>130.722660</u> = District's Areal В Density <u>3.23</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	422.70	

divided by district's Raw ADM

- 1.00 = District Cost Factor

422.70

5) (District's Square Miles <u>130.722660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{422.70}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.99

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 398 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	469.96	=	0.111607	x .2	0.022321	Х	469.96	=	10.49
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C009 - KREBS

- If school district's total area in square miles 12.883300 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 469.96 divided by district's total area in square mile 12.883300 = District's Areal В Density 36.48.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		469.96	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>12.883300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{469.96}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.49

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 399 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	436.37	=	0.175104	x .2	0.035021	Х	436.37	_ = _	15.28
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C029 - FRINK-CHAMBERS

- A. If school district's total area in square miles <u>25.418940</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>436.37</u> divided by district's total area in square mile <u>25.418940</u> = District's Areal Density <u>17.17</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

436.37

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 25.418940 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{436.37}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __15.28_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 400 of 540 Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	138.16	=	0.738828	x .2	0.147766	Х	138.16	=_	20.42
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C056 - TANNEHILL

- If school district's total area in square miles <u>59.305970</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>138.16</u> divided by district's total area in square mile <u>59.305970</u> = District's Areal В Density <u>2.33</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						n above	122 divided by "Cb" from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	138.16		trict's Raw ADM	divided by dis	0.00	ve	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>59.305970</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 138.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.42

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 401 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	105.64	=	0.800302	x .2	0.160060	Х	105.64	=	16.91
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C088 - HAYWOOD

- If school district's total area in square miles __95.201330_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 105.64 divided by district's total area in square mile 95.201330 = District's Areal В Density <u>1.11</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
	_				EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
					6-8 ADN	M 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.0	0.00
					9-OHP ADN	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	105.6	4

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>95.201330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 105.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.91

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 402 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	62.32	=	0.882193	x .2	0.176439	Х	62.32	=_	11.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: E020 - CARLTON LANDING ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>62.32</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

		_	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x _	0.00 =	0.00
		_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	ove						
	0.00	=	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 62.32

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{62.32}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	764.77	_ =	0.000000	x .2	0.000000	Х	764.77	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1001 - HARTSHORNE

- If school district's total area in square miles 128.916330 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>764.77</u> divided by district's total area in square mile <u>128.916330</u> = District's Areal В Density <u>5.93</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	=	0.000000	+ .85 =	=	0.850000	x	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	- <u> </u>	0.000000	+ .78 =	:	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

764.77

0.00 5) (District's Square Miles <u>128.916330</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{764.77}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 404 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	425.14	=	0.196333	x .2	0.039267	Х	425.14	=_	16.69
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1002 - CANADIAN

- If school district's total area in square miles 101.717050 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>425.14</u> divided by district's total area in square mile <u>101.717050</u> = District's Areal В Density <u>4.18</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>101.717050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 425.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.69

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	320.44	=	0.394253	x .2	0.078851	Х _	320.44	=_	25.27
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I011 - HAILEYVILLE

- A. If school district's total area in square miles <u>185.278780</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>320.44</u> divided by district's total area in square mile <u>185.278780</u> = District's Areal Density <u>1.73</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	168.95	+	23 =	191.95	(Ca)
Grades	6th - 8th	55.57	+	133 =	188.57	(Cb)
Grades	PK3,9 -OHP	95.92	+	128 =	223.92	(Cc)
		320.44				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	191.95 =	0.385517	+ .85 =	1.235517	х	168.95 =	208.74
				-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	188.57 =	0.646975	+ .85 =	1.496975	х	55.57 =	83.19
				-		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	223.92 =	1.304037	+ .78 =	2.084037	Х	95.92 =	199.90
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

320.44

0.53

5) (District's Square Miles <u>185.278780</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.35</u>

491.83

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.35 or 1.00 = Isolation Factor 0.19
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 320.44 = Isolation Weight 59.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __59.44_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 406 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	291.83	=	0.448336	x .2	0.089667	х _	291.83	=	26.17
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I014 - KIOWA

- A. If school district's total area in square miles <u>255.922740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>291.83</u> divided by district's total area in square mile <u>255.922740</u> = District's Areal Density <u>1.14</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	140.73	+	23 =	163.73	(Ca)
Grades	6th - 8th	64.31	+	133 =	197.31	(Cb)
Grades	PK3,9 -OHP	86.79	+	128 =	214.79	(Cc)
		291.83				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

Cost Factor
94.43
Cost Factor
185.68
Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

291.83

0.59

5) (District's Square Miles <u>255.922740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.87</u>

463.34

1.59

- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 0.87 or 1.00 = Isolation Factor 0.51
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 291.83 = Isolation Weight 149.80
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 149.80

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 407 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	424.07	_ =	0.198355	x .2	0.039671	Х	424.07	=_	16.82
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I017 - QUINTON

- A. If school district's total area in square miles <u>151.566320</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>424.07</u> divided by district's total area in square mile <u>151.566320</u> = District's Areal Density <u>2.80</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

424.07

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 151.566320 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{424.07}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __16.82_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 408 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	271.61	=	0.486560	x .2	0.097312	Х	271.61	=	26.43
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I025 - INDIANOLA

- If school district's total area in square miles 134.347100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>271.61</u> divided by district's total area in square mile <u>134.347100</u> = District's Areal В Density <u>2.02</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

271.61

0.00 5) (District's Square Miles <u>134.347100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 271.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 409 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	331.54	=	0.373270	x .2	0.074654	_ x	331.54	=_	24.75
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1028 - CROWDER

- A. If school district's total area in square miles <u>165.788920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>331.54</u> divided by district's total area in square mile <u>165.788920</u> = District's Areal Density <u>2.00</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	155.25	+	23 =	178.25	(Ca)
Grades	6th - 8th	74.50	+	133 =	207.50	(Cb)
Grades	PK3,9 -OHP	101.79	+	128 =	229.79	(Cc)
		331.54				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	178.25 =	0.415147	+ .85 =	1.265147 x	155.25 =	196.41
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	207.50 =	0.587952	+ .85 =	1.437952 x	74.50 =	107.13
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	229.79 =	1.270725	+ .78 =	2.050725 x	101.79 =	208.74
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	512.28	divided by disti	rict's Raw ADM	331.54	

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>165.788920</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.21</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.21 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 331.54 = Isolation Weight 38.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 38.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 410 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	384.15	=	0.273819	x .2	0.054764	Х	384.15	=_	21.04
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I030 - SAVANNA

- If school district's total area in square miles __71.153660_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>384.15</u> divided by district's total area in square mile <u>71.153660</u> = District's Areal В Density <u>5.40</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0000 x	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	0000 x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	0000 x	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	384.15	1	listrict's Raw ADM	divided by o	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

384.15

0.00 5) (District's Square Miles <u>71.153660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 384.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.04

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 411 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	146.69	_ =	0.722703	x .2	0.144541	Χ	146.69	=_	21.20
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1063 - PITTSBURG

- A. If school district's total area in square miles <u>121.147900</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>146.69</u> divided by district's total area in square mile <u>121.147900</u> = District's Areal Density <u>1.21</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		146.69	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>121.147900</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{146.69}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.20_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 412 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,086.29	=	0.000000	x .2	0.000000	Х	3,086.29	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1080 - MCALESTER

- A. If school district's total area in square miles <u>31.694920</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 3,086.29 divided by district's total area in square mile 31.694920 = District's Areal Density 97.37.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

3,086.29

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 31.694920 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.086.29 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 413 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	500.98	=	0.052968	x .2	0.010594	_ x	500.98	=_	5.31
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I001 - ALLEN

- If school district's total area in square miles 157.800140 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _500.98 _ divided by district's total area in square mile _157.800140 _ = District's Areal В Density <u>3.17</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

500.98

0.00 5) (District's Square Miles <u>157.800140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 500.98 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.31

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 414 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	549.53	=	0.000000	x .2	0.000000	Х	549.53	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1009 - VANOSS

- If school district's total area in square miles 145.574450 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>549.53</u> divided by district's total area in square mile <u>145.574450</u> = District's Areal В Density <u>3.77</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>145.574450</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 549.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,765.05	=	0.000000	x .2	0.000000	Х	1,765.05	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I016 - BYNG

- If school district's total area in square miles 117.442990 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,765.05 divided by district's total area in square mile 117.442990 = District's Areal В Density 15.03.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,765.05

0.00 5) (District's Square Miles <u>117.442990</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.765.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 416 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,553.85	_ = _	0.000000	x .2	0.000000	Х	2,553.85	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I019 - ADA

- If school district's total area in square miles 13.716930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,553.85 divided by district's total area in square mile 13.716930 = District's Areal В Density <u>186.18</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					6-8	3 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-OHI	PADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	2,	553.85	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>13.716930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.553.85}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 417 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	908.96	=	0.000000	x .2	0.000000	Х	908.96	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1024 - LATTA

- If school district's total area in square miles 50.644690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>908.96</u> divided by district's total area in square mile <u>50.644690</u> = District's Areal В Density <u>17.95</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		908.96	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>50.644690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 908.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 418 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	447.96	=	0.153195	x .2	0.030639	Х	447.96	=_	13.73
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1030 - STONEWALL

- A. If school district's total area in square miles <u>201.649460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>447.96</u> divided by district's total area in square mile <u>201.649460</u> = District's Areal Density <u>2.22</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	208.52	+	23 =	231.52	(Ca)
Grades	6th - 8th	125.46	+	133 =	258.46	(Cb)
Grades	PK3,9 -OHP	113.98	+	128 =	241.98	(Cc)
		447.96				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	231.52	=	0.319627	+ .85 =	1.169627	Х	208.52 =	243.89
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	258.46	= _	0.472027	+ .85 =	1.322027	x	125.46 =	165.86
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	241.98	= _	1.206711	+ .78 =	1.986711	x	113.98 =	226.45
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		636.20	divided by d	listrict's Raw ADM		447.96	

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>201.649460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.47</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 447.96 = Isolation Weight 88.43
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __88.43_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 419 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	323.57	=	0.388336	x .2	0.077667	х	323.57	_ = _	25.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1037 - ROFF

- A. If school district's total area in square miles <u>159.530770</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>323.57</u> divided by district's total area in square mile <u>159.530770</u> = District's Areal Density <u>2.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	173.32	+	23 =	196.32	(Ca)
Grades	6th - 8th	61.28	+	133 =	194.28	(Cb)
Grades	PK3,9 -OHP	88.97	+	128 =	216.97	(Cc)
		323.57				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	196.32	= _	0.376936	+ .85 =	1.226936	х	173.32 =	212.65
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	194.28	= _	0.627960	+ .85 =	1.477960	х	61.28 =	90.57
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	216.97	= _	1.345808	+ .78 =	2.125808	х	88.97 =	189.13
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	_	492.35	divided by d	istrict's Raw ADM	_	323.57	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>159.530770</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.16</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.57 = Isolation Weight 26.92
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.92_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 420 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	519.87	=	0.017259	x .2	0.003452	Х	519.87	=_	1.79
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C027 - GROVE

- If school district's total area in square miles 12.026670 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>519.87</u> divided by district's total area in square mile <u>12.026670</u> = District's Areal В Density <u>43.23</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		· ·			-		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	- <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by div	strict's Raw ADM		519.87	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>12.026670</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>519.87</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 1.79

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 421 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	245.63	=	0.535671	x .2	0.107134	Х	245.63	_ = _	26.32
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C029 - PLEASANT GROVE

- If school district's total area in square miles 1.811230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>245.63</u> divided by district's total area in square mile <u>1.811230</u> = District's Areal В Density <u>135.62</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.	00 =	0.00
	-				EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x0.	00 =	0.00
					6-8 AD	M	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x0.	00 =	0.00
					9-OHP AD	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	245.	63	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>1.811230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.32

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 422 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	414.85	=	0.215784	x .2	0.043157	х	414.85	_ = _	17.90
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C032 - SOUTH ROCK CREEK

- If school district's total area in square miles <u>18.788360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>414.85</u> divided by district's total area in square mile <u>18.788360</u> = District's Areal В Density 22.08.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

414.85

0.00 5) (District's Square Miles <u>18.788360</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 414.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.90

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 423 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529	1,651.72	_ =	0.000000	x .2	0.000000	Х	1,651.72	_ =	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1001 - MCLOUD

- If school district's total area in square miles <u>73.751520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,651.72 divided by district's total area in square mile 73.751520 = District's Areal В Density 22.40 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	е				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,651.72

0.00 5) (District's Square Miles <u>73.751520</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.651.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 424 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	780.80	= _	0.000000	x .2	0.000000	Х	780.80	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1002 - DALE

- A. If school district's total area in square miles <u>41.946010</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>780.80</u> divided by district's total area in square mile <u>41.946010</u> = District's Areal Density <u>18.61</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from all	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>41.946010</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{780.80}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 425 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,174.96	_ =	0.000000	Х	.2	0.000000	Х	1,174.96	=_	0.00
	529		_					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1003 - BETHEL

- If school district's total area in square miles <u>55.219370</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,174.96 divided by district's total area in square mile 55.219370 = District's Areal В Density 21.28 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	by district's Raw ADM		1,174.96	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.219370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,174.96}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 426 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	270.47	=	0.488715	x .2	0.097743	Х	270.47	=_	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1004 - MACOMB

- If school district's total area in square miles <u>83.549300</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>270.47</u> divided by district's total area in square mile <u>83.549300</u> = District's Areal В Density <u>3.24</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

270.47

0.00 5) (District's Square Miles <u>83.549300</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 270.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 427 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	275.15	=	0.479868	x .2	0.095974	Х	275.15	=	26.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I005 - EARLSBORO

- A. If school district's total area in square miles <u>31.394470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>275.15</u> divided by district's total area in square mile <u>31.394470</u> = District's Areal Density <u>8.76</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

275.15

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 31.394470 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 275.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.41_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 428 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	906.70	=	0.000000	x .2	0.000000	Х	906.70	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I010 - NORTH ROCK CREEK

- If school district's total area in square miles 37.559800 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 906.70 divided by district's total area in square mile 37.559800 = District's Areal В Density 24.14 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	00 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						m above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	00 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						n above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	00 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	906.70		trict's Raw ADM	divided by dis	0.00	ove	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>37.559800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 906.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 429 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,088.29	=	0.000000	x .2	0.000000	Х	2,088.29	=	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1092 - TECUMSEH

- If school district's total area in square miles <u>85.776740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,088.29 divided by district's total area in square mile 85.776740 = District's Areal В Density 24.35 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,088.29

0.00 5) (District's Square Miles <u>85.776740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.088.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 430 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,627.57	_ =	0.000000	x .2	0.000000	Х	3,627.57	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1093 - SHAWNEE

- If school district's total area in square miles <u>25.433730</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,627.57 divided by district's total area in square mile 25.433730 = District's Areal В Density 142.63.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	= <u> </u>	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		3,627.57	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>25.433730</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.627.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 431 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	280.44	=	0.469868	x .2	0.093974	Х	280.44	_ = _	26.35
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I112 - ASHER

- If school district's total area in square miles <u>65.293430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>280.44</u> divided by district's total area in square mile <u>65.293430</u> = District's Areal В Density <u>4.30</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	- <u> </u>	0.000000	+ .85	=	0.850000	×	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	κ	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	=	0.000000	+ .78	=	0.780000	κ	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>65.293430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 280.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.35</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 432 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	128.71	= _	0.756692	x .2	0.151338	Х	128.71	=	19.48
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I115 - WANETTE

- If school district's total area in square miles 133.095930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>128.71</u> divided by district's total area in square mile <u>133.095930</u> = District's Areal В Density <u>0.97</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		128.71	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>133.095930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 128.71 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.48

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 433 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	262.77	=	0.503270	x .2	0.100654	Х _	262.77	=_	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I117 - MAUD

- If school district's total area in square miles __75.785470_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>262.77</u> divided by district's total area in square mile <u>75.785470</u> = District's Areal В Density <u>3.47</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	262.77		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

262.77

0.00 5) (District's Square Miles <u>75.785470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>262.77</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 434 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	53.30	=	0.899244	x .2	0.179849	х _	53.30	=_	9.59
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C002 - ALBION

- A. If school district's total area in square miles <u>100.413810</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>53.30</u> divided by district's total area in square mile <u>100.413810</u> = District's Areal Density <u>0.53</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						·	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		53.30	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>100.413810</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{53.30}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.59

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 435 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	71.97	=	0.863951	x .2	0.172790	Х	71.97	=_	12.44
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C004 - TUSKAHOMA

- If school district's total area in square miles __77.710540_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 71.97 divided by district's total area in square mile 77.710540 = District's Areal В Density <u>0.93</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u>.</u>			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 71.97 0.00 - 1.00 = District Cost Factor
- divided by $\underline{137.00000}$ = Area Factor 5) (District's Square Miles <u>77.710540</u> - <u>137.00000</u>)
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 71.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.44

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Δ	\Box	М

529 -	53.61	=	0.898658	x .2	0.179732	Х	53.61	=_	9.64
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C015 - NASHOBA

- A. If school district's total area in square miles <u>170.678580</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>53.61</u> divided by district's total area in square mile <u>170.678580</u> = District's Areal Density <u>0.31</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	36.75	+	23 =	59.75	(Ca)
Grades	6th - 8th	14.00	+	133 =	147.00	(Cb)
Grades	PK3,9 -OHP	2.86	+	128 =	130.86	(Cc)
		53.61				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	59.75 =	1.238494	+ .85 =	2.088494	x 36.75 =	76.75
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	147.00 =	0.829932	+ .85 =	1.679932	x14.00 =	23.52
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	130.86 =	2.231392	+ .78 =	3.011392	x 2.86 =	8.61
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	108.88	divided by di	strict's Raw ADM	53.61	

- 1.00 = District Cost Factor

1.03

5) (District's Square Miles <u>170.678580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.25</u>

2.03

- 6) Multiply District Cost Factor (Line 4 above) 1.03 by lessor of the Area Factor (Line 5 above) 0.25 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{53.61}$ = Isolation Weight $\underline{13.80}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.80

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 437 of 540
Privacy Level: Public

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	471.90	=	0.107940	x .2	0.021588	Х	471.90	_ = _	10.19
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I001 - RATTAN

- A. If school district's total area in square miles <u>260.032410</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>471.90</u> divided by district's total area in square mile <u>260.032410</u> = District's Areal Density <u>1.81</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	235.39	+	23 =	258.39	(Ca)
Grades	6th - 8th	112.61	+	133 =	245.61	(Cb)
Grades	PK3,9 -OHP	123.90	+	128 =	251.90	(Cc)
		471.90				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	258.39	= _	0.286389	+ .85 =	1.136389	х	235.39 =	267.49
		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	245.61	= _	0.496722	+ .85 =	1.346722	х	112.61 =	151.65
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	251.90	= _	1.159190	+ .78 =	1.939190	х	123.90 =	240.27
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	_	659.41	divided by di	strict's Raw ADM	_	471.90	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>260.032410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.90</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.90 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{471.90}{100}$ = Isolation Weight $\frac{169.88}{100}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>169.88</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 438 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	290.47	=	0.450907	x .2	0.090181	х _	290.47	=	26.20
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I010 - CLAYTON

- A. If school district's total area in square miles <u>295.322210</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>290.47</u> divided by district's total area in square mile <u>295.322210</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	129.22	+	23 =	152.22	(Ca)
Grades	6th - 8th	62.67	+	133 =	195.67	(Cb)
Grades	PK3,9 -OHP	98.58	+	128 =	226.58	(Cc)
		290.47				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	152.22 =	0.486138	+ .85 =	1.336138 x	129.22 =	172.66
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	195.67 =	0.623499	+ .85 =	1.473499 x	62.67 =	92.34
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	226.58 =	1.288728	+ .78 =	2.068728 x	98.58 =	203.94
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

290.47

0.61

5) (District's Square Miles <u>295.322210</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.16</u>

468.94

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 1.16 or 1.00 = Isolation Factor 0.61
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 290.47 = Isolation Weight 177.19
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 177.19

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 439 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	963.12	=	0.000000	x .2	0.000000	Х	963.12	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I013 - ANTLERS

- A. If school district's total area in square miles <u>325.041980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>963.12</u> divided by district's total area in square mile <u>325.041980</u> = District's Areal Density <u>2.96</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х _	0.00 =	0.00
	_		_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
					-	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		963.12	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>325.041980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 963.12 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 440 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	171.11	=	0.676541	x .2	0.135308	_ x	171.11	_ = _	23.15
	529					Same Year		Small School	
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: 1022 - MOYERS

- A. If school district's total area in square miles <u>160.980930</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>171.11</u> divided by district's total area in square mile <u>160.980930</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	90.22	+	23 =	113.22	(Ca)
Grades	6th - 8th	34.08	+	133 =	167.08	(Cb)
Grades	PK3,9 -OHP	46.81	+	128 =	174.81	(Cc)
		171.11				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	113.22 =	0.653595	+ .85 =	1.503595	х	90.22 =	135.65
					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	167.08 =	0.730189	+ .85 =	1.580189	х	34.08 =	53.85
					6-	8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	174.81 =	1.670385	+ .78 =	2.450385	х	46.81 =	114.70
					9-OH	P ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	304.20	divided by di	strict's Raw ADM		171.11	

- 1.00 = District Cost Factor

0.78

5) (District's Square Miles <u>160.980930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.18</u>

1.78

- 6) Multiply District Cost Factor (Line 4 above) 0.78 by lessor of the Area Factor (Line 5 above) 0.18 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 171.11 = Isolation Weight 24.02
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.02

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 441 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	213.95	=	0.595558	x .2	0.119112	Х	213.95	_ = _	25.48
	529						Same Year	Year Smal	
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1003 - LEEDEY

- A. If school district's total area in square miles <u>319.217720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>213.95</u> divided by district's total area in square mile <u>319.217720</u> = District's Areal Density <u>0.67</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	98.08	+	23 =	121.08	(Ca)
Grades	6th - 8th	52.33	+	133 =	185.33	(Cb)
Grades	PK3,9 -OHP	63.54	+	128 =	191.54	(Cc)
		213.95				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	121.08 =	0.611166	+ .85 =	1.461166	Х	98.08 =	143.31
		_		_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	185.33 =	0.658285	+ .85 =	1.508285	x	52.33 =	78.93
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	191.54 =	1.524486	+ .78 =	2.304486	х	63.54 =	146.43
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	368.67	divided by dist	rict's Raw ADM		213.95	

- 1.00 = District Cost Factor

0.72

5) (District's Square Miles <u>319.217720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.33</u>

1.72

- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 1.33 or 1.00 = Isolation Factor 0.72
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 213.95 = Isolation Weight 154.04
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __154.04_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 442 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	118.36	=	0.776257	x .2	0.155251	х _	118.36	=_	18.38
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1006 - REYDON

- A. If school district's total area in square miles <u>248.153670</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>118.36</u> divided by district's total area in square mile <u>248.153670</u> = District's Areal Density <u>0.48</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	59.88	+	23 =	82.88	(Ca)
Grades	6th - 8th	32.36	+	133 =	165.36	(Cb)
Grades	PK3,9 -OHP	26.12	+	128 =	154.12	(Cc)
		118.36			·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	82.88 =	0.892857	+ .85 =	1.742857 x	59.88 =	104.36
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	165.36 =	0.737784	+ .85 =	1.587784 x	32.36 =	51.38
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	154.12 =	1.894628	+ .78 =	2.674628 x	26.12 =	69.86
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	225.60	divided by distric	ct's Raw ADM	118.36	

- 1.00 = District Cost Factor

0.91

5) (District's Square Miles <u>248.153670</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.81</u>

1.91

- 6) Multiply District Cost Factor (Line 4 above) 0.91 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.74
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 118.36 = Isolation Weight 87.24
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 87.24

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 443 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	351.27	=	0.335974	x .2	0.067195	х _	351.27	_ = _	23.60
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1007 - CHEYENNE

- If school district's total area in square miles 446.806290 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>351.27</u> divided by district's total area in square mile <u>446.806290</u> = District's Areal В Density <u>0.79</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	184.76	+	23 =	207.76	(Ca)
Grades	6th - 8th	76.70	+	133 =	209.70	(Cb)
Grades	PK3,9 -OHP	89.81	+	128 =	217.81	(Cc)
		351.27			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	207.76 =	0.356180	+ .85 =	1.206180	x 184.76	= 222.85
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	209.70 =	0.581784	+ .85 =	1.431784	x76.70	= 109.82
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	217.81 =	1.340618	+ .78 =	2.120618	x 89.81	= 190.45
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	523.12	divided by di	strict's Raw ADM	351.27	

- 1.00 = District Cost Factor

0.49

- 1.49 5) (District's Square Miles <u>446.806290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.26</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 2.26 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 351.27 = Isolation Weight 172.12
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 172.12

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 444 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	126.61	=	0.760662	x .2	0.152132	Х	126.61	=_	19.26
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: I015 - SWEETWATER

- A. If school district's total area in square miles <u>192.436980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>126.61</u> divided by district's total area in square mile <u>192.436980</u> = District's Areal Density <u>0.66</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	62.31	+	23 =	85.31	(Ca)
Grades	6th - 8th	30.55	+	133 =	163.55	(Cb)
Grades	PK3,9 -OHP	33.75	+	128 =	161.75	(Cc)
		126.61				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	85.31 =	0.867425	+ .85 =	1.717425 x	62.31 =	107.01
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	163.55 =	0.745949	+ .85 =	1.595949 x	30.55 =	48.76
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	161.75 =	1.805255	+ .78 =	2.585255 x	33.75 =	87.25
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	243.02	divided by dist	trict's Raw ADM	126.61	

- 1.00 = District Cost Factor

0.92

5) (District's Square Miles <u>192.436980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.40</u>

1.92

- 6) Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 0.40 or 1.00 = Isolation Factor 0.37
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 126.61 = Isolation Weight 46.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.59

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 445 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	264.80	=	0.499433	x .2	0.099887	Х	264.80	=	26.45
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1066 - HAMMON

- A. If school district's total area in square miles <u>249.026050</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>264.80</u> divided by district's total area in square mile <u>249.026050</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	140.84	+	23 =	163.84	(Ca)
Grades	6th - 8th	67.89	+	133 =	200.89	(Cb)
Grades	PK3,9 -OHP	56.07	+	128 =	184.07	(Cc)
		264.80				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	163.84 =	0.451660	+ .85 =	1.301660	x 140.84	= 183.33
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	200.89 =	0.607298	+ .85 =	1.457298	x 67.89	= 98.94
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	184.07 =	1.586353	+ .78 =	2.366353	x56.07	= 132.68
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	414.95	divided by dis	trict's Raw ADM	264.80	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>249.026050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.82</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.47
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{264.80}$ = Isolation Weight $\underline{123.77}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 123.77

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 446 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	565.04	=	0.000000	x .2	0.000000	Х _	565.04	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS **District: C009 - JUSTUS-TIAWAH**

- If school district's total area in square miles 33.589600 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>565.04</u> divided by district's total area in square mile <u>33.589600</u> = District's Areal В Density 16.82.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	565.04	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>33.589600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>565.04</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 447 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,741.03	=	0.000000	x .2	0.000000	Х	3,741.03	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1001 - CLAREMORE

- A. If school district's total area in square miles <u>33.672980</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,741.03</u> divided by district's total area in square mile <u>33.672980</u> = District's Areal Density <u>111.10</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

3,741.03

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 33.672980 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{3,741.03}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 448 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,863.76	=	0.000000	x .2	0.000000	Х	1,863.76	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1002 - CATOOSA

- If school district's total area in square miles <u>81.811400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>1,863.76</u> divided by district's total area in square mile <u>81.811400</u> = District's Areal В Density 22.78.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		1,863.76	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>81.811400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.863.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 449 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	793.07	=	0.000000	x .2	0.000000	Х	793.07	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1003 - CHELSEA

- A. If school district's total area in square miles <u>180.885320</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>793.07</u> divided by district's total area in square mile <u>180.885320</u> = District's Areal Density <u>4.38</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	·	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	·	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

793.07

= 0.00 - 1.00 = District Cost Factor

0.00

- 5) (District's Square Miles <u>180.885320</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>793.07</u> = Isolation Weight <u>0.00</u>

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,766.39	=	0.000000	x .2	0.000000	Х	1,766.39	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS **District: 1004 - OOLOGAH-TALALA**

- If school district's total area in square miles 176.894080 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,766.39 divided by district's total area in square mile 176.894080 = District's Areal В Density <u>9.99</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,766.39

0.00 5) (District's Square Miles <u>176.894080</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,766.39}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 451 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,258.44	=	0.000000	x .2	0.000000	Х	1,258.44	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1005 - INOLA

- A. If school district's total area in square miles <u>101.268600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,258.44</u> divided by district's total area in square mile <u>101.268600</u> = District's Areal Density <u>12.43</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	= 0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	= 0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	1,258.44	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>101,268600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.258.44 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 452 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,283.02	=	0.000000	x .2	0.000000	Х _	1,283.02	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1006 - SEQUOYAH

- If school district's total area in square miles <u>64.331180</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,283.02 divided by district's total area in square mile 64.331180 = District's Areal В Density 19.94.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by disti	rict's Raw ADM	1,283.02	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>64.331180</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.283.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 453 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	467.48	=	0.116295	x .2	0.023259	Х	467.48	=	10.87
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1007 - FOYIL

- A. If school district's total area in square miles <u>37.507630</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>467.48</u> divided by district's total area in square mile <u>37.507630</u> = District's Areal Density <u>12.46</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 467.48

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 37.507630 137.00000) divided by 137.00000 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{467.48}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.87

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 454 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
ĸaw	Α	U	IV

529 -	1,366.76	= _	0.000000	x .2	0.000000	Х	1,366.76	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1008 - VERDIGRIS

- If school district's total area in square miles <u>24.239720</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,366.76 divided by district's total area in square mile 24.239720 = District's Areal В Density <u>56.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,366.76

0.00 5) (District's Square Miles <u>24.239720</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.366.76}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 455 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	182.99	=	0.654083	x .2	0.130817	Х	182.99	=_	23.94
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: C054 - JUSTICE

- If school district's total area in square miles <u>14.358060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>182.99</u> divided by district's total area in square mile <u>14.358060</u> = District's Areal В Density 12.74.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 182.99 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>14.358060</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 182.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.94

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 456 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,503.78	=	0.000000	x .2	0.000000	Х	1,503.78	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1001 - SEMINOLE

- If school district's total area in square miles <u>58.024460</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>1,503.78</u> divided by district's total area in square mile <u>58.024460</u> = District's Areal В Density <u>25.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,503.78

0.00 5) (District's Square Miles <u>58.024460</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.503.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 457 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	651.12	=	0.000000	x .2	0.000000	Х	651.12	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1002 - WEWOKA

- If school district's total area in square miles 35.109690 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>651.12</u> divided by district's total area in square mile <u>35.109690</u> = District's Areal В Density 18.55.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	- <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		651 12	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>35.109690</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 651.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	206.98	_ =	0.608733	x .2	0.121747	Χ	206.98	_ = _	25.20
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1003 - BOWLEGS

- If school district's total area in square miles <u>55.896190</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>206.98</u> divided by district's total area in square mile <u>55.896190</u> = District's Areal В Density <u>3.70</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		206.98	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.896190</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 206.98 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.20</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 459 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	599.49	=	0.000000	x .2	0.000000	Х	599.49	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1004 - KONAWA

- A. If school district's total area in square miles <u>162.137400</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>599.49</u> divided by district's total area in square mile <u>162.137400</u> = District's Areal Density <u>3.70</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from a	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 599.49

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>162.137400</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 599.49 = Isolation Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	259.63	=	0.509206	x .2	0.101841	Х	259.63	=	26.44
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1006 - NEW LIMA

- If school district's total area in square miles <u>54.618060</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>259.63</u> divided by district's total area in square mile <u>54.618060</u> = District's Areal В Density <u>4.75</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		259.63	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.618060</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>259.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 461 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	286.15	=	0.459074	x .2	0.091815	_ x	286.15	=_	26.27
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1007 - VARNUM

- A. If school district's total area in square miles <u>28.420150</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>286.15</u> divided by district's total area in square mile <u>28.420150</u> = District's Areal Density <u>10.07</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

286.15

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 28.420150 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>286.15</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.27_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 462 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	222.83	_ =	0.578771	x .2	0.115754	Х	222.83	=_	25.79
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: I010 - SASAKWA

- If school district's total area in square miles <u>83.566090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>222.83</u> divided by district's total area in square mile <u>83.566090</u> = District's Areal В Density <u>2.67</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

222.83

0.00 5) (District's Square Miles <u>83.566090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 222.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.79

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 463 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	408.66	=	0.227486	x .2	0.045497	Х _	408.66	_ = _	18.59
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1014 - STROTHER

- If school district's total area in square miles 108.807230 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 408.66 divided by district's total area in square mile 108.807230 = District's Areal В Density <u>3.76</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

408.66

0.00 5) (District's Square Miles <u>108.807230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{408.66}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.59

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	232.88	_ =	0.559773	x .2	0.111955	Х	232.88	=	26.07
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1015 - BUTNER

- A. If school district's total area in square miles <u>114.870000</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>232.88</u> divided by district's total area in square mile <u>114.870000</u> = District's Areal Density <u>2.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	232.88	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>114.870000</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.07_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 465 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	326.89	=	0.382060	x .2	0.076412	Х	326.89	_ = _	24.98
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C001 - LIBERTY

- If school district's total area in square miles 32.725260 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>326.89</u> divided by district's total area in square mile <u>32.725260</u> = District's Areal В Density <u>9.99</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	- <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by div	strict's Raw ADM		326.89	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>32.725260</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.98

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 466 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	106.30	=	0.799055	x .2	0.159811	Х	106.30	_ = _	16.99
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C035 - MARBLE CITY

- If school district's total area in square miles 31.049270 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 106.30 divided by district's total area in square mile 31.049270 = District's Areal В Density <u>3.42</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	listrict's Raw ADM		106.30	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>31.049270</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{106.30}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.99

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 467 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	393.58	_ =	0.255992	x .2	0.051198	Х	393.58	_ = _	20.15
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C036 - BRUSHY

- If school district's total area in square miles 46.530590 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>393.58</u> divided by district's total area in square mile <u>46.530590</u> = District's Areal В Density <u>8.46</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>46.530590</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 393.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.15

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 468 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	169.09	=	0.680359	x .2	0.136072	Χ	169.09	_ = _	23.01
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C050 - BELFONTE

- If school district's total area in square miles __75.623500_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>169.09</u> divided by district's total area in square mile <u>75.623500</u> = District's Areal В Density <u>2.24</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	istrict's Raw ADM		169.09	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.623500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 169.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.01

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 469 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	347.57	=	0.342968	x .2	0.068594	Х _	347.57	_ = _	23.84
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C068 - MOFFETT

- If school district's total area in square miles <u>6.506510</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>347.57</u> divided by district's total area in square mile <u>6.506510</u> = District's Areal В Density <u>53.42</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		3/17 57	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>6.506510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>347.57</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.84

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 470 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,868.75	_ =	0.000000	x .2	0.000000	Х	1,868.75	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1001 - SALLISAW

- If school district's total area in square miles 137.294800 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,868.75 divided by district's total area in square mile 137.294800 = District's Areal В Density <u>13.61</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =		0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =		0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		1.868.75	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,868.75

0.00 5) (District's Square Miles <u>137.294800</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.868.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 471 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	840.27	=	0.000000	x .2	0.000000	Х	840.27	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1002 - VIAN

- If school district's total area in square miles 135.360580 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>840.27</u> divided by district's total area in square mile <u>135.360580</u> = District's Areal В Density <u>6.21</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

840.27

0.00 5) (District's Square Miles <u>135.360580</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 840.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 472 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,313.82	=	0.000000	x .2	0.000000	х _	1,313.82	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1003 - MULDROW

- If school district's total area in square miles <u>81.589020</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,313.82 divided by district's total area in square mile 81.589020 = District's Areal В Density 16.10.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,313.82

0.00 5) (District's Square Miles <u>81.589020</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.313.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 473 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	388.27	=	0.266030	x .2	0.053206	Х	388.27	=	20.66
	529	_					Same Year Raw ADM		Small School District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1004 - GANS

- If school district's total area in square miles _51.332950_ is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>388.27</u> divided by district's total area in square mile <u>51.332950</u> = District's Areal В Density <u>7.56</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	O =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by "Cb" from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0 =	0.00	
6-8 Cost Factor	6-8 ADM				_	_		
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_	_		
	388.27		trict's Raw ADM	divided by dis	0.00	ve	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>51.332950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 388.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.66

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 474 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	925.82	=	0.000000	x .2	0.000000	Х	925.82	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1005 - ROLAND

- If school district's total area in square miles 40.747100 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 925.82 divided by district's total area in square mile 40.747100 = District's Areal В Density 22.72 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		925.82	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>40.747100</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>925.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 475 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	518.36	_ =	0.020113	x .2	0.004023	Х	518.36	=_	2.09
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1006 - GORE

- If school district's total area in square miles _70.336890_ is greater than the state average area in square miles _137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>518.36</u> divided by district's total area in square mile <u>70.336890</u> = District's Areal В Density <u>7.37</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

518.36

0.00 5) (District's Square Miles <u>70.336890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>518.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.09

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 476 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	500.99	=	0.052949	x .2	0.010590	Х	500.99	=_	5.31
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1007 - CENTRAL

- If school district's total area in square miles 47.725200 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _500.99 divided by district's total area in square mile _47.725200 = District's Areal В Density 10.50.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	500 99		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.725200</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 500.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.31

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 477 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	124.58	=	0.764499	x .2	0.152900	Х _	124.58	=_	19.05
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: C082 - GRANDVIEW

- If school district's total area in square miles 45.567380 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>124.58</u> divided by district's total area in square mile <u>45.567380</u> = District's Areal В Density <u>2.73</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		124.58	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>45.567380</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 124.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.05

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 478 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,462.21	=	0.000000	x .2	0.000000	Х	3,462.21	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1001 - DUNCAN

- If school district's total area in square miles 67.215980 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,462.21 divided by district's total area in square mile 67.215980 = District's Areal В Density <u>51.51</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0000 x	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	0000 x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	0000 x	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	3 462 21	Л	strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>67.215980</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.462.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 479 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	917.11	=	0.000000	x .2	0.000000	Х	917.11	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1002 - COMANCHE

- If school district's total area in square miles 158.287370 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 917.11 divided by district's total area in square mile 158.287370 = District's Areal В Density <u>5.79</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM	917.11	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>158.287370</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 917.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 480 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,359.00	= _	0.000000	x .2	0.000000	Х	1,359.00	=	0.00
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1003 - MARLOW

- If school district's total area in square miles 63.599530 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,359.00 divided by district's total area in square mile 63.599530 = District's Areal В Density 21.37 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		1,359.00	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>63.599530</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.359.00}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 481 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	465.21	=	0.120586	x .2	0.024117	_ x	465.21	=_	11.22
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: I015 - VELMA-ALMA

- A. If school district's total area in square miles <u>229.319470</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>465.21</u> divided by district's total area in square mile <u>229.319470</u> = District's Areal Density <u>2.03</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	215.23	+	23 =	238.23	(Ca)
Grades	6th - 8th	119.11	+	133 =	252.11	(Cb)
Grades	PK3,9 -OHP	130.87	+	128 =	258.87	(Cc)
		465.21				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	238.23 =	0.310624	+ .85 =	1.160624	x 215.2	.3 =	249.80
					EC-5 ADN	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	252.11 =	0.483916	+ .85 =	1.333916	x 119.1	1 =	158.88
					6-8 ADN	M	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	258.87 =	1.127979	+ .78 =	1.907979	x 130.8	- 7 =	249.70
					9-OHP ADI	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	658.38	divided by dis	strict's Raw ADM	465.2	1	

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>229.319470</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.67</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 0.67 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 465.21 = Isolation Weight 130.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __130.91_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 482 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	528.64	= _	0.000681	x .2	0.000136	Х	528.64	=	0.07
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1021 - EMPIRE

- If school district's total area in square miles 105.034510 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>528.64</u> divided by district's total area in square mile <u>105.034510</u> = District's Areal В Density <u>5.03</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

528.64

0.00 5) (District's Square Miles <u>105.034510</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>528.64</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.07

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 483 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	410.06	=	0.224839	x .2	0.044968	Х	410.06	=	18.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1034 - CENTRAL HIGH

- If school district's total area in square miles <u>96.577500</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>410.06</u> divided by district's total area in square mile <u>96.577500</u> = District's Areal В Density <u>4.25</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	:	0.850000	Х	0.00 =	0.00
					•			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	=	0.000000	+ .85 =	:	0.850000	x	0.00 =	0.00
	_		_		-			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	=	0.000000	+ .78 =		0.780000	x	0.00 =	0.00
	_		_		-			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y distr	rict's Raw ADM		410.06	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>96.577500</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{410.06}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.44

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 484 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	306.70	=	0.420227	x .2	0.084045	Х	306.70	=_	25.78
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1042 - BRAY-DOYLE

- A. If school district's total area in square miles <u>235.831840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>306.70</u> divided by district's total area in square mile <u>235.831840</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	137.44	+	23 =	160.44	(Ca)
Grades	6th - 8th	67.76	+	133 =	200.76	(Cb)
Grades	PK3,9 -OHP	101.50	+	128 =	229.50	(Cc)
		306.70				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	160.44 =	0.461232	+ .85 =	1.311232	x 137.4	44 = 180.22
			•		EC-5 AD	M EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	200.76 =	0.607691	+ .85 =	1.457691	x67.7	76 = 98.77
					6-8 AD	M 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	229.50 =	1.272331	+ .78 =	2.052331	x 101.5	50 = 208.31
					9-OHP AD	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	487.30	divided by d	istrict's Raw ADM	306.7	70

- 1.00 = District Cost Factor

0.59

5) (District's Square Miles <u>235.831840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.72</u>

1.59

- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 0.72 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{306.70}$ = Isolation Weight $\underline{130.29}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 130.29

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 485 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	48.29	=	0.908715	x .2	0.181743	Х	48.29	=_	8.78
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: C009 - OPTIMA

- A. If school district's total area in square miles <u>59.012600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>48.29</u> divided by district's total area in square mile <u>59.012600</u> = District's Areal Density <u>0.82</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

48.29

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 59.012600 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{48.29}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 8.78

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 486 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	40.03	=_	0.924329	x .2	0.184866	х	40.03	_ = _	7.40
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: C080 - STRAIGHT

- A. If school district's total area in square miles <u>150.330660</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>40.03</u> divided by district's total area in square mile <u>150.330660</u> = District's Areal Density <u>0.27</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	37.03	+	23 =	60.03	(Ca)
Grades	6th - 8th	3.00	+	133 =	136.00	(Cb)
Grades	PK3,9 -OHP	0.00	+	128 =	0.00	(Cc)
		40.03				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	60.03 =	1.232717	+ .85 =	2.082717	x 37.03 =	77.12
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	136.00 =	0.897059	+ .85 =	1.747059	x 3.00 =	5.24
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ġ.				
	0.00 =	0.000000	+ .78 =	0.000000	x	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	82.36	divided by dis	strict's Raw ADM	40.03	

- 1.00 = District Cost Factor

1.06

5) (District's Square Miles <u>150.330660</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.10</u>

2.06

- 6) Multiply District Cost Factor (Line 4 above) 1.06 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{40.03}{100}$ = Isolation Weight $\frac{4.24}{1000}$

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 487 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	75.89	=	0.856541	x .2	0.171308	Х	75.89	=_	13.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I001 - YARBROUGH

- A. If school district's total area in square miles <u>375.985090</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>75.89</u> divided by district's total area in square mile <u>375.985090</u> = District's Areal Density <u>0.20</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	34.89	+	23 =	57.89	(Ca)
Grades	6th - 8th	20.00	+	133 =	153.00	(Cb)
Grades	PK3,9 -OHP	21.00	+	128 =	149.00	(Cc)
		75.89				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	57.89 =	1.278286	+ .85 =	2.128286	х	34.89 =	74.26
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve					
	153.00 =	0.797386	+ .85 =	1.647386	х	20.00 =	32.95
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e					
	149.00 =	1.959732	+ .78 =	2.739732	х	21.00 =	57.53
					9-	-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	164.74	divided by di	strict's Raw ADM		75.89	

- 1.00 = District Cost Factor

1.17

5) (District's Square Miles <u>375.985090</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.74</u>

2.17

- 6) Multiply District Cost Factor (Line 4 above) 1.17 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 1.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>75.89</u> = Isolation Weight <u>88.79</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __88.79_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 488 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,047.67	=	0.000000	x .2	0.000000	Х	3,047.67	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I008 - GUYMON

- A. If school district's total area in square miles <u>360.722180</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,047.67</u> divided by district's total area in square mile <u>360.722180</u> = District's Areal Density <u>8.45</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		3,047.67	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>360.722180</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.047.67 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 489 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	71.79	_ =	0.864291	x .2	0.172858	х	71.79	_ = _	12.41
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I015 - HARDESTY

- A. If school district's total area in square miles <u>250.182820</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>71.79</u> divided by district's total area in square mile <u>250.182820</u> = District's Areal Density <u>0.29</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	36.43	+	23 =	59.43	(Ca)
Grades	6th - 8th	14.36	+	133 =	147.36	(Cb)
Grades	PK3,9 -OHP	21.00	+	128 =	149.00	(Cc)
		71.79				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	59.43 =	1.245162	+ .85 =	2.095162	x 36.43	= 76.33
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ve				
	147.36 =	0.827904	+ .85 =	1.677904	x 14.36	= 24.09
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	/e				
	149.00 =	1.959732	+ .78 =	2.739732	x 21.00	= 57.53
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	157.95	divided by di	strict's Raw ADM	71.79	

- 1.00 = District Cost Factor

1.20

5) (District's Square Miles <u>250.182820</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.83</u>

2.20

- 6) Multiply District Cost Factor (Line 4 above) 1.20 by lessor of the Area Factor (Line 5 above) 0.83 or 1.00 = Isolation Factor 1.00
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{71.79}{}$ = Isolation Weight $\frac{71.50}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __71.50_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 490 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	623.00	=	0.000000	x .2	0.000000	х _	623.00	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I023 - HOOKER

- A. If school district's total area in square miles <u>303.631560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>623.00</u> divided by district's total area in square mile <u>303.631560</u> = District's Areal Density <u>2.05</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	292.96	+	23 =	315.96	(Ca)
Grades	6th - 8th	146.02	+	133 =	279.02	(Cb)
Grades	PK3,9 -OHP	184.02	+	128 =	312.02	(Cc)
		623.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	315.96 =	0.234207	+ .85 =	1.084207	x 292.96	= 317.63
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	279.02 =	0.437245	+ .85 =	1.287245	x 146.02	= 187.96
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	312.02 =	0.935837	+ .78 =	1.715837	x 184.02	= 315.75
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	821.34	divided by dis	strict's Raw ADM	623.00	

- 1.00 = District Cost Factor

0.32

5) (District's Square Miles <u>303.631560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.22</u>

1.32

- 6) Multiply District Cost Factor (Line 4 above) 0.32 by lessor of the Area Factor (Line 5 above) 1.22 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 623.00 = Isolation Weight 199.36
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 199.36

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 491 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	229.25	=	0.566635	x .2	0.113327	Х	229.25	=	25.98
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: I053 - TYRONE**

- If school district's total area in square miles 66.952280 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>229.25</u> divided by district's total area in square mile <u>66.952280</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		229.25	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>66.952280</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 229.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.98

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 492 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	235.31	= _	0.555180	x .2	0.111036	Х	235.31	=	26.13
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: 1060 - GOODWELL

- A. If school district's total area in square miles <u>186.633890</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.31</u> divided by district's total area in square mile <u>186.633890</u> = District's Areal Density <u>1.26</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	115.28	+	23 =	138.28	(Ca)
Grades	6th - 8th	51.10	+	133 =	184.10	(Cb)
Grades	PK3,9 -OHP	68.93	+	128 =	196.93	(Cc)
		235.31				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	138.28 =	0.535146	+ .85 =	1.385146 x	115.28 =	159.68
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	184.10 =	0.662683	+ .85 =	1.512683 x	51.10 =	77.30
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	196.93 =	1.482760	+ .78 =	2.262760 x	68.93 =	155.97
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	392.95	divided by di	strict's Raw ADM	235.31	

- 1.00 = District Cost Factor

0.67

5) (District's Square Miles <u>186.633890</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.36</u>

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 0.36 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>235.31</u> = Isolation Weight <u>56.76</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __56.76_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 493 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw	Α	D	M
-----	---	---	---

529 -	238.93	_ =	0.548336	x .2	0.109667	Х _	238.93	=	26.20
_	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I061 - TEXHOMA

- A. If school district's total area in square miles <u>252.762280</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>238.93</u> divided by district's total area in square mile <u>252.762280</u> = District's Areal Density <u>0.95</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	97.98	+	23 =	120.98	(Ca)
Grades	6th - 8th	53.00	+	133 =	186.00	(Cb)
Grades	PK3,9 -OHP	87.95	+	128 =	215.95	(Cc)
		238.93				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	120.98 =	0.611671	+ .85 =	1.461671 x	97.98 =	143.21
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	186.00 =	0.655914	+ .85 =	1.505914 x	53.00 =	79.81
			_	<u> </u>	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	215.95 =	1.352165	+ .78 =	2.132165 x	87.95 =	187.52
			_		9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	410.54	divided by distri	ct's Raw ADM	238.93	
	=	1.72	- 1.00 = District	: Cost Factor	0.72	

- 5) (District's Square Miles <u>252.762280</u> <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.84</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 238.93 = Isolation Weight 144.50
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 144.50

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 494 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	36.90	=	0.930246	x .2	0.186049	х _	36.90	=_	6.87
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: C009 - DAVIDSON

- If school district's total area in square miles 127.774210 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>36.90</u> divided by district's total area in square mile <u>127.774210</u> = District's Areal В Density <u>0.29</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>127.774210</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 36.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.87

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 495 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

n			
ĸaw	Α	U	IV

529 -	263.12	=	0.502609	x .2	0.100522	Х	263.12	=	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: 1008 - TIPTON

- If school district's total area in square miles 170.242540 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>263.12</u> divided by district's total area in square mile <u>170.242540</u> = District's Areal В Density <u>1.55</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	115.31	+	23 =	138.31	(Ca)
Grades	6th - 8th	60.40	+	133 =	193.40	(Cb)
Grades	PK3,9 -OHP	87.41	+	128 =	215.41	(Cc)
		263.12			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	138.31 =	0.535030	+ .85 =	1.385030 x	115.31 =	159.71
			•		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	193.40 =	0.630817	+ .85 =	1.480817 x	60.40 =	89.44
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	215.41 =	1.355555	+ .78 =	2.135555 x	87.41 =	186.67
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	435.82	divided by distr	rict's Raw ADM	263.12	

divided by district's Raw ADM

- 1.00 = District Cost Factor

263.12

0.66

1.66 5) (District's Square Miles <u>170.242540</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.24</u>

435.82

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.24 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 263.12 = Isolation Weight 41.68
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 41.68

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 496 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	846.61	_ =	0.000000	x .2	0.000000	Х	846.61	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I158 - FREDERICK

- A. If school district's total area in square miles <u>206.958390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>846.61</u> divided by district's total area in square mile <u>206.958390</u> = District's Areal Density <u>4.09</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

846.61

5) (District's Square Miles <u>206.958390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>846.61</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 497 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	206.57	= _	0.609509	x .2	0.121902	Х _	206.57	=_	25.18
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I249 - GRANDFIELD

- A. If school district's total area in square miles <u>175.721740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>206.57</u> divided by district's total area in square mile <u>175.721740</u> = District's Areal Density <u>1.18</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	99.38	+	23 =	122.38	(Ca)
Grades	6th - 8th	54.96	+	133 =	187.96	(Cb)
Grades	PK3,9 -OHP	52.23	+	128 =	180.23	(Cc)
		206.57				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	122.38 =	0.604674	+ .85 =	1.454674	x 99.38	= 144.57
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	187.96 =	0.649074	+ .85 =	1.499074	x 54.96	= 82.39
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	9				
	180.23 =	1.620152	+ .78 =	2.400152	x 52.23	= 125.36
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	352.32	divided by distr	rict's Raw ADM	206.57	

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>175.721740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.28</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.28 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 206.57 = Isolation Weight 41.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 41.07

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 498 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	317.32	=	0.400151	x .2	0.080030	_ x	317.32	_ = _	25.40
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: C015 - KEYSTONE**

- If school district's total area in square miles 45.319250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>317.32</u> divided by district's total area in square mile <u>45.319250</u> = District's Areal В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		317.32	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>45.319250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.40

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 499 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	445.02	=	0.158752	x .2	0.031750	Х	445.02	=_	14.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E004 - TULSA CHARTER: SCHL ARTS/SCI.

A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.

an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

- Compute areal density: School District's Raw ADM <u>445.02</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>. В If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has
- C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		445.02	
	=	0.00	- 1.00 = Dist	rict Cost Factor		0	

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 445.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	526.06	=	0.005558	x .2	0.001112	Х	526.06	_ = _	0.58
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E005 - TULSA CHARTER: KIPP TULSA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>526.06</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	. 70 –	0.780000	0.00 -	0.00

0.850000 x

+ .85 =

0.00 =

0.00

9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 526.06

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{526.06}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 501 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	643.57	= _	0.000000	x .2	0.000000	Х	643.57	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E006 - TULSA LEGACY CHARTER SCHL INC

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>643.57</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	. 70 –	0.780000	0.00 -	0.00

0.850000 x

+ .85 =

0.00 =

0.00

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 643.57

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 643.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	478.61	=	0.095255	x .2	0.019051	Х	478.61	=_	9.12
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E017 - TULSA CHARTER: COLLEGE BOUND

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>478.61</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than $\underline{2.50}$, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of $\underline{2.50}$, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

- 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 478.61

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{478.61}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 503 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	512.50	=	0.031191	x .2	0.006238	х _	512.50	=_	3.20
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E018 - TULSA CHARTER: HONOR ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>512.50</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Privacy Level: Public

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

+ .85 =

0.00 =

0.00

- 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 512.50 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{512.50}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	230.23	=	0.564783	x .2	0.112957	х _	230.23	=_	26.01
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E019 - TULSA CHARTER: COLLEGIATE HALL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>230.23</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from a	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

+ .85 =

0.00 =

230.23

0.00

5) (District's Square Miles <u>0</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 230.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 505 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	250.11	=	0.527202	x .2	0.105440	Х	250.11	_ = _	26.37
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G001 - DEBORAH BROWN (CHARTER)

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>250.11</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 250.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>250.11</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 506 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,223.49	_ =	0.000000	x .2	0.000000	Х	1,223.49	_ = _	0.00
_	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: G003 - DOVE SCHOOLS OF TULSA**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,223.49 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,223.49 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>0</u> <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.223.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	108.56	=	0.794783	x .2	0.158957	Х _	108.56	_ = _	17.26
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G004 - SANKOFA MIDDLE SCHL (CHARTER)

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 108.56 divided by district's total area in square mile 0 = District's Areal Density 0.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above				
	0.00 = 0.00	00000 + .85 =	0.850000	x	= 0.00
		<u></u>		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.00 = 0.00	00000 + .78 =	0.780000	x 0.00 =	= 0.00
				9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 108.56

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.00000) divided by 137.00000 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{108.56}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 508 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	35,403.36	_ =	0.000000	x .2	0.000000	Х	35,403.36	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I001 - TULSA

- A. If school district's total area in square miles <u>177.409410</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>35,403.36</u> divided by district's total area in square mile <u>177.409410</u> = District's Areal Density <u>199.56</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		35,403.36	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>177.409410</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 35.403.36 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 509 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	5,033.34	=	0.000000	x .2	0.000000	Х	5,033.34	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1002 - SAND SPRINGS**

- If school district's total area in square miles __75.164050_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,033.34</u> divided by district's total area in square mile <u>75.164050</u> = District's Areal В Density <u>66.96</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
				_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM		5,033.34	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.164050</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.033.34 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 510 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	19,377.39	=	0.000000	x .2	0.000000	Х	19,377.39	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I003 - BROKEN ARROW

- A. If school district's total area in square miles <u>104.696790</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>19,377.39</u> divided by district's total area in square mile <u>104.696790</u> = District's Areal Density <u>185.08</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		19,377.39	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>104.696790</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 19.377.39 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 511 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	6,715.60	=	0.000000	x .2	0.000000	Х	6,715.60	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I004 - BIXBY

- If school district's total area in square miles __75.116750_ is greater than the state average area in square miles __137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>6,715.60</u> divided by district's total area in square mile <u>75.116750</u> = District's Areal В Density 89.40.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's Raw ADM		6,715.60	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.116750</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6.715.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 512 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	12,489.32	= _	0.000000	x .2	0.000000	Х	12,489.32	=	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I005 - JENKS

- A. If school district's total area in square miles <u>39.810430</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>12,489.32</u> divided by district's total area in square mile <u>39.810430</u> = District's Areal Density <u>313.72</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		12,489.32	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>39.810430</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12.489.32 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 513 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	2,867.71	=	0.000000	x .2	0.000000	х	2,867.71	_ = _	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I006 - COLLINSVILLE**

- A. If school district's total area in square miles <u>63.843230</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,867.71 divided by district's total area in square mile 63.843230 = District's Areal В Density 44.92 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		2.867.71	

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,867.71

0.00 5) (District's Square Miles <u>63.843230</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.867.71</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 514 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,356.15	=	0.000000	x .2	0.000000	Х	2,356.15	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1007 - SKIATOOK**

- If school district's total area in square miles <u>89.638390</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,356.15 divided by district's total area in square mile 89.638390 = District's Areal В Density 26.29 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		2.356.15	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.638390</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.356.15</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 515 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,037.34	=	0.000000	x .2	0.000000	X	1,037.34	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I008 - SPERRY**

- If school district's total area in square miles <u>57.002560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,037.34 divided by district's total area in square mile 57.002560 = District's Areal В Density 18.20 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		1,037.34	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>57.002560</u> - <u>137.00000</u>) divided by $\underline{137.00000}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.037.34 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 516 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	15,779.56	_ =	0.000000	x .2	0.000000	Х	15,779.56	=_	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I009 - UNION**

- If school district's total area in square miles 27.361700 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 15,779.56 divided by district's total area in square mile 27.361700 = District's Areal В Density <u>576.70</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .78	3 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d by	district's Raw ADM		15.779.56	

divided by district's Raw ADM

- 1.00 = District Cost Factor

15,779.56

0.00 5) (District's Square Miles <u>27.361700</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 15,779.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 517 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	1,180.11	= _	0.000000	x .2	0.000000	Х	1,180.11	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I010 - BERRYHILL**

- If school district's total area in square miles <u>9.381130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,180.11 divided by district's total area in square mile 9.381130 = District's Areal В Density 125.80 .

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	3. +	35 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	35 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .	78 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		1.180.11	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,180.11

0.00 5) (District's Square Miles <u>9.381130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,180.11}{1,180.11}$ = Isolation Weight $\frac{0.00}{1,180.11}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 518 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	9,771.95	_ =	0.000000	Х	.2	0.000000	X _	9,771.95	=	0.00
	529		_					Same Year	_	Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I011 - OWASSO**

- If school district's total area in square miles <u>72.429480</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 9,771.95 divided by district's total area in square mile 72.429480 = District's Areal В Density <u>134.92</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

9,771.95

0.00 5) (District's Square Miles <u>72.429480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 9.771.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 519 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,843.90	=	0.000000	x .2	0.000000	Х	2,843.90	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I013 - GLENPOOL**

- If school district's total area in square miles <u>18.069170</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,843.90 divided by district's total area in square mile 18.069170 = District's Areal В Density <u>157.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =		
EC-5 Cost Factor	EC-5 ADM							
						o" from above	2) 122 divided by " <u>Cb</u> " fr	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =		
6-8 Cost Factor	6-8 ADM				_			
						" from above	3) 292 divided by " <u>Cc</u> " fr	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =		
9-OHP Cost Factor	9-OHP ADM							
	2.843.90		trict's Raw ADM	divided by dis	0.00	m above	4) Sum 1 + 2 + 3 from a	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>18.069170</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.843.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 520 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	501.65	=	0.051701	x .2	0.010340	Х _	501.65	=_	5.19
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I014 - LIBERTY**

- If school district's total area in square miles 47.585500 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>501.65</u> divided by district's total area in square mile <u>47.585500</u> = District's Areal В Density 10.54.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		501.65	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.585500</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 501.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.19

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 521 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	361.94	_ =	0.315803	x .2	0.063161	Х	361.94	=	22.86
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1001 - OKAY

- If school district's total area in square miles 48.977250 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>361.94</u> divided by district's total area in square mile <u>48.977250</u> = District's Areal В Density <u>7.39</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	361.94	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>48.977250</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 361.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.86

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 522 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	3,357.42	=	0.000000	x .2	0.000000	Х	3,357.42	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I017 - COWETA

- A. If school district's total area in square miles <u>116.713440</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,357.42</u> divided by district's total area in square mile <u>116.713440</u> = District's Areal Density <u>28.77</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	!					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM		3,357.42	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>116.713440</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.357.42 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 523 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,256.14	=	0.000000	x .2	0.000000	Х	2,256.14	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I019 - WAGONER

- A. If school district's total area in square miles <u>144.204360</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,256.14</u> divided by district's total area in square mile <u>144.204360</u> = District's Areal Density <u>15.65</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
	<u> </u>				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
	<u> </u>				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve .				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

2,256.14

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 144.204360 - 137.00000) divided by 137.00000 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2,256.14}$ = Isolation Weight $\underline{0.00}$

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	584.46	=	0.000000	x .2	0.000000	Х	584.46	=	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1365 - PORTER CONSOLIDATED

- If school district's total area in square miles 119.014140 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>584.46</u> divided by district's total area in square mile <u>119.014140</u> = District's Areal В Density <u>4.91</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

584.46

0.00 5) (District's Square Miles <u>119.014140</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>584.46</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 525 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	200.09	=	0.621758	x .2	0.124352	Χ	200.09	_ = _	24.88
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1004 - COPAN

- If school district's total area in square miles <u>95.688670</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>200.09</u> divided by district's total area in square mile <u>95.688670</u> = District's Areal В Density <u>2.09</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		200.09	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>95.688670</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 200.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.88

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 526 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	1,238.17	=	0.000000	x .2	0.000000	Χ	1,238.17	_ = _	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1007 - DEWEY

- If school district's total area in square miles <u>86.206030</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,238.17 divided by district's total area in square mile 86.206030 = District's Areal В Density 14.36.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	· _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	_	0.000000	+ .78	3 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d by	district's Raw ADM		1.238.17	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,238.17

0.00 5) (District's Square Miles <u>86.206030</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.238.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 527 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	834.33	=	0.000000	x .2	0.000000	Х	834.33	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1018 - CANEY VALLEY

- A. If school district's total area in square miles <u>190.245520</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>834.33</u> divided by district's total area in square mile <u>190.245520</u> = District's Areal Density <u>4.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
	_					_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_			_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =		0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		834.33	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>190.245520</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 834.33 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 528 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	5,981.53	=	0.000000	x .2	0.000000	Х	5,981.53	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1030 - BARTLESVILLE

- If school district's total area in square miles <u>97.494490</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,981.53</u> divided by district's total area in square mile <u>97.494490</u> = District's Areal В Density 61.35.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		5,981.53	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>97.494490</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{5.981.53}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 529 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	312.12	=	0.409981	x .2	0.081996	Х	312.12	=	25.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1001 - SENTINEL

- A. If school district's total area in square miles <u>256.304160</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>312.12</u> divided by district's total area in square mile <u>256.304160</u> = District's Areal Density <u>1.22</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	145.03	+	23 =	168.03	(Ca)
Grades	6th - 8th	76.29	+	133 =	209.29	(Cb)
Grades	PK3,9 -OHP	90.80	+	128 =	218.80	(Cc)
		312.12				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	168.03 =	0.440398	+ .85 =	1.290398	x 145.03 =	187.15
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ve				
	209.29 =	0.582923	+ .85 =	1.432923	x 76.29 =	109.32
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e				
	218.80 =	1.334552	+ .78 =	2.114552	x 90.80 =	192.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	488.47	divided by di	strict's Raw ADM	312.12	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>256.304160</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.87</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 0.87 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 312.12 = Isolation Weight 154.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __154.78_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 530 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	593.01	=	0.000000	x .2	0.000000	Х	593.01	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I010 - BURNS FLAT-DILL CITY

- If school district's total area in square miles 131.994930 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>593.01</u> divided by district's total area in square mile <u>131.994930</u> = District's Areal В Density <u>4.49</u>.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		593.01	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>131.994930</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 593.01 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 531 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	353.48	=	0.331796	x .2	0.066359	Х	353.48	_ = _	23.46
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I011 - CANUTE

- A. If school district's total area in square miles <u>156.179290</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>353.48</u> divided by district's total area in square mile <u>156.179290</u> = District's Areal Density <u>2.26</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	161.52	+	23 =	184.52	(Ca)
Grades	6th - 8th	81.32	+	133 =	214.32	(Cb)
Grades	PK3,9 -OHP	110.64	+	128 =	238.64	(Cc)
		353.48				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	184.52 =	0.401041	+ .85 =	1.251041 x	161.52 =	202.07
	_		_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve				
	214.32 =	0.569242	+ .85 =	1.419242 x	81.32 =	115.41
	_			_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e				
	238.64 =	1.223600	+ .78 =	2.003600 x	110.64	221.68
	_		_	_	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	539.16	divided by distr	ict's Raw ADM	353.48	

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>156.179290</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.14</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.14 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 353.48 = Isolation Weight 26.23
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.23_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 532 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	673.73	=	0.000000	x .2	0.000000	Х	673.73	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1078 - CORDELL

- A. If school district's total area in square miles <u>349.602480</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>673.73</u> divided by district's total area in square mile <u>349.602480</u> = District's Areal Density <u>1.93</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	353.32	+	23 =	376.32	(Ca)
Grades	6th - 8th	145.39	+	133 =	278.39	(Cb)
Grades	PK3,9 -OHP	175.02	+	128 =	303.02	(Cc)
		673.73				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	376.32 =	0.196641	+ .85 =	1.046641	Χ	353.32 =	369.80
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e					
	278.39 =	0.438234	+ .85 =	1.288234	х	145.39 =	187.30
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	303.02 =	0.963633	+ .78 =	1.743633	х	175.02 =	305.17
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	862.27	divided by dis	trict's Raw ADM		673.73	

- 1.00 = District Cost Factor

0.28

5) (District's Square Miles <u>349.602480</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.55</u>

1.28

- 6) Multiply District Cost Factor (Line 4 above) 0.28 by lessor of the Area Factor (Line 5 above) 1.55 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{673.73}$ = Isolation Weight $\underline{188.64}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __188.64_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 533 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D				
Kaw	Α	U	IV	

529 -	1,029.71	= _	0.000000	x .2	0.000000	Х	1,029.71	_ = _	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I001 - ALVA

- A. If school district's total area in square miles <u>633.569130</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,029.71</u> divided by district's total area in square mile <u>633.569130</u> = District's Areal Density <u>1.63</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	548.71	+	23 =	571.71	(Ca)
Grades	6th - 8th	223.81	+	133 =	356.81	(Cb)
Grades	PK3,9 -OHP	257.19	+	128 =	385.19	(Cc)
		1,029.71				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	571.71 =	0.129436	+ .85 =	0.979436	x 548.71	= 537.43
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	356.81 =	0.341919	+ .85 =	1.191919	x223.81	= 266.76
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	385.19 =	0.758067	+ .78 =	1.538067	x 257.19	= 395.58
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	1,199.77	divided by dis	trict's Raw ADM	1,029.71	_

- 1.00 = District Cost Factor

0.17

5) (District's Square Miles <u>633.569130</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>3.62</u>

1.17

- 6) Multiply District Cost Factor (Line 4 above) 0.17 by lessor of the Area Factor (Line 5 above) 3.62 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,029.71 = Isolation Weight 175.05
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __175.05_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 534 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	224.37	= _	0.575860	x .2	0.115172	х	224.37	_ = _	25.84
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I003 - WAYNOKA

- A. If school district's total area in square miles <u>488.365560</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>224.37</u> divided by district's total area in square mile <u>488.365560</u> = District's Areal Density <u>0.46</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	111.62	+	23 =	134.62	(Ca)
Grades	6th - 8th	55.00	+	133 =	188.00	(Cb)
Grades	PK3,9 -OHP	57.75	+	128 =	185.75	(Cc)
		224.37				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	134.62 =	0.549695	+ .85 =	1.399695	x 111.62 =	156.23
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	188.00 =	0.648936	+ .85 =	1.498936	x 55.00 =	82.44
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	185.75 =	1.572005	+ .78 =	2.352005	x 57.75 =	135.83
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	374.50	divided by dis	strict's Raw ADM	224.37	

- 1.00 = District Cost Factor

0.67

5) (District's Square Miles <u>488.365560</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.56</u>

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 2.56 or 1.00 = Isolation Factor 0.67
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 224.37 = Isolation Weight 150.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___150.33_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 535 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	50.17	=	0.905161	x .2	0.181032	Х	50.17	_ = _	9.08
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I006 - FREEDOM

- A. If school district's total area in square miles <u>498.953600</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>50.17</u> divided by district's total area in square mile <u>498.953600</u> = District's Areal Density <u>0.10</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	23.91	+	23 =	46.91	(Ca)
Grades	6th - 8th	9.46	+	133 =	142.46	(Cb)
Grades	PK3,9 -OHP	16.80	+	128 =	144.80	(Cc)
		50.17				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	46.91 =	1.577489	+ .85 =	2.427489	x 23.91 =	58.04
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	142.46 =	0.856381	+ .85 =	1.706381	x 9.46 =	16.14
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	144.80 =	2.016575	+ .78 =	2.796575	x 16.80 =	46.98
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

50.17

1.41

5) (District's Square Miles <u>498.953600</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>2.64</u>

121.16

2.41

- 6) Multiply District Cost Factor (Line 4 above) 1.41 by lessor of the Area Factor (Line 5 above) 2.64 or 1.00 = Isolation Factor 1.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 50.17 = Isolation Weight 70.74

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 536 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Raw ADM

529 -	2,675.10	_ =	0.000000	x .2	0.000000	Х	2,675.10	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: I001 - WOODWARD

- If school district's total area in square miles 212.691400 is greater than the state average area in square miles 137.00000, go to next step A. and compute areal density. If district has less than state average area in square miles 137.00000, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,675.10 divided by district's total area in square mile 212.691400 = District's Areal В Density 12.58.

If school district's areal density is less than 2.50, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,675.10

0.00 5) (District's Square Miles <u>212.691400</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.675.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 537 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	558.82	=	0.000000	x .2	0.000000	Х	558.82	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1002 - MOORELAND

- A. If school district's total area in square miles <u>401.985840</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>558.82</u> divided by district's total area in square mile <u>401.985840</u> = District's Areal Density <u>1.39</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	290.53	+	23 =	313.53	(Ca)
Grades	6th - 8th	124.88	+	133 =	257.88	(Cb)
Grades	PK3,9 -OHP	143.41	+	128 =	271.41	(Cc)
		558.82			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	313.53	=	0.236022	+ .85 =	1.086022	Х	290.53 =	=	315.52
							EC-5 ADM	_	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove							
	257.88	= _	0.473088	+ .85 =	1.323088	х	124.88 =	= _	165.23
							6-8 ADM		6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove							
	271.41	= _	1.075863	+ .78 =	1.855863	х	143.41	= _	266.15
							9-OHP ADM		9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		746.90	divided by	district's Raw ADM		558.82		

- 1.00 = District Cost Factor

0.34

5) (District's Square Miles <u>401.985840</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.93</u>

1.34

- 6) Multiply District Cost Factor (Line 4 above) 0.34 by lessor of the Area Factor (Line 5 above) 1.93 or 1.00 = Isolation Factor 0.34
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>558.82</u> = Isolation Weight <u>190.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 190.00

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 538 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	241.51	=	0.543459	x .2	0.108692	Х	241.51	=	26.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1003 - SHARON-MUTUAL

- A. If school district's total area in square miles <u>277.201740</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>241.51</u> divided by district's total area in square mile <u>277.201740</u> = District's Areal Density <u>0.87</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	131.73	+	23 =	154.73	(Ca)
Grades	6th - 8th	43.49	+	133 =	176.49	(Cb)
Grades	PK3,9 -OHP	66.29	+	128 =	194.29	(Cc)
		241.51				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	154.73 =	0.478252	+ .85 =	1.328252	x 131.	73 =	174.97
					EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve					
	176.49 =	0.691257	+ .85 =	1.541257	x 43.	49 =	67.03
					6-8 AD	M	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve					
	194.29 =	1.502908	+ .78 =	2.282908	x66.	29 =	151.33
					9-OHP AD	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	393.33	divided by di	strict's Raw ADM	241.	51	

- 1.00 = District Cost Factor

0.63

5) (District's Square Miles <u>277.201740</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>1.02</u>

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 1.02 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 241.51 = Isolation Weight 152.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __152.15_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 539 of 540

Small School and Isolation Weight

2019 - 2020

Statewide Report

2020 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	139.23	=	0.736805	x .2	0.147361	Х	139.23	=	20.52
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1005 - FORT SUPPLY

- A. If school district's total area in square miles <u>243.521950</u> is greater than the state average area in square miles <u>137.00000</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.00000</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>139.23</u> divided by district's total area in square mile <u>243.521950</u> = District's Areal Density <u>0.57</u>.

If school district's areal density is less than <u>2.50</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.50</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	69.84	+	23 =	92.84	(Ca)
Grades	6th - 8th	26.44	+	133 =	159.44	(Cb)
Grades	PK3,9 -OHP	42.95	+	128 =	170.95	(Cc)
		139.23				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	92.84 =	0.797070	+ .85 =	1.647070	Χ	69.84 =	115.03
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	159.44 =	0.765178	+ .85 =	1.615178	x	26.44 =	42.71
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	170.95 =	1.708102	+ .78 =	2.488102	x	42.95 =	106.86
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	264.60	divided by d	istrict's Raw ADM		139.23	

- 1.00 = District Cost Factor

0.90

5) (District's Square Miles <u>243.521950</u> - <u>137.00000</u>) divided by <u>137.00000</u> = Area Factor <u>0.78</u>

1.90

- 6) Multiply District Cost Factor (Line 4 above) 0.90 by lessor of the Area Factor (Line 5 above) 0.78 or 1.00 = Isolation Factor 0.70
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 139.23 = Isolation Weight 97.74
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __97.74_

Report# FB107b Printed: 1/5/2022 1:08:56 PM Page 540 of 540