Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	85.20	= _	0.838941	x .2	0.167788	Х	85.20	_ = _	14.30
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR District: C019 - PEAVINE

- A. If school district's total area in square miles <u>26.110064</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>85.20</u> divided by district's total area in square mile <u>26.110064</u> = District's Areal Density <u>3.26</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	o.00	= 0.00
		_		_	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	t's Raw ADM	85.20	
	=	0.00	- 1.00 = District	Cost Factor	0	

- 5) (District's Square Miles <u>26.110064</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) $\underline{0}$ by lessor of the Area Factor (Line 5 above) $\underline{0}$ or 1.00 = Isolation Factor $\underline{0}$
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 85.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the
 Weighted District Weight 14.30

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 1 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	648.82	= _	0.000000	x .2	0.000000	Х	648.82	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C022 - MARYETTA**

- If school district's total area in square miles 22.209573 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 648.82 divided by district's total area in square mile 22.209573 = District's Areal В Density 29.21 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
							_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove							
	0.00	= _	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove							
	0.00	= _	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divideo	d by di	strict's Raw ADM		648.82	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>22.209573</u> - <u>137.32596</u>) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 648.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 2 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	157.58	=	0.702117	x .2	0.140423	X	157.58	=_	22.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C024 - ROCKY MOUNTAIN**

- If school district's total area in square miles 19.653479 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>157.58</u> divided by district's total area in square mile <u>19.653479</u> = District's Areal В Density <u>8.02</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

157.58

- 0.00 5) (District's Square Miles <u>19.653479</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{157.58}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.13

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 3 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	297.68	=	0.437278	x .2	0.087456	Х	297.68	=_	26.03
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C028 - ZION**

- If school district's total area in square miles 27.854027 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>297.68</u> divided by district's total area in square mile <u>27.854027</u> = District's Areal В Density 10.69.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		297.68	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.854027</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 297.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.03

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 4 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	161.55	=	0.694612	x .2	0.138922	Х	161.55	=_	22.44
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: C029 - DAHLONEGAH**

- If school district's total area in square miles 50.197864 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>161.55</u> divided by district's total area in square mile <u>50.197864</u> = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	rict's Raw ADM	161.55	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>50.197864</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{161.55}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.50

Page 5 of 541 Report# FB107b Printed: 1/5/2022 1:01:36 PM

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	240.21	=	0.545917	x .2	0.109183	Х	240.21	=_	26.23
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I004 - WATTS**

- If school district's total area in square miles <u>38.606161</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>240.21</u> divided by district's total area in square mile <u>38.606161</u> = District's Areal В Density <u>6.22</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

240.21

0.00 5) (District's Square Miles <u>38.606161</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 240.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.23</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 6 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	955.67	=	0.000000	x .2	0.000000	х _	955.67	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I011 - WESTVILLE**

- If school district's total area in square miles 194.715531 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>955.67</u> divided by district's total area in square mile <u>194.715531</u> = District's Areal В Density <u>4.91</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

955.67

- 0.00 5) (District's Square Miles <u>194.715531</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>955.67</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 7 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,339.19	=	0.000000	x .2	0.000000	Х	1,339.19	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR District: 1025 - STILWELL

- A. If school district's total area in square miles <u>127.851661</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,339.19</u> divided by district's total area in square mile <u>127.851661</u> = District's Areal Density <u>10.47</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,339.19

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 127.851661 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.339.19 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 8 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	174.03	=	0.671021	x .2	0.134204	Х	174.03	_ = _	23.36
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIR **District: I030 - CAVE SPRINGS**

- If school district's total area in square miles 39.116986 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>174.03</u> divided by district's total area in square mile <u>39.116986</u> = District's Areal В Density <u>4.45</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

174.03

- 0.00 5) (District's Square Miles <u>39.116986</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 174.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.36

Page 9 of 541 Report# FB107b Printed: 1/5/2022 1:01:36 PM

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	133.16	=	0.748280	x .2	0.149656	Х	133.16	_ = _	19.93
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: I001 - BURLINGTON

- A. If school district's total area in square miles <u>266.686471</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>133.16</u> divided by district's total area in square mile <u>266.686471</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	68.00	+	23 =	91.00	(Ca)
Grades	6th - 8th	28.96	+	133 =	161.96	(Cb)
Grades	PK3,9 -OHP	36.20	+	128 =	164.20	(Cc)
		133.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	91.00 =	0.813187	+ .85 =	1.663187	x 68.0	00 = 113.10
					EC-5 AD	DM EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	161.96 =	0.753272	+ .85 =	1.603272	x28.9	96 = 46.43
					6-8 AD	OM 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	164.20 =	1.778319	+ .78 =	2.558319	x36.2	20 = 92.61
					9-OHP AD	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	252.14	divided by di	strict's Raw ADM	133.1	16

- 1.00 = District Cost Factor

0.89

5) (District's Square Miles <u>266.686471</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.94</u>

1.89

- 6) Multiply District Cost Factor (Line 4 above) 0.89 by lessor of the Area Factor (Line 5 above) 0.94 or 1.00 = Isolation Factor 0.84
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 133.16 = Isolation Weight 111.85
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __111.85_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 10 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	415.80	=	0.213989	x .2	0.042798	х	415.80	_ = _	17.80
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1046 - CHEROKEE

- A. If school district's total area in square miles <u>179.384315</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>415.80</u> divided by district's total area in square mile <u>179.384315</u> = District's Areal Density <u>2.32</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	214.23	+	23 =	237.23	(Ca)
Grades	6th - 8th	92.17	+	133 =	225.17	(Cb)
Grades	PK3,9 -OHP	109.40	+	128 =	237.40	(Cc)
		415.80				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	237.23 =	0.311934	+ .85 =	1.161934	x 214.23	= 248.92
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve				
	225.17 =	0.541813	+ .85 =	1.391813	x 92.17	= 128.28
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e				
	237.40 =	1.229992	+ .78 =	2.009992	x109.40	= 219.89
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	597.09	divided by di	strict's Raw ADM	415.80	

- 1.00 = District Cost Factor

0.44

5) (District's Square Miles <u>179.384315</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.31</u>

1.44

- 6) Multiply District Cost Factor (Line 4 above) 0.44 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 415.80 = Isolation Weight 58.21
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __58.21_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 11 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	269.99	=	0.489622	x .2	0.097924	Х	269.99	=_	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFA District: 1093 - TIMBERLAKE

- A. If school district's total area in square miles <u>402.384607</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>269.99</u> divided by district's total area in square mile <u>402.384607</u> = District's Areal Density <u>0.67</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	138.79	+	23 =	161.79	(Ca)
Grades	6th - 8th	70.00	+	133 =	203.00	(Cb)
Grades	PK3,9 -OHP	61.20	+	128 =	189.20	(Cc)
		269.99				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	161.79 =	0.457383	+ .85 =	1.307383	Х	138.79 =	181.45
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	203.00 =	0.600985	+ .85 =	1.450985	x	70.00 =	101.57
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	189.20 =	1.543340	+ .78 =	2.323340	х	61.20 =	142.19
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

269.99

0.57

= 1.57 - 1.00 = District Cost Factor

425.21

5) (District's Square Miles <u>402.384607</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.93</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0.57</u> by lessor of the Area Factor (Line 5 above) <u>1.93</u> or 1.00 = Isolation Factor <u>0.57</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 269.99 = Isolation Weight 153.89
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __153.89_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 12 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	212.22	=	0.598828	x .2	0.119766	Х	212.22	=_	25.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: C021 - HARMONY**

- If school district's total area in square miles 89.853562 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>212.22</u> divided by district's total area in square mile <u>89.853562</u> = District's Areal В Density <u>2.36</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		212.22	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.853562</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.42

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 13 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	257.72	=	0.512817	x .2	0.102563	х	257.72	=	26.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: C022 - LANE

- A. If school district's total area in square miles <u>202.122267</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>257.72</u> divided by district's total area in square mile <u>202.122267</u> = District's Areal Density <u>1.28</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	180.44	+	23 =	203.44	(Ca)
Grades	6th - 8th	58.95	+	133 =	191.95	(Cb)
Grades	PK3,9 -OHP	18.33	+	128 =	146.33	(Cc)
		257.72				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	203.44 =	0.363744	+ .85 =	1.213744 x	180.44 =	219.01
				<u> </u>	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve				
	191.95 =	0.635582	+ .85 =	1.485582 x	× 58.95 =	87.58
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e				
	146.33 =	1.995490	+ .78 =	2.775490 x	(18.33 =	50.87
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	357.46	divided by distr	ict's Raw ADM	257.72	

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>202.122267</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.47</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.18
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 257.72 = Isolation Weight 46.39
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.39

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 14 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	231.12	=	0.563100	x .2	0.112620	Х	231.12	=_	26.03
	529			•			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I007 - STRINGTOWN

- A. If school district's total area in square miles <u>176.463264</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>231.12</u> divided by district's total area in square mile <u>176.463264</u> = District's Areal Density <u>1.31</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	99.67	+	23 =	122.67	(Ca)
Grades	6th - 8th	50.82	+	133 =	183.82	(Cb)
Grades	PK3,9 -OHP	80.63	+	128 =	208.63	(Cc)
		231.12				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	122.67 =	0.603244	+ .85 =	1.453244	x 99.67 =	= 144.84
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	183.82 =	0.663693	+ .85 =	1.513693	x 50.82 =	= 76.93
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	208.63 =	1.399607	+ .78 =	2.179607	x 80.63	= 175.74
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	397.51	divided by dis	strict's Raw ADM	231.12	

- 1.00 = District Cost Factor

0.72

5) (District's Square Miles <u>176.463264</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.28</u>

1.72

- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 0.28 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 231.12 = Isolation Weight 46.22
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 15 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	842.11	=	0.000000	Х	.2	0.0	000000	Х	842.11	= _	0.00
	529	_							Same Year		Small School
									Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: I015 - ATOKA

- A. If school district's total area in square miles <u>126.034090</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>842.11</u> divided by district's total area in square mile <u>126.034090</u> = District's Areal Density <u>6.68</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 842.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>126.034090</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 842.11 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 16 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	471.59	=	0.108526	x .2	0.021705	Х	471.59	_ = _	10.24
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA **District: I019 - TUSHKA**

- If school district's total area in square miles 60.167827 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>471.59</u> divided by district's total area in square mile <u>60.167827</u> = District's Areal В Density <u>7.84</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 471.59 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>60.167827</u> <u>137.32596</u>) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{471.59}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.24

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 17 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	256.96	=	0.514253	x .2	0.102851	х	256.96	=_	26.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKA District: 1026 - CANEY

- A. If school district's total area in square miles <u>85.132945</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>256.96</u> divided by district's total area in square mile <u>85.132945</u> = District's Areal Density <u>3.02</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

256.96

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 85.132945 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>256.96</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.43_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 18 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	282.24	_ =	0.466465	x .2	0.093293	Х _	282.24	=_	26.33
_	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I022 - BEAVER

- A. If school district's total area in square miles <u>304.586092</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>282.24</u> divided by district's total area in square mile <u>304.586092</u> = District's Areal Density <u>0.93</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	135.43	+	23 =	158.43	(Ca)
Grades	6th - 8th	66.51	+	133 =	199.51	(Cb)
Grades	PK3,9 -OHP	80.30	+	128 =	208.30	(Cc)
		282.24				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	158.43	=	0.467083	+ .85 =	1.317083	Х	135.43 =	178.37
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	199.51	=	0.611498	+ .85 =	1.461498	х	66.51 =	97.20
	<u> </u>						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	208.30	=	1.401824	+ .78 =	2.181824	х	80.30 =	175.20
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		450.77	divided by o	listrict's Raw ADM		282.24	

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>304.586092</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.22</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 1.22 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 282.24 = Isolation Weight 169.34
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 19 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	149.82	=	0.716786	x .2	0.143357	Х _	149.82	=_	21.48
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: 1075 - BALKO

- A. If school district's total area in square miles <u>441.150494</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>149.82</u> divided by district's total area in square mile <u>441.150494</u> = District's Areal Density <u>0.34</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	61.23	+	23 =	=	84.23	(Ca)
Grades	6th - 8th	40.46	+	133 =	= .	173.46	(Cb)
Grades	PK3,9 -OHP	48.13	+	128 =	=	176.13	(Cc)
		149.82			•	_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	84.23 =	0.878547	+ .85 =	1.728547	x 61.2	23 =	105.84
					EC-5 ADN	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	173.46 =	0.703332	+ .85 =	1.553332	x 40.4	6 =	62.85
					6-8 ADN	M	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	176.13 =	1.657866	+ .78 =	2.437866	x 48.1	3 =	117.33
					9-OHP ADN	M	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	286.02	divided by di	strict's Raw ADM	149.8	32	

- 1.00 = District Cost Factor

0.91

5) (District's Square Miles <u>441.150494</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.21</u>

1.91

- 6) Multiply District Cost Factor (Line 4 above) 0.91 by lessor of the Area Factor (Line 5 above) 2.21 or 1.00 = Isolation Factor 0.91
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 149.82 = Isolation Weight 136.34

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 20 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	114.43	=	0.783686	x .2	0.156737	Х _	114.43	=_	17.94
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I123 - FORGAN

- A. If school district's total area in square miles <u>375.823655</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>114.43</u> divided by district's total area in square mile <u>375.823655</u> = District's Areal Density <u>0.30</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	47.41	+	23 =	70.41	(Ca)
Grades	6th - 8th	23.95	+	133 =	156.95	(Cb)
Grades	PK3,9 -OHP	43.07	+	128 =	171.07	(Cc)
		114.43				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	70.41 =	1.050987	+ .85 =	1.900987	Х	47.41 =	90.13
					_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	ove					
	156.95 =	0.777318	+ .85 =	1.627318	х	23.95 =	38.97
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	171.07 =	1.706904	+ .78 =	2.486904	x	43.07 =	107.11
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	236.21	divided by div	strict's Raw ADM		114 43	

- 1.00 = District Cost Factor

1.06

5) (District's Square Miles <u>375.823655</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.74</u>

2.06

- 6) Multiply District Cost Factor (Line 4 above) 1.06 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 1.06
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 114.43 = Isolation Weight 121.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 121.30

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 21 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	417.58	= _	0.210624	x .2	0.042125	Х	417.58	=_	17.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVER District: I128 - TURPIN

- A. If school district's total area in square miles <u>356.676786</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>417.58</u> divided by district's total area in square mile <u>356.676786</u> = District's Areal Density <u>1.17</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	199.66	+	23 =	222.66	(Ca)
Grades	6th - 8th	94.89	+	133 =	227.89	(Cb)
Grades	PK3,9 -OHP	123.03	+	128 =	251.03	(Cc)
		417.58				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	222.66 =	0.332345	+ .85 =	1.182345	x 199.66 =	236.07
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	227.89 =	0.535346	+ .85 =	1.385346	x 94.89 =	131.46
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	251.03 =	1.163208	+ .78 =	1.943208	x 123.03 =	239.07
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	606.60	divided by dis	trict's Raw ADM	417.58	

- 1.00 = District Cost Factor

0.45

5) (District's Square Miles <u>356.676786</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.60</u>

1.45

- 6) Multiply District Cost Factor (Line 4 above) 0.45 by lessor of the Area Factor (Line 5 above) 1.60 or 1.00 = Isolation Factor 0.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 417.58 = Isolation Weight 187.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __187.91_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 22 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	847.95	= _	0.000000	x .2	0.000000	Х	847.95	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1002 - MERRITT

- A. If school district's total area in square miles <u>242.676847</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>847.95</u> divided by district's total area in square mile <u>242.676847</u> = District's Areal Density <u>3.49</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	·	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_			_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =	·	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by c	listrict's Raw ADM		847 95	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>242.676847</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 847.95 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 23 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	2,090.50	=	0.000000	x .2	0.000000	Х	2,090.50	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1006 - ELK CITY

- If school district's total area in square miles 63.328019 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,090.50 divided by district's total area in square mile 63.328019 = District's Areal В Density 33.01.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	= 0.850000	·	0.00 =	0.00
						E	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	(0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	= 0.780000	(0.00 =	0.00
						9-0	OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	oy district's Raw ADM		2,090.50	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>63.328019</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.090.50 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 24 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	688.72	= _	0.000000	x .2	0.000000	Х	688.72	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1031 - SAYRE

- A. If school district's total area in square miles <u>273.307459</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>688.72</u> divided by district's total area in square mile <u>273.307459</u> = District's Areal Density <u>2.52</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 688.72

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>273.307459</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 688.72 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 25 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	209.15	=	0.604631	x .2	0.120926	х _	209.15	=_	25.29
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAM District: 1051 - ERICK

- A. If school district's total area in square miles <u>269.051809</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>209.15</u> divided by district's total area in square mile <u>269.051809</u> = District's Areal Density <u>0.78</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	115.32	+	23 =	138.32	(Ca)
Grades	6th - 8th	42.35	+	133 =	175.35	(Cb)
Grades	PK3,9 -OHP	51.48	+	128 =	179.48	(Cc)
		209.15				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	138.32 =	0.534991	+ .85 =	1.384991	х	115.32 =	159.72
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve					
	175.35 =	0.695751	+ .85 =	1.545751	х	42.35 =	65.46
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	/e					
	179.48 =	1.626922	+ .78 =	2.406922	х	51.48 =	123.91
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

209.15

0.67

5) (District's Square Miles <u>269.051809</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.96</u>

349.09

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 0.96 or 1.00 = Isolation Factor 0.64
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 209.15 = Isolation Weight 133.86

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 26 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D	М

529 -	322.09	=	0.391134	x .2	0.078227	Х	322.09	_ = _	25.20
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1009 - OKEENE

- A. If school district's total area in square miles <u>226.015070</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>322.09</u> divided by district's total area in square mile <u>226.015070</u> = District's Areal Density <u>1.43</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	150.66	+	23 =	173.66	(Ca)
Grades	6th - 8th	79.78	+	133 =	212.78	(Cb)
Grades	PK3,9 -OHP	91.65	+	128 =	219.65	(Cc)
		322.09			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	173.66	=	0.426120	+ .85 =	1.276120	Χ	150.66 =	192.26
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	oove						
	212.78	=	0.573362	+ .85 =	1.423362	х	79.78 =	113.56
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	219.65	=	1.329388	+ .78 =	2.109388	х	91.65 =	193.33
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		499.15	divided by d	istrict's Raw ADM		322.09	

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>226.015070</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.65</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.65 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 322.09 = Isolation Weight 115.95
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __115.95_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 27 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	718.15	=	0.000000	x .2	0.000000	Х	718.15	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I042 - WATONGA

- If school district's total area in square miles 207.656024 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>718.15</u> divided by district's total area in square mile <u>207.656024</u> = District's Areal В Density <u>3.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

718.15

0.00 5) (District's Square Miles <u>207.656024</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{718.15}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 28 of 541

Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	288.54	=	0.454556	x .2	0.090911	х	288.54	_ = _	26.23
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: 1080 - GEARY

- A. If school district's total area in square miles <u>297.453978</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>288.54</u> divided by district's total area in square mile <u>297.453978</u> = District's Areal Density <u>0.97</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	145.58	+	23 =	168.58	(Ca)
Grades	6th - 8th	65.71	+	133 =	198.71	(Cb)
Grades	PK3,9 -OHP	77.25	+	128 =	205.25	(Cc)
		288.54				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	168.58	= _	0.438961	+ .85 =	1.288961	Х	145.58 =	187.65
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	198.71	= _	0.613960	+ .85 =	1.463960	х	65.71 =	96.20
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	205.25	=	1.422655	+ .78 =	2.202655	х	77.25 =	170.16
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		454.01	divided by	y district's Raw ADM		288.54	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>297.453978</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.17</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.57
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 288.54 = Isolation Weight 164.47
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __164.47_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 29 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	338.96	=	0.359244	x .2	0.071849	х	338.96	_ = _	24.35
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINE District: I105 - CANTON

- A. If school district's total area in square miles <u>252.192110</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>338.96</u> divided by district's total area in square mile <u>252.192110</u> = District's Areal Density <u>1.34</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	157.38	+	23 =	180.38	(Ca)
Grades	6th - 8th	88.63	+	133 =	221.63	(Cb)
Grades	PK3,9 -OHP	92.95	+	128 =	220.95	(Cc)
		338.96				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	180.38 =	0.410245	+ .85 =	1.260245 x	157.38 =	198.34
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	221.63 =	0.550467	+ .85 =	1.400467 x	88.63 =	124.12
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	220.95 =	1.321566	+ .78 =	2.101566 x	92.95 =	195.34
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	517.80	divided by dis	trict's Raw ADM	338.96	

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>252.192110</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.84</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 338.96 = Isolation Weight 152.53
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __152.53_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 30 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,042.23	=	0.000000	x .2	0.000000	Х	1,042.23	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I001 - SILO

- A. If school district's total area in square miles <u>121.031044</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,042.23</u> divided by district's total area in square mile <u>121.031044</u> = District's Areal Density <u>8.61</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		1,042.23	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>121.031044</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.042.23 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 31 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	477.24	=	0.097845	x .2	0.019569	х	477.24	_ = _	9.34
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1002 - ROCK CREEK

- A. If school district's total area in square miles <u>224.102368</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>477.24</u> divided by district's total area in square mile <u>224.102368</u> = District's Areal Density <u>2.13</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	262.57	+	23 =	285.57	(Ca)
Grades	6th - 8th	112.05	+	133 =	245.05	(Cb)
Grades	PK3,9 -OHP	102.62	+	128 =	230.62	(Cc)
		477.24				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	285.57 =	0.259131	+ .85 =	1.109131	x 262.57 =	291.22
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	245.05 =	0.497858	+ .85 =	1.347858	x 112.05 =	151.03
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	230.62 =	1.266152	+ .78 =	2.046152	x 102.62 =	209.98
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	652.23	divided by dis	strict's Raw ADM	477.24	

- 1.00 = District Cost Factor

0.37

5) (District's Square Miles <u>224.102368</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.63</u>

1.37

- 6) Multiply District Cost Factor (Line 4 above) 0.37 by lessor of the Area Factor (Line 5 above) 0.63 or 1.00 = Isolation Factor 0.23
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{477.24}{109.77}$ = Isolation Weight $\frac{109.77}{109.77}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __109.77_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 32 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	300.70	=	0.431569	x .2	0.086314	х	300.70	_ = _	25.95
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1003 - ACHILLE

- A. If school district's total area in square miles <u>166.219787</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>300.70</u> divided by district's total area in square mile <u>166.219787</u> = District's Areal Density <u>1.81</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	174.93	+	23 =	197.93	(Ca)
Grades	6th - 8th	50.98	+	133 =	183.98	(Cb)
Grades	PK3,9 -OHP	74.79	+	128 =	202.79	(Cc)
		300.70				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

214.09	174.93 =	1.223870 x	+ .85 =	0.373870	197.93 =	
EC-5 Cost Factor	EC-5 ADM					
					2) 122 divided by " <u>Cb</u> " from above	2)
77.14	50.98 =	1.513116 x	+ .85 =	0.663116	183.98 =	
6-8 Cost Factor	6-8 ADM					
					3) 292 divided by " <u>Cc</u> " from above	3)
166.03	74.79 =	2.219913 x	+ .78 =	1.439913	202.79 =	
9-OHP Cost Factor	9-OHP ADM					

divided by district's Raw ADM

- 1.00 = District Cost Factor

300.70

0.52

5) (District's Square Miles <u>166.219787</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.21</u>

457.26

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.21 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 300.70 = Isolation Weight 33.08
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.08

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 33 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	750.34	=	0.000000	x .2	0.000000	Х _	750.34	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I004 - COLBERT**

- If school district's total area in square miles 66.564941 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>750.34</u> divided by district's total area in square mile <u>66.564941</u> = District's Areal В Density 11.27.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

750.34

0.00 5) (District's Square Miles <u>66.564941</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{750.34}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 34 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	505.29	=	0.044820	x .2	0.008964	Х	505.29	=_	4.53
	529		<u> </u>				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: I005 - CADDO

- If school district's total area in square miles 134.572414 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>505.29</u> divided by district's total area in square mile <u>134.572414</u> = District's Areal В Density <u>3.75</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

505.29

0.00 5) (District's Square Miles <u>134.572414</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 505.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.53

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 35 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	307.24	=	0.419206	x .2	0.083841	Х	307.24	_ = _	25.76
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN District: 1040 - BENNINGTON

- A. If school district's total area in square miles <u>160.314259</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.24</u> divided by district's total area in square mile <u>160.314259</u> = District's Areal Density <u>1.92</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	142.03	+	23 =	165.03	(Ca)
Grades	6th - 8th	70.43	+	133 =	203.43	(Cb)
Grades	PK3,9 -OHP	94.78	+	128 =	222.78	(Cc)
		307.24				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	165.03	=	0.448403	+ .85 =	1.298403	х	142.03 =	184.41
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	203.43	=	0.599715	+ .85 =	1.449715	х	70.43 =	102.10
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	222.78	=	1.310710	+ .78 =	2.090710	х	94.78 =	198.16
			_				9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

307.24

0.58

5) (District's Square Miles <u>160.314259</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.17</u>

484.67

1.58

- 6) Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.24 = Isolation Weight 30.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.72

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 36 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	848.30	=	0.000000	x .2	0.000000	Х	848.30	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I048 - CALERA**

- If school district's total area in square miles 47.430924 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>848.30</u> divided by district's total area in square mile <u>47.430924</u> = District's Areal В Density <u>17.88</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

848.30

0.00 5) (District's Square Miles <u>47.430924</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 848.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 37 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,766.18	=	0.000000	x .2	0.000000	х	3,766.18	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYAN **District: I072 - DURANT**

- If school district's total area in square miles 43.218456 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,766.18 divided by district's total area in square mile 43.218456 = District's Areal В Density 87.14.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	3,766.18	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>43.218456</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.766.18 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 38 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	476.00	=	0.100189	x .2	0.020038	Х	476.00	=	9.54
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I011 - HYDRO-EAKLY

- A. If school district's total area in square miles <u>188.137547</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>476.00</u> divided by district's total area in square mile <u>188.137547</u> = District's Areal Density <u>2.53</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 476.00

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>188.137547</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{476.00}{1}$ = Isolation Weight $\frac{0.00}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.54

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 39 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	197.61	=	0.626446	x .2	0.125289	х	197.61	=_	24.76
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I012 - LOOKEBA SICKLES

- A. If school district's total area in square miles <u>106.100469</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>197.61</u> divided by district's total area in square mile <u>106.100469</u> = District's Areal Density <u>1.86</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 197.61

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>106.100469</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 197.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __24.76_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 40 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,437.45	= _	0.000000	x .2	0.000000	Х	1,437.45	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I020 - ANADARKO

- A. If school district's total area in square miles <u>109.440617</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,437.45</u> divided by district's total area in square mile <u>109.440617</u> = District's Areal Density <u>13.13</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,437.45

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>109.440617</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.437.45 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 41 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	533.74	=	0.000000	x .2	0.000000	Х	533.74	_ = _	0.00
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: 1033 - CARNEGIE

- A. If school district's total area in square miles <u>202.576716</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>533.74</u> divided by district's total area in square mile <u>202.576716</u> = District's Areal Density <u>2.63</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	533.74	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>202.576716</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>533.74</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 42 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	503.83	=	0.047580	x .2	0.009516	х	503.83	=_	4.79
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I056 - BOONE-APACHE**

- If school district's total area in square miles 137.519660 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>503.83</u> divided by district's total area in square mile <u>137.519660</u> = District's Areal В Density <u>3.66</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

503.83

- 0.00 5) (District's Square Miles <u>137.519660</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 503.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.79

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 43 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	363.90	<u> </u>	0.312098	x .2	0.062420	Х	363.90	=	22.71
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I064 - CYRIL

- If school district's total area in square miles <u>54.310151</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>363.90</u> divided by district's total area in square mile <u>54.310151</u> = District's Areal В Density <u>6.70</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

363.90

- 0.00 5) (District's Square Miles <u>54.310151</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 363.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.71

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 44 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	125.22	=	0.763289	x .2	0.152658	Х	125.22	=_	19.12
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I086 - GRACEMONT**

- If school district's total area in square miles 100.679072 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>125.22</u> divided by district's total area in square mile <u>100.679072</u> = District's Areal В Density <u>1.24</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	125.22	

divided by district's Raw ADM

- 1.00 = District Cost Factor

125.22

5) (District's Square Miles <u>100.679072</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 125.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.12

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 45 of 541

Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	209.11	=	0.604707	x .2	0.120941	Х	209.11	=	25.29
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO **District: I160 - CEMENT**

- If school district's total area in square miles 67.930551 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>209.11</u> divided by district's total area in square mile <u>67.930551</u> = District's Areal В Density 3.08.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	: _	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	x	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	x	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	l bv di	istrict's Raw ADM		209.11	

divided by district's Raw ADM

- 1.00 = District Cost Factor

209.11

0.00 5) (District's Square Miles <u>67.930551</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 209.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.29

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 46 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	725.79	=	0.000000	x .2	0.000000	Х	725.79	_ = _	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I161 - HINTON

- A. If school district's total area in square miles <u>171.591310</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>725.79</u> divided by district's total area in square mile <u>171.591310</u> = District's Areal Density <u>4.23</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from al	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 725.79

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>171.591310</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{725.79}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 47 of 541

Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	301.03	=	0.430945	x .2	0.086189	х	301.03	_ = _	25.95
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I167 - FORT COBB-BROXTON

- A. If school district's total area in square miles <u>154.589015</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>301.03</u> divided by district's total area in square mile <u>154.589015</u> = District's Areal Density <u>1.95</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	155.05	+	23 =	178.05	(Ca)
Grades	6th - 8th	68.04	+	133 =	201.04	(Cb)
Grades	PK3,9 -OHP	77.94	+	128 =	205.94	(Cc)
		301.03				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	178.05 =	0.415614	+ .85 =	1.265614 x	155.05 =	196.23
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	201.04 =	0.606844	+ .85 =	1.456844 x	68.04 =	99.12
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	205.94 =	1.417889	+ .78 =	2.197889 x	77.94 =	171.30
				<u> </u>	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	466.65	divided by dis	trict's Raw ADM	301.03	

- 1.00 = District Cost Factor

0.55

5) (District's Square Miles <u>154.589015</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.13</u>

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 301.03 = Isolation Weight 21.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.95_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 48 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	302.40	=	0.428355	x .2	0.085671	Х	302.40	_ = _	25.91
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDO District: I168 - BINGER-ONEY

- A. If school district's total area in square miles <u>150.021507</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>302.40</u> divided by district's total area in square mile <u>150.021507</u> = District's Areal Density <u>2.02</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	131.33	+	23 =	154.33	(Ca)
Grades	6th - 8th	72.18	+	133 =	205.18	(Cb)
Grades	PK3,9 -OHP	98.89	+	128 =	226.89	(Cc)
		302.40				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	154.33 =	= 0.479492	+ .85 =	1.329492	x 131.33 =	174.60
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	pove				
	205.18 =	= 0.594600	+ .85 =	1.444600	72.18 =	104.27
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove				
	226.89 =	= 1.286967	+ .78 =	2.066967	98.89 =	204.40
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

302.40

0.60

5) (District's Square Miles <u>150.021507</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.09</u>

483.27

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 0.09 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 302.40 = Isolation Weight 15.12
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.91_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 49 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	168.84	=	0.680832	Х	.2	_	0.136166	Х	168.84	=	22.99
	529	_	_						Same Year		Small School
									Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C029 - RIVERSIDE

- If school district's total area in square miles 32.753895 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>168.84</u> divided by district's total area in square mile <u>32.753895</u> = District's Areal В Density <u>5.15</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	(
EC-5 Cost Factor	EC-5 ADM							
						o" from above	2) 122 divided by " <u>Cb</u> " fr	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	(
6-8 Cost Factor	6-8 ADM				_			
						r from above	3) 292 divided by " <u>Cc</u> " fro	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	(
9-OHP Cost Factor	9-OHP ADM				_			
	168.84		trict's Raw ADM	divided by dis	0.00	m above	4) Sum 1 + 2 + 3 from a	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>32.753895</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 168.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.99

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 50 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	301.81	=	0.429471	x .2	0.085894	Х	301.81	_ = _	25.92
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C031 - BANNER

- If school district's total area in square miles 40.368332 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>301.81</u> divided by district's total area in square mile <u>40.368332</u> = District's Areal В Density <u>7.48</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

301.81

0.00 5) (District's Square Miles <u>40.368332</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 301.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.92

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 51 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	249.56	=	0.528242	x .2	0.105648	Х	249.56	=	26.37
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C070 - DARLINGTON

- A. If school district's total area in square miles <u>60.984587</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>249.56</u> divided by district's total area in square mile <u>60.984587</u> = District's Areal Density <u>4.09</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

249.56

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 60.984587 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 249.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.37_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 52 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	192.88	=	0.635388	x .2	0.127078	Х	192.88	=_	24.51
	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: C162 - MAPLE

- If school district's total area in square miles <u>92.634892</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 192.88 divided by district's total area in square mile 92.634892 = District's Areal В Density <u>2.08</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		192.88	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.634892</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 192.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.51

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 53 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	4,807.50	=	0.000000	x .2	0.000000	Х	4,807.50	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1022 - PIEDMONT

- If school district's total area in square miles <u>92.231777</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 4,807.50 divided by district's total area in square mile 92.231777 = District's Areal В Density <u>52.12</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	bv di	strict's Raw ADM		4.807.50	

divided by district's Raw ADM

- 1.00 = District Cost Factor

4,807.50

0.00 5) (District's Square Miles <u>92.231777</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4.807.50}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 54 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	9,093.57	=	0.000000	x .2	0.000000	Х	9,093.57	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1027 - YUKON

- If school district's total area in square miles <u>68.065667</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>9,093.57</u> divided by district's total area in square mile <u>68.065667</u> = District's Areal В Density <u>133.60</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

9,093.57

0.00 5) (District's Square Miles <u>68.065667</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 9.093.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 55 of 541

Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,824.72	=	0.000000	x .2	0.000000	Х	2,824.72	_ = _	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1034 - EL RENO

- If school district's total area in square miles 44.713649 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,824.72 divided by district's total area in square mile 44.713649 = District's Areal В Density <u>63.17</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,824.72

- 0.00 5) (District's Square Miles <u>44.713649</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.824.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 56 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	287.50	=	0.456522	x .2	0.091304	Х	287.50	_ = _	26.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1057 - UNION CITY

- If school district's total area in square miles <u>84.571058</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>287.50</u> divided by district's total area in square mile <u>84.571058</u> = District's Areal В Density <u>3.40</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

287.50

- 0.00 5) (District's Square Miles <u>84.571058</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>287.50</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.25

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 57 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	12,923.94	=	0.000000	x .2	2	0.000000	Х	12,923.94	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1069 - MUSTANG

- If school district's total area in square miles __73.276548_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12,923.94 divided by district's total area in square mile 73.276548 = District's Areal В Density <u>176.37</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		· ·					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
		· ·					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		12 923 94	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>73.276548</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12.923.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 58 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	292.14	=	0.447750	x .2	0.089550	Х	292.14	=_	26.16
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIAN District: 1076 - CALUMET

- If school district's total area in square miles <u>94.926781</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>292.14</u> divided by district's total area in square mile <u>94.926781</u> = District's Areal В Density 3.08.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	292.14	

divided by district's Raw ADM

- 1.00 = District Cost Factor

292.14

0.00 5) (District's Square Miles <u>94.926781</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.16</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 59 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	298.69	=	0.435369	x .2	0.087074	Х	298.69	_ = _	26.01
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: C072 - ZANEIS

- A. If school district's total area in square miles <u>57.420945</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>298.69</u> divided by district's total area in square mile <u>57.420945</u> = District's Areal Density <u>5.20</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

298.69

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles <u>57.420945</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 298.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.01_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 60 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,611.48	=	0.000000	x .2	0.000000	Х	2,611.48	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I019 - ARDMORE

- If school district's total area in square miles 27.421768 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,611.48 divided by district's total area in square mile 27.421768 = District's Areal В Density <u>95.23</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		·			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	2,611.48	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>27.421768</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.611.48</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 61 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	229.84	=	0.565520	x .2	0.113104	Х _	229.84	=_	26.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I021 - SPRINGER

- A. If school district's total area in square miles <u>102.137857</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>229.84</u> divided by district's total area in square mile <u>102.137857</u> = District's Areal Density <u>2.25</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

229.84

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>102.137857</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 229.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.00_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 62 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
Kaw	Α	U	IV

529 -	1,570.64	=	0.000000	x .2	0.000000	Х	1,570.64	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I027 - PLAINVIEW

- If school district's total area in square miles <u>74.309719</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,570.64 divided by district's total area in square mile 74.309719 = District's Areal В Density 21.14.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,570.64

0.00 5) (District's Square Miles <u>74.309719</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.570.64}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 63 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,396.80	_ =	0.000000	x .2	0.000000	Х	1,396.80	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I032 - LONE GROVE

- A. If school district's total area in square miles <u>127.581380</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,396.80</u> divided by district's total area in square mile <u>127.581380</u> = District's Areal Density <u>10.95</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,396.80

5) (District's Square Miles <u>127.581380</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.396.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 64 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	441.13	=	0.166106	x .2	0.033221	Х	441.13	=_	14.65
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I043 - WILSON

- A. If school district's total area in square miles <u>91.157194</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>441.13</u> divided by district's total area in square mile <u>91.157194</u> = District's Areal Density <u>4.84</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	⁄e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

441.13

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 91.157194 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 441.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.65

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	492.15	=	0.069660	x .2	0.013932	х _	492.15	=_	6.86
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: 1055 - HEALDTON

- If school district's total area in square miles <u>98.205114</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>492.15</u> divided by district's total area in square mile <u>98.205114</u> = District's Areal В Density <u>5.01</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_	-	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_	_	-	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	492.15	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>98.205114</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 492.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.86

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 66 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	193.89	=	0.633478	x .2	0.126696	X	193.89	=	24.57
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: 1074 - FOX

- If school district's total area in square miles 135.351214 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>193.89</u> divided by district's total area in square mile <u>135.351214</u> = District's Areal В Density <u>1.43</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

193.89

- 0.00 5) (District's Square Miles <u>135.351214</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 193.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.57

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,362.16	_ =	0.000000	x .2	0.000000	Х	1,362.16	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTER District: I077 - DICKSON

- A. If school district's total area in square miles <u>127.942430</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,362.16</u> divided by district's total area in square mile <u>127.942430</u> = District's Areal Density <u>10.65</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,362.16

5) (District's Square Miles <u>127.942430</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.362.16}{1.362.16}$ = Isolation Weight $\frac{0.00}{1.362.16}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 68 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	110.67	=	0.790794	x .2	0.158159	Х	110.67	=_	17.50
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C010 - LOWREY

- If school district's total area in square miles <u>52.171045</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>110.67</u> divided by district's total area in square mile <u>52.171045</u> = District's Areal В Density <u>2.12</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	· · · · · · · · · · · · · · · · · · ·					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

110.67

0.00 5) (District's Square Miles <u>52.171045</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 110.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.50

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 69 of 541

Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	124.80	= _	0.764083	x .2	0.152817	Х	124.80	=_	19.07
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C014 - NORWOOD

- If school district's total area in square miles 30.066354 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>124.80</u> divided by district's total area in square mile <u>30.066354</u> = District's Areal В Density <u>4.15</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		124.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.066354</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 124.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.07

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	414.54	= _	0.216371	x .2	0.043274	Х	414.54	=	17.94
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C021 - WOODALL

- If school district's total area in square miles 22.852997 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>414.54</u> divided by district's total area in square mile <u>22.852997</u> = District's Areal В Density 18.14.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	414.54	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.852997</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{414.54}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.94

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 71 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	122.73	=	0.767996	x .2	0.153599	Х	122.73	=	18.85
	529					Same Year			Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C026 - SHADY GROVE

- If school district's total area in square miles 24.082971 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 122.73 divided by district's total area in square mile 24.082971 = District's Areal В Density <u>5.10</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

122.73

0.00 5) (District's Square Miles <u>24.082971</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 122.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.85

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 72 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	183.62	=	0.652892	x .2	0.130578	Х	183.62	=_	23.98
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C031 - PEGGS

- If school district's total area in square miles 69.696522 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>183.62</u> divided by district's total area in square mile <u>69.696522</u> = District's Areal В Density <u>2.63</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		183.62	

divided by district's Raw ADM

- 1.00 = District Cost Factor

183.62

0.00 5) (District's Square Miles <u>69.696522</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 183.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.98

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 73 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	472.86	=	0.106125	x .2	0.021225	Х	472.86	_ = _	10.04
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C034 - GRAND VIEW

- If school district's total area in square miles 29.378134 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>472.86</u> divided by district's total area in square mile <u>29.378134</u> = District's Areal В Density 16.10.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 :	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		472.86	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>29.378134</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{472.86}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.04

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 74 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	410.25	=	0.224480	x .2	0.044896	Х	410.25	=	18.42
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C044 - BRIGGS

- A. If school district's total area in square miles <u>64.134053</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>410.25</u> divided by district's total area in square mile <u>64.134053</u> = District's Areal Density <u>6.40</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

410.25

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 64.134053 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{410.25}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __18.42_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 75 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	218.35	=	0.587240	x .2	0.117448	Х	218.35	=_	25.64
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: C066 - TENKILLER

- If school district's total area in square miles 49.474638 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.35</u> divided by district's total area in square mile <u>49.474638</u> = District's Areal В Density <u>4.41</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

0.00	0.00 =	0.850000 x	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM			_		
					2) 122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	0.850000 x	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM			_		
					2) 292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	0.780000 x	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM			_		

divided by district's Raw ADM

- 1.00 = District Cost Factor

218.35

0.00 5) (District's Square Miles <u>49.474638</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>218.35</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.64</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 76 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	751.75	=	0.000000	x .2	0.000000	Х	751.75	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1006 - KEYS

- A. If school district's total area in square miles <u>109.176663</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>751.75</u> divided by district's total area in square mile <u>109.176663</u> = District's Areal Density <u>6.89</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

751.75

5) (District's Square Miles <u>109.176663</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{751.75}{}$ = Isolation Weight $\frac{0.00}{}$

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	566.60	=	0.000000	x .2	0.000000	Х	566.60	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: I016 - HULBERT

- If school district's total area in square miles 91.399581 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>566.60</u> divided by district's total area in square mile <u>91.399581</u> = District's Areal В Density <u>6.20</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						n above	122 divided by "Cb" from a	2)
0.00	0.00 =	x	0.850000	+ .85 =	0.000000	0 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	x	0.780000	+ .78 =	0.000000	0 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	566.60		trict's Raw ADM	divided by dis	0.00	ve	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>91.399581</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 566.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 78 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,483.96	_ = _	0.000000	x .2	0.000000	Х	3,483.96	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: 1035 - TAHLEQUAH

- A. If school district's total area in square miles <u>139.607547</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,483.96</u> divided by district's total area in square mile <u>139.607547</u> = District's Areal Density <u>24.96</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,483.96

5) (District's Square Miles <u>139.607547</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.483.96 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 79 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	100.11	=_	0.810756	x .2	0.162151	Х	100.11	=	16.23
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEE District: T001 - CHEROKEE IMMERSION CHARTER SCH

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>100.11</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above				
	0.00 = 0.00	0000 + .85	= 0.850000	x0.00	= 0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.00 = 0.00	0000 + .78 =	0.780000	x 0.00	= 0.00
				9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 100.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 100.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 80 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	297.28	=	0.438034	x .2	0.087607	х	297.28	_ = _	26.04
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I001 - BOSWELL

- A. If school district's total area in square miles <u>178.416899</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>297.28</u> divided by district's total area in square mile <u>178.416899</u> = District's Areal Density <u>1.67</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	156.25	+	23 =	179.25	(Ca)
Grades	6th - 8th	71.28	+	133 =	204.28	(Cb)
Grades	PK3,9 -OHP	69.75	+	128 =	197.75	(Cc)
		297.28				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	179.25 =	0.412831	+ .85 =	1.262831	х	156.25 =	197.32
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	204.28 =	0.597220	+ .85 =	1.447220	х	71.28 =	103.16
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	197.75 =	1.476612	+ .78 =	2.256612	х	69.75 =	157.40
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

297.28

0.54

= 1.54 - 1.00 = District Cost Factor

457.88

5) (District's Square Miles <u>178.416899</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.30</u>

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 297.28 = Isolation Weight 47.56
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 47.56

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 81 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	280.94	=	0.468922	x .2	0.093784	х	280.94	=_	26.35
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I002 - FORT TOWSON

- A. If school district's total area in square miles <u>193.390285</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>280.94</u> divided by district's total area in square mile <u>193.390285</u> = District's Areal Density <u>1.45</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	130.15	+	23 =	153.15	(Ca)
Grades	6th - 8th	62.82	+	133 =	195.82	(Cb)
Grades	PK3,9 -OHP	87.97	+	128 =	215.97	(Cc)
		280.94				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	153.15 =	0.483186	+ .85 =	1.333186	х	130.15 =	173.51
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	195.82 =	0.623021	+ .85 =	1.473021	x	62.82 =	92.54
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	215.97 =	1.352040	+ .78 =	2.132040	х	87.97 =	187.56
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

280.94

= 1.61 - 1.00 = District Cost Factor 0

5) (District's Square Miles 193.390285 - 137.32596) divided by 137.32596 = Area Factor 0.41

453.61

- 6) Multiply District Cost Factor (Line 4 above) <u>0.61</u> by lessor of the Area Factor (Line 5 above) <u>0.41</u> or 1.00 = Isolation Factor <u>0.25</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 280.94 = Isolation Weight 70.24

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 82 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	349.36	=	0.339584	x .2	0.067917	Х	349.36	=	23.73
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I004 - SOPER

- A. If school district's total area in square miles <u>138.451986</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>349.36</u> divided by district's total area in square mile <u>138.451986</u> = District's Areal Density <u>2.52</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0 x	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	0 x	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	0 x	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	349.36		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>138.451986</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 349.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.73_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 83 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,178.90	=_	0.000000	x .2	0.000000	X	1,178.90	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAW District: I039 - HUGO

- If school district's total area in square miles 249.674973 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,178.90 divided by district's total area in square mile 249.674973 = District's Areal В Density <u>4.72</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,178.90

0.00 5) (District's Square Miles <u>249.674973</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.178.90}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 84 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	309.04	= _	0.415803	x .2	0.083161	Х	309.04	=	25.70
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: 1002 - BOISE CITY

- A. If school district's total area in square miles <u>1444.494272</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>309.04</u> divided by district's total area in square mile <u>1444.494272</u> = District's Areal Density <u>0.21</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	150.88	+	23 =	173.88	(Ca)
Grades	6th - 8th	81.56	+	133 =	214.56	(Cb)
Grades	PK3,9 -OHP	76.60	+	128 =	204.60	(Cc)
		309.04				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	173.88 =	0.425581	+ .85 =	1.275581	x 150.88 =	192.46
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	214.56 =	= 0.568606	+ .85 =	1.418606	x <u>81.56</u> =	115.70
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	204.60 =	= 1.427175	+ .78 =	2.207175	x 76.60 =	169.07
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	477.23	divided by di	strict's Raw ADM	309.04	

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>1444.494272</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>9.52</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 9.52 or 1.00 = Isolation Factor 0.54
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 309.04 = Isolation Weight 166.88
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>166.88</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 85 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	71.30	=	0.865217	x .2	0.173043	Х	71.30	=	12.34
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRON District: I010 - FELT

- A. If school district's total area in square miles <u>345.789441</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>71.30</u> divided by district's total area in square mile <u>345.789441</u> = District's Areal Density <u>0.21</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	29.81	+	23 =	52.81	(Ca)
Grades	6th - 8th	16.00	+	133 =	149.00	(Cb)
Grades	PK3,9 -OHP	25.49	+	128 =	153.49	(Cc)
		71.30				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	52.81 =	1.401250	+ .85 =	2.251250	x 29.81	= 67.11
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	149.00 =	0.818792	+ .85 =	1.668792	x 16.00	26.70
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	153.49 =	1.902404	+ .78 =	2.682404	x 25.49	9 = 68.37
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	162.18	divided by di	strict's Raw ADM	71.30)

- 1.00 = District Cost Factor

1.27

5) (District's Square Miles <u>345.789441</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.52</u>

2.27

- 6) Multiply District Cost Factor (Line 4 above) 1.27 by lessor of the Area Factor (Line 5 above) 1.52 or 1.00 = Isolation Factor 1.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{71.30}{}$ = Isolation Weight $\frac{}{}$ 90.55
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __90.55_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 86 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	365.75	=	0.308601	x .2	0.061720	х	365.75	=_	22.57
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: C016 - ROBIN HILL

- If school district's total area in square miles 17.074035 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>365.75</u> divided by district's total area in square mile <u>17.074035</u> = District's Areal В Density 21.42 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		·					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		365.75	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>17.074035</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 365.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.57

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 87 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	24,297.52	=	0.000000	x .2	0.000000	Х	24,297.52	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1002 - MOORE

- If school district's total area in square miles 124.946483 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>24,297.52</u> divided by district's total area in square mile <u>124.946483</u> = District's Areal В Density <u>194.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

24,297.52

0.00 5) (District's Square Miles <u>124.946483</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 24,297.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 88 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	15,369.56	=	0.000000	x .2	0.000000	х	15,369.56	_ = _	0.00
	529			·			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: I029 - NORMAN

- A. If school district's total area in square miles <u>128.099108</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>15,369.56</u> divided by district's total area in square mile <u>128.099108</u> = District's Areal Density <u>119.98</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	00 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						n above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	00 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						n above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	00 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	15.369.56		trict's Raw ADM	divided by dis	0.00	ove	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>128.099108</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>15.369.56</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 89 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,964.07	=	0.000000	x .2	0.000000	х	2,964.07	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: I040 - NOBLE

- A. If school district's total area in square miles <u>118.711831</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,964.07</u> divided by district's total area in square mile <u>118.711831</u> = District's Areal Density <u>24.97</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					EC	C-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					(6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	/e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-0	HP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,964.07

5) (District's Square Miles <u>118.711831</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.964.07 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 90 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	993.31	=	0.000000	x .2	0.000000	Х	993.31	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1057 - LEXINGTON

- If school district's total area in square miles 104.733036 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 993.31 divided by district's total area in square mile 104.733036 = District's Areal В Density <u>9.48</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		•
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		•
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	993 31		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>104.733036</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 993.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 91 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,098.63	_ =	0.000000	x .2	0.000000	Х	1,098.63	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELAND District: 1070 - LITTLE AXE

- If school district's total area in square miles <u>57.031239</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,098.63 divided by district's total area in square mile 57.031239 = District's Areal В Density 19.26.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	·	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	·	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
	_						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		1,098.63	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.031239</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.098.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 92 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	143.62	=	0.728507	x .2	0.145701	Х	143.62	=	20.93
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL **District: C004 - COTTONWOOD**

- If school district's total area in square miles 35.812169 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>143.62</u> divided by district's total area in square mile <u>35.812169</u> = District's Areal В Density <u>4.01</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

143.62

- 0.00 5) (District's Square Miles <u>35.812169</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{143.62}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.93

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 93 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

_		_	
Raw	Λ	\Box	ΝЛ
raw	А	U	IVI

529 -	651.67	=	0.000000	x .2	0.000000	x	651.67	_ = _	0.00
	529			·		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL District: I001 - COALGATE

- A. If school district's total area in square miles <u>357.402304</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>651.67</u> divided by district's total area in square mile <u>357.402304</u> = District's Areal Density <u>1.82</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	290.48	+	23 =	313.48	(Ca)
Grades	6th - 8th	136.07	+	133 =	269.07	(Cb)
Grades	PK3,9 -OHP	225.12	+	128 =	353.12	(Cc)
		651.67				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	313.48 =	0.236060	+ .85 =	1.086060	x 290.48 =	315.48
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	269.07 =	0.453414	+ .85 =	1.303414	x136.07 =	177.36
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	353.12 =	0.826914	+ .78 =	1.606914	x 225.12 =	361.75
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	854.59	divided by dist	rict's Raw ADM	651.67	

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>357.402304</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.60</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.60 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 651.67 = Isolation Weight 202.02
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __202.02_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 94 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	238.91	=	0.548374	x .2	0.109675	х	238.91	_ = _	26.20
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COAL District: I002 - TUPELO

- A. If school district's total area in square miles <u>118.276836</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>238.91</u> divided by district's total area in square mile <u>118.276836</u> = District's Areal Density <u>2.02</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	е				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

238.91

5) (District's Square Miles <u>118.276836</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 238.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.20_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 95 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	350.40	= _	0.337618	x .2	0.067524	Х	350.40	=	23.66
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C048 - FLOWER MOUND

- If school district's total area in square miles <u>9.922589</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>350.40</u> divided by district's total area in square mile <u>9.922589</u> = District's Areal В Density 35.31.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		-
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM				_		-
	350.40		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.922589</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>350.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.66

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 96 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	564.45	=	0.000000	x .2	0.000000	Х	564.45	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: C049 - BISHOP

- If school district's total area in square miles 7.329403 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>564.45</u> divided by district's total area in square mile <u>7.329403</u> = District's Areal В Density <u>77.01</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
		_			6-8 ADN	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP ADN	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	564.4	5

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>7.329403</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>564.45</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 97 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,024.74	=	0.000000	x .2	0.000000	х	2,024.74	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1001 - CACHE

- If school district's total area in square miles 273.592282 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,024.74 divided by district's total area in square mile 273.592282 = District's Areal В Density <u>7.40</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,024.74

0.00 5) (District's Square Miles <u>273.592282</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.024.74}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 98 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	198.30	=	0.625142	x .2	0.125028	Х _	198.30	=_	24.79
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1002 - INDIAHOMA

- A. If school district's total area in square miles <u>122.667640</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>198.30</u> divided by district's total area in square mile <u>122.667640</u> = District's Areal Density <u>1.62</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		198.30	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>122.667640</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 198.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.79

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 99 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	341.63	=	0.354197	x .2	0.070839	Х	341.63	=	24.20
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1003 - STERLING

- If school district's total area in square miles <u>92.587984</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>341.63</u> divided by district's total area in square mile <u>92.587984</u> = District's Areal В Density <u>3.69</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	341.63	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>92.587984</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 341.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.20

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 100 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	344.97	=	0.347883	x .2	0.069577	Х	344.97	=	24.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1004 - GERONIMO

- If school district's total area in square miles <u>83.606838</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>344.97</u> divided by district's total area in square mile <u>83.606838</u> = District's Areal В Density <u>4.13</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

344.97

0.00 5) (District's Square Miles <u>83.606838</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>344.97</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 101 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	13,626.39	_ =	0.000000	x .2	0.000000	Х	13,626.39	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1008 - LAWTON

- If school district's total area in square miles 184.911302 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>13,626.39</u> divided by district's total area in square mile <u>184.911302</u> = District's Areal В Density <u>73.69</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

13,626.39

0.00 5) (District's Square Miles <u>184.911302</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 13.626.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 102 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	489.42	=	0.074820	x .2	0.014964	Х	489.42	=	7.32
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: 1009 - FLETCHER

- If school district's total area in square miles 60.259864 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>489.42</u> divided by district's total area in square mile <u>60.259864</u> = District's Areal В Density <u>8.12</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	489 42		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>60.259864</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 489.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.32

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 103 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,475.82	=	0.000000	x .2	0.000000	Х	2,475.82	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I016 - ELGIN

- If school district's total area in square miles 123.041265 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,475.82 divided by district's total area in square mile 123.041265 = District's Areal В Density 20.12.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85	=	0.850000	X	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	bv di	strict's Raw ADM		2.475.82	

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,475.82

5) (District's Square Miles <u>123.041265</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.475.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 104 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	226.82	=	0.571229	x .2	0.114246	х	226.82	=	25.91
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: I132 - CHATTANOOGA

- A. If school district's total area in square miles <u>265.146911</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>226.82</u> divided by district's total area in square mile <u>265.146911</u> = District's Areal Density <u>0.86</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	105.90	+	23 =	128.90	(Ca)
Grades	6th - 8th	58.11	+	133 =	191.11	(Cb)
Grades	PK3,9 -OHP	62.81	+	128 =	190.81	(Cc)
		226.82				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	128.90 =	0.574088	+ .85 =	1.424088	x 105.90	= 150.81
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	191.11 =	0.638376	+ .85 =	1.488376	x 58.11	= 86.49
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	190.81 =	1.530318	+ .78 =	2.310318	x 62.81	= 145.11
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	382.41	divided by dis	trict's Raw ADM	226.82	

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>265.146911</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.93</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.93 or 1.00 = Isolation Factor 0.64
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 226.82 = Isolation Weight 145.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __145.16_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 105 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	52.55	<u> </u>	0.900662	x .2	0.180132	Х	52.55	_ = _	9.47
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHE District: T001 - Comanche Academy

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{52.55}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000	x =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x <u>0.00</u> =	0.00

9-OHP ADM

9-OHP Cost Factor

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 52.55 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $0 \frac{137.32596}{}$) divided by $\frac{137.32596}{} =$ Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 52.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	589.66	=	0.000000	x .2	0.000000	Х	589.66	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: 1001 - WALTERS

- A. If school district's total area in square miles <u>196.142008</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>589.66</u> divided by district's total area in square mile <u>196.142008</u> = District's Areal Density <u>3.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		589.66	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>196.142008</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>589.66</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 107 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	199.52	=	0.622836	x .2	0.124567	Х	199.52	=_	24.85
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON District: I101 - TEMPLE

- A. If school district's total area in square miles <u>177.609011</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>199.52</u> divided by district's total area in square mile <u>177.609011</u> = District's Areal Density <u>1.12</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	110.26	+	23 =	133.26	(Ca)
Grades	6th - 8th	38.19	+	133 =	171.19	(Cb)
Grades	PK3,9 -OHP	51.07	+	128 =	179.07	(Cc)
		199.52				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	133.26 =	0.555305	+ .85 =	1.405305	Х	110.26 =	154.95
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	171.19 =	0.712658	+ .85 =	1.562658	х	38.19 =	59.68
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	179.07 =	1.630647	+ .78 =	2.410647	х	51.07 =	123.11
		_			9-	OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	337.74	divided by dis	strict's Raw ADM		199.52	

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>177.609011</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.29</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.29 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 199.52 = Isolation Weight 39.90
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 39.90

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 108 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	186.47	=	0.647505	x .2	0.129501	Х	186.47	=_	24.15
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTON **District: I333 - BIG PASTURE**

- If school district's total area in square miles 202.218210 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>186.47</u> divided by district's total area in square mile <u>202.218210</u> = District's Areal В Density <u>0.92</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	90.44	+	23 =	113.44	(Ca)
Grades	6th - 8th	47.98	+	133 =	180.98	(Cb)
Grades	PK3,9 -OHP	48.05	+	128 =	176.05	(Cc)
		186.47				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	113.44 =	0.652327	+ .85 =	1.502327	х	90.44 =	135.87
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve .					
	180.98 =	0.674108	+ .85 =	1.524108	х	47.98 =	73.13
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve .					
	176.05 =	1.658620	+ .78 =	2.438620	х	48.05 =	117.18
						9-OHP ADM	9-OHP Cost Factor

- 326.18 divided by district's Raw ADM 186.47 1.75 - 1.00 = District Cost Factor 0.75
- 5) (District's Square Miles <u>202.218210</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.47</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.35
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.47 = Isolation Weight 65.26
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 65.26

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 109 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	33.25	=	0.937146	x .2	0.187429	Х	33.25	=_	6.23
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: C001 - WHITE OAK

- A. If school district's total area in square miles <u>115.262167</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>33.25</u> divided by district's total area in square mile <u>115.262167</u> = District's Areal Density <u>0.29</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 33.25

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>115.262167</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 33.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 6.23

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 110 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	508.12	=	0.039471	x .2	0.007894	Х	508.12	=_	4.01
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: I006 - KETCHUM**

- If school district's total area in square miles 60.401604 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>508.12</u> divided by district's total area in square mile <u>60.401604</u> = District's Areal В Density <u>8.41</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 508.12 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>60.401604</u> <u>137.32596</u>) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 508.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.01

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 111 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	282.34	=	0.466276	x .2	0.093255	Х	282.34	_ = _	26.33
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I017 - WELCH

- A. If school district's total area in square miles <u>247.672398</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>282.34</u> divided by district's total area in square mile <u>247.672398</u> = District's Areal Density <u>1.14</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	133.21	+	23 =	156.21	(Ca)
Grades	6th - 8th	56.30	+	133 =	189.30	(Cb)
Grades	PK3,9 -OHP	92.83	+	128 =	220.83	(Cc)
		282.34				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	156.21 =	= <u> </u>	0.473721	+ .85 =	1.323721	Х	133.21 =	176.33
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	189.30 =	- <u> </u>	0.644480	+ .85 =	1.494480	х	56.30 =	84.14
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	220.83 =	= <u> </u>	1.322284	+ .78 =	2.102284	х	92.83 =	195.16
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

282.34

0.61

5) (District's Square Miles <u>247.672398</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.80</u>

455.63

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.80 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 282.34 = Isolation Weight 138.35
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 138.35

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 112 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	205.55	=	0.611437	x .2	0.122287	х _	205.55	=_	25.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG District: I020 - BLUEJACKET

- A. If school district's total area in square miles <u>167.881154</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>205.55</u> divided by district's total area in square mile <u>167.881154</u> = District's Areal Density <u>1.22</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	113.37	+	23 =	136.37	(Ca)
Grades	6th - 8th	38.39	+	133 =	171.39	(Cb)
Grades	PK3,9 -OHP	53.79	+	128 =	181.79	(Cc)
		205.55				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	136.37 =	=	0.542641	+ .85 =	1.392641	Χ	113.37 =	157.88
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	171.39	=	0.711827	+ .85 =	1.561827	x	38.39 =	59.96
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	181.79	=	1.606249	+ .78 =	2.386249	x	53.79 =	128.36
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		346.20	divided by di	strict's Raw ADM		205.55	

- 1.00 = District Cost Factor

0.68

5) (District's Square Miles <u>167.881154</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.22</u>

1.68

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 0.22 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 205.55 = Isolation Weight 30.83
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.83

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 113 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,276.06	=	0.000000	x .2	0.000000	Х	1,276.06	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIG **District: I065 - VINITA**

- If school district's total area in square miles 172.561944 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,276.06 divided by district's total area in square mile 172.561944 = District's Areal В Density <u>7.39</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,276.06

0.00 5) (District's Square Miles <u>172.561944</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.276.06}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 114 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	846.67	=	0.000000	x .2	0.000000	Х	846.67	=_	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK District: C008 - LONE STAR

- A. If school district's total area in square miles <u>15.821790</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>846.67</u> divided by district's total area in square mile <u>15.821790</u> = District's Areal Density <u>53.51</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 846.67

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{15.821790}$ $\underline{137.32596}$) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 846.67 = Isolation Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	43.40	=	0.917958	x .2	0.183592	х _	43.40	=	7.97
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C012 - GYPSY**

- If school district's total area in square miles 46.369164 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>43.40</u> divided by district's total area in square mile <u>46.369164</u> = District's Areal В Density <u>0.94</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

43.40

0.00 5) (District's Square Miles <u>46.369164</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 43.40 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.97

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 116 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	251.11	=	0.525312	x .2	0.105062	Х	251.11	=	26.38
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C034 - PRETTY WATER**

- If school district's total area in square miles <u>9.347722</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>251.11</u> divided by district's total area in square mile <u>9.347722</u> = District's Areal В Density 26.86.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						" <u>Cb</u> " from above	2) 122 divided by "
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						" <u>Cc</u> " from above	3) 292 divided by "
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	251.11		trict's Raw ADM	divided by dis	0.00	from above	4) Sum 1 + 2 + 3 f

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.347722</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>251.11</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.38</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 117 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	277.75	=	0.474953	x .2	0.094991	Х	277.75	=	26.38
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: C035 - ALLEN-BOWDEN**

- If school district's total area in square miles <u>9.966393</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 277.75 divided by district's total area in square mile 9.966393 = District's Areal В Density 27.87.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
	_				EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve .				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
					6-8 ADN	M 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	⁄e				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.0	0.00
					9-OHP ADN	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	277.7	5

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.966393</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 277.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.38</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 118 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,678.27	=	0.000000	x .2	0.000000	Х	1,678.27	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I002 - BRISTOW**

- If school district's total area in square miles 242.584800 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,678.27 divided by district's total area in square mile 242.584800 = District's Areal В Density <u>6.92</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,678.27

0.00 5) (District's Square Miles <u>242.584800</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.678.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 119 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,500.59	_ =	0.000000	x .2	0.000000	Х	1,500.59	_ =	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I003 - MANNFORD**

- If school district's total area in square miles __77.478174_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,500.59 divided by district's total area in square mile 77.478174 = District's Areal В Density 19.37.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,500.59

0.00 5) (District's Square Miles <u>77.478174</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.500.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 120 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	596.80	=	0.000000	x .2	0.000000	х _	596.80	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I005 - MOUNDS**

- If school district's total area in square miles 39.966339 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>596.80</u> divided by district's total area in square mile <u>39.966339</u> = District's Areal В Density 14.93.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		596.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.966339</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 596.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 121 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	252.42	_ =	0.522836	x .2	0.104567	Х	252.42	=	26.39
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I017 - OLIVE**

- If school district's total area in square miles <u>95.679786</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>252.42</u> divided by district's total area in square mile <u>95.679786</u> = District's Areal В Density <u>2.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by "Cc" from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	252 42		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>95.679786</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>252.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.39</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 122 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D	М

529 -	918.45	=	0.000000	x .2	0.000000	Х	918.45	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I018 - KIEFER**

- If school district's total area in square miles 13.589837 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 918.45 divided by district's total area in square mile 13.589837 = District's Areal В Density <u>67.58</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85	=	0.850000	X	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00	=	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
	_		_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00	=	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
	_		_					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	by dis	strict's Raw ADM		918.45	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>13.589837</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 918.45 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 123 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	281.94	=	0.467032	x .2	0.093406	Х _	281.94	=_	26.34
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I020 - OILTON**

- If school district's total area in square miles 39.148057 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>281.94</u> divided by district's total area in square mile <u>39.148057</u> = District's Areal В Density <u>7.20</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	= <u></u>	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	= <u></u>	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's Raw ADM		281.94	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.148057</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>281.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.33</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 124 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	350.01	= _	0.338355	x .2	0.067671	Х	350.01	=	23.69
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I021 - DEPEW**

- If school district's total area in square miles 130.540201 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>350.01</u> divided by district's total area in square mile <u>130.540201</u> = District's Areal В Density <u>2.68</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

350.01

0.00 5) (District's Square Miles <u>130.540201</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>350.01</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.69

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 125 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	806.52	=	0.000000	x .2	0.000000	х	806.52	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I031 - KELLYVILLE**

- If school district's total area in square miles 129.657634 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>806.52</u> divided by district's total area in square mile <u>129.657634</u> = District's Areal В Density <u>6.22</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	-					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
		_			9	-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		806.52	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>129.657634</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 806.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 126 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,686.90	=	0.000000	x .2	0.000000	Х	3,686.90	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I033 - SAPULPA**

- If school district's total area in square miles 37.489512 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,686.90 divided by district's total area in square mile 37.489512 = District's Areal В Density <u>98.34</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	re e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,686.90

0.00 5) (District's Square Miles <u>37.489512</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.686.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 127 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	429.65	=	0.187807	x .2	0.037561	Х	429.65	=	16.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEK **District: I039 - DRUMRIGHT**

- If school district's total area in square miles 67.185810 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>429.65</u> divided by district's total area in square mile <u>67.185810</u> = District's Areal В Density <u>6.39</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

429.65

0.00 5) (District's Square Miles <u>67.185810</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 429.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.14

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 128 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	485.19	=	0.082817	x .2	0.016563	Х	485.19	_ = _	8.04
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I005 - ARAPAHO-BUTLER

- A. If school district's total area in square miles <u>294.656459</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>485.19</u> divided by district's total area in square mile <u>294.656459</u> = District's Areal Density <u>1.65</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	249.40	+	23 =	272.40	(Ca)
Grades	6th - 8th	116.41	+	133 =	249.41	(Cb)
Grades	PK3,9 -OHP	119.38	+	128 =	247.38	(Cc)
		485.19				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	272.40 =	0.271659	+ .85 =	1.121659 x	249.40 =	279.74
	_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ve				
	249.41 =	0.489154	+ .85 =	1.339154 x	116.41 =	155.89
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	/e				
	247.38 =	1.180370	+ .78 =	1.960370 x	119.38 =	234.03
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	669.66	divided by distr	ict's Raw ADM	485.19	

- 1.00 = District Cost Factor

0.38

5) (District's Square Miles <u>294.656459</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.15</u>

1.38

- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 485.19 = Isolation Weight 184.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.37_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 129 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADN		

529 -	471.01	=	0.109622	x .2	0.021924	Х	471.01	=	10.33
_	529			•			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I007 - THOMAS-FAY-CUSTER UNIFIED DIST

- A. If school district's total area in square miles <u>463.608061</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>471.01</u> divided by district's total area in square mile <u>463.608061</u> = District's Areal Density <u>1.02</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	232.52	+	23 =	255.52	(Ca)
Grades	6th - 8th	114.05	+	133 =	247.05	(Cb)
Grades	PK3,9 -OHP	124.44	+	128 =	252.44	(Cc)
		471.01				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	255.52	=	0.289606	+ .85 =	1.139606	Х	232.52 =	264.98
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	247.05	=	0.493827	+ .85 =	1.343827	x	114.05 =	153.26
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	252.44	= _	1.156711	+ .78 =	1.936711	х	124.44 =	241.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		659.24	divided by d	strict's Raw ADM		471.01	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>463.608061</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.38</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 2.38 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{471.01}{100}$ = Isolation Weight $\frac{188.40}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __188.40_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 130 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,302.82	=	0.000000	x .2	0.000000	Х	2,302.82	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: I026 - WEATHERFORD

- A. If school district's total area in square miles <u>154.033693</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,302.82</u> divided by district's total area in square mile <u>154.033693</u> = District's Areal Density <u>14.95</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х _	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	-						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		2,302.82	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>154.033693</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.302.82 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 131 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,057.49	_ =	0.000000	x .2	0.000000	Х _	2,057.49	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 20 - CUSTER District: 1099 - CLINTON

- If school district's total area in square miles 136.878160 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,057.49 divided by district's total area in square mile 136.878160 = District's Areal В Density <u>15.03</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0.850000 x	+ .85 =	0.000000	0.00 =	_
EC-5 Cost Factor	EC-5 ADM					_
					122 divided by "Cb" from above	2) 1
0.00	0.00 =	0.850000 x	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM					
					292 divided by "Cc" from above	3) 2
0.00	0.00 =	0.780000 x	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM					
	2,057.49	/ ADM	divided by district's	0.00	Sum 1 + 2 + 3 from above	4) 9

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>136.878160</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.057.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 132 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	149.52	=	0.717353	x .2	0.143471	Х	149.52	=_	21.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C006 - CLEORA

- If school district's total area in square miles 32.250294 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>149.52</u> divided by district's total area in square mile <u>32.250294</u> = District's Areal В Density <u>4.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		149.52	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>32.250294</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 149.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.45

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 133 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	163.39	=	0.691134	x .2	0.138227	х	163.39	_ = _	22.58
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C014 - LEACH

- If school district's total area in square miles 30.070880 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>163.39</u> divided by district's total area in square mile <u>30.070880</u> = District's Areal В Density <u>5.43</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

163.39

0.00 5) (District's Square Miles <u>30.070880</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 163.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.58

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 134 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	68.90	=	0.869754	x .2	0.173951	Х	68.90	=_	11.99
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C030 - KENWOOD

- If school district's total area in square miles <u>28.793884</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 68.90 divided by district's total area in square mile 28.793884 = District's Areal В Density <u>2.39</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		68.90	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>28.793884</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 68.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.99

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 135 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	162.27	=	0.693251	x .2	0.138650	Х	162.27	=	22.50
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: C034 - MOSELEY

- A. If school district's total area in square miles <u>23.258384</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>162.27</u> divided by district's total area in square mile <u>23.258384</u> = District's Areal Density <u>6.98</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

162.27

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>23.258384</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{162.27}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.50_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 136 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,581.73	_ = _	0.000000	x .2	0.000000	Х	1,581.73	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: I001 - JAY

- If school district's total area in square miles 255.043451 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,581.73 divided by district's total area in square mile 255.043451 = District's Areal В Density <u>6.20</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,581.73

0.00 5) (District's Square Miles <u>255.043451</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.581.73}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 137 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,496.00	=	0.000000	x .2	0.000000	Х	2,496.00	_ = _	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1002 - GROVE

- A. If school district's total area in square miles <u>188.392681</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,496.00</u> divided by district's total area in square mile <u>188.392681</u> = District's Areal Density <u>13.25</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		2,496.00	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>188.392681</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.496.00}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 138 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	777.58	=	0.000000	x .2	0.000000	Х	777.58	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1003 - KANSAS

- A. If school district's total area in square miles <u>133.365868</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>777.58</u> divided by district's total area in square mile <u>133.365868</u> = District's Areal Density <u>5.83</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

777.58

5) (District's Square Miles <u>133,365868</u> - <u>137,32596</u>) divided by <u>137,32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{777.58}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 139 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	682.15	=	0.000000	x .2	0.000000	Х	682.15	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1004 - COLCORD

- A. If school district's total area in square miles <u>84.111110</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>682.15</u> divided by district's total area in square mile <u>84.111110</u> = District's Areal В Density <u>8.11</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= <u> </u>	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	·	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_	·					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by	district's Raw ADM		682.15	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.111110</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 682.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 140 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	204.02	=	0.614329	x .2	0.122866	X	204.02	=_	25.07
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWARE District: 1005 - OAKS-MISSION

- If school district's total area in square miles <u>55.488415</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>204.02</u> divided by district's total area in square mile <u>55.488415</u> = District's Areal В Density <u>3.68</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =		0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00 =		0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						· ·	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		204.02	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.488415</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 204.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.07</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 141 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	305.55	=	0.422401	x .2	0.084480	Х	305.55	=_	25.81
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1005 - VICI

- A. If school district's total area in square miles <u>295.098716</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>305.55</u> divided by district's total area in square mile <u>295.098716</u> = District's Areal Density <u>1.04</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	151.87	+	23 =	174.87	(Ca)
Grades	6th - 8th	61.40	+	133 =	194.40	(Cb)
Grades	PK3,9 -OHP	92.28	+	128 =	220.28	(Cc)
		305.55				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	174.87 =	= 0.423171	+ .85 =	1.273171 x	151.87 =	193.36
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	oove				
	194.40 =	= 0.627572	+ .85 =	1.477572 x	61.40 =	90.72
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ove				
	220.28 =	= 1.325586	+ .78 =	2.105586 x	92.28 =	194.30
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

305.55

0.57

5) (District's Square Miles <u>295.098716</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.15</u>

478.38

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.57
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 305.55 = Isolation Weight 174.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 174.16

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 142 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	438.24	=	0.171569	x .2	0.034314	х	438.24	_ = _	15.04
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: 1008 - SEILING

- A. If school district's total area in square miles <u>298.524237</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>438.24</u> divided by district's total area in square mile <u>298.524237</u> = District's Areal Density <u>1.47</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	234.13	+	23 =	257.13	(Ca)
Grades	6th - 8th	87.83	+	133 =	220.83	(Cb)
Grades	PK3,9 -OHP	116.28	+	128 =	244.28	(Cc)
		438.24				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	257.13 =	0.287792	+ .85 =	1.137792	х	234.13 =	266.39
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	220.83 =	0.552461	+ .85 =	1.402461	х	87.83 =	123.18
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	244.28 =	1.195350	+ .78 =	1.975350	х	116.28 =	229.69
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

438.24

0.41

= <u>1.41</u> - 1.00 = District Cost Factor

5) (District's Square Miles <u>298.524237</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.17</u>

619.26

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 438.24 = Isolation Weight 179.68
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 179.68

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 143 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	97.48	=	0.815728	x .2	0.163146	х	97.48	=_	15.90
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEY District: I010 - TALOGA

- A. If school district's total area in square miles <u>350.752366</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>97.48</u> divided by district's total area in square mile <u>350.752366</u> = District's Areal Density <u>0.28</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	52.04	+	23 =	75.04	(Ca)
Grades	6th - 8th	21.84	+	133 =	154.84	(Cb)
Grades	PK3,9 -OHP	23.60	+	128 =	151.60	(Cc)
		97.48				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	75.04 =	0.986141	+ .85 =	1.836141	x 52.04 =	95.55
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	154.84 =	0.787910	+ .85 =	1.637910	x 21.84 =	35.77
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	151.60 =	1.926121	+ .78 =	2.706121	x 23.60 =	63.86
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	195.18	divided by dist	rict's Raw ADM	97.48	

- 1.00 = District Cost Factor

1.00

5) (District's Square Miles <u>350.752366</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.55</u>

2.00

- 6) Multiply District Cost Factor (Line 4 above) 1.00 by lessor of the Area Factor (Line 5 above) 1.55 or 1.00 = Isolation Factor 1.00
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 97.48 = Isolation Weight 97.48
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __97.48_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 144 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	212.61	= _	0.598091	x .2	0.119618	х _	212.61	=_	25.43
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1002 - FARGO

- A. If school district's total area in square miles <u>343.859689</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>212.61</u> divided by district's total area in square mile <u>343.859689</u> = District's Areal Density <u>0.62</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	95.71	+	23 =	118.71	(Ca)
Grades	6th - 8th	50.44	+	133 =	183.44	(Cb)
Grades	PK3,9 -OHP	66.46	+	128 =	194.46	(Cc)
		212.61				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	118.71 =	0.623368	+ .85 =	1.473368	x 95.7	71 =	141.02
					EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	183.44 =	0.665068	+ .85 =	1.515068	x 50.4	44 =	76.42
					6-8 AD	М	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	194.46 =	1.501594	+ .78 =	2.281594	x 66.4	46 =	151.63
					9-OHP AD	М	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	369.07	divided by di	strict's Raw ADM	212.6	61	

- 1.00 = District Cost Factor

0.74

5) (District's Square Miles <u>343.859689</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.50</u>

1.74

- 6) Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 1.50 or 1.00 = Isolation Factor 0.74
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.61 = Isolation Weight 157.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 157.33

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 145 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Dave	٨		۸ ۸
Kaw	А	ט	IV

529 -	155.89	=	0.705312	x .2	0.141062	х _	155.89	=	21.99
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1003 - ARNETT

- A. If school district's total area in square miles <u>540.894195</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>155.89</u> divided by district's total area in square mile <u>540.894195</u> = District's Areal Density <u>0.29</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	78.18	+	23 =	101.18	(Ca)
Grades	6th - 8th	31.00	+	133 =	164.00	(Cb)
Grades	PK3,9 -OHP	46.71	+	128 =	174.71	(Cc)
		155.89				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	101.18 =	0.731370	+ .85 =	1.581370 x	78.18 =	123.63
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	164.00 =	0.743902	+ .85 =	1.593902 x	31.00 =	49.41
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	174.71 =	1.671341	+ .78 =	2.451341 x	46.71 =	114.50
		_			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	287.54	divided by dis	trict's Raw ADM	155.89	

- 1.00 = District Cost Factor

0.84

5) (District's Square Miles <u>540.894195</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.94</u>

1.84

- 6) Multiply District Cost Factor (Line 4 above) 0.84 by lessor of the Area Factor (Line 5 above) 2.94 or 1.00 = Isolation Factor 0.84
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 155.89 = Isolation Weight 130.95
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 130.95

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 146 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	349.52	=	0.339282	x .2	0.067856	х	349.52	_ = _	23.72
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLIS District: 1042 - SHATTUCK

- A. If school district's total area in square miles <u>285.938523</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>349.52</u> divided by district's total area in square mile <u>285.938523</u> = District's Areal Density <u>1.22</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	163.64	+	23 =	186.64	(Ca)
Grades	6th - 8th	64.57	+	133 =	197.57	(Cb)
Grades	PK3,9 -OHP	121.31	+	128 =	249.31	(Cc)
		349.52				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	186.64	=	0.396485	+ .85 =	1.246485	Х	163.64 =	203.97
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	197.57	=	0.617503	+ .85 =	1.467503	x	64.57 =	94.76
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	249.31	=	1.171233	+ .78 =	1.951233	x	121.31 =	236.70
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		535.43	divided by di	strict's Raw ADM		349.52	

- 1.00 = District Cost Factor

0.53

5) (District's Square Miles <u>285.938523</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.08</u>

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 1.08 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 349.52 = Isolation Weight 185.25
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 185.25

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 147 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	389.03	=	0.264594	x .2	0.052919	х _	389.03	=_	20.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I001 - WAUKOMIS

- If school district's total area in square miles <u>82.076534</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>389.03</u> divided by district's total area in square mile <u>82.076534</u> = District's Areal В Density <u>4.74</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>82.076534</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 389.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.59

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 148 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	292.10	_ =	0.447826	x .2	0.089565	Х	292.10	=	26.16
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: I018 - KREMLIN-HILLSDALE

- If school district's total area in square miles 131.837476 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>292.10</u> divided by district's total area in square mile <u>131.837476</u> = District's Areal В Density <u>2.22</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		292.10	

divided by district's Raw ADM

- 1.00 = District Cost Factor

292.10

5) (District's Square Miles <u>131.837476</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.16</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 149 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,143.41	_ =	0.000000	Х	.2	0.000000	Х	1,143.41	=_	0.00
	529		_					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1042 - CHISHOLM

- If school district's total area in square miles <u>87.336098</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,143.41 divided by district's total area in square mile 87.336098 = District's Areal В Density 13.09.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,143.41 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>87.336098</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,143.41}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 150 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	410.16	=	0.224650	x .2	0.044930	Х	410.16	_ = _	18.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1047 - GARBER

- A. If school district's total area in square miles <u>173.700533</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>410.16</u> divided by district's total area in square mile <u>173.700533</u> = District's Areal Density <u>2.36</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	186.73	+	23 =	209.73	(Ca)
Grades	6th - 8th	112.16	+	133 =	245.16	(Cb)
Grades	PK3,9 -OHP	111.27	+	128 =	239.27	(Cc)
		410.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	209.73	=	0.352835	+ .85 =	1.202835	Х	186.73 =	224.61
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	245.16	=	0.497634	+ .85 =	1.347634	x	112.16 =	151.15
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	239.27	= <u> </u>	1.220379	+ .78 =	2.000379	х	111.27 =	222.58
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		598.34	divided by c	listrict's Raw ADM		410.16	

- 1.00 = District Cost Factor

0.46

5) (District's Square Miles <u>173.700533</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.26</u>

1.46

- 6) Multiply District Cost Factor (Line 4 above) 0.46 by lessor of the Area Factor (Line 5 above) 0.26 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 410.16 = Isolation Weight 49.22
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 151 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	481.70	=	0.089414	x .2	0.017883	Х	481.70	=	8.61
	529	_				_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1056 - PIONEER-PLEASANT VALE

- If school district's total area in square miles 126.157166 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>481.70</u> divided by district's total area in square mile <u>126.157166</u> = District's Areal В Density 3.82.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		481.70	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>126.157166</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 481.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 8.61

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 152 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	7,697.40	=	0.000000	x .2	0.000000	Х	7,697.40	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1057 - ENID

- If school district's total area in square miles 47.890469 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 7,697.40 divided by district's total area in square mile 47.890469 = District's Areal В Density 160.73.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	0	
EC-5 Cost Factor	EC-5 ADM							
						<u>b</u> " from above	2) 122 divided by " <u>Cb</u> " fro	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	0	
6-8 Cost Factor	6-8 ADM				_			
						<u>c</u> " from above	3) 292 divided by " <u>Cc</u> " fro	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	0	
9-OHP Cost Factor	9-OHP ADM				_			
	7.697.40		trict's Raw ADM	divided by dis	0.00	om above	4) Sum 1 + 2 + 3 from ab	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.890469</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 7.697.40 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 153 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	381.80	=	0.278261	x .2	0.055652	Х	381.80	=_	21.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1085 - DRUMMOND

- If school district's total area in square miles <u>87.528039</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>381.80</u> divided by district's total area in square mile <u>87.528039</u> = District's Areal В Density <u>4.36</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by disti	rict's Raw ADM	381.80	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>87.528039</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 381.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.25

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 154 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	274.85	=	0.480435	x .2	0.096087	Х	274.85	=	26.41
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELD District: 1094 - COVINGTON-DOUGLAS

- A. If school district's total area in square miles <u>271.036646</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>274.85</u> divided by district's total area in square mile <u>271.036646</u> = District's Areal Density <u>1.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	114.43	+	23 =	137.43	(Ca)
Grades	6th - 8th	65.00	+	133 =	198.00	(Cb)
Grades	PK3,9 -OHP	95.42	+	128 =	223.42	(Cc)
		274.85				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	137.43 =	0.538456	+ .85 =	1.388456	x 11	4.43 =	158.88
					EC-5 /	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	198.00 =	0.616162	+ .85 =	1.466162	x6	55.00 =	95.30
					6-8	ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	223.42 =	1.306956	+ .78 =	2.086956	х	5.42 =	199.14
					9-OHP	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	453.32	divided by di	strict's Raw ADM	27	4.85	

- 1.00 = District Cost Factor

0.65

5) (District's Square Miles <u>271.036646</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.97</u>

1.65

- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 0.97 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 274.85 = Isolation Weight 173.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __173.16_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 155 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	351.89	=	0.334802	x .2	0.066960	Х	351.89	=_	23.56
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: C016 - WHITEBEAD

- If school district's total area in square miles 29.371912 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>351.89</u> divided by district's total area in square mile <u>29.371912</u> = District's Areal В Density 11.98.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	351.89		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>29.371912</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>351.89</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.56

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 156 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	640.09	=	0.000000	x .2	0.000000	Х	640.09	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I002 - STRATFORD

- If school district's total area in square miles 153.697645 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 640.09 divided by district's total area in square mile 153.697645 = District's Areal В Density <u>4.16</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		640.09	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>153.697645</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 640.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 157 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	189.86	=	0.641096	x .2	0.128219	Х	189.86	_ = _	24.34
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I005 - PAOLI

- If school district's total area in square miles 48.167408 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>189.86</u> divided by district's total area in square mile <u>48.167408</u> = District's Areal В Density 3.94.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	189.86		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>48.167408</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 189.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.34

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 158 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	316.96	=	0.400832	x .2	0.080166	Х	316.96	=	25.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN **District: I007 - MAYSVILLE**

- If school district's total area in square miles 80.709625 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>316.96</u> divided by district's total area in square mile <u>80.709625</u> = District's Areal В Density 3.93.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

316.96

- 0.00 5) (District's Square Miles <u>80.709625</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 316.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.41

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 159 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,152.30	=	0.000000	x .2	0.000000	Х	1,152.30	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1009 - LINDSAY

- A. If school district's total area in square miles <u>184.953333</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,152.30</u> divided by district's total area in square mile <u>184.953333</u> = District's Areal Density <u>6.23</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,152.30

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>184.953333</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,152.30}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 160 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	1,342.49	=	0.000000	Х	.2	0.000000	Х	1,342.49	=	0.00
	529		<u> </u>					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: I018 - PAULS VALLEY

- If school district's total area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area in square miles __51.096758_ is greater than the state average area of the square miles __51.096758_ is greater than the state average area of the square miles __51.096758_ is gr A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,342.49 divided by district's total area in square mile 51.096758 = District's Areal В Density 26.27 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,342.49

0.00 5) (District's Square Miles <u>51.096758</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.342.49}{1.342.49}$ = Isolation Weight $\frac{0.00}{1.342.49}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 161 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	662.16	= _	0.000000	x .2	0.000000	Х	662.16	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1038 - WYNNEWOOD

- A. If school district's total area in square miles <u>152.860277</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>662.16</u> divided by district's total area in square mile <u>152.860277</u> = District's Areal Density <u>4.33</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

662.16

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 152.860277 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 662.16 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 162 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	506.26	=	0.042987	x .2	0.008597	_ x	506.26	_ = _	4.35
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVIN District: 1072 - ELMORE CITY-PERNELL

- A. If school district's total area in square miles <u>220.431858</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>506.26</u> divided by district's total area in square mile <u>220.431858</u> = District's Areal Density <u>2.30</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	206.73	+	23 =	229.73	(Ca)
Grades	6th - 8th	118.89	+	133 =	251.89	(Cb)
Grades	PK3,9 -OHP	180.64	+	128 =	308.64	(Cc)
		506.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	229.73 =	=	0.322117	+ .85 =	1.172117	х	206.73 =	242.31
		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	251.89 =	=	0.484338	+ .85 =	1.334338	х	118.89 =	158.64
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	308.64	=	0.946086	+ .78 =	1.726086	х	180.64 =	311.80
	_						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

506.26

0.41

5) (District's Square Miles <u>220.431858</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.61</u>

712.75

1.41

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.25
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{506.26}$ = Isolation Weight $\underline{126.57}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __126.57_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 163 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	218.54	_ =	0.586881	x .2	0.117376	Х	218.54	=	25.65
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C037 - FRIEND**

- If school district's total area in square miles 30.786273 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.54</u> divided by district's total area in square mile <u>30.786273</u> = District's Areal В Density <u>7.10</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
		_			EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADN	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	218.54	4

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>30.786273</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>218.54</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.65

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 164 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	222.82	=	0.578790	x .2	0.115758	Х _	222.82	=_	25.79
	529					_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C096 - MIDDLEBERG**

- If school district's total area in square miles <u>52.287649</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 222.82 divided by district's total area in square mile 52.287649 = District's Areal В Density <u>4.26</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
			_		•			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y distr	rict's Raw ADM		222.82	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>52.287649</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 222.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.79

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 165 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	399.40	=	0.244991	x .2	0.048998	Х	399.40	=_	19.57
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: C131 - PIONEER**

- If school district's total area in square miles 38.632947 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>399.40</u> divided by district's total area in square mile <u>38.632947</u> = District's Areal В Density 10.34.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
3)	·		+ .78 =	0.780000 x		

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>38.632947</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 399.40 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.57

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 166 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,246.04	=	0.000000	x .2	0.000000	Х	2,246.04	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: I001 - CHICKASHA

- A. If school district's total area in square miles <u>43.264933</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,246.04</u> divided by district's total area in square mile <u>43.264933</u> = District's Areal Density <u>51.91</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

2,246.04

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 43.264933 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2,246.04}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 167 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	545.58	_ =	0.000000	Х	.2	0.000000	Х	545.58	=	0.00
	529		_				_	Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I002 - MINCO**

- If school district's total area in square miles 119.346376 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>545.58</u> divided by district's total area in square mile <u>119.346376</u> = District's Areal В Density <u>4.57</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

545.58

0.00 5) (District's Square Miles <u>119.346376</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 545.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 168 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	448.83	=	0.151550	x .2	0.030310	Х	448.83	=	13.60
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I051 - NINNEKAH**

- If school district's total area in square miles <u>97.088837</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>448.83</u> divided by district's total area in square mile <u>97.088837</u> = District's Areal В Density <u>4.62</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

448.83

0.00 5) (District's Square Miles <u>97.088837</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 448.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.60

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 169 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	290.82	= _	0.450246	x .2	0.090049	Х	290.82	=_	26.19
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1056 - ALEX

- A. If school district's total area in square miles <u>144.499002</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>290.82</u> divided by district's total area in square mile <u>144.499002</u> = District's Areal Density <u>2.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	135.84	+	23 =	158.84	(Ca)
Grades	6th - 8th	73.31	+	133 =	206.31	(Cb)
Grades	PK3,9 -OHP	81.67	+	128 =	209.67	(Cc)
		290.82				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	158.84	=	0.465878	+ .85 =	1.315878	Х	135.84 =	178.75
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	206.31	=	0.591343	+ .85 =	1.441343	x	73.31 =	105.66
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	209.67	=	1.392665	+ .78 =	2.172665	х	81.67 =	177.44
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		461.85	divided by d	istrict's Raw ADM		290.82	

- 1.00 = District Cost Factor

0.59

5) (District's Square Miles <u>144.499002</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.05</u>

1.59

- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 0.05 or 1.00 = Isolation Factor 0.03
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 290.82 = Isolation Weight 8.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.19_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 170 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	474.12	=	0.103743	x .2	0.020749	Х	474.12	_ = _	9.84
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1068 - RUSH SPRINGS

- A. If school district's total area in square miles <u>165.078188</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>474.12</u> divided by district's total area in square mile <u>165.078188</u> = District's Areal Density <u>2.87</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

474.12

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 165.078188 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{474.12}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __9.84_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 171 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	1,777.53	=	0.000000	x .2	0.000000	х	1,777.53	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1095 - BRIDGE CREEK**

- If school district's total area in square miles 44.101506 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,777.53 divided by district's total area in square mile 44.101506 = District's Areal В Density 40.31.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		1 777 53	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>44.101506</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,777.53}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 172 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,950.97	=	0.000000	x .2	0.000000	Х	1,950.97	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: 1097 - TUTTLE**

- If school district's total area in square miles 81.793839 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,950.97 divided by district's total area in square mile 81.793839 = District's Areal В Density 23.85.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,950.97

0.00 5) (District's Square Miles <u>81.793839</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.950.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 173 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	307.67	=	0.418393	x .2	0.083679	Х	307.67	_ = _	25.75
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY District: 1099 - VERDEN

- A. If school district's total area in square miles <u>100.662369</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.67</u> divided by district's total area in square mile <u>100.662369</u> = District's Areal Density <u>3.06</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						·	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						·	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		307.67	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>100.662369</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.75_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 174 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	431.00	=	0.185255	x .2	0.037051	Х	431.00	=_	15.97
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADY **District: I128 - AMBER-POCASSET**

- If school district's total area in square miles 145.995225 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>431.00</u> divided by district's total area in square mile <u>145.995225</u> = District's Areal В Density 2.95.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	- <u> </u>	0.000000	+ .85	=	0.850000	×	0.00 =	0.00
						· · · · · · · · · · · · · · · · · · ·		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .85	=	0.850000	κ	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	=	0.000000	+ .78	=	0.780000	κ	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

431.00

0.00 5) (District's Square Miles <u>145.995225</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{431.00}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.97

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 175 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	308.84	=	0.416181	x .2	0.083236	Х	308.84	=_	25.71
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: I054 - MEDFORD

- A. If school district's total area in square miles <u>507.172743</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>308.84</u> divided by district's total area in square mile <u>507.172743</u> = District's Areal Density <u>0.61</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	169.41	+	23 =	192.41	(Ca)
Grades	6th - 8th	61.31	+	133 =	194.31	(Cb)
Grades	PK3,9 -OHP	78.12	+	128 =	206.12	(Cc)
		308.84				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	192.41 =	0.384595	+ .85 =	1.234595	x 169.	41 =	209.15
					EC-5 AD	M	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	194.31 =	0.627863	+ .85 =	1.477863	x 61.	31 =	90.61
					6-8 AD	M	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	206.12 =	1.416650	+ .78 =	2.196650	x78.	12 =	171.60
					9-OHP AD	M	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

308.84

0.53

5) (District's Square Miles <u>507.172743</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.69</u>

471.36

1.53

- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 2.69 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 308.84 = Isolation Weight 163.69
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __163.69_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 176 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	325.11	=	0.385425	x .2	0.077085	Х	325.11	=_	25.06
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1090 - POND CREEK-HUNTER

- A. If school district's total area in square miles <u>214.293628</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>325.11</u> divided by district's total area in square mile <u>214.293628</u> = District's Areal Density <u>1.52</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	137.52	+	23 =	160.52	(Ca)
Grades	6th - 8th	79.03	+	133 =	212.03	(Cb)
Grades	PK3,9 -OHP	108.56	+	128 =	236.56	(Cc)
		325.11				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	160.52 =	0.461002	+ .85 =	1.311002	х	137.52 =	180.29
					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above						
	212.03 =	0.575390	+ .85 =	1.425390	х	79.03 =	112.65
					6-	8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	236.56 =	1.234359	+ .78 =	2.014359	х	108.56 =	218.68
					9-OH	P ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	511.62	divided by di	strict's Raw ADM		325.11	

- 1.00 = District Cost Factor

0.57

5) (District's Square Miles <u>214.293628</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.56</u>

1.57

- 6) Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 0.56 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 325.11 = Isolation Weight 104.04
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __104.04_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 177 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	125.54	=	0.762684	x .2	0.152537	х _	125.54	_ = _	19.15
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANT District: 1095 - DEER CREEK-LAMONT

- A. If school district's total area in square miles <u>249.869794</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>125.54</u> divided by district's total area in square mile <u>249.869794</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	64.56	+	23 =	87.56	(Ca)
Grades	6th - 8th	27.27	+	133 =	160.27	(Cb)
Grades	PK3,9 -OHP	33.71	+	128 =	161.71	(Cc)
		125.54				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	87.56 =	0.845135	+ .85 =	1.695135 x	64.56 =	109.44
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	160.27 =	0.761215	+ .85 =	1.611215 x	27.27 =	43.94
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	161.71 =	1.805702	+ .78 =	2.585702 x	33.71 =	87.16
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	240.54	divided by dis	strict's Raw ADM	125.54	

- 1.00 = District Cost Factor

0.92

5) (District's Square Miles <u>249.869794</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.82</u>

1.92

- 6) Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.75
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 125.54 = Isolation Weight 94.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 94.16

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 178 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	668.93	_ =	0.000000	x .2	0.000000	х	668.93	_ = _	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: I001 - MANGUM

- A. If school district's total area in square miles <u>393.294934</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>668.93</u> divided by district's total area in square mile <u>393.294934</u> = District's Areal Density <u>1.70</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	327.34	+	23 =	350.34	(Ca)
Grades	6th - 8th	148.62	+	133 =	281.62	(Cb)
Grades	PK3,9 -OHP	192.97	+	128 =	320.97	(Cc)
		668.93			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	350.34	=	0.211223	+ .85 =	1.061223	х	327.34 =	347.38
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	oove						
	281.62	=	0.433208	+ .85 =	1.283208	х	148.62 =	190.71
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	320.97	= _	0.909742	+ .78 =	1.689742	х	192.97 =	326.07
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		864.16	divided by o	district's Raw ADM		668.93	

- 1.00 = District Cost Factor

0.29

5) (District's Square Miles <u>393.294934</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.86</u>

1.29

- 6) Multiply District Cost Factor (Line 4 above) 0.29 by lessor of the Area Factor (Line 5 above) 1.86 or 1.00 = Isolation Factor 0.29
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 668.93 = Isolation Weight 193.99
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 193.99

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 179 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	237.55	= _	0.550945	x .2	0.110189	х	237.55	_ = _	26.18
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREER District: 1003 - GRANITE

- A. If school district's total area in square miles <u>178.782620</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>237.55</u> divided by district's total area in square mile <u>178.782620</u> = District's Areal Density <u>1.33</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	101.05	+	23 =	124.05	(Ca)
Grades	6th - 8th	62.62	+	133 =	195.62	(Cb)
Grades	PK3,9 -OHP	73.88	+	128 =	201.88	(Cc)
		237.55				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	124.05 =	0.596534	+ .85 =	1.446534	x 101.05	= 146.17
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve				
	195.62 =	0.623658	+ .85 =	1.473658	x 62.62	= 92.28
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	/e				
	201.88 =	1.446404	+ .78 =	2.226404	x 73.88	= 164.49
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	402.94	divided by di	strict's Raw ADM	237.55	

- 1.00 = District Cost Factor

0.70

5) (District's Square Miles <u>178.782620</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.30</u>

1.70

- 6) Multiply District Cost Factor (Line 4 above) 0.70 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.21
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.55 = Isolation Weight 49.89
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 49.89

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 180 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	485.91	_ =	0.081456	x .2	0.016291	×	485.91	_ = _	7.92
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 29 - HARMON District: 1066 - HOLLIS

- A. If school district's total area in square miles <u>510.566466</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>485.91</u> divided by district's total area in square mile <u>510.566466</u> = District's Areal Density <u>0.95</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	228.87	+	23 =	251.87	(Ca)
Grades	6th - 8th	100.26	+	133 =	233.26	(Cb)
Grades	PK3,9 -OHP	156.78	+	128 =	284.78	(Cc)
		485.91				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	251.87 =	·	0.293802	+ .85 =	1.143802	х	228.87 =	261.78
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	233.26 =	:	0.523022	+ .85 =	1.373022	х	100.26 =	137.66
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	284.78 =	·	1.025353	+ .78 =	1.805353	Х	156.78 =	283.04
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		682.48	divided by di	strict's Raw ADM		<i>4</i> 85 91	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>510.566466</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.72</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 2.72 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 485.91 = Isolation Weight 194.36
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 181 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	465.05	_ =	0.120888	x .2	0.024178	_ x	465.05	=_	11.24
_	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: 1001 - LAVERNE

- A. If school district's total area in square miles <u>833.954719</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>465.05</u> divided by district's total area in square mile <u>833.954719</u> = District's Areal Density <u>0.56</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	230.87	+	23 =	253.87	(Ca)
Grades	6th - 8th	108.35	+	133 =	241.35	(Cb)
Grades	PK3,9 -OHP	125.83	+	128 =	253.83	(Cc)
		465.05				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	253.87 =	0.291488	+ .85 =	1.141488	x 230.87	= 263.54
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	241.35 =	0.505490	+ .85 =	1.355490	x108.35	= 146.87
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	253.83 =	1.150376	+ .78 =	1.930376	x 125.83	= 242.90
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	653.31	divided by dis	trict's Raw ADM	465.05	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>833.954719</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>5.07</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 5.07 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{465.05}{}$ = Isolation Weight $\frac{186.02}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __186.02_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 182 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	265.72	=	0.497694	x .2	0.099539	Х	265.72	=_	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPER District: 1004 - BUFFALO

- If school district's total area in square miles <u>532.951321</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>265.72</u> divided by district's total area in square mile <u>532.951321</u> = District's Areal В Density <u>0.50</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	121.20	+	23 =	144.20	(Ca)
Grades	6th - 8th	68.42	+	133 =	201.42	(Cb)
Grades	PK3,9 -OHP	76.10	+	128 =	204.10	(Cc)
		265.72				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	144.20 =	0.513176	+ .85 =	1.363176 x	121.20 =	165.22
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	201.42 =	0.605700	+ .85 =	1.455700 x	68.42 =	99.60
		_	_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	204.10 =	1.430671	+ .78 =	2.210671 x	76.10 =	168.23
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	433.05	divided by distri	ct's Raw ADM	265.72	

divided by district's Raw ADM

- 1.00 = District Cost Factor

265.72

0.63

5) (District's Square Miles <u>532.951321</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.88</u>

433.05

1.63

- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 2.88 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 265.72 = Isolation Weight 167.40
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 167.40

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 183 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	212.87	=	0.597599	x .2	0.119520	Х	212.87	=_	25.44
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: C010 - WHITEFIELD

- If school district's total area in square miles 30.933422 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>212.87</u> divided by district's total area in square mile <u>30.933422</u> = District's Areal В Density <u>6.88</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	212.87		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>30.933422</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.44

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 184 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	163.38	=	0.691153	x .2	0.138231	Х	163.38	=_	22.58
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: I013 - KINTA

- A. If school district's total area in square miles <u>129.197577</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>163.38</u> divided by district's total area in square mile <u>129.197577</u> = District's Areal Density <u>1.26</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		163.38	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>129.197577</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{163.38}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.58_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 185 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,172.89	=	0.000000	x .2	0.000000	Х	1,172.89	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1020 - STIGLER

- If school district's total area in square miles 214.907381 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,172.89 divided by district's total area in square mile 214.907381 = District's Areal В Density <u>5.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,172.89

0.00 5) (District's Square Miles <u>214.907381</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,172.89}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 186 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	236.60	_ =	0.552741	x .2	0.110548	Х	236.60	=	26.16
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1037 - MCCURTAIN

- A. If school district's total area in square miles <u>105.084239</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>236.60</u> divided by district's total area in square mile <u>105.084239</u> = District's Areal Density <u>2.25</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	236.60	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>105.084239</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 236.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.16_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 187 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	406.64	=	0.231304	x .2	0.046261	х _	406.64	=	18.81
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELL District: 1043 - KEOTA

- A. If school district's total area in square miles <u>136.081123</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>406.64</u> divided by district's total area in square mile <u>136.081123</u> = District's Areal Density <u>2.99</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 406.64 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>136.081123</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{406.64}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __18.81_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 188 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	252.29	_ = _	0.523081	x .2	0.104616	_ x _	252.29	_ = _	26.39
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1001 - MOSS

- A. If school district's total area in square miles <u>147.866819</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>252.29</u> divided by district's total area in square mile <u>147.866819</u> = District's Areal Density <u>1.71</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	114.38	+	23 =	137.38	(Ca)
Grades	6th - 8th	56.80	+	133 =	189.80	(Cb)
Grades	PK3,9 -OHP	81.11	+	128 =	209.11	(Cc)
		252.29				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	137.38	=	0.538652	+ .85 =	1.388652	Х	114.38 =	158.83
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	189.80	= _	0.642782	+ .85 =	1.492782	x	56.80 =	84.79
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	209.11	= _	1.396394	+ .78 =	2.176394	х	81.11 =	176.53
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		420 15	divided by di	strict's Raw ADM		252 29	

- 1.00 = District Cost Factor

0.67

5) (District's Square Miles <u>147.866819</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.08</u>

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 0.08 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 252.29 = Isolation Weight 12.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.39_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 189 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	390.51	=	0.261796	x .2	0.052359	Х	390.51	=	20.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1005 - WETUMKA

- If school district's total area in square miles 140.248243 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 390.51 divided by district's total area in square mile 140.248243 = District's Areal В Density <u>2.78</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

390.51

0.00 5) (District's Square Miles <u>140.248243</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 390.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.45

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 190 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	973.12	=	0.000000	x .2	0.000000	Х	973.12	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: I035 - HOLDENVILLE

- A. If school district's total area in square miles <u>150.915314</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>973.12</u> divided by district's total area in square mile <u>150.915314</u> = District's Areal Density <u>6.45</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		973.12	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>150.915314</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 973.12 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 191 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	185.72	=	0.648922	x .2	0.129784	х _	185.72	=_	24.10
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1048 - CALVIN

- A. If school district's total area in square miles <u>154.964452</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>185.72</u> divided by district's total area in square mile <u>154.964452</u> = District's Areal Density <u>1.20</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	105.11	+	23 =	128.11	(Ca)
Grades	6th - 8th	41.81	+	133 =	174.81	(Cb)
Grades	PK3,9 -OHP	38.80	+	128 =	166.80	(Cc)
		185.72				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	128.11 =	0.577629	+ .85 =	1.427629	x	105.11 =	150.06
					EC-5	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e					
	174.81 =	0.697901	+ .85 =	1.547901	х	41.81 =	64.72
					6-8	BADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	166.80 =	1.750600	+ .78 =	2.530600	х	38.80 =	98.19
	·				9-OHP	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	312.97	divided by di	strict's Raw ADM	1	185.72	

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>154.964452</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.13</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.13 or 1.00 = Isolation Factor 0.09
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 185.72 = Isolation Weight 16.71
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.10

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 192 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	212.51	= _	0.598280	x .2	0.119656	Х	212.51	_ = _	25.43
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHES District: 1054 - STUART

- A. If school district's total area in square miles <u>151.468187</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>212.51</u> divided by district's total area in square mile <u>151.468187</u> = District's Areal Density <u>1.40</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	88.91	+	23 =	111.91	(Ca)
Grades	6th - 8th	45.00	+	133 =	178.00	(Cb)
Grades	PK3,9 -OHP	78.60	+	128 =	206.60	(Cc)
		212.51			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	111.91 =	0.661246	+ .85 =	1.511246	x 88.91 =	134.36
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	178.00 =	= 0.685393	+ .85 =	1.535393	x 45.00 =	69.09
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	206.60 =	= 1.413359	+ .78 =	2.193359	x 78.60 =	172.40
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	375.85	divided by di	strict's Raw ADM	212.51	

- 1.00 = District Cost Factor

0.77

5) (District's Square Miles <u>151.468187</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.10</u>

1.77

- 6) Multiply District Cost Factor (Line 4 above) 0.77 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.51 = Isolation Weight 17.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.43_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 193 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	465.08	=	0.120832	x .2	0.024166	Х	465.08	=	11.24
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I001 - NAVAJO

- If school district's total area in square miles 145.609453 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 465.08 divided by district's total area in square mile 145.609453 = District's Areal В Density <u>3.19</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

465.08

0.00 5) (District's Square Miles <u>145.609453</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 465.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.24

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 194 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	154.40	=	0.708129	x .2	0.141626	х _	154.40	=_	21.87
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I014 - DUKE

- A. If school district's total area in square miles <u>157.010953</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>154.40</u> divided by district's total area in square mile <u>157.010953</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	68.58	+	23 =	91.58	(Ca)
Grades	6th - 8th	32.00	+	133 =	165.00	(Cb)
Grades	PK3,9 -OHP	53.82	+	128 =	181.82	(Cc)
		154.40				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	91.58 =	0.808037	+ .85 =	1.658037	х	68.58 =	113.71
		_		_	EC	C-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2					
	165.00 =	0.739394	+ .85 =	1.589394	х	32.00 =	50.86
					6	5-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2					
	181.82 =	1.605984	+ .78 =	2.385984	х	53.82 =	128.41
					9-OI	HP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	292.98	divided by distr	rict's Raw ADM		154.40	

- 1.00 = District Cost Factor

0.90

5) (District's Square Miles <u>157.010953</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.14</u>

1.90

- 6) Multiply District Cost Factor (Line 4 above) 0.90 by lessor of the Area Factor (Line 5 above) 0.14 or 1.00 = Isolation Factor 0.13
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 154.40 = Isolation Weight 20.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __21.87_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 195 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,459.58	= _	0.000000	x .2	0.000000	Х	3,459.58	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I018 - ALTUS

- A. If school district's total area in square miles <u>245.262859</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,459.58</u> divided by district's total area in square mile <u>245.262859</u> = District's Areal Density <u>14.11</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
		· ·					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		3 /159 58	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>245,262859</u> - <u>137,32596</u>) divided by <u>137,32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.459.58 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 196 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	179.54	=	0.660605	x .2	0.132121	Х	179.54	=_	23.72
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: I040 - OLUSTEE-ELDORADO

- A. If school district's total area in square miles <u>284.505898</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>179.54</u> divided by district's total area in square mile <u>284.505898</u> = District's Areal Density <u>0.63</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	97.87	+	23 =	120.87	(Ca)
Grades	6th - 8th	42.35	+	133 =	175.35	(Cb)
Grades	PK3,9 -OHP	39.32	+	128 =	167.32	(Cc)
		179.54			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	120.87 =	0.612228	+ .85 =	1.462228	Х	97.87 =	143.11
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					
	175.35 =	0.695751	+ .85 =	1.545751	х	42.35 =	65.46
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve					
	167.32 =	1.745159	+ .78 =	2.525159	Х	39.32 =	99.29
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

179.54

0.71

5) (District's Square Miles <u>284.505898</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.07</u>

307.86

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 1.07 or 1.00 = Isolation Factor 0.71
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 179.54 = Isolation Weight 127.47
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __127.47_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 197 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	248.51	=	0.530227	x .2	0.106045	х _	248.51	=	26.35
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSON District: 1054 - BLAIR

- If school district's total area in square miles <u>58.401620</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>248.51</u> divided by district's total area in square mile <u>58.401620</u> = District's Areal В Density <u>4.26</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	248.51	

divided by district's Raw ADM

- 1.00 = District Cost Factor

248.51

0.00 5) (District's Square Miles <u>58.401620</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 248.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.35

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 198 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	39.72	=	0.924915	x .2	0.184983	Х	39.72	=	7.35
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: C003 - TERRAL

- If school district's total area in square miles 63.074182 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 39.72 divided by district's total area in square mile 63.074182 = District's Areal В Density <u>0.63</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

39.72

0.00 5) (District's Square Miles <u>63.074182</u> - <u>137.32596</u>) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 39.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.35

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	216.29	= _	0.591134	x .2	0.118227	_ x	216.29	_ = _	25.57
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: I001 - RYAN

- A. If school district's total area in square miles <u>214.906531</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>216.29</u> divided by district's total area in square mile <u>214.906531</u> = District's Areal Density <u>1.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	94.69	+	23 =	117.69	(Ca)
Grades	6th - 8th	50.64	+	133 =	183.64	(Cb)
Grades	PK3,9 -OHP	70.96	+	128 =	198.96	(Cc)
		216.29				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	117.69	= _	0.628770	+ .85 =	1.478770	Χ	94.69 =	140.02
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	183.64	= _	0.664343	+ .85 =	1.514343	х	50.64 =	76.69
	_		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	198.96	=	1.467632	+ .78 =	2.247632	х	70.96 =	159.49
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		376.20	divided by	district's Raw ADM		216 29	

- 1.00 = District Cost Factor

0.74

5) (District's Square Miles <u>214.906531</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.56</u>

1.74

- 6) Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 0.56 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 216.29 = Isolation Weight 88.68
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>88.68</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 200 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	404.16	_ =	0.235992	x .2	0.047198	Х _	404.16	=_	19.08
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1014 - RINGLING

- A. If school district's total area in square miles <u>270.142363</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>404.16</u> divided by district's total area in square mile <u>270.142363</u> = District's Areal Density <u>1.50</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	195.77	+	23 =	218.77	(Ca)
Grades	6th - 8th	83.11	+	133 =	216.11	(Cb)
Grades	PK3,9 -OHP	125.28	+	128 =	253.28	(Cc)
		404.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

218.77	=	0.338255	+ .85 =	:	1.188255	Х	195.77 =	232.62
							EC-5 ADM	EC-5 Cost Factor
122 divided by "Cb" from ab	oove							
216.11	= _	0.564527	+ .85 =	:	1.414527	х	83.11 =	117.56
							6-8 ADM	6-8 Cost Factor
292 divided by " <u>Cc</u> " from ab	ove							
253.28	= _	1.152874	+ .78 =		1.932874	Х	125.28 =	242.15
							9-OHP ADM	9-OHP Cost Factor
	122 divided by " <u>Cb</u> " from all 216.11 292 divided by " <u>Cc</u> " from all	218.77 =	122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 292 divided by " <u>Cc</u> " from above	122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 + .85 = 292 divided by " <u>Cc</u> " from above	122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 + .85 = 292 divided by " <u>Cc</u> " from above	122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 + .85 = 1.414527 292 divided by " <u>Cc</u> " from above	122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 + .85 = 1.414527 x 292 divided by " <u>Cc</u> " from above	EC-5 ADM 122 divided by " <u>Cb</u> " from above 216.11 = 0.564527 + .85 = 1.414527 x 83.11 = 6-8 ADM 292 divided by " <u>Cc</u> " from above 253.28 = 1.152874 + .78 = 1.932874 x 125.28 =

4) Sum 1 + 2 + 3 from above

592.33 divided by district's Raw ADM

1.47 - 1.00 = District Cost Factor

404.16

0.47

- 5) (District's Square Miles <u>270.142363</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.97</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.47 by lessor of the Area Factor (Line 5 above) 0.97 or 1.00 = Isolation Factor 0.46
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 404.16 = Isolation Weight 185.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __185.91_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 201 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	463.42	=	0.123970	x .2	0.024794	х	463.42	_ = _	11.49
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSON District: 1023 - WAURIKA

- A. If school district's total area in square miles <u>261.212375</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>463.42</u> divided by district's total area in square mile <u>261.212375</u> = District's Areal Density <u>1.77</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	236.16	+	23 =	259.16	(Ca)
Grades	6th - 8th	100.36	+	133 =	233.36	(Cb)
Grades	PK3,9 -OHP	126.90	+	128 =	254.90	(Cc)
		463.42				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	259.16 =	0.285538	+ .85 =	1.135538	236.16 =	268.17
	_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ė				
	233.36 =	0.522797	+ .85 =	1.372797	x100.36 =	137.77
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	254.90 =	1.145547	+ .78 =	1.925547	x 126.90 =	244.35
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	650.29	divided by dis	trict's Raw ADM	463.42	

- 1.00 = District Cost Factor

0.40

5) (District's Square Miles <u>261.212375</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.90</u>

1.40

- 6) Multiply District Cost Factor (Line 4 above) 0.40 by lessor of the Area Factor (Line 5 above) 0.90 or 1.00 = Isolation Factor 0.36
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{463.42}{1000}$ = Isolation Weight $\frac{166.83}{1000}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 202 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	91.63	= _	0.826786	x .2	0.165357	Х	91.63	=	15.15
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C007 - MANNSVILLE

- If school district's total area in square miles 44.644584 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 91.63 divided by district's total area in square mile 44.644584 = District's Areal В Density <u>2.05</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	0.00	divided by dis	trict's Raw ADM	91.63	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>44.644584</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 91.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.15

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 203 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	87.05	= _	0.835444	x .2	0.167089	Х	87.05	=	14.55
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: C010 - RAVIA

- A. If school district's total area in square miles <u>43.777336</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>87.05</u> divided by district's total area in square mile <u>43.777336</u> = District's Areal Density <u>1.99</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	·	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	·	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

87.05

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 43.777336 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 87.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.55

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 204 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	190.13	=	0.640586	x .2	0.128117	х _	190.13	=_	24.36
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1002 - MILL CREEK

- A. If school district's total area in square miles <u>159.702431</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>190.13</u> divided by district's total area in square mile <u>159.702431</u> = District's Areal Density <u>1.19</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	77.63	+	23 =	100.63	(Ca)
Grades	6th - 8th	46.79	+	133 =	179.79	(Cb)
Grades	PK3,9 -OHP	65.71	+	128 =	193.71	(Cc)
		190.13				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	100.63		0.735367	+ .85 =	1.585367	.,	77.62	122.07
	100.63	= _	0.735367	= co. +	1.505307	х	77.63 =	123.07
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	179.79	= _	0.678569	+ .85 =	1.528569	х	46.79 =	71.52
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	193.71	= _	1.507408	+ .78 =	2.287408	х	65.71 =	150.31
							9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		344 90	divided by d	istrict's Raw ADM		190 13	

- 1.00 = District Cost Factor

0.81

- 5) (District's Square Miles <u>159.702431</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.16</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.81 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.13
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 190.13 = Isolation Weight 24.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __24.72_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 205 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	845.35	=	0.000000	x .2	0.000000	Х	845.35	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1020 - TISHOMINGO

- If school district's total area in square miles 221.733135 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>845.35</u> divided by district's total area in square mile <u>221.733135</u> = District's Areal В Density 3.81.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	845.35		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>221.733135</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 845.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 206 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	203.90	=	0.614556	x .2	0.122911	Х	203.90	=_	25.06
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1029 - MILBURN

- If school district's total area in square miles <u>64.635194</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 203.90 divided by district's total area in square mile 64.635194 = District's Areal В Density <u>3.15</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		203.90	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>64.635194</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 203.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.06

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 207 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	165.91	=	0.686371	x .2	0.137274	х	165.91	=_	22.78
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1035 - COLEMAN

- If school district's total area in square miles 62.173209 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>165.91</u> divided by district's total area in square mile <u>62.173209</u> = District's Areal В Density <u>2.67</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	165 91		rict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>62.173209</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 165.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.78

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 208 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	214.09	=	0.595293	x .2	0.119059	х	214.09	=_	25.49
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTON District: 1037 - WAPANUCKA

- A. If school district's total area in square miles <u>139.281688</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>214.09</u> divided by district's total area in square mile <u>139.281688</u> = District's Areal Density <u>1.54</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	95.04	+	23 =	118.04	(Ca)
Grades	6th - 8th	47.00	+	133 =	180.00	(Cb)
Grades	PK3,9 -OHP	72.05	+	128 =	200.05	(Cc)
		214.09				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	118.04 =	0.626906	+ .85 =	1.476906	x 95.04 =	140.37
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	180.00 =	0.677778	+ .85 =	1.527778	x 47.00 =	71.81
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	200.05 =	1.459635	+ .78 =	2.239635	x 72.05 =	161.37
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	373.55	divided by dis	trict's Raw ADM	214.09	

- 1.00 = District Cost Factor

0.74

5) (District's Square Miles <u>139.281688</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.01</u>

1.74

- 6) Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 0.01 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 214.09 = Isolation Weight 2.14
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __25.49_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 209 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	111.84	=	0.788582	x .2	0.157716	Х	111.84	=_	17.64
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: C027 - PECKHAM**

- If school district's total area in square miles <u>82.973067</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>111.84</u> divided by district's total area in square mile <u>82.973067</u> = District's Areal В Density <u>1.35</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	pove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	oove				
	0.00 =	= 0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4)	Sum 1 + 2 + 3 from above	0.00	divided by district's Raw ADM	111.84
	=	0.00	- 100 = District Cost Factor	0

- 5) (District's Square Miles <u>82.973067</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 111.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.64

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 210 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	95.36	=	0.819735	x .2	0.163947	х	95.36	=_	15.63
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY **District: C050 - KILDARE**

- If school district's total area in square miles _99.361640_ is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>95.36</u> divided by district's total area in square mile <u>99.361640</u> = District's Areal В Density <u>0.96</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	trict's Raw ADM		95.36	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>99.361640</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 95.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.63

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 211 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,103.55	=	0.000000	x .2	0.000000	X	1,103.55	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: 1045 - BLACKWELL

- If school district's total area in square miles 114.352648 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,103.55 divided by district's total area in square mile 114.352648 = District's Areal В Density <u>9.65</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	ve .					
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	/e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,103.55

0.00 5) (District's Square Miles <u>114.352648</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,103.55}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 212 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	4,584.17	=	0.000000	x .2	0.000000	Х _	4,584.17	=_	0.00
	529					_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I071 - PONCA CITY

- A. If school district's total area in square miles <u>172.960010</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4,584.17</u> divided by district's total area in square mile <u>172.960010</u> = District's Areal Density <u>26.50</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	е				
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

4,584.17

5) (District's Square Miles <u>172.960010</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4.584.17}{1.000}$ = Isolation Weight $\frac{0.00}{1.000}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 213 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	817.64	_ =	0.000000	x .2	0.000000	Х	817.64	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I087 - TONKAWA

- A. If school district's total area in square miles <u>127.567611</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>817.64</u> divided by district's total area in square mile <u>127.567611</u> = District's Areal Density <u>6.41</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 817.64

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>127.567611</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 817.64 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 214 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	716.59	=	0.000000	x .2	0.000000	x	716.59	_ = _	0.00
	529			_		_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAY District: I125 - NEWKIRK

- A. If school district's total area in square miles <u>336.377309</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>716.59</u> divided by district's total area in square mile <u>336.377309</u> = District's Areal Density <u>2.13</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	311.78	+	23 =	334.78	(Ca)
Grades	6th - 8th	145.60	+	133 =	278.60	(Cb)
Grades	PK3,9 -OHP	259.21	+	128 =	387.21	(Cc)
		716.59				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	334.78 =	0.22	21041	+ .85 =	1.071041	х	311.78 =	333.93
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	278.60 =	0.43	37904	+ .85 =	1.287904	х	145.60 =	187.52
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve						
	387.21 =	0.75	54113	+ .78 =	1.534113	х	259.21 =	397.66
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	9	19.11	divided by dis	trict's Raw ADM		716.59	

- 1.00 = District Cost Factor

0.28

5) (District's Square Miles <u>336.377309</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.45</u>

1.28

- 6) Multiply District Cost Factor (Line 4 above) 0.28 by lessor of the Area Factor (Line 5 above) 1.45 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 716.59 = Isolation Weight 200.65
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __200.65_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 215 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	166.13	=	0.685955	x .2	0.137191	Х	166.13	=_	22.79
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1002 - DOVER

- If school district's total area in square miles 123.537885 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>166.13</u> divided by district's total area in square mile <u>123.537885</u> = District's Areal В Density <u>1.34</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		166.13	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>123.537885</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 166.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.79

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 216 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	223.18	=	0.578110	x .2	0.115622	Х _	223.18	_ = _	25.80
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1003 - LOMEGA

- A. If school district's total area in square miles <u>220.536569</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>223.18</u> divided by district's total area in square mile <u>220.536569</u> = District's Areal Density <u>1.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	98.59	+	23 =	121.59	(Ca)
Grades	6th - 8th	58.90	+	133 =	191.90	(Cb)
Grades	PK3,9 -OHP	65.69	+	128 =	193.69	(Cc)
		223.18				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	121.59 =	0.608603	+ .85 =	1.458603	x 98.59	= 143.80
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	191.90 =	0.635748	+ .85 =	1.485748	x58.90	= 87.51
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re				
	193.69 =	1.507564	+ .78 =	2.287564	x 65.69	= 150.27
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	381.58	divided by di	strict's Raw ADM	223.18	

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>220.536569</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.61</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.61 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>223.18</u> = Isolation Weight <u>95.97</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __95.97_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 217 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,342.49	=	0.000000	x .2	0.000000	Х	1,342.49	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1007 - KINGFISHER

- A. If school district's total area in square miles <u>184.218599</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,342.49</u> divided by district's total area in square mile <u>184.218599</u> = District's Areal Density <u>7.29</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,342.49

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>184.218599</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.342.49}{1.342.49}$ = Isolation Weight $\frac{0.00}{1.342.49}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 218 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	837.60	_ =	0.000000	x .2	0.000000	Χ	837.60	_ =	0.00
	529	_	_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I016 - HENNESSEY

- A. If school district's total area in square miles <u>243.341012</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>837.60</u> divided by district's total area in square mile <u>243.341012</u> = District's Areal Density <u>3.44</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

837.60

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 243.341012 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 837.60 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 219 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	716.77	=	0.000000	x .2	0.000000	Х	716.77	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: 1089 - CASHION

- A. If school district's total area in square miles <u>115.307115</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>716.77</u> divided by district's total area in square mile <u>115.307115</u> = District's Areal Density <u>6.22</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	_	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 716.77

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>115.307115</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{716.77}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	395.99	=	0.251437	x .2	0.050287	Х	395.99	=_	19.91
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHER District: I105 - OKARCHE

- A. If school district's total area in square miles <u>153.896492</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>395.99</u> divided by district's total area in square mile <u>153.896492</u> = District's Areal Density <u>2.57</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 153.896492 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 395.99 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.91

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 221 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	693.52	=	0.000000	x .2	0.000000	Х	693.52	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA **District: I001 - HOBART**

- If school district's total area in square miles 136.701939 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 693.52 divided by district's total area in square mile 136.701939 = District's Areal В Density <u>5.07</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8!	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	· _	0.000000	+ .8!	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	· _	0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		693.52	

divided by district's Raw ADM

- 1.00 = District Cost Factor

693.52

5) (District's Square Miles <u>136.701939</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 693.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 222 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	121.62	= _	0.770095	x .2	0.154019	х	121.62	=_	18.73
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I002 - LONE WOLF

- A. If school district's total area in square miles <u>160.610099</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>121.62</u> divided by district's total area in square mile <u>160.610099</u> = District's Areal Density <u>0.76</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	55.22	+	23 =	78.22	(Ca)
Grades	6th - 8th	24.25	+	133 =	157.25	(Cb)
Grades	PK3,9 -OHP	42.15	+	128 =	170.15	(Cc)
		121.62				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	78.22 =	0.946050	+ .85 =	1.796050 x	55.22 =	99.18
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	157.25 =	0.775835	+ .85 =	1.625835 x	24.25 =	39.43
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	170.15 =	1.716133	+ .78 =	2.496133 x	42.15 =	105.21
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	243.82	divided by dis	trict's Raw ADM	121.62	

- 1.00 = District Cost Factor

1.00

5) (District's Square Miles <u>160.610099</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.17</u>

2.00

- 6) Multiply District Cost Factor (Line 4 above) 1.00 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 121.62 = Isolation Weight 20.68
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __20.68_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 223 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	261.11	=	0.506408	x .2	0.101282	х	261.11	_ = _	26.45
	529				Same Year			Small School	
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: I003 - MOUNTAIN VIEW-GOTEBO

- A. If school district's total area in square miles <u>409.932924</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>261.11</u> divided by district's total area in square mile <u>409.932924</u> = District's Areal Density <u>0.64</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	136.50	+	23 =	159.50	(Ca)
Grades	6th - 8th	58.70	+	133 =	191.70	(Cb)
Grades	PK3,9 -OHP	65.91	+	128 =	193.91	(Cc)
		261.11				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	159.50 =	0.463950	+ .85 =	1.313950	x 136.50 =	179.35
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	191.70 =	0.636411	+ .85 =	1.486411	x 58.70 =	87.25
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	193.91 =	1.505853	+ .78 =	2.285853	x 65.91 =	150.66
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 417.26 divided by district's Raw ADM 261.11

 = 1.60 1.00 = District Cost Factor 0.60
- 5) (District's Square Miles 409.932924 137.32596) divided by 137.32596 = Area Factor 1.99
- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 1.99 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 261.11 = Isolation Weight 156.67
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __156.67_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 224 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	438.66	= _	0.170775	x .2	0.034155	Х	438.66	=_	14.98
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWA District: 1004 - SNYDER

- A. If school district's total area in square miles <u>450.351151</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>438.66</u> divided by district's total area in square mile <u>450.351151</u> = District's Areal Density <u>0.97</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	225.51	+	23 =	248.51	(Ca)
Grades	6th - 8th	83.98	+	133 =	216.98	(Cb)
Grades	PK3,9 -OHP	129.17	+	128 =	257.17	(Cc)
		438.66				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	248.51 =	0.297775	+ .85 =	1.147775	x 225.51	= 258.83
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	216.98 =	0.562264	+ .85 =	1.412264	x83.98	= 118.60
				_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	257.17 =	1.135436	+ .78 =	1.915436	x 129.17	= 247.42
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	624.85	divided by dist	rict's Raw ADM	438.66	

- 1.00 = District Cost Factor

0.42

5) (District's Square Miles <u>450.351151</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.28</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 2.28 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 438.66 = Isolation Weight 184.24
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __184.24_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 225 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	52.29	=	0.901153	x .2	0.180231	х	52.29	=_	9.42
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: C004 - PANOLA

- If school district's total area in square miles 120.258841 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>52.29</u> divided by district's total area in square mile <u>120.258841</u> = District's Areal В Density <u>0.43</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		52.29	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>120.258841</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 52.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.42

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 226 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	855.34	=	0.000000	x .2	0.000000	_ x	855.34	=_	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: I001 - WILBURTON

- A. If school district's total area in square miles <u>180.793829</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>855.34</u> divided by district's total area in square mile <u>180.793829</u> = District's Areal Density <u>4.73</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		855.34	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>180.793829</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>855.34</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 227 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	317.72	=	0.399395	x .2	0.079879	Х	317.72	=_	25.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: 1002 - RED OAK

- If school district's total area in square miles 129.932240 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>317.72</u> divided by district's total area in square mile <u>129.932240</u> = District's Areal В Density <u>2.45</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000	x	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000	x	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	317.72	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>129.932240</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.38</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 228 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D	Λ			
Kaw	А	U	IVI	

529 -	171.92	=	0.675009	x .2	0.135002	Х	171.92	=_	23.21
_	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMER District: I003 - BUFFALO VALLEY

- A. If school district's total area in square miles <u>154.170034</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>171.92</u> divided by district's total area in square mile <u>154.170034</u> = District's Areal Density <u>1.12</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	75.67	+	23 =	98.67	(Ca)
Grades	6th - 8th	37.17	+	133 =	170.17	(Cb)
Grades	PK3,9 -OHP	59.08	+	128 =	187.08	(Cc)
		171.92				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	98.67	=	0.749975	+ .85 =	1.599975	Х	75.67 =	121.07
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	170.17	=	0.716930	+ .85 =	1.566930	x	37.17 =	58.24
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	187.08	=	1.560830	+ .78 =	2.340830	х	59.08 =	138.30
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		317.61	divided by d	strict's Raw ADM		171.92	

- 1.00 = District Cost Factor

0.85

5) (District's Square Miles <u>154.170034</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.12</u>

1.85

- 6) Multiply District Cost Factor (Line 4 above) 0.85 by lessor of the Area Factor (Line 5 above) 0.12 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{171.92}{1}$ = Isolation Weight $\frac{17.19}{1}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __23.21_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 229 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	114.08	=	0.784348	x .2	0.156870	X	114.08	=	17.90
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C004 - SHADY POINT

- A. If school district's total area in square miles <u>5.016051</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>114.08</u> divided by district's total area in square mile <u>5.016051</u> = District's Areal Density <u>22.74</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

114.08

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 5.016051 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{114.08}{114.08}$ = Isolation Weight $\frac{0.00}{114.08}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___17.90_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 230 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	108.26	=	0.795350	x .2	0.159070	Х	108.26	=	17.22
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C011 - MONROE

- A. If school district's total area in square miles <u>51.228924</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>108.26</u> divided by district's total area in square mile <u>51.228924</u> = District's Areal Density <u>2.11</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

108.26

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 51.228924 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{108.26}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 231 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	267.67	=	0.494008	x .2	0.098802	Х	267.67	_ = _	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C014 - HODGEN

- A. If school district's total area in square miles <u>140.452364</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>267.67</u> divided by district's total area in square mile <u>140.452364</u> = District's Areal Density <u>1.91</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	198.40	+	23 =	221.40	(Ca)
Grades	6th - 8th	59.90	+	133 =	192.90	(Cb)
Grades	PK3,9 -OHP	9.37	+	128 =	137.37	(Cc)
		267.67				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	221.40 =	0.334237	+ .85 =	1.184237	x 198.40 =	234.95
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	192.90 =	0.632452	+ .85 =	1.482452	x 59.90 =	88.80
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	137.37 =	2.125646	+ .78 =	2.905646	x 9.37 =	27.23
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	350.98	divided by dis	trict's Raw ADM	267.67	

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>140.452364</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.02</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 0.02 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>267.67</u> = Isolation Weight <u>2.68</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.45_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 232 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	102.17	=	0.806862	x .2	0.161372	Х	102.17	_ = _	16.49
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: C039 - FANSHAWE

- If school district's total area in square miles __77.802581_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 102.17 divided by district's total area in square mile 77.802581 = District's Areal В Density <u>1.31</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

102.17

0.00 5) (District's Square Miles <u>77.802581</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 102.17 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.49

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 233 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,025.86	=	0.000000	x .2	0.000000	X	1,025.86	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1002 - SPIRO

- If school district's total area in square miles 129.773601 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,025.86 divided by district's total area in square mile 129.773601 = District's Areal В Density <u>7.90</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,025.86

0.00 5) (District's Square Miles <u>129.773601</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.025.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 234 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	871.09	=	0.000000	x .2	0.000000	Х	871.09	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1003 - HEAVENER

- If school district's total area in square miles 127.691786 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>871.09</u> divided by district's total area in square mile <u>127.691786</u> = District's Areal В Density <u>6.82</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	871.09	

divided by district's Raw ADM

- 1.00 = District Cost Factor

871.09

5) (District's Square Miles <u>127.691786</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 871.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 235 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	737.65	=	0.000000	x .2	0.000000	Х	737.65	_ = _	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1007 - POCOLA

- If school district's total area in square miles 31.595397 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>737.65</u> divided by district's total area in square mile <u>31.595397</u> = District's Areal В Density 23.35.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	_	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	bv di	strict's Raw ADM		737.65	

divided by district's Raw ADM

- 1.00 = District Cost Factor

737.65

0.00 5) (District's Square Miles <u>31.595397</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{737.65}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 236 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	235.14	=	0.555501	x .2	0.111100	х	235.14	_ = _	26.12
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1016 - LE FLORE

- A. If school district's total area in square miles <u>183.156123</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.14</u> divided by district's total area in square mile <u>183.156123</u> = District's Areal Density <u>1.28</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	114.60	+	23 =	137.60	(Ca)
Grades	6th - 8th	42.36	+	133 =	175.36	(Cb)
Grades	PK3,9 -OHP	78.18	+	128 =	206.18	(Cc)
		235.14				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	137.60 =	0.537791	+ .85 =	1.387791	x 11	4.60 =	159.04
					EC-5 A	MD	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	175.36 =	0.695712	+ .85 =	1.545712	x4	2.36 =	65.48
					6-8 A	Md	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	206.18 =	1.416238	+ .78 =	2.196238	x7	8.18 =	171.70
					9-OHP A	.DM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	396.22	divided by di	strict's Raw ADM	23	5.14	

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>183.156123</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.33</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.33 or 1.00 = Isolation Factor 0.23
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.14 = Isolation Weight 54.08
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>54.08</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 237 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	273.56	=	0.482873	x .2	0.096575	х	273.56	_ = _	26.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I017 - CAMERON

- If school district's total area in square miles <u>74.821206</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>273.56</u> divided by district's total area in square mile <u>74.821206</u> = District's Areal В Density <u>3.66</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

273.56

0.00 5) (District's Square Miles <u>74.821206</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>273.56</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.42

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 238 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	724.23	=	0.000000	x .2	0.000000	х	724.23	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: I020 - PANAMA

- If school district's total area in square miles _90.128374_ is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>724.23</u> divided by district's total area in square mile <u>90.128374</u> = District's Areal В Density <u>8.04</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
							_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove							
	0.00	= _	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove							
	0.00	= _	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	by dis	trict's Raw ADM		724.23	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>90.128374</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>724.23</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 239 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw A	ADN	1
-------	-----	---

529 -	157.39	=	0.702476	x .2	0.140495	Х	157.39	=	22.11
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1026 - BOKOSHE

- If school district's total area in square miles <u>58.563424</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 157.39 divided by district's total area in square mile 58.563424 = District's Areal В Density <u>2.69</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
							_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove							
	0.00	= _	0.000000	+ .85	=	0.850000	х _	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove							
	0.00	= _	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	by dis	trict's Raw ADM		157.39	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>58.563424</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 157.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.11

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 240 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,196.38	=	0.000000	x .2	0.000000	Х	2,196.38	_ = _	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1029 - POTEAU

- If school district's total area in square miles <u>85.026699</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,196.38 divided by district's total area in square mile 85.026699 = District's Areal В Density <u>25.83</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		2,196.38	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>85.026699</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.196.38 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 241 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	503.48	=	0.048242	x .2	0.009648	Х	503.48	=_	4.86
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1049 - WISTER

- If school district's total area in square miles 49.632654 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _503.48 divided by district's total area in square mile _49.632654 = District's Areal В Density 10.14.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		503.48	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>49.632654</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 503.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.86

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 242 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	536.11	=	0.000000	x .2	0.000000	Χ	536.11	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1052 - TALIHINA

- A. If school district's total area in square miles <u>71.059810</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>536.11</u> divided by district's total area in square mile <u>71.059810</u> = District's Areal Density <u>7.54</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 536.11

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles $\underline{71.059810}$ $\underline{137.32596}$) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>536.11</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 243 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	212.78	=	0.597769	x .2	0.119554	х	212.78	_ = _	25.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1062 - WHITESBORO

- A. If school district's total area in square miles <u>253.320137</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>212.78</u> divided by district's total area in square mile <u>253.320137</u> = District's Areal Density <u>0.84</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	90.96	+	23 =	113.96	(Ca)
Grades	6th - 8th	51.98	+	133 =	184.98	(Cb)
Grades	PK3,9 -OHP	69.84	+	128 =	197.84	(Cc)
		212.78			·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	113.96 =	:	0.649351	+ .85 =	1.499351	Х	90.96 =	136.38
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	184.98 =	:	0.659531	+ .85 =	1.509531	x	51.98 =	78.47
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	197.84 =	·	1.475940	+ .78 =	2.255940	x	69.84 =	157.55
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		372.40	divided by di	strict's Raw ADM		212.78	

- 1.00 = District Cost Factor

0.75

5) (District's Square Miles <u>253.320137</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.84</u>

1.75

- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.78 = Isolation Weight 134.05
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __134.05_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 244 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	637.44	=	0.000000	x .2	0.000000	Х	637.44	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1067 - HOWE

- If school district's total area in square miles 31.332979 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>637.44</u> divided by district's total area in square mile <u>31.332979</u> = District's Areal В Density 20.34 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	637 44		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>31.332979</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 637.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 245 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	376.90	= _	0.287524	x .2	0.057505	Х	376.90	_ = _	21.67
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLORE District: 1091 - ARKOMA

- If school district's total area in square miles <u>3.596582</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 376.90 divided by district's total area in square mile 3.596582 = District's Areal В Density 104.79 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
		_	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		376.90	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>3.596582</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 376.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.67

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 246 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	126.10	=	0.761626	x .2	0.152325	Х	126.10	=_	19.21
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: C005 - WHITE ROCK

- If school district's total area in square miles 50.614642 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>126.10</u> divided by district's total area in square mile <u>50.614642</u> = District's Areal В Density <u>2.49</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

126.10

0.00 5) (District's Square Miles <u>50.614642</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 126.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.21

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 247 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,131.51	=	0.000000	x .2	0.000000	х _	1,131.51	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1001 - CHANDLER

- If school district's total area in square miles 113.545954 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,131.51 divided by district's total area in square mile 113.545954 = District's Areal В Density <u>9.97</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,131.51

0.00 5) (District's Square Miles <u>113.545954</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,131.51}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 248 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	380.30	_ =	0.281096	x .2	0.056219	Х	380.30	=_	21.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I003 - DAVENPORT

- If school district's total area in square miles <u>78.461436</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>380.30</u> divided by district's total area in square mile <u>78.461436</u> = District's Areal В Density <u>4.85</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	bove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			·		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	pove				
	0.00 =	= 0.000000	+ .78 =	0.780000 x	0.00 =	0.00
				·	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>78.461436</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 380.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.38

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 249 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	537.89	=	0.000000	x .2	0.000000	Х	537.89	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1004 - WELLSTON

- If school district's total area in square miles 104.163633 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>537.89</u> divided by district's total area in square mile <u>104.163633</u> = District's Areal В Density <u>5.16</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

537.89

- 0.00 5) (District's Square Miles <u>104.163633</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>537.89</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 250 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	819.26	=	0.000000	x .2	0.000000	Х	819.26	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1054 - STROUD

- A. If school district's total area in square miles <u>160.070273</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>819.26</u> divided by district's total area in square mile <u>160.070273</u> = District's Areal Density <u>5.12</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

819.26

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 160.070273 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 819.26 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 251 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	686.58	=	0.000000	x .2	0.000000	х	686.58	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: 1095 - MEEKER

- A. If school district's total area in square miles <u>119.872373</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>686.58</u> divided by district's total area in square mile <u>119.872373</u> = District's Areal Density <u>5.73</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000	x	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000	x	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	686.58	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>119.872373</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 686.58 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 252 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	1,035.53	=	0.000000	x .2	0.000000	х _	1,035.53	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I103 - PRAGUE

- If school district's total area in square miles 139.801094 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,035.53 divided by district's total area in square mile 139.801094 = District's Areal В Density <u>7.41</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,035.53

0.00 5) (District's Square Miles <u>139.801094</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.035.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 253 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	217.97	=	0.587958	x .2	0.117592	Х _	217.97	=_	25.63
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I105 - CARNEY

- If school district's total area in square miles 48.934311 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>217.97</u> divided by district's total area in square mile <u>48.934311</u> = District's Areal В Density <u>4.45</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		217.97	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>48.934311</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>217.97</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.63</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 254 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	325.48	=	0.384726	x .2	0.076945	Х	325.48	_ = _	25.04
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLN District: I134 - AGRA

- If school district's total area in square miles <u>54.941643</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>325.48</u> divided by district's total area in square mile <u>54.941643</u> = District's Areal В Density <u>5.92</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	·	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	·	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	·	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		325.48	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.941643</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 325.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.04</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 255 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,360.95	=	0.000000	x .2	0.000000	Х	3,360.95	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN **District: I001 - GUTHRIE**

- If school district's total area in square miles 207.694237 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,360.95 divided by district's total area in square mile 207.694237 = District's Areal В Density 16.18.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85 =	:	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85 =	:	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78 =		0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	v dist	rict's Raw ADM		3.360.95	

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,360.95

5) (District's Square Miles <u>207.694237</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.360.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 256 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D	М

529 -	580.42	_ =	0.000000	x .2	0.000000	Х	580.42	=	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I002 - CRESCENT

- A. If school district's total area in square miles <u>136.933648</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>580.42</u> divided by district's total area in square mile <u>136.933648</u> = District's Areal Density <u>4.24</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

580.42

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 136.933648 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>580.42</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 257 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	218.58	=	0.586805	x .2	0.117361	Х	218.58	=	25.65
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I003 - MULHALL-ORLANDO

- A. If school district's total area in square miles <u>223.711727</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>218.58</u> divided by district's total area in square mile <u>223.711727</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	108.76	+	23 =	131.76	(Ca)
Grades	6th - 8th	51.10	+	133 =	184.10	(Cb)
Grades	PK3,9 -OHP	58.72	+	128 =	186.72	(Cc)
		218.58			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	131.76 =	0.561627	+ .85 =	1.411627 x	108.76 =	153.53
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	184.10 =	0.662683	+ .85 =	1.512683 x	51.10 =	77.30
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	186.72 =	1.563839	+ .78 =	2.343839 x	58.72 =	137.63
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	368.46	divided by dis	strict's Raw ADM	218.58	

- 1.00 = District Cost Factor

0.69

5) (District's Square Miles <u>223.711727</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.63</u>

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.63 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.58 = Isolation Weight 93.99
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 93.99

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 258 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Dave	٨		N A	
Raw	А	ט	IVI	

529 -	320.87	=	0.393440	x .2	0.078688	х	320.87	_ = _	25.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGAN District: I014 - COYLE

- A. If school district's total area in square miles <u>180.110972</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>320.87</u> divided by district's total area in square mile <u>180.110972</u> = District's Areal Density <u>1.78</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	160.01	+	23 =	183.01	(Ca)
Grades	6th - 8th	68.20	+	133 =	201.20	(Cb)
Grades	PK3,9 -OHP	92.66	+	128 =	220.66	(Cc)
		320.87				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	183.01 =	0.404349	+ .85 =	1.254349	x 160.01 =	200.71
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	201.20 =	0.606362	+ .85 =	1.456362	x 68.20 =	99.32
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	220.66 =	1.323303	+ .78 =	2.103303	x 92.66 =	194.89
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	494.92	divided by dis	trict's Raw ADM	320.87	

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>180.110972</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.31</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.31 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 320.87 = Isolation Weight 54.55
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>54.55</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 259 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	63.26	=	0.880416	x .2	0.176083	Х	63.26	=	11.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: C003 - GREENVILLE**

- If school district's total area in square miles 45.587176 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 63.26 divided by district's total area in square mile 45.587176 = District's Areal В Density <u>1.39</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

63.26

0.00 5) (District's Square Miles <u>45.587176</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 63.26 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.14

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 260 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	301.16	<u> </u>	0.430699	x .2	0.086140	Х	301.16	=	25.94
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: I004 - THACKERVILLE**

- If school district's total area in square miles 60.400441 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>301.16</u> divided by district's total area in square mile <u>60.400441</u> = District's Areal В Density 4.99 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>60.400441</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 301.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.94

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 261 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	303.87	_ = _	0.425577	x .2	0.085115	х	303.87	_ = _	25.86
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE District: I005 - TURNER

- A. If school district's total area in square miles <u>237.058035</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>303.87</u> divided by district's total area in square mile <u>237.058035</u> = District's Areal Density <u>1.28</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	158.06	+	23 =	181.06	(Ca)
Grades	6th - 8th	65.83	+	133 =	198.83	(Cb)
Grades	PK3,9 -OHP	79.98	+	128 =	207.98	(Cc)
		303.87				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	181.06	=	0.408704	+ .85 =	1.258704	х	158.06 =	198.95
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	198.83	=	0.613589	+ .85 =	1.463589	х	65.83 =	96.35
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	207.98 =	=	1.403981	+ .78 =	2.183981	х	79.98 =	174.67
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

303.87

0.55

5) (District's Square Miles <u>237.058035</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.73</u>

469.97

1.55

- 6) Multiply District Cost Factor (Line 4 above) 0.55 by lessor of the Area Factor (Line 5 above) 0.73 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 303.87 = Isolation Weight 121.55
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 121.55

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 262 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,133.67	=	0.000000	x .2	0.000000	Х	1,133.67	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 43 - LOVE **District: I016 - MARIETTA**

- If school district's total area in square miles 119.022408 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,133.67 divided by district's total area in square mile 119.022408 = District's Areal В Density <u>9.52</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,133.67

0.00 5) (District's Square Miles <u>119.022408</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.133.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 263 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	358.49	_ =	0.322325	x .2	0.064465	Х	358.49	=	23.11
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR **District: I001 - RINGWOOD**

- If school district's total area in square miles 119.528729 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>358.49</u> divided by district's total area in square mile <u>119.528729</u> = District's Areal В Density <u>3.00</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

358.49

0.00 5) (District's Square Miles <u>119.528729</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>358.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.11

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 264 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	126.35	=	0.761153	x .2	0.152231	Х	126.35	=	19.23
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: I004 - ALINE-CLEO

- A. If school district's total area in square miles <u>193.979646</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>126.35</u> divided by district's total area in square mile <u>193.979646</u> = District's Areal Density <u>0.65</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	68.86	+	23 =	91.86	(Ca)
Grades	6th - 8th	20.51	+	133 =	153.51	(Cb)
Grades	PK3,9 -OHP	36.98	+	128 =	164.98	(Cc)
		126.35				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	91.86 =	0.805574	+ .85 =	1.655574	x 68.86	= 114.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	153.51 =	0.794736	+ .85 =	1.644736	x 20.51	= 33.73
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	164.98 =	1.769912	+ .78 =	2.549912	x 36.98	= 94.30
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	242.03	divided by dis	strict's Raw ADM	126.35	

- 1.00 = District Cost Factor

0.92

5) (District's Square Miles <u>193.979646</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.41</u>

1.92

- 6) Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 0.41 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 126.35 = Isolation Weight 48.01
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.01

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 265 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	737.16	=	0.000000	x .2	0.000000	х _	737.16	=	0.00
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1084 - FAIRVIEW

- A. If school district's total area in square miles <u>316.805816</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>737.16</u> divided by district's total area in square mile <u>316.805816</u> = District's Areal Density <u>2.33</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	366.73	+	23 =	389.73	(Ca)
Grades	6th - 8th	156.38	+	133 =	289.38	(Cb)
Grades	PK3,9 -OHP	214.05	+	128 =	342.05	(Cc)
		737.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	389.73 =	= 0.18	9875	+ .85 =	1.039875	х	366.73 =	=	381.35
							EC-5 ADM	EC	C-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	289.38 =	= 0.42	1591	+ .85 =	1.271591	х	156.38 =	= <u></u>	198.85
							6-8 ADM	6	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	342.05 =	= 0.85	3676	+ .78 =	1.633676	х	214.05 =	=	349.69
						9	OHP ADM	9-0	HP Cost Factor
4)	Sum $1 + 2 + 3$ from above	9	29.89	divided by di	strict's Raw ADM		737.16		

- 1.00 = District Cost Factor

0.26

5) (District's Square Miles <u>316.805816</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.31</u>

1.26

- 6) Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.31 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>737.16</u> = Isolation Weight <u>191.66</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __191.66_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 266 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	161.31	_ =	0.695066	x .2	0.139013	Х	161.31	=_	22.42
	529		_	_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJOR District: 1092 - CIMARRON

- A. If school district's total area in square miles <u>150.541759</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>161.31</u> divided by district's total area in square mile <u>150.541759</u> = District's Areal Density <u>1.07</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	85.98	+	23 =	108.98	(Ca)
Grades	6th - 8th	28.33	+	133 =	161.33	(Cb)
Grades	PK3,9 -OHP	47.00	+	128 =	175.00	(Cc)
		161.31				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	108.98 =	0.679024	+ .85 =	1.529024	x 85.98	= 131.47
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e				
	161.33 =	0.756214	+ .85 =	1.606214	x28.33	= 45.50
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e				
	175.00 =	1.668571	+ .78 =	2.448571	x 47.00	= 115.08
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	292.05	divided by di	strict's Raw ADM	161.31	

- 1.00 = District Cost Factor

0.81

5) (District's Square Miles <u>150.541759</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.10</u>

1.81

- 6) Multiply District Cost Factor (Line 4 above) 0.81 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 161.31 = Isolation Weight 12.90
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.42_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 267 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,751.14	=	0.000000	x .2	0.000000	X	1,751.14	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1002 - MADILL

- A. If school district's total area in square miles <u>257.705192</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,751.14</u> divided by district's total area in square mile <u>257.705192</u> = District's Areal Density <u>6.80</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	= 0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	1,751.14	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>257.705192</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,751.14}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 268 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,216.21	=	0.000000	x .2	0.000000	Х	1,216.21	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALL District: 1003 - KINGSTON

- A. If school district's total area in square miles <u>169.229736</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,216.21</u> divided by district's total area in square mile <u>169.229736</u> = District's Areal Density <u>7.19</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		1,216.21	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>169,229736</u> - <u>137,32596</u>) divided by <u>137,32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.216.21 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 269 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	83.82	=	0.841550	x .2	0.168310	х	83.82	=_	14.11
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: C035 - WICKLIFFE**

- If school district's total area in square miles 20.489791 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 83.82 divided by district's total area in square mile 20.489791 = District's Areal В Density 4.09 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		83.82	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>20.489791</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 83.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.11

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	139.45	=	0.736389	x .2	0.147278	Х	139.45	_ = _	20.54
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES District: C043 - OSAGE

- A. If school district's total area in square miles <u>33.500985</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>139.45</u> divided by district's total area in square mile <u>33.500985</u> = District's Areal Density <u>4.16</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	X	0.00 =	0.00
	_		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	oove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

139.45

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 33.500985 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 139.45 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __20.54_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 271 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,705.51	=	0.000000	x .2	0.000000	Х	2,705.51	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I001 - PRYOR**

- If school district's total area in square miles _99.395734_ is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,705.51 divided by district's total area in square mile 99.395734 = District's Areal В Density <u>27.22</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		<u> </u>			9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,705.51 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>99.395734</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2,705.51}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 272 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,053.70	=	0.000000	x .2	0.000000	Х	1,053.70	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES District: I002 - ADAIR

- A. If school district's total area in square miles <u>162.027670</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,053.70</u> divided by district's total area in square mile <u>162.027670</u> = District's Areal Density <u>6.50</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove					
	0.00 =	:	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve					
	0.00 =	:	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
	_			_	_	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by distri	ct's Raw ADM	1,053.70	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>162.027670</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.053.70 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 273 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	722.41	= _	0.000000	x .2	0.000000	Х	722.41	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I016 - SALINA**

- If school district's total area in square miles <u>78.956224</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _722.41 divided by district's total area in square mile _78.956224 = District's Areal В Density <u>9.15</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е				
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	0.00 =	0.000000	+ .78 =	0.780000	× =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

722.41

0.00 5) (District's Square Miles <u>78.956224</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>722.41</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 274 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,255.23	=	0.000000	x .2	0.000000	Х _	1,255.23	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I017 - LOCUST GROVE**

- If school district's total area in square miles 152.547319 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,255.23 divided by district's total area in square mile 152.547319 = District's Areal В Density <u>8.23</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	1,255.23		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>152.547319</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.255.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 275 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	815.56	=	0.000000	x .2	0.000000	Х	815.56	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYES **District: I032 - CHOUTEAU-MAZIE**

- If school district's total area in square miles 135.263624 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>815.56</u> divided by district's total area in square mile <u>135.263624</u> = District's Areal В Density <u>6.03</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

815.56

0.00 5) (District's Square Miles <u>135.263624</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 815.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 276 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,512.43	=	0.000000	x .2	0.000000	х	2,512.43	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1001 - NEWCASTLE

- If school district's total area in square miles <u>54.662087</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,512.43 divided by district's total area in square mile 54.662087 = District's Areal В Density 45.96.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	: _	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	x	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	l bv di	istrict's Raw ADM		2.512.43	

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,512.43

0.00 5) (District's Square Miles <u>54.662087</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.512.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 277 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	702.86	=	0.000000	x .2	0.000000	Х	702.86	=_	0.00
	529	-	_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1002 - DIBBLE

- If school district's total area in square miles __73.346713_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM _702.86 divided by district's total area in square mile _73.346713 = District's Areal В Density <u>9.58</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =		0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	ov dis	strict's Raw ADM		702.86	

divided by district's Raw ADM

- 1.00 = District Cost Factor

702.86

0.00 5) (District's Square Miles <u>73.346713</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 702.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 278 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,113.93	_ =	0.000000	x .2	0.000000	Х	1,113.93	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1005 - WASHINGTON

- If school district's total area in square miles <u>96.197335</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,113.93 divided by district's total area in square mile 96.197335 = District's Areal В Density 11.58.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,113.93 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>96.197335</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.113.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 279 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	455.55	=	0.138847	x .2	0.027769	х	455.55	_ = _	12.65
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: I010 - WAYNE

- A. If school district's total area in square miles <u>184.871188</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>455.55</u> divided by district's total area in square mile <u>184.871188</u> = District's Areal Density <u>2.46</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	190.59	+	23 =	213.59	(Ca)
Grades	6th - 8th	111.89	+	133 =	244.89	(Cb)
Grades	PK3,9 -OHP	153.07	+	128 =	281.07	(Cc)
		455.55				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	213.59	=	0.346458	+ .85 =	1.196458	Х	190.59 =	228.03
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	244.89	=	0.498183	+ .85 =	1.348183	x	111.89 =	150.85
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	281.07	=	1.038887	+ .78 =	1.818887	x	153.07 =	278.42
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		657.30	divided by di	strict's Raw ADM		455.55	

- 1.00 = District Cost Factor

0.44

5) (District's Square Miles <u>184.871188</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.35</u>

1.44

- 6) Multiply District Cost Factor (Line 4 above) 0.44 by lessor of the Area Factor (Line 5 above) 0.35 or 1.00 = Isolation Factor 0.15
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 455.55 = Isolation Weight 68.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 68.33

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 280 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,408.03	= _	0.000000	x .2	0.000000	Х	1,408.03	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: I015 - PURCELL

- A. If school district's total area in square miles <u>41.661235</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,408.03</u> divided by district's total area in square mile <u>41.661235</u> = District's Areal Density <u>33.80</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from a	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,408.03

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 41.661235 137.32596) divided by 137.32596 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.408.03}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 281 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,145.84	=	0.000000	x .2	0.000000	Х	2,145.84	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAIN District: 1029 - BLANCHARD

- If school district's total area in square miles 62.323822 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,145.84 divided by district's total area in square mile 62.323822 = District's Areal В Density 34.43.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00 =	· _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		2 1/15 8/1	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>62.323822</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.145.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 282 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	116.70	=	0.779395	x .2	0.155879	Х	116.70	=_	18.19
	529		_	_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C001 - FOREST GROVE

- If school district's total area in square miles 44.215604 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>116.70</u> divided by district's total area in square mile <u>44.215604</u> = District's Areal В Density <u>2.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	x	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM				_		_
	116.70		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>44.215604</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{116.70}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.19

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 283 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	375.68	_ =	0.289830	x .2	0.057966	Х	375.68	=	21.78
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C009 - LUKFATA

- If school district's total area in square miles 22.626011 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>375.68</u> divided by district's total area in square mile <u>22.626011</u> = District's Areal В Density 16.60 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	•	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	rict's Raw ADM	375.68	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>22.626011</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 375.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.78

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 284 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	75.61	=	0.857070	x .2	0.171414	х _	75.61	_ = _	12.96
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C023 - GLOVER

- If school district's total area in square miles 27.805408 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>75.61</u> divided by district's total area in square mile <u>27.805408</u> = District's Areal В Density <u>2.72</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

75.61

0.00 5) (District's Square Miles <u>27.805408</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 75.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.96

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 285 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	310.61	_ =	0.412836	x .2	0.082567	Х	310.61	=	25.65
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C037 - DENISON

- If school district's total area in square miles 27.689188 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>310.61</u> divided by district's total area in square mile <u>27.689188</u> = District's Areal В Density <u>11.22</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		310.61	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.689188</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 310.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.65

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 286 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	214.74	=	0.594064	x .2	0.118813	Х	214.74	=_	25.51
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: C072 - HOLLY CREEK

- A. If school district's total area in square miles <u>34.816656</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>214.74</u> divided by district's total area in square mile <u>34.816656</u> = District's Areal В Density <u>6.17</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 0.00 divided by district's Raw ADM 214.74 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>34.816656</u> <u>137.32596</u>) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>214.74</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.51

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 287 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,200.85	=	0.000000	x .2	0.000000	Х	1,200.85	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1005 - IDABEL

- A. If school district's total area in square miles <u>127.072341</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,200.85</u> divided by district's total area in square mile <u>127.072341</u> = District's Areal Density <u>9.45</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.0	0.00
					EC-5 AD	M EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е				
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					6-8 AD	M 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е				
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP AD	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	1,200.8	35

- 1.00 = District Cost Factor

5) (District's Square Miles <u>127.072341</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.200.85 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 288 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	ΔD	М
1\avv	$\Delta \nu$	IVI

529 -	514.79	=_	0.026862	x .2	0.005372	х _	514.79	_ = _	2.77
•	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1006 - HAWORTH

- A. If school district's total area in square miles <u>281.115726</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>514.79</u> divided by district's total area in square mile <u>281.115726</u> = District's Areal Density <u>1.83</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	225.82	+	23 =	248.82	(Ca)
Grades	6th - 8th	114.96	+	133 =	247.96	(Cb)
Grades	PK3,9 -OHP	174.01	+	128 =	302.01	(Cc)
		514.79				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	248.82	=	0.297404	+ .85 =	1.147404	Х	225.82 =	=	259.11
							EC-5 ADM		EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove							
	247.96	= _	0.492015	+ .85 =	1.342015	х	114.96 =	· _	154.28
							6-8 ADM		6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	302.01	= _	0.966855	+ .78 =	1.746855	х	174.01 =	· _	303.97
							9-OHP ADM		9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		717.36	divided by	district's Raw ADM		514.79		

- 1.00 = District Cost Factor

0.39

5) (District's Square Miles <u>281.115726</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.05</u>

1.39

- 6) Multiply District Cost Factor (Line 4 above) 0.39 by lessor of the Area Factor (Line 5 above) 1.05 or 1.00 = Isolation Factor 0.39
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 514.79 = Isolation Weight 200.77
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __200.77_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 289 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	915.05	=	0.000000	x .2	0.000000	Х	915.05	=	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I011 - VALLIANT

- A. If school district's total area in square miles <u>152.118764</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>915.05</u> divided by district's total area in square mile <u>152.118764</u> = District's Areal Density <u>6.02</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						•
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		-
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM						_
	915.05		trict's Raw ADM	divided by dist	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>152.118764</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 915.05 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 290 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	188.49	=	0.643686	x .2	0.128737	Х	188.49	=_	24.27
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: I013 - EAGLETOWN

- A. If school district's total area in square miles <u>299.563410</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>188.49</u> divided by district's total area in square mile <u>299.563410</u> = District's Areal Density <u>0.63</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	87.89	+	23 =	110.89	(Ca)
Grades	6th - 8th	30.60	+	133 =	163.60	(Cb)
Grades	PK3,9 -OHP	70.00	+	128 =	198.00	(Cc)
		188.49			·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	110.89 =	0.667328	+ .85 =	1.517328	Х	87.89 =	133.36
					E	C-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e					
	163.60 =	0.745721	+ .85 =	1.595721	х	30.60 =	48.83
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	198.00 =	1.474747	+ .78 =	2.254747	х	70.00 =	157.83
					9-0	HP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	340.02	divided by dis	strict's Raw ADM		188.49	

- 1.00 = District Cost Factor

0.80

5) (District's Square Miles <u>299.563410</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.18</u>

1.80

- 6) Multiply District Cost Factor (Line 4 above) 0.80 by lessor of the Area Factor (Line 5 above) 1.18 or 1.00 = Isolation Factor 0.80
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.49 = Isolation Weight 150.79
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __150.79_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 291 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	268.66	=	0.492136	x .2	0.098427	X	268.66	=_	26.44
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1014 - SMITHVILLE

- A. If school district's total area in square miles <u>383.894263</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>268.66</u> divided by district's total area in square mile <u>383.894263</u> = District's Areal Density <u>0.70</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	130.81	+	23 =	153.81	(Ca)
Grades	6th - 8th	59.22	+	133 =	192.22	(Cb)
Grades	PK3,9 -OHP	78.63	+	128 =	206.63	(Cc)
		268.66				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	153.81 =	= 0.481113	+ .85 =	1.331113 x	130.81 =	174.12
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	oove				
	192.22 =	= 0.634689	+ .85 =	1.484689 x	59.22 =	87.92
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	206.63 =	= 1.413154	+ .78 =	2.193154 x	78.63 =	172.45
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

268.66

0.62

5) (District's Square Miles <u>383.894263</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.80</u>

434.49

1.62

- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 1.80 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{268.66}$ = Isolation Weight $\underline{166.57}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __166.57_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 292 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	491.32	=	0.071229	x .2	0.014246	Χ	491.32	_ = _	7.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1039 - WRIGHT CITY

- If school district's total area in square miles 165.874811 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>491.32</u> divided by district's total area in square mile <u>165.874811</u> = District's Areal В Density <u>2.96</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>165.874811</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 491.32 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 293 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	231.87	=	0.561682	x .2	0.112336	Х	231.87	=	26.05
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1071 - BATTIEST

- A. If school district's total area in square miles <u>397.236416</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>231.87</u> divided by district's total area in square mile <u>397.236416</u> = District's Areal Density <u>0.58</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	102.26	+	23 =	125.26	(Ca)
Grades	6th - 8th	54.38	+	133 =	187.38	(Cb)
Grades	PK3,9 -OHP	75.23	+	128 =	203.23	(Cc)
		231.87				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	125.26 =	0.590771	+ .85 =	1.440771	102.26 =	147.33
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	187.38 =	0.651083	+ .85 =	1.501083	54.38 =	81.63
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	203.23 =	1.436796	+ .78 =	2.216796 ×	75.23 =	166.77
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

231.87

0.71

5) (District's Square Miles <u>397.236416</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.89</u>

395.73

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 1.89 or 1.00 = Isolation Factor 0.71
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 231.87 = Isolation Weight 164.63
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __164.63_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 294 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,569.60	=	0.000000	x .2	0.000000	х _	1,569.60	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAIN District: 1074 - BROKEN BOW

- If school district's total area in square miles 213.768175 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,569.60 divided by district's total area in square mile 213.768175 = District's Areal В Density <u>7.34</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,569.60

0.00 5) (District's Square Miles <u>213.768175</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.569.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Page 295 of 541 Report# FB107b Printed: 1/5/2022 1:01:36 PM

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	56.43	=	0.893327	x .2	0.178665	Х	56.43	_ = _	10.08
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C003 - RYAL

- If school district's total area in square miles <u>18.053544</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>56.43</u> divided by district's total area in square mile <u>18.053544</u> = District's Areal В Density <u>3.13</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	X	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	56.43		trict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

56.43

0.00 5) (District's Square Miles <u>18.053544</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 56.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.08

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 296 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	91.64	=	0.826767	x .2	0.165353	Х	91.64	=	15.15
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: C016 - STIDHAM

- If school district's total area in square miles 62.703214 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 91.64 divided by district's total area in square mile 62.703214 = District's Areal В Density <u>1.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

91.64

0.00 5) (District's Square Miles <u>62.703214</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 91.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.15

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 297 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,132.83	=	0.000000	x .2	0.000000	Х	1,132.83	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1001 - EUFAULA

- If school district's total area in square miles 140.227401 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,132.83 divided by district's total area in square mile 140.227401 = District's Areal В Density <u>8.08</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	by dis	strict's Raw ADM		1.132.83	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,132.83

5) (District's Square Miles <u>140.227401</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.132.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 298 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,417.35	_ =	0.000000	x .2	0.000000	Х	1,417.35	=	0.00
_	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1019 - CHECOTAH

- A. If school district's total area in square miles <u>282.706529</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,417.35</u> divided by district's total area in square mile <u>282.706529</u> = District's Areal Density <u>5.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,417.35

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>282.706529</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.417.35 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 299 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	239.22	=	0.547788	x .2	0.109558	Х _	239.22	=_	26.21
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1027 - MIDWAY

- If school district's total area in square miles 108.988196 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>239.22</u> divided by district's total area in square mile <u>108.988196</u> = District's Areal В Density <u>2.19</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						-
						122 divided by "Cb" from above	2)
0.00	0.00 =	x	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		-
	239.22		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>108.988196</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 239.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.21

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 300 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	57.23	= _	0.891815	x .2	0.178363	Х	57.23	=	10.21
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSH District: 1064 - HANNA

- If school district's total area in square miles 111.906740 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>57.23</u> divided by district's total area in square mile <u>111.906740</u> = District's Areal В Density <u>0.51</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	Х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	Х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	57.23		strict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

divided by district's Raw ADM

- 1.00 = District Cost Factor

57.23

5) (District's Square Miles <u>111.906740</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 57.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.21

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 301 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,432.33	=	0.000000	x .2	0.000000	х	1,432.33	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: I001 - SULPHUR

- If school district's total area in square miles 144.747017 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,432.33 divided by district's total area in square mile 144.747017 = District's Areal В Density <u>9.90</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	1.432.33	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,432.33

5) (District's Square Miles <u>144.747017</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.432.33}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 302 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	918.14	=	0.000000	x .2	0.000000	Х	918.14	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAY District: I010 - DAVIS

- A. If school district's total area in square miles <u>229.331643</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>918.14</u> divided by district's total area in square mile <u>229.331643</u> = District's Areal Density <u>4.00</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	918.14	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>229,331643</u> - <u>137,32596</u>) divided by <u>137,32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 918.14 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 303 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	65.12	=	0.876900	x .2	0.175380	Χ	65.12	=_	11.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: C009 - WAINWRIGHT

- If school district's total area in square miles <u>55.370387</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 65.12 divided by district's total area in square mile 55.370387 = District's Areal В Density <u>1.18</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

65.12

- 0.00 5) (District's Square Miles <u>55.370387</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 65.12 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.42

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 304 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	667.82	=	0.000000	x .2	0.000000	Х	667.82	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1002 - HASKELL

- A. If school district's total area in square miles <u>146.479043</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>667.82</u> divided by district's total area in square mile <u>146.479043</u> = District's Areal Density <u>4.56</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	<u> </u>						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		667.82	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>146.479043</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 667.82 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 305 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,764.57	=	0.000000	x .2	0.000000	Х	1,764.57	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1003 - FORT GIBSON

- If school district's total area in square miles <u>57.042430</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>1,764.57</u> divided by district's total area in square mile <u>57.042430</u> = District's Areal В Density 30.93.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abou	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,764.57 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>57.042430</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,764.57}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 306 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	294.44	_ = _	0.443403	x .2	0.088681	Х _	294.44	=_	26.11
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1006 - WEBBERS FALLS

- If school district's total area in square miles <u>89.345347</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>294.44</u> divided by district's total area in square mile <u>89.345347</u> = District's Areal В Density <u>3.30</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_			_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	Х _	0.00 =	0.00
			_			_	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		294.44	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.345347</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 294.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.11</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 307 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	688.63	=	0.000000	x .2	0.000000	Х	688.63	=_	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1008 - OKTAHA

- If school district's total area in square miles 67.712469 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>688.63</u> divided by district's total area in square mile <u>67.712469</u> = District's Areal В Density <u>10.17</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

688.63

0.00 5) (District's Square Miles <u>67.712469</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 688.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 308 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	4,776.27	=	0.000000	x .2	0.000000	Х	4,776.27	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1020 - MUSKOGEE

- A. If school district's total area in square miles <u>133.602401</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4,776.27</u> divided by district's total area in square mile <u>133.602401</u> = District's Areal Density <u>35.75</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		4,776.27	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>133.602401</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{4,776.27}{100}$ = Isolation Weight $\frac{0.00}{100}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 309 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,963.42	=	0.000000	x .2	0.000000	Х	1,963.42	=_	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1029 - HILLDALE

- A. If school district's total area in square miles <u>27.341879</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,963.42</u> divided by district's total area in square mile <u>27.341879</u> = District's Areal Density <u>71.81</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,963.42

- = 0.00 1.00 = District Cost Factor

 5) (District's Square Miles 27.341879 137.32596) divided by 137.32596 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.963.42 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 310 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	130.78	_ =	0.752779	x .2	0.150556	Х	130.78	=_	19.69
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1046 - BRAGGS

- If school district's total area in square miles __77.229434_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>130.78</u> divided by district's total area in square mile <u>77.229434</u> = District's Areal В Density <u>1.69</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

130.78

- 0.00 5) (District's Square Miles <u>77.229434</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 130.78 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.69

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 311 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	804.29	_ =	0.000000	x .2	0.000000	Х	804.29	=_	0.00
·	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1074 - WARNER

- If school district's total area in square miles <u>84.170279</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>804.29</u> divided by district's total area in square mile <u>84.170279</u> = District's Areal В Density <u>9.56</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove							
	0.00	= _	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	by dis	trict's Raw ADM		804.29	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>84.170279</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 804.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 312 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	444.81	=	0.159149	x .2	0.031830	Х _	444.81	=_	14.16
	529					_	Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEE District: 1088 - PORUM

- If school district's total area in square miles 101.097193 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 444.81 divided by district's total area in square mile 101.097193 = District's Areal В Density <u>4.40</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

444.81

0.00 5) (District's Square Miles <u>101.097193</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 444.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.16

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 313 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	1,032.55	=	0.000000	x .2	0.000000	Х	1,032.55	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: I001 - PERRY

- A. If school district's total area in square miles <u>199.253716</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,032.55</u> divided by district's total area in square mile <u>199.253716</u> = District's Areal Density <u>5.18</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		1.032.55	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>199,253716</u> - <u>137,32596</u>) divided by <u>137,32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.032.55 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 314 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	61.91	=	0.882968	x .2	0.176594	х	61.91	_ = _	10.93
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1002 - BILLINGS

- A. If school district's total area in square miles <u>183.479144</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>61.91</u> divided by district's total area in square mile <u>183.479144</u> = District's Areal Density <u>0.34</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	24.09	+	23 =	47.09	(Ca)
Grades	6th - 8th	16.07	+	133 =	149.07	(Cb)
Grades	PK3,9 -OHP	21.75	+	128 =	149.75	(Cc)
		61.91				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	47.09	=	1.571459	+ .85 =	2.421459	Х	24.09 =	58.33
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	149.07	= <u> </u>	0.818407	+ .85 =	1.668407	х	16.07 =	26.81
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	149.75	=	1.949917	+ .78 =	2.729917	x	21.75 =	59.38
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		144.52	divided by d	istrict's Raw ADM		61.91	

- 1.00 = District Cost Factor

1.33

5) (District's Square Miles <u>183.479144</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.34</u>

2.33

- 6) Multiply District Cost Factor (Line 4 above) 1.33 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 61.91 = Isolation Weight 27.86
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __27.86_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 315 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	365.55	=	0.308979	x .2	0.061796	Х	365.55	_ = _	22.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: 1004 - FRONTIER

- A. If school district's total area in square miles <u>261.758253</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>365.55</u> divided by district's total area in square mile <u>261.758253</u> = District's Areal Density <u>1.40</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	185.74	+	23 =	208.74	(Ca)
Grades	6th - 8th	76.91	+	133 =	209.91	(Cb)
Grades	PK3,9 -OHP	102.90	+	128 =	230.90	(Cc)
		365.55				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	208.74 =	0.354508	+ .85 =	1.204508	x 185.74 =	= 223.73
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	209.91 =	0.581201	+ .85 =	1.431201	x 76.91 =	= 110.07
	<u> </u>				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	230.90 =	1.264617	+ .78 =	2.044617	x102.90 =	= 210.39
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	544.19	divided by di	strict's Raw ADM	365.55	

- 1.00 = District Cost Factor

0.49

5) (District's Square Miles <u>261.758253</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.91</u>

1.49

- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 0.91 or 1.00 = Isolation Factor 0.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 365.55 = Isolation Weight 164.50
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __164.50_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 316 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	594.53	=	0.000000	x .2	0.000000	Х	594.53	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLE District: I006 - MORRISON

- A. If school district's total area in square miles <u>146.894284</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>594.53</u> divided by district's total area in square mile <u>146.894284</u> = District's Areal Density <u>4.05</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		594.53	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>146.894284</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 594.53 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 317 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	632.73	=	0.000000	x .2	0.000000	Х	632.73	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: 1003 - OKLAHOMA UNION

- A. If school district's total area in square miles <u>307.747992</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>632.73</u> divided by district's total area in square mile <u>307.747992</u> = District's Areal Density <u>2.06</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	303.10	+	23 =	326.10	(Ca)
Grades	6th - 8th	143.75	+	133 =	276.75	(Cb)
Grades	PK3,9 -OHP	185.88	+	128 =	313.88	(Cc)
		632.73				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	326.10 =	0.22	6924	+ .85 =	1.076924	х	303.10 =	326.42
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	276.75 =	0.44	0831	+ .85 =	1.290831	х	143.75 =	185.56
	·					_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	313.88 =	0.93	0292	+ .78 =	1.710292	х	185.88 =	317.91
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	8	29.89	divided by d	listrict's Raw ADM		632.73	

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>307.747992</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.24</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.24 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 632.73 = Isolation Weight 196.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 318 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	722.91	<u> </u>	0.000000	x .2	0.000000	х	722.91	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA District: 1040 - NOWATA

- A. If school district's total area in square miles <u>197.579712</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>722.91</u> divided by district's total area in square mile <u>197.579712</u> = District's Areal Density <u>3.66</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

722.91

5) (District's Square Miles <u>197.579712</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 722.91 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 319 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	259.71	=	0.509055	x .2	0.101811	Х	259.71	=_	26.44
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 53 - NOWATA **District: I051 - SOUTH COFFEYVILLE**

- If school district's total area in square miles <u>59.381559</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>259.71</u> divided by district's total area in square mile <u>59.381559</u> = District's Areal В Density <u>4.37</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

259.71

0.00 5) (District's Square Miles <u>59.381559</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>259.71</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.44</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 320 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	137.84	=	0.739433	x .2	0.147887	Х	137.84	=_	20.38
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: C029 - BEARDEN

- If school district's total area in square miles __71.822235_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>137.84</u> divided by district's total area in square mile <u>71.822235</u> = District's Areal В Density <u>1.92</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000) =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by " <u>Cb</u> " from al	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000) =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						above	292 divided by " <u>Cc</u> " from ab	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000) =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	137.84		trict's Raw ADM	divided by dis	0.00	/e	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.822235</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 137.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.38

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 321 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	253.48	=	0.520832	x .2	0.104166	Х _	253.48	=_	26.40
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1002 - MASON

- If school district's total area in square miles 112.528247 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>253.48</u> divided by district's total area in square mile <u>112.528247</u> = District's Areal В Density <u>2.25</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_			9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	253.48	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>112.528247</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>253.48</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.40</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 322 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	218.94	=	0.586125	x .2	0.117225	Х _	218.94	=_	25.67
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: I014 - PADEN

- If school district's total area in square miles 102.815524 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.94</u> divided by district's total area in square mile <u>102.815524</u> = District's Areal В Density <u>2.13</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 218.94 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>102.815524</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>218.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.67

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 323 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	712.85	_ =	0.000000	x .2	0.000000	Х	712.85	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1026 - OKEMAH

- A. If school district's total area in square miles <u>164.904553</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>712.85</u> divided by district's total area in square mile <u>164.904553</u> = District's Areal Density <u>4.32</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0 =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						n above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0 =	0.00	
6-8 Cost Factor	6-8 ADM				_			
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0 =	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	712.85		trict's Raw ADM	divided by dis	0.00	ve	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>164.904553</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{712.85}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 324 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	388.13	=	0.266295	x .2	0.053259	Х	388.13	=_	20.67
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: 1031 - WELEETKA

- If school district's total area in square miles 147.170513 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>388.13</u> divided by district's total area in square mile <u>147.170513</u> = District's Areal В Density <u>2.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 388.13 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>147.170513</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 388.13 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.67

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	132.62	=_	0.749301	x .2	0.149860	x	132.62	=	19.87
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEE District: I054 - GRAHAM-DUSTIN

- A. If school district's total area in square miles <u>137.422252</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>132.62</u> divided by district's total area in square mile <u>137.422252</u> = District's Areal Density <u>0.97</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	64.53	+	23 =	87.53	(Ca)
Grades	6th - 8th	33.93	+	133 =	166.93	(Cb)
Grades	PK3,9 -OHP	34.16	+	128 =	162.16	(Cc)
		132.62				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	87.53 =	0.845424	+ .85 =	1.695424	X	64.53 =	109.41
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2					
	166.93 =	0.730845	+ .85 =	1.580845	х	33.93 =	53.64
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	162.16 =	1.800691	+ .78 =	2.580691	х	34.16 =	88.16
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

132.62

0.89

= 1.89 - 1.00 = District Cost Factor 0

5) (District's Square Miles 137.422252 - 137.32596) divided by 137.32596 = Area Factor 0.00

251.21

- 6) Multiply District Cost Factor (Line 4 above) 0.89 by lessor of the Area Factor (Line 5 above) 0.00 or 1.00 = Isolation Factor 0.00
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{132.62}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.87

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 326 of 541 Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	699.83	=	0.000000	x .2	0.000000	Х	699.83	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C029 - OAKDALE

- If school district's total area in square miles <u>8.965340</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 699.83 divided by district's total area in square mile 8.965340 = District's Areal В Density <u>78.06</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_		_	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	699.83	

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>8.965340</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 699.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 327 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	372.85	=	0.295180	x .2	0.059036	Х _	372.85	=_	22.01
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: C074 - CRUTCHO

- If school district's total area in square miles <u>5.552638</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 372.85 divided by district's total area in square mile 5.552638 = District's Areal В Density <u>67.15</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM		372.85	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>5.552638</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 372.85 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.01

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 328 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	323.28	=	0.388885	x .2	0.077777	Х	323.28	_ = _	25.14
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E003 - OKC CHARTER: HUPFELD/W VILLAGE

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>323.28</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

+ .85 =

0.00 =

0.00

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 323.28

= 0.00 divided by district's Raw ADM 323.28

- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 323.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 329 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	430.84	=	0.185558	x .2	0.037112	Х	430.84	=_	15.99
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E012 - OKC CHARTER: KIPP REACH COLL.

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>430.84</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	0.00 =	0.000000	+ .78 =	0.780000	x =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	430.84	

- 1.00 = District Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

5) (District's Square Miles 0 - 137.32596) divided by 137.32596 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{430.84}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 330 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	161.91	=	0.693932	x .2	0.138786	Х	161.91	=_	22.47
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E026 - WESTERN GATEWAY Elem School

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>161.91</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Privacy Level: Public

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above				
	0.00 = 0.00000	0 + .85 =	0.850000	0.00 =	0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.000 = 0.00000	0 + .78 =	0.780000	0.00 =	0.00
				9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 161.91 = 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 161.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	691.24	=	0.000000	x .2	0.000000	Х	691.24	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E028 - JOHN W REX CHARTER ELEMENTARY

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 691.24 divided by district's total area in square mile 0.000000 = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	691.24	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 691.24 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 332 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	828.90	=	0.000000	x .2	0.000000	Х	828.90	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: E030 - HARDING INDEPENDENCE CHARTER

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>828.90</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	828.90	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 828.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 333 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,261.58	_ =	0.000000	x .2	0.000000	Х	1,261.58	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G004 - ASTEC CHARTERS

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,261.58 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

0.00

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,261.58 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,261.58}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	15,066.52	=	0.000000	x .2	0.000000	Х	15,066.52	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G008 - EPIC BLENDED LEARNING CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>15,066.52</u> divided by district's total area in square mile <u>0</u> = District's Areal Density _ В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

15,066.52

5) (District's Square Miles 0 - 137.32596) divided by 137.32596 =Area Factor 0

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 15,066.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 335 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,770.27	=	0.000000	x .2	0.000000	Х	1,770.27	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G009 - DOVE SCHOOLS OF OKC

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,770.27 divided by district's total area in square mile 0.000000 = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,770.27

0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,770.27}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 336 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	376.90	= _	0.287524	x .2	0.057505	Х	376.90	=	21.67
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G011 - HARDING FINE ARTS ACADEMY

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 376.90 divided by district's total area in square mile 0.000000 = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x = 0.00 =	0.00
	·				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x <u>0.00</u> =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	376.90	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.32596</u>) divided by 137.32596 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 376.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 337 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,659.29	=	0.000000	Х	.2	0.000000	Х	3,659.29	=_	0.00
	529	_	_					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: G021 - SANTA FE SOUTH CHARTER SCHOOL

- If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,659.29 divided by district's total area in square mile 0.000000 = District's Areal В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	!				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	3,659.29	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>0.000000</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.659.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 338 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	18,030.16	_ =	0.000000	x .2	0.000000	Х	18,030.16	=_	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1001 - PUTNAM CITY

- If school district's total area in square miles 42.784202 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 18,030.16 divided by district's total area in square mile 42.784202 = District's Areal В Density 421.42 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	-					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM		18,030.16	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>42.784202</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 18.030.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 339 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	ח	M
1\avv	$\overline{}$	$\boldsymbol{\mathcal{L}}$	IVI

529 -	797.36	=	0.000000	x .2	0.000000	Х	797.36	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1003 - LUTHER

- A. If school district's total area in square miles <u>132.728715</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>797.36</u> divided by district's total area in square mile <u>132.728715</u> = District's Areal Density <u>6.01</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	9				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
	_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	797.36	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>132.728715</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{797.36}{}$ = Isolation Weight $\frac{0.00}{}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 340 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	5,603.91	=	0.000000	Х	.2	0.000000	Х	5,603.91	=	0.00
_	529	_	_				_	Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1004 - CHOCTAW-NICOMA PARK

- If school district's total area in square miles <u>57.985266</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>5,603.91</u> divided by district's total area in square mile <u>57.985266</u> = District's Areal В Density <u>96.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

5,603.91

0.00 5) (District's Square Miles <u>57.985266</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 5.603.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 341 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	7,169.82	=	0.000000	x .2	0.000000	Х	7,169.82	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1006 - DEER CREEK

- If school district's total area in square miles __71.391136__ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 7,169.82 divided by district's total area in square mile 71.391136 = District's Areal В Density 100.43.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	/e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abov	ve					
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

7,169.82

0.00 5) (District's Square Miles <u>71.391136</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 7.169.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 342 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,073.22	=	0.000000	x .2	0.000000	Х	2,073.22	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1007 - HARRAH

- If school district's total area in square miles 64.548339 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,073.22 divided by district's total area in square mile 64.548339 = District's Areal В Density 32.12.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	2.073.22	

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,073.22

0.00 5) (District's Square Miles <u>64.548339</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.073.22 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 343 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,074.34	_ =	0.000000	x .2	0.000000	Х	1,074.34	_ =	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1009 - JONES

- A. If school district's total area in square miles <u>51.597616</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,074.34</u> divided by district's total area in square mile <u>51.597616</u> = District's Areal Density <u>20.82</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from a	bove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,074.34

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>51.597616</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.074.34 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 344 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	25,354.16	=	0.000000	x .2	0.000000	Х	25,354.16	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: I012 - EDMOND

- If school district's total area in square miles 128.846956 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>25,354.16</u> divided by district's total area in square mile <u>128.846956</u> = District's Areal В Density 196.78.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

25,354.16

0.00 5) (District's Square Miles <u>128.846956</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>25.354.16</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 345 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,024.09	=	0.000000	Х	.2	0.000000	Х	1,024.09	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1037 - MILLWOOD

- If school district's total area in square miles <u>9.079588</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,024.09 divided by district's total area in square mile 9.079588 = District's Areal В Density 112.79.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	_	1,024.09	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles 9.079588 - 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.024.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 346 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,706.87	=	0.000000	x .2	0.000000	Х	2,706.87	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1041 - WESTERN HEIGHTS

- If school district's total area in square miles <u>25.783820</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,706.87 divided by district's total area in square mile 25.783820 = District's Areal В Density 104.98.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		2,706.87	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>25.783820</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.706.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 347 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	12,163.74	_ =	0.000000	x .2	0.000000	Х	12,163.74	=	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1052 - MIDWEST CITY-DEL CITY

- If school district's total area in square miles _70.371406_ is greater than the state average area in square miles _137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12,163.74 divided by district's total area in square mile 70.371406 = District's Areal В Density <u>172.85</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

12,163.74

0.00 5) (District's Square Miles <u>70.371406</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12.163.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 348 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,180.80	=	0.000000	x .2	0.000000	Х	1,180.80	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1053 - CROOKED OAK

- If school district's total area in square miles 4.418359 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,180.80 divided by district's total area in square mile 4.418359 = District's Areal В Density <u>267.25</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =		0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	ov dis	strict's Raw ADM		1.180.80	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,180.80

0.00 5) (District's Square Miles <u>4.418359</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,180.80}{1,180.80}$ = Isolation Weight $\frac{0.00}{1,180.80}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 349 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,731.85	=	0.000000	x .2	0.000000	_ x	1,731.85	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1088 - BETHANY

- If school district's total area in square miles <u>0.713476</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,731.85 divided by district's total area in square mile 0.713476 = District's Areal В Density 2427.34 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		1,731.85	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>0.713476</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,731.85}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 350 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	31,489.25	_ = _	0.000000	x .2	0.000000	Х	31,489.25	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: 1089 - OKLAHOMA CITY

- A. If school district's total area in square miles <u>134.211731</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>31,489.25</u> divided by district's total area in square mile <u>134.211731</u> = District's Areal Density <u>234.62</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		31,489.25	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>134.211731</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 31.489.25 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 351 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	65.04	=	0.877051	x .2	0.175410	Х	65.04	_ = _	11.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J001 - OKLAHOMA YOUTH ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{65.04}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ė				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 65.04 = 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{65.04}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 352 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	281.77	=	0.467353	x .2	0.093471	Х	281.77	=_	26.34
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J002 - ACADEMY OF SEMINOLE CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>281.77</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00			. =		

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 281.77

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{281.77}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 353 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	307.92	_ =	0.417921	x .2	0.083584	X	307.92	=_	25.74
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J003 - LE MONDE INTERNATIONAL SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.92</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	9				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

+ .85 =

0.00 =

307.92

0.00

5) (District's Square Miles <u>0</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 354 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	119.86	_ = _	0.773422	x .2	0.154684	_ X	119.86	=_	18.54
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: J004 - SOVEREIGN COMMUNITY SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{119.86}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.00 = 0.000	0000 + .85 =	= 0.850000	x0.00	= 0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.00 = 0.000)0000 + .78 =	0.780000	x0.00	= 0.00
				9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 119.86 = 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{119.86}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	22,960.48	=	0.000000	x .2	0.000000	х _	22,960.48	=_	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z001 - EPIC ONE ON ONE CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 22,960.48 divided by district's total area in square mile 0 = District's Areal Density _ В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 22,960.48 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 22,960.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 356 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,899.39	=	0.000000	x .2	0.000000	Х	2,899.39	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z002 - OKLAHOMA VIRTUAL CHARTER ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,899.39 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00	0.000000	. 70	0.700000	0.00	0.00

- 0.000000 0.780000 x 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,899.39 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.899.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 357 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,486.41	_ =	0.000000	x .2	0.000000	Х	1,486.41	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z003 - OKLAHOMA CONNECTIONS ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,486.41 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,486.41 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.486.41</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	728.34	=	0.000000	x .2	0.000000	Х	728.34	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z004 - INSIGHT SCHOOL OF OKLAHOMA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>728.34</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 -	0.000000	4 78 –	0.780000 v	0.00 -	0.00

0.850000 x

+ .85 =

0.00 =

0.00

9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 728.34

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles $0 \frac{137.32596}{}$) divided by $\frac{137.32596}{}$ = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>728.34</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 359 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	588.58	=	0.000000	x .2	0.000000	Х	588.58	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z006 - eSCHOOL VIRTUAL CHARTER ACAD

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>588.58</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00	0.000000	. 70	0.700000	0.00	0.00

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 588.58

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{588.58}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 360 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	64.83	=	0.877448	x .2	0.175490	Х	64.83	_ = _	11.38
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMA District: Z007 - OKLAHOMA INFO AND TECH SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM $\underline{64.83}$ divided by district's total area in square mile $\underline{0}$ = District's Areal Density $\underline{0}$.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

0.850000 x

0.00 =

64.83

0.00

5) (District's Square Miles 0 - 137.32596) divided by 137.32596 =Area Factor 0

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 64.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 361 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	326.41	=	0.382968	Х	.2	0.076	5594	Х	326.41	=	25.00
	529								Same Year		Small School
									Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: C011 - TWIN HILLS

- If school district's total area in square miles <u>94.260178</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>326.41</u> divided by district's total area in square mile <u>94.260178</u> = District's Areal В Density <u>3.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

326.41

0.00 5) (District's Square Miles <u>94.260178</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 362 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,098.69	=	0.000000	x .2	0.000000	Х	1,098.69	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

- If school district's total area in square miles __77.054241_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,098.69 divided by district's total area in square mile 77.054241 = District's Areal В Density 14.26.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 ×	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 >	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,098.69

0.00 5) (District's Square Miles <u>77.054241</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.098.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 363 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,057.80	=	0.000000	x .2	0.000000	Х	1,057.80	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1002 - HENRYETTA

- A. If school district's total area in square miles <u>48.257449</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,057.80 divided by district's total area in square mile 48.257449 = District's Areal Density 21.92.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		1,057.80	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>48.257449</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.057.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 364 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	978.28	=	0.000000	x .2	0.000000	Х	978.28	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1003 - MORRIS

- If school district's total area in square miles 138.498097 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 978.28 divided by district's total area in square mile 138.498097 = District's Areal В Density <u>7.06</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_			EC-5	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					6-8	ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-OHP	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM	9	78.28	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>138.498097</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 978.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 365 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,043.11	=	0.000000	x .2	0.000000	Х _	1,043.11	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1004 - BEGGS

- If school district's total area in square miles 170.456394 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,043.11 divided by district's total area in square mile 170.456394 = District's Areal В Density <u>6.12</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,043.11 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>170.456394</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.043.11}{1.043.11}$ = Isolation Weight $\frac{0.00}{1.043.11}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADN		

529 -	639.20	=	0.000000	x .2	0.000000	x	639.20	_ = _	0.00
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1005 - PRESTON

- If school district's total area in square miles 39.129310 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>639.20</u> divided by district's total area in square mile <u>39.129310</u> = District's Areal В Density 16.34.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	-					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM		639.20	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>39.129310</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 639.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 367 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	178.47	=	0.662628	x .2	0.132526	Х	178.47	=	23.65
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1006 - SCHULTER

- If school district's total area in square miles <u>26.434287</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>178.47</u> divided by district's total area in square mile <u>26.434287</u> = District's Areal В Density <u>6.75</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

178.47

- 0.00 5) (District's Square Miles <u>26.434287</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 178.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.65

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 368 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	315.87	=	0.402892	x .2	0.080578	Х	315.87	=_	25.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1007 - WILSON

- If school district's total area in square miles 36.577177 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>315.87</u> divided by district's total area in square mile <u>36.577177</u> = District's Areal В Density <u>8.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .85	5 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	8 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		315.87	

divided by district's Raw ADM

- 1.00 = District Cost Factor

315.87

0.00 5) (District's Square Miles <u>36.577177</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 315.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.45

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 369 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	444.35	=	0.160019	x .2	0.032004	Х	444.35	=_	14.22
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEE District: 1008 - DEWAR

- If school district's total area in square miles 33.974129 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>444.35</u> divided by district's total area in square mile <u>33.974129</u> = District's Areal В Density 13.08.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

444.35

0.00 5) (District's Square Miles <u>33.974129</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 444.35 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 370 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	188.54	=	0.643592	x .2	0.128718	х	188.54	=_	24.27
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C003 - OSAGE HILLS**

- If school district's total area in square miles 23.621814 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>188.54</u> divided by district's total area in square mile <u>23.621814</u> = District's Areal В Density <u>7.98</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>23.621814</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.27

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 371 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	56.88	=	0.892476	x .2	0.178495	х _	56.88	=_	10.15
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: C007 - BOWRING

- A. If school district's total area in square miles <u>278.749006</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>56.88</u> divided by district's total area in square mile <u>278.749006</u> = District's Areal Density <u>0.20</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	42.88	+	23 =	65.88	(Ca)
Grades	6th - 8th	14.00	+	133 =	147.00	(Cb)
Grades	PK3,9 -OHP	0.00	+	128 =	0.00	(Cc)
		56.88				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	65.88	=	1.123254	+ .85 =	1.973254	Χ	42.88 =	84.61
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	147.00	= _	0.829932	+ .85 =	1.679932	х	14.00 =	23.52
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.000000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		108.13	divided by d	istrict's Raw ADM		56.88	

- 1.00 = District Cost Factor

0.90

5) (District's Square Miles <u>278.749006</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.03</u>

1.90

- 6) Multiply District Cost Factor (Line 4 above) 0.90 by lessor of the Area Factor (Line 5 above) 1.03 or 1.00 = Isolation Factor 0.90
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{56.88}$ = Isolation Weight $\underline{51.19}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __51.19_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 372 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	77.20	=	0.854064	x .2	0.170813	Х	77.20	=_	13.19
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C035 - AVANT**

- If school district's total area in square miles __71.313871_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 77.20 divided by district's total area in square mile 71.313871 = District's Areal В Density 1.08.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_			<u> </u>	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_			·	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	77.20	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.313871</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 77.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.19

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
Kaw	Α	U	IV

529 -	232.70	=	0.560113	x .2	0.112023	Х	232.70	_ = _	26.07
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C052 - ANDERSON**

- If school district's total area in square miles 31.404274 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>232.70</u> divided by district's total area in square mile <u>31.404274</u> = District's Areal В Density <u>7.41</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

232.70

- 0.00 5) (District's Square Miles <u>31.404274</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.07</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 374 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	299.00	=	0.434783	x .2	0.086957	х _	299.00	=_	26.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: C077 - MCCORD**

- If school district's total area in square miles 14.847452 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>299.00</u> divided by district's total area in square mile <u>14.847452</u> = District's Areal В Density 20.14.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		299.00	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>14.847452</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 299.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 375 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	702.12	=	0.000000	x .2	0.000000	х _	702.12	_ = _	0.00
·	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: I002 - PAWHUSKA

- A. If school district's total area in square miles <u>328.819170</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>702.12</u> divided by district's total area in square mile <u>328.819170</u> = District's Areal Density <u>2.14</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	349.94	+	23 =	372.94	(Ca)
Grades	6th - 8th	140.68	+	133 =	273.68	(Cb)
Grades	PK3,9 -OHP	211.50	+	128 =	339.50	(Cc)
		702.12			-	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	372.94 =	0.198423	+ .85 =	1.048423 x	349.94 =	366.89
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	273.68 =	0.445776	+ .85 =	1.295776 x	140.68 =	182.29
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	339.50 =	0.860088	+ .78 =	1.640088 x	211.50 =	346.88
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	896.06	divided by distr	rict's Raw ADM	702.12	

- 1.00 = District Cost Factor

0.28

5) (District's Square Miles <u>328.819170</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.39</u>

1.28

- 6) Multiply District Cost Factor (Line 4 above) 0.28 by lessor of the Area Factor (Line 5 above) 1.39 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 702.12 = Isolation Weight 196.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 196.59

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 376 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	220.65	_ =	0.582892	x .2	0.116578	х _	220.65	=	25.72
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: I011 - SHIDLER

- A. If school district's total area in square miles <u>409.716063</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>220.65</u> divided by district's total area in square mile <u>409.716063</u> = District's Areal Density <u>0.54</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	89.48	+	23 =	112.48	(Ca)
Grades	6th - 8th	59.59	+	133 =	192.59	(Cb)
Grades	PK3,9 -OHP	71.58	+	128 =	199.58	(Cc)
		220.65				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	112.48 =	0.657895	+ .85 =	1.507895	x 89.48	= 134.93
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	192.59 =	0.633470	+ .85 =	1.483470	x 59.59	= 88.40
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	199.58 =	1.463072	+ .78 =	2.243072	x71.58	= 160.56
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	383.89	divided by di	strict's Raw ADM	220.65	

- 1.00 = District Cost Factor

0.74

5) (District's Square Miles <u>409.716063</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.98</u>

1.74

- 6) Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 1.98 or 1.00 = Isolation Factor 0.74
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 220.65 = Isolation Weight 163.28

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 377 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	397.96	=_	0.247713	x .2	0.049543	Х	397.96	=	19.72
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I029 - BARNSDALL**

- If school district's total area in square miles 149.154050 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 397.96 divided by district's total area in square mile 149.154050 = District's Areal В Density <u>2.67</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

397.96

0.00 5) (District's Square Miles <u>149.154050</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 397.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.72

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 378 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	103.21	=	0.804896	x .2	0.160979	Х	103.21	_ = _	16.61
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE **District: I030 - WYNONA**

- If school district's total area in square miles <u>92.787027</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 103.21 divided by district's total area in square mile 92.787027 = District's Areal В Density <u>1.11</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	′8 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		103.21	

divided by district's Raw ADM

- 1.00 = District Cost Factor

103.21

0.00 5) (District's Square Miles <u>92.787027</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 103.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.61

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 379 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	553.26	=	0.000000	x .2	0.000000	x	553.26	_ = _	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1038 - HOMINY

- A. If school district's total area in square miles <u>227.617968</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>553.26</u> divided by district's total area in square mile <u>227.617968</u> = District's Areal Density <u>2.43</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	260.77	+	23 =	283.77	(Ca)
Grades	6th - 8th	134.08	+	133 =	267.08	(Cb)
Grades	PK3,9 -OHP	158.41	+	128 =	286.41	(Cc)
		553.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	283.77 =	0.260775	+ .85 =	1.110775 x	260.77 =	289.66
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ė				
	267.08 =	0.456792	+ .85 =	1.306792 x	134.08 =	175.21
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	286.41 =	1.019517	+ .78 =	1.799517 x	158.41 =	285.06
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	749.93	divided by dist	rict's Raw ADM	553.26	

- 1.00 = District Cost Factor

0.36

5) (District's Square Miles <u>227.617968</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.66</u>

1.36

- 6) Multiply District Cost Factor (Line 4 above) 0.36 by lessor of the Area Factor (Line 5 above) 0.66 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>553.26</u> = Isolation Weight <u>132.78</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __132.78_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 380 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	279.85	=	0.470983	x .2	0.094197	х _	279.85	=_	26.36
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1050 - PRUE

- A. If school district's total area in square miles <u>111.439595</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>279.85</u> divided by district's total area in square mile <u>111.439595</u> = District's Areal Density <u>2.51</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 279.85

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>111.439595</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{279.85}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.36_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 381 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	378.17	=	0.285123	x .2	0.057025	х	378.17	_ = _	21.56
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGE District: 1090 - WOODLAND

- A. If school district's total area in square miles <u>350.412582</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>378.17</u> divided by district's total area in square mile <u>350.412582</u> = District's Areal Density <u>1.08</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	189.71	+	23 =	212.71	(Ca)
Grades	6th - 8th	79.77	+	133 =	212.77	(Cb)
Grades	PK3,9 -OHP	108.69	+	128 =	236.69	(Cc)
		378.17				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	212.71 =	0.347891	+ .85 =	1.197891	x 189.71 =	227.25
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	212.77 =	0.573389	+ .85 =	1.423389	x 79.77 =	113.54
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	236.69 =	1.233681	+ .78 =	2.013681	x 108.69 =	218.87
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	559.66	divided by dis	trict's Raw ADM	378.17	

- 1.00 = District Cost Factor

0.48

5) (District's Square Miles <u>350.412582</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.55</u>

1.48

- 6) Multiply District Cost Factor (Line 4 above) 0.48 by lessor of the Area Factor (Line 5 above) 1.55 or 1.00 = Isolation Factor 0.48
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 378.17 = Isolation Weight 181.52
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __181.52_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 382 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	98.63	=	0.813554	x .2	0.162711	Х	98.63	=_	16.05
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: C010 - TURKEY FORD**

- If school district's total area in square miles 36.261742 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>98.63</u> divided by district's total area in square mile <u>36.261742</u> = District's Areal В Density <u>2.72</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000) =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000) =	0.00	
6-8 Cost Factor	6-8 ADM				_	_		
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000) =	0.00	
9-OHP Cost Factor	9-OHP ADM				_	_		
	98.63		trict's Raw ADM	divided by dis	0.00	/e	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>36.261742</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 98.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.05

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 383 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	760.29	=	0.000000	x .2	0.000000	х _	760.29	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: I001 - WYANDOTTE**

- If school district's total area in square miles 111.719908 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>760.29</u> divided by district's total area in square mile <u>111.719908</u> = District's Areal В Density <u>6.81</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

760.29

- 0.00 5) (District's Square Miles <u>111.719908</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{760.29}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 384 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
Kaw	Α	U	IV

529 -	587.42	=	0.000000	x .2	0.000000	Х	587.42	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I014 - QUAPAW

- If school district's total area in square miles <u>76.808795</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>587.42</u> divided by district's total area in square mile <u>76.808795</u> = District's Areal В Density <u>7.65</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		_
						122 divided by " <u>Cb</u> " from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM				_		_
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM						
	587 42		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>76.808795</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>587.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 385 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	819.82	=	0.000000	x .2	0.000000	Х	819.82	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I018 - COMMERCE

- If school district's total area in square miles <u>56.952946</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>819.82</u> divided by district's total area in square mile <u>56.952946</u> = District's Areal В Density 14.39 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by dis	strict's Raw ADM		819.82	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>56.952946</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>819.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 386 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

	 	2,185.73 =	= 0.00
529	 	Same Year Raw ADM	Small School District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I023 - MIAMI

- If school district's total area in square miles <u>78.130657</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,185.73 divided by district's total area in square mile 78.130657 = District's Areal В Density 27.98.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM		2,185.73	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>78.130657</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.185.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 387 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	457.48	=	0.135198	x .2	0.027040	Х	457.48	=	12.37
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA District: I026 - AFTON

- A. If school district's total area in square miles <u>105.866234</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>457.48</u> divided by district's total area in square mile <u>105.866234</u> = District's Areal Density <u>4.32</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	<u> </u>						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		457.48	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>105.866234</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{457.48}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.37

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 388 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	594.48	_ = _	0.000000	Х	.2	0.000000	Х	594.48	=_	0.00
	529							Same Year	_	Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWA **District: I031 - FAIRLAND**

- If school district's total area in square miles <u>72.746515</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>594.48</u> divided by district's total area in square mile <u>72.746515</u> = District's Areal В Density <u>8.17</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distric	ct's Raw ADM	594.48	

divided by district's Raw ADM

- 1.00 = District Cost Factor

594.48

0.00 5) (District's Square Miles <u>72.746515</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 594.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 389 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	247.42	=	0.532287	x .2	0.106457	Х	247.42	=	26.34
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: C002 - JENNINGS

- If school district's total area in square miles <u>26.074139</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>247.42</u> divided by district's total area in square mile <u>26.074139</u> = District's Areal В Density <u>9.49</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000) =	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by " <u>Cb</u> " from a	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000) =	0.00	
6-8 Cost Factor	6-8 ADM				_	_		
						above	292 divided by " <u>Cc</u> " from al	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000) =	0.00	
9-OHP Cost Factor	9-OHP ADM				_	_		
	247.42		trict's Raw ADM	divided by dis	0.00	ve	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>26.074139</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 247.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.34

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 390 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	628.14	=	0.000000	x .2	0.000000	_ x	628.14	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I001 - PAWNEE

- A. If school district's total area in square miles <u>291.506996</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>628.14</u> divided by district's total area in square mile <u>291.506996</u> = District's Areal Density <u>2.15</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	312.82	+	23 =	335.82	(Ca)
Grades	6th - 8th	137.97	+	133 =	270.97	(Cb)
Grades	PK3,9 -OHP	177.35	+	128 =	305.35	(Cc)
		628.14				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	335.82	=	0.220356	+ .85 =	1.070356	Х	312.82 =	334.83
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	270.97	=	0.450234	+ .85 =	1.300234	x	137.97 =	179.39
	<u> </u>				-		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	305.35	=	0.956280	+ .78 =	1.736280	x	177.35 =	307.93
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		822.15	divided by d	istrict's Raw ADM		628.14	

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>291.506996</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.12</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.12 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 628.14 = Isolation Weight 194.72
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __194.72_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 391 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,572.63	_ = _	0.000000	x .2	0.000000	Х	1,572.63	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEE District: I006 - CLEVELAND

- If school district's total area in square miles 182.086939 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,572.63 divided by district's total area in square mile 182.086939 = District's Areal В Density <u>8.64</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM				_		
	1,572.63		strict's Raw ADM	divided by di	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>182.086939</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.572.63}{1.572.63}$ = Isolation Weight $\frac{0.00}{1.572.63}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 392 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	172.03	=	0.674802	x .2	0.134960	Х	172.03	_ = _	23.22
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: C104 - OAK GROVE**

- If school district's total area in square miles 12.553053 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>172.03</u> divided by district's total area in square mile <u>12.553053</u> = District's Areal В Density <u>13.70</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

172.03

0.00 5) (District's Square Miles <u>12.553053</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 172.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 393 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	431.02	= _	0.185217	x .2	0.037043	Х	431.02	=	15.97
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1003 - RIPLEY**

- If school district's total area in square miles <u>84.206056</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>431.02</u> divided by district's total area in square mile <u>84.206056</u> = District's Areal В Density <u>5.12</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	· _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	· _	0.000000	+ .78	3 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d by	district's Raw ADM		431.02	

divided by district's Raw ADM

- 1.00 = District Cost Factor

431.02

0.00 5) (District's Square Miles <u>84.206056</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 431.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 15.97

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 394 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	5,961.18	_ =	0.000000	x .2	0.000000	Х	5,961.18	=	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I016 - STILLWATER

- A. If school district's total area in square miles <u>123.518732</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5,961.18</u> divided by district's total area in square mile <u>123.518732</u> = District's Areal Density <u>48.26</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
	·				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е				
	0.00 =	0.000000	+ .78 =	0.780000	x 0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	5,961.18	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>123.518732</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{5.961.18}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 395 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,508.60	=	0.000000	x .2	0.000000	Х	1,508.60	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1056 - PERKINS-TRYON**

- If school district's total area in square miles 186.340336 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,508.60 divided by district's total area in square mile 186.340336 = District's Areal В Density <u>8.10</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,508.60

0.00 5) (District's Square Miles <u>186.340336</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.508.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 396 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,627.14	_ =	0.000000	x .2	0.000000	Х	1,627.14	=_	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE **District: 1067 - CUSHING**

- If school district's total area in square miles <u>84.402682</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,627.14 divided by district's total area in square mile 84.402682 = District's Areal В Density 19.28.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	:	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =		0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =		0.000000	+ .78 =	0.780000	x	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		1.627.14	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,627.14

0.00 5) (District's Square Miles <u>84.402682</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.627.14}{1.627.14}$ = Isolation Weight $\frac{0.00}{1.627.14}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 397 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	330.80	=	0.374669	x .2	0.074934	Х	330.80	=	24.79
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I101 - GLENCOE

- A. If school district's total area in square miles <u>89.381517</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>330.80</u> divided by district's total area in square mile <u>89.381517</u> = District's Areal Density <u>3.70</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	× 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	330.80	

- 1.00 = District Cost Factor

5) (District's Square Miles 89.381517 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 330.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __24.79_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 398 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	368.54	=	0.303327	x .2	0.060665	Х _	368.54	_ = _	22.36
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNE District: I103 - YALE

- A. If school district's total area in square miles <u>130.736777</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>368.54</u> divided by district's total area in square mile <u>130.736777</u> = District's Areal Density <u>2.82</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	istrict's Raw ADM		368.54	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>130.736777</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{368.54}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.36_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 399 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	472.88	=	0.106087	x .2	0.021217	Х	472.88	_ = _	10.03
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C009 - KREBS

- A. If school district's total area in square miles <u>12.878845</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>472.88</u> divided by district's total area in square mile <u>12.878845</u> = District's Areal Density <u>36.72</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

472.88

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 12.878845 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{472.88}{1000}$ = Isolation Weight $\frac{0.00}{1000}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 400 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	383.07	<u> </u>	0.275860	x .2	0.055172	Х	383.07	=	21.13
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C029 - FRINK-CHAMBERS

- If school district's total area in square miles <u>25.409055</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>383.07</u> divided by district's total area in square mile <u>25.409055</u> = District's Areal В Density 15.08.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

383.07

0.00 5) (District's Square Miles <u>25.409055</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>383.07</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.13

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 401 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	120.95	=	0.771361	x .2	0.154272	Х	120.95	=	18.66
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C056 - TANNEHILL

- If school district's total area in square miles <u>59.289096</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>120.95</u> divided by district's total area in square mile <u>59.289096</u> = District's Areal В Density <u>2.04</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	-	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distr	ict's Raw ADM	120.95	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>59.289096</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 120.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.66

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 402 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	111.51	=	0.789206	x .2	0.157841	х	111.51	_ = _	17.60
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: C088 - HAYWOOD

- If school district's total area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area in square miles __95.164829_ is greater than the state average area of the state average area of square miles __95.164829_ is greater than the state average area of square miles A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>111.51</u> divided by district's total area in square mile <u>95.164829</u> = District's Areal В Density <u>1.17</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

111.51

0.00 5) (District's Square Miles <u>95.164829</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 111.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.60

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 403 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	59.64	_ =	0.887259	x .2	0.177452	Х	59.64	=_	10.58
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: E020 - CARLTON LANDING ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>59.64</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	e				
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
	_	_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000 >	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 59.64

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{59.64}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 404 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529	682.43	_ =	0.000000	Х	.2	 0.000000	Х	682.43	=	0.00
	529	_	<u> </u>					Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1001 - HARTSHORNE

- A. If school district's total area in square miles <u>128.862350</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>682.43</u> divided by district's total area in square mile <u>128.862350</u> = District's Areal Density <u>5.30</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					EC-5 ADN	1 EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					6-8 ADN	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	682.43	3

- 1.00 = District Cost Factor

5) (District's Square Miles <u>128.862350</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 682.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 405 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	446.25	= _	0.156427	x .2	0.031285	Х	446.25	=	13.96
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1002 - CANADIAN

- A. If school district's total area in square miles <u>101.699413</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>446.25</u> divided by district's total area in square mile <u>101.699413</u> = District's Areal Density <u>4.39</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		446.25	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>101.699413</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 446.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.96

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 406 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	292.52	= _	0.447032	x .2	0.089406	х _	292.52	=_	26.15
•	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I011 - HAILEYVILLE

- If school district's total area in square miles 185.185533 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>292.52</u> divided by district's total area in square mile <u>185.185533</u> = District's Areal В Density <u>1.58</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	148.02	+	23 =	171.02	(Ca)
Grades	6th - 8th	68.93	+	133 =	201.93	(Cb)
Grades	PK3,9 -OHP	75.57	+	128 =	203.57	(Cc)
		292.52				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

189.86	148.02 =	8 x	1.282698	+ .85 =	0.432698	171.02 =	
EC-5 Cost Factor	EC-5 ADM						
						122 divided by "Cb" from above	2)
100.24	68.93 =	0 x	1.454170	+ .85 =	0.604170	201.93 =	
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
167.34	75.57 =	6 x	2.214396	+ .78 =	1.434396	203.57 =	
9-OHP Cost Factor	9-OHP ADM						
	292.52		strict's Raw ADM	divided by dis	457.44	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

0.56

5) (District's Square Miles <u>185.185533</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.35</u>

1.56

- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 0.35 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.52 = Isolation Weight 58.50
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 58.50

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 407 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	282.25	=	0.466446	x .2	0.093289	х _	282.25	_ = _	26.33
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1014 - KIOWA

- A. If school district's total area in square miles <u>255.773523</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>282.25</u> divided by district's total area in square mile <u>255.773523</u> = District's Areal Density <u>1.10</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	130.77	+	23 =	153.77	(Ca)
Grades	6th - 8th	66.75	+	133 =	199.75	(Cb)
Grades	PK3,9 -OHP	84.73	+	128 =	212.73	(Cc)
		282.25				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	153.77 =	0.481238	+ .85 =	1.331238	130.77 =	174.09
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	199.75 =	0.610763	+ .85 =	1.460763	66.75 =	97.51
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	212.73 =	1.372632	+ .78 =	2.152632	84.73 =	182.39
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

282.25

0.61

5) (District's Square Miles <u>255.773523</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.86</u>

453.99

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.86 or 1.00 = Isolation Factor 0.52
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 282.25 = Isolation Weight 146.77
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://dx.ncbi.nlm.n

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 408 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	409.57	=	0.225766	x .2	0.045153	Х	409.57	_ = _	18.49
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I017 - QUINTON

- If school district's total area in square miles 151.533156 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 409.57 divided by district's total area in square mile 151.533156 = District's Areal В Density <u>2.70</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.0	0.00
		_			6-8 ADI	M 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000	x0.0	0.00
					9-OHP ADI	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	409.5	7

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>151.533156</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 409.57 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.49

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 409 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	278.57	=	0.473403	x .2	0.094681	Х	278.57	=_	26.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I025 - INDIANOLA

- A. If school district's total area in square miles <u>134.315395</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>278.57</u> divided by district's total area in square mile <u>134.315395</u> = District's Areal Density <u>2.07</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

278.57

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>134.315395</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>278.57</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.38_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 410 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	337.84	=	0.361361	x .2	0.072272	Х	337.84	_ = _	24.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1028 - CROWDER

- A. If school district's total area in square miles <u>165.743585</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>337.84</u> divided by district's total area in square mile <u>165.743585</u> = District's Areal Density <u>2.04</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	172.84	+	23 =	195.84	(Ca)
Grades	6th - 8th	68.02	+	133 =	201.02	(Cb)
Grades	PK3,9 -OHP	96.98	+	128 =	224.98	(Cc)
		337.84				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	195.84	=	0.377859	+ .85 =	1.227859	Х	172.84 =	212.22
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from ab	ove						
	201.02	=	0.606905	+ .85 =	1.456905	x	68.02 =	99.10
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	224.98	= _	1.297893	+ .78 =	2.077893	x	96.98 =	201.51
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		512.83	divided by d	strict's Raw ADM		337.84	

- 1.00 = District Cost Factor

0.52

5) (District's Square Miles <u>165.743585</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.21</u>

1.52

- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.21 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 337.84 = Isolation Weight 37.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.16

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 411 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	388.56	=	0.265482	x .2	0.053096	Х	388.56	=_	20.63
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: I030 - SAVANNA

- If school district's total area in square miles __71.122521_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>388.56</u> divided by district's total area in square mile <u>71.122521</u> = District's Areal В Density <u>5.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		388.56	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>71.122521</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 388.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.63

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 412 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	165.60	=	0.686957	x .2	0.137391	Х	165.60	=_	22.75
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1063 - PITTSBURG

- If school district's total area in square miles 121.080122 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>165.60</u> divided by district's total area in square mile <u>121.080122</u> = District's Areal В Density <u>1.37</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

165.60

0.00 5) (District's Square Miles <u>121.080122</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{165.60}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.75

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 413 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,857.75	_ =	0.000000	x .2	0.000000	Х	2,857.75	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURG District: 1080 - MCALESTER

- If school district's total area in square miles 31.684003 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,857.75 divided by district's total area in square mile 31.684003 = District's Areal В Density <u>90.20</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,857.75

0.00 5) (District's Square Miles <u>31.684003</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.857.75</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 414 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	466.11	=	0.118885	x .2	0.023777	Х	466.11	=_	11.08
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I001 - ALLEN

- A. If school district's total area in square miles <u>157.732895</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>466.11</u> divided by district's total area in square mile <u>157.732895</u> = District's Areal Density <u>2.96</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

466.11

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 157.732895 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{466.11}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___11.08_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 415 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	533.03	=	0.000000	x .2	0.000000	Х	533.03	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1009 - VANOSS

- A. If school district's total area in square miles <u>145.510299</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>533.03</u> divided by district's total area in square mile <u>145.510299</u> = District's Areal Density <u>3.66</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

533.03

5) (District's Square Miles <u>145.510299</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>533.03</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 416 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,755.83	=	0.000000	x .2	0.000000	х _	1,755.83	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I016 - BYNG

- A. If school district's total area in square miles <u>117.392344</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,755.83</u> divided by district's total area in square mile <u>117.392344</u> = District's Areal Density <u>14.96</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,755.83

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>117.392344</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,755.83}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 417 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,468.52	=	0.000000	x .2	0.000000	Х	2,468.52	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: I019 - ADA

- If school district's total area in square miles 13.710348 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,468.52 divided by district's total area in square mile 13.710348 = District's Areal В Density <u>180.05</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	0.	
EC-5 Cost Factor	EC-5 ADM							
						" from above	2) 122 divided by " <u>Cb</u> " fro	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	0.	
6-8 Cost Factor	6-8 ADM				_			
						' from above	3) 292 divided by " <u>Cc</u> " from	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	0.	
9-OHP Cost Factor	9-OHP ADM				_			
	2.468.52		trict's Raw ADM	divided by dis	0.00	n above	4) Sum 1 + 2 + 3 from ab	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>13.710348</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.468.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 418 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	905.64	= _	0.000000	x .2	0.000000	Х	905.64	=	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1024 - LATTA

- If school district's total area in square miles 50.618972 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 905.64 divided by district's total area in square mile 50.618972 = District's Areal В Density 17.89.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		905.64	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>50.618972</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 905.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 419 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	446.18	=	0.156560	x .2	0.031312	х	446.18	_ = _	13.97
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1030 - STONEWALL

- A. If school district's total area in square miles <u>201.522186</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>446.18</u> divided by district's total area in square mile <u>201.522186</u> = District's Areal Density <u>2.21</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	237.92	+	23 =	260.92	(Ca)
Grades	6th - 8th	88.03	+	133 =	221.03	(Cb)
Grades	PK3,9 -OHP	120.23	+	128 =	248.23	(Cc)
		446.18			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	260.92 =	0.283612	+ .85 =	1.133612	х	237.92 =	269.71
					EC-	-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	221.03 =	0.551961	+ .85 =	1.401961	х	88.03 =	123.41
					6-	-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	248.23 =	1.176328	+ .78 =	1.956328	х	120.23 =	235.21
					9-OF	IP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	628.33	divided by di	strict's Raw ADM		446.18	

- 1.00 = District Cost Factor

0.41

5) (District's Square Miles <u>201.522186</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.47</u>

1.41

- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.19
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 446.18 = Isolation Weight 84.77
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __84.77_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 420 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	289.63	=	0.452495	x .2	0.090499	х _	289.63	_ = _	26.21
	529				Same Yea		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOC District: 1037 - ROFF

- A. If school district's total area in square miles <u>159.431244</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>289.63</u> divided by district's total area in square mile <u>159.431244</u> = District's Areal Density <u>1.82</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	131.85	+	23 =	154.85	(Ca)
Grades	6th - 8th	71.03	+	133 =	204.03	(Cb)
Grades	PK3,9 -OHP	86.75	+	128 =	214.75	(Cc)
		289.63				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	154.85 =	0.477882	+ .85 =	1.327882	x 131.85	= 175.08
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e				
	204.03 =	0.597951	+ .85 =	1.447951	x 71.03	= 102.85
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve .				
	214.75 =	1.359721	+ .78 =	2.139721	x 86.75	= 185.62
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	463.55	divided by di	strict's Raw ADM	289.63	

- 1.00 = District Cost Factor

0.60

5) (District's Square Miles <u>159.431244</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.16</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) 0.60 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 289.63 = Isolation Weight 28.96
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __28.96_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 421 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	506.63	_ =	0.042287	x .2	0.008457	Х	506.63	=_	4.28
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C027 - GROVE

- If school district's total area in square miles 12.025624 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>506.63</u> divided by district's total area in square mile <u>12.025624</u> = District's Areal В Density 42.13.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		506.63	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>12.025624</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 506.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 4.28

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 422 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	216.77	=	0.590227	x .2	0.118045	х	216.77	=	25.59
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C029 - PLEASANT GROVE

- If school district's total area in square miles 1.811039 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>216.77</u> divided by district's total area in square mile <u>1.811039</u> = District's Areal В Density 119.69.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

- 1.00 = District Cost Factor

216.77

0.00 5) (District's Square Miles <u>1.811039</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>216.77</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.59

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 423 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	386.25	=	0.269849	x .2	0.053970	Χ	386.25	=	20.85
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: C032 - SOUTH ROCK CREEK

- If school district's total area in square miles <u>18.786234</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>386.25</u> divided by district's total area in square mile <u>18.786234</u> = District's Areal В Density 20.56.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	3. +	35 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	= _	0.000000	+ .8	35 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	= _	0.000000	+ .7	78 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed by	district's Raw ADM		386.25	

divided by district's Raw ADM

- 1.00 = District Cost Factor

386.25

0.00 5) (District's Square Miles <u>18.786234</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 386.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.85

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 424 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,581.71	=	0.000000	x .2	0.000000	Х	1,581.71	_ =	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I001 - MCLOUD

- A. If school district's total area in square miles <u>73.747031</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,581.71 divided by district's total area in square mile 73.747031 = District's Areal Density 21.45.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	0.00 =	= 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
	0.00 = 292 divided by " <u>Cc</u> " from abo	= 0.000000 ove			6-8 ADM	

divided by district's Raw ADM

1,581.71

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 73.747031 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.581.71</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 425 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	781.96	=	0.000000	x .2	0.000000	Х	781.96	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1002 - DALE

- If school district's total area in square miles 41.943064 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>781.96</u> divided by district's total area in square mile <u>41.943064</u> = District's Areal В Density 18.64.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

781.96

- 0.00 5) (District's Square Miles <u>41.943064</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{781.96}{}$ = Isolation Weight $\frac{0.00}{}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 426 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,191.28	=	0.000000	Х	.2	0.000000	Х	1,191.28	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1003 - BETHEL

- If school district's total area in square miles __55.213077_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,191.28 divided by district's total area in square mile 55.213077 = District's Areal В Density 21.58.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		1,191.28	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>55.213077</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.191.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 427 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	254.63	=	0.518658	x .2	0.103732	Х	254.63	=_	26.41
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1004 - MACOMB

- If school district's total area in square miles 83.532653 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>254.63</u> divided by district's total area in square mile <u>83.532653</u> = District's Areal В Density 3.05.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

254.63

- 0.00 5) (District's Square Miles <u>83.532653</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>254.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.41</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 428 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	266.26	=	0.496673	x .2	0.099335	х	266.26	=_	26.45
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1005 - EARLSBORO

- If school district's total area in square miles 31.390399 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>266.26</u> divided by district's total area in square mile <u>31.390399</u> = District's Areal В Density <u>8.48</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	9. +	35 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	· _	0.000000	+ .8	35 =	0.850000	Х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =	· _	0.000000	+ .7	78 =	0.780000	Х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divid	ed bv	district's Raw ADM		266.26	

divided by district's Raw ADM

- 1.00 = District Cost Factor

266.26

0.00 5) (District's Square Miles <u>31.390399</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>266.26</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.45</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 429 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,235.60	_ =	0.000000	x .2	0.000000	Х	1,235.60	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I010 - NORTH ROCK CREEK

- If school district's total area in square miles 37.557538 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,235.60 divided by district's total area in square mile 37.557538 = District's Areal В Density 32.90 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	/e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,235.60

0.00 5) (District's Square Miles <u>37.557538</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.235.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 430 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,932.91	=	0.000000	Х	.2	0.0000	00 x	Κ	1,932.91	_ =	0.00
	529								Same Year		Small School
									Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1092 - TECUMSEH

- If school district's total area in square miles <u>85.763482</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,932.91 divided by district's total area in square mile 85.763482 = District's Areal В Density 22.54.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	y district's Raw ADM		1,932.91	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>85.763482</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.932.91 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 431 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,308.03	=	0.000000	x .2	0.000000	Х	3,308.03	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1093 - SHAWNEE

- If school district's total area in square miles <u>25.431306</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,308.03 divided by district's total area in square mile 25.431306 = District's Areal В Density <u>130.08</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		3.308.03	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>25.431306</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3,308.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 432 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	251.29	=	0.524972	x .2	0.104994	Х	251.29	=	26.38
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I112 - ASHER

- If school district's total area in square miles 65.273157 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>251.29</u> divided by district's total area in square mile <u>65.273157</u> = District's Areal В Density 3.85.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		251.29	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>65.273157</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>251.29</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.38</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 433 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	132.61	= _	0.749319	x .2	0.149864	Х	132.61	=_	19.87
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I115 - WANETTE

- If school district's total area in square miles 133.057597 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>132.61</u> divided by district's total area in square mile <u>133.057597</u> = District's Areal В Density <u>1.00</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		132.61	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>133.057597</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 132.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.87

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 434 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	261.76	=	0.505180	x .2	0.101036	Х	261.76	=_	26.45
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I117 - MAUD

- If school district's total area in square miles __75.769206_ is greater than the state average area in square miles __137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>261.76</u> divided by district's total area in square mile <u>75.769206</u> = District's Areal В Density <u>3.45</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	=	0.850000	X	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00	=	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
	_		_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00	=	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
	_							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		261.76	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>75.769206</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>261.76</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.45

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 435 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	45.14	=	0.914669	x .2	0.182934	X	45.14	_ = _	8.26
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C002 - ALBION

- If school district's total area in square miles 100.354470 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>45.14</u> divided by district's total area in square mile <u>100.354470</u> = District's Areal В Density <u>0.45</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

45.14

0.00 5) (District's Square Miles <u>100.354470</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 45.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 8.26

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 436 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	65.92	=	0.875388	x .2	0.175078	Х	65.92	_ = _	11.54
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C004 - TUSKAHOMA

- If school district's total area in square miles __77.665147_ is greater than the state average area in square miles _137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 65.92 divided by district's total area in square mile 77.665147 = District's Areal В Density <u>0.85</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

65.92

0.00 5) (District's Square Miles <u>77.665147</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 65.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.54

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 437 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	53.46	=	0.898941	x .2	0.179788	х	53.46	=_	9.61
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: C015 - NASHOBA

- A. If school district's total area in square miles <u>170.555849</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>53.46</u> divided by district's total area in square mile <u>170.555849</u> = District's Areal Density <u>0.31</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	38.63	+	23 =	61.63	(Ca)
Grades	6th - 8th	13.00	+	133 =	146.00	(Cb)
Grades	PK3,9 -OHP	1.83	+	128 =	129.83	(Cc)
		53.46				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	61.63 =	1.200714	+ .85 =	2.050714	x 38.63 =	79.22
	· · · · · · · · · · · · · · · · · · ·				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	146.00 =	0.835616	+ .85 =	1.685616	x 13.00 =	21.91
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	129.83 =	2.249095	+ .78 =	3.029095	x 1.83 =	5.54
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

53.46

1.00

5) (District's Square Miles <u>170.555849</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.24</u>

106.67

2.00

- 6) Multiply District Cost Factor (Line 4 above) 1.00 by lessor of the Area Factor (Line 5 above) 0.24 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{53.46}$ = Isolation Weight $\underline{12.83}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __12.83_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 438 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw .	A[DM
-------	----	----

529 -	448.73	=	0.151739	x .2	0.030348	Х	448.73	_ = _	13.62
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I001 - RATTAN

- A. If school district's total area in square miles <u>259.763673</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>448.73</u> divided by district's total area in square mile <u>259.763673</u> = District's Areal Density <u>1.73</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	216.85	+	23 =	239.85	(Ca)
Grades	6th - 8th	99.59	+	133 =	232.59	(Cb)
Grades	PK3,9 -OHP	132.29	+	128 =	260.29	(Cc)
		448.73				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	239.85 =	:	0.308526	+ .85 =	1.158526	х	216.85 =	251.23
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	232.59 =	·	0.524528	+ .85 =	1.374528	х	99.59 =	136.89
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	ve						
	260.29 =		1.121826	+ .78 =	1.901826	х	132.29 =	251.59
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

448.73

0.43

= 1.43 - 1.00 = District Cost Factor

5) (District's Square Miles <u>259.763673</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.89</u>

639.71

- 6) Multiply District Cost Factor (Line 4 above) 0.43 by lessor of the Area Factor (Line 5 above) 0.89 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{448.73}{1000}$ = Isolation Weight $\frac{170.52}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 170.52

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 439 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	214.16	=	0.595161	x .2	0.119032	Х	214.16	=_	25.49
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I010 - CLAYTON

- A. If school district's total area in square miles <u>295.117477</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>214.16</u> divided by district's total area in square mile <u>295.117477</u> = District's Areal Density <u>0.73</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	75.03	+	23 =	98.03	(Ca)
Grades	6th - 8th	44.05	+	133 =	177.05	(Cb)
Grades	PK3,9 -OHP	95.08	+	128 =	223.08	(Cc)
		214.16				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	98.03 =	0.754871	+ .85 =	1.604871	x 75.03	= 120.41
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	177.05 =	0.689071	+ .85 =	1.539071	x 44.05	= 67.80
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	2				
	223.08 =	1.308947	+ .78 =	2.088947	x 95.08	= 198.62
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	386.83	divided by di	strict's Raw ADM	214.16	

- 1.00 = District Cost Factor

0.81

5) (District's Square Miles <u>295.117477</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.15</u>

1.81

- 6) Multiply District Cost Factor (Line 4 above) 0.81 by lessor of the Area Factor (Line 5 above) 1.15 or 1.00 = Isolation Factor 0.81
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 214.16 = Isolation Weight 173.47
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __173.47_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 440 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	940.48	_ =	0.000000	x .2	0.000000	Х	940.48	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: I013 - ANTLERS

- A. If school district's total area in square miles <u>324.737493</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>940.48</u> divided by district's total area in square mile <u>324.737493</u> = District's Areal Density <u>2.90</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	940.48	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>324.737493</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 940.48 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 441 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	188.26	=	0.644121	x .2	0.128824	Х	188.26	=	24.25
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHA District: 1022 - MOYERS

- A. If school district's total area in square miles <u>160.844667</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>188.26</u> divided by district's total area in square mile <u>160.844667</u> = District's Areal Density <u>1.17</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	95.53	+	23 =	118.53	(Ca)
Grades	6th - 8th	51.32	+	133 =	184.32	(Cb)
Grades	PK3,9 -OHP	41.41	+	128 =	169.41	(Cc)
		188.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	118.53 =	0.624315	+ .85 =	1.474315	95.53 =	140.84
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9				
	184.32 =	0.661892	+ .85 =	1.511892	x 51.32 =	77.59
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	169.41 =	1.723629	+ .78 =	2.503629	41.41 =	103.68
		_			9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

188.26

0.71

5) (District's Square Miles <u>160.844667</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.17</u>

322.11

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.26 = Isolation Weight 22.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.25

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 442 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	212.23	=	0.598809	x .2	0.119762	Х _	212.23	_ = _	25.42
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1003 - LEEDEY

- A. If school district's total area in square miles <u>319.243463</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>212.23</u> divided by district's total area in square mile <u>319.243463</u> = District's Areal Density <u>0.66</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	96.65	+	23 =	119.65	(Ca)
Grades	6th - 8th	55.00	+	133 =	188.00	(Cb)
Grades	PK3,9 -OHP	60.58	+	128 =	188.58	(Cc)
		212.23				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	119.65 =	0.618471	+ .85 =	1.468471	x 96.65 =	141.93
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	188.00 =	0.648936	+ .85 =	1.498936	x 55.00 =	82.44
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	188.58 =	1.548414	+ .78 =	2.328414	x 60.58 =	141.06
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	365.43	divided by dis	strict's Raw ADM	212.23	

- 1.00 = District Cost Factor

0.72

5) (District's Square Miles <u>319.243463</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.32</u>

1.72

- 6) Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 1.32 or 1.00 = Isolation Factor 0.72
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 212.23 = Isolation Weight 152.81
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __152.81_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 443 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	120.12	=	0.772930	x .2	0.154586	х _	120.12	=_	18.57
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1006 - REYDON

- If school district's total area in square miles 248.163255 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>120.12</u> divided by district's total area in square mile <u>248.163255</u> = District's Areal В Density <u>0.48</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	63.87	+	23 =	86.87	(Ca)
Grades	6th - 8th	27.57	+	133 =	160.57	(Cb)
Grades	PK3,9 -OHP	28.68	+	128 =	156.68	(Cc)
		120.12				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	86.87 =	0.851848	+ .85 =	1.701848 x	63.87 =	108.70
		_		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	160.57 =	0.759793	+ .85 =	1.609793 x	27.57 =	44.38
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	156.68 =	1.863671	+ .78 =	2.643671 x	28.68 =	75.82
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	228.90	divided by distric	t's Raw ADM	120.12	

divided by district's Raw ADM

- 1.00 = District Cost Factor

120.12

0.91

5) (District's Square Miles <u>248.163255</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.81</u>

228.90

1.91

- 6) Multiply District Cost Factor (Line 4 above) 0.91 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.74
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 120.12 = Isolation Weight 88.89
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 88.89

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 444 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	314.05	=	0.406333	x .2	0.081267	Х _	314.05	_ = _	25.52
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: 1007 - CHEYENNE

- A. If school district's total area in square miles <u>446.823152</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>314.05</u> divided by district's total area in square mile <u>446.823152</u> = District's Areal Density <u>0.70</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	158.77	+	23 =	181.77	(Ca)
Grades	6th - 8th	71.41	+	133 =	204.41	(Cb)
Grades	PK3,9 -OHP	83.87	+	128 =	211.87	(Cc)
		314.05				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	181.77	=	0.407108	+ .85 =	1.257108	Х	158.77 =	199.59
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	204.41	= _	0.596840	+ .85 =	1.446840	х	71.41 =	103.32
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	211.87	= _	1.378204	+ .78 =	2.158204	х	83.87 =	181.01
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		483.92	divided by d	istrict's Raw ADM		314.05	

- 1.00 = District Cost Factor

0.54

5) (District's Square Miles <u>446.823152</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.25</u>

1.54

- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 2.25 or 1.00 = Isolation Factor 0.54
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 314.05 = Isolation Weight 169.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>169.59</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 445 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	120.13	=	0.772911	x .2	0.154582	Х	120.13	=	18.57
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: I015 - SWEETWATER

- A. If school district's total area in square miles <u>192.424388</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>120.13</u> divided by district's total area in square mile <u>192.424388</u> = District's Areal Density <u>0.62</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	64.25	+	23 =	87.25	(Ca)
Grades	6th - 8th	19.93	+	133 =	152.93	(Cb)
Grades	PK3,9 -OHP	35.95	+	128 =	163.95	(Cc)
		120.13				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	87.25	=	0.848138	+ .85 =	1.698138	Х	64.25 =	109.11
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	152.93	=	0.797751	+ .85 =	1.647751	х	19.93 =	32.84
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	163.95	=	1.781031	+ .78 =	2.561031	x	35.95 =	92.07
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		234.02	divided by di	strict's Raw ADM		120.13	

- 1.00 = District Cost Factor

0.95

5) (District's Square Miles <u>192.424388</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.40</u>

1.95

- 6) Multiply District Cost Factor (Line 4 above) 0.95 by lessor of the Area Factor (Line 5 above) 0.40 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 120.13 = Isolation Weight 45.65
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 45.65

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 446 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	245.66	=	0.535614	x .2	0.107123	Х	245.66	=_	26.32
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLS District: I066 - HAMMON

- A. If school district's total area in square miles <u>249.032611</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.66</u> divided by district's total area in square mile <u>249.032611</u> = District's Areal Density <u>0.99</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	117.01	+	23 =	140.01	(Ca)
Grades	6th - 8th	54.65	+	133 =	187.65	(Cb)
Grades	PK3,9 -OHP	74.00	+	128 =	202.00	(Cc)
		245.66				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	140.01 =	0.528534	+ .85 =	1.378534	x 117.01	= 161.30
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	9				
	187.65 =	0.650147	+ .85 =	1.500147	x54.65	= 81.98
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	202.00 =	1.445545	+ .78 =	2.225545	x74.00	= 164.69
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	407.97	divided by dis	trict's Raw ADM	245.66	

- 1.00 = District Cost Factor

0.66

5) (District's Square Miles <u>249.032611</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.81</u>

1.66

- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.66 = Isolation Weight 130.20
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 130.20

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 447 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	517.54	=	0.021664	x .2	0.004333	х	517.54	=_	2.24
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: C009 - JUSTUS-TIAWAH

- A. If school district's total area in square miles <u>33.593125</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>517.54</u> divided by district's total area in square mile <u>33.593125</u> = District's Areal Density <u>15.41</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

517.54

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 33.593125 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{517.54}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 448 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	3,802.16	_ =	0.000000	Х	.2	0.000000	Х	3,802.16	=	0.00
	529	_	_				_	Same Year	_	Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: I001 - CLAREMORE

- If school district's total area in square miles 33.676484 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,802.16 divided by district's total area in square mile 33.676484 = District's Areal В Density <u>112.90</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	0000 x	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		-
						122 divided by "Cb" from above	2)
0.00	0.00 =	00000 x	0.850000	+ .85 =	0.000000	0.00 =	_
6-8 Cost Factor	6-8 ADM						
						292 divided by "Cc" from above	3)
0.00	0.00 =	00000 x	0.780000	+ .78 =	0.000000	0.00 =	_
9-OHP Cost Factor	9-OHP ADM						
	3,802.16	М	strict's Raw ADM	divided by d	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>33.676484</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.802.16 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 449 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,783.15	= _	0.000000	x .2	0.000000	Х	1,783.15	=	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1002 - CATOOSA

- If school district's total area in square miles 81.820264 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,783.15 divided by district's total area in square mile 81.820264 = District's Areal В Density 21.79.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		1,783.15	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>81.820264</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,783.15}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 450 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	762.14	=	0.000000	x .2	0.000000	Х	762.14	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1003 - CHELSEA

- If school district's total area in square miles 180.897046 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>762.14</u> divided by district's total area in square mile <u>180.897046</u> = District's Areal В Density <u>4.21</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

762.14

0.00 5) (District's Square Miles <u>180.897046</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 762.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 451 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,731.83	=	0.000000	x .2	0.000000	Х	1,731.83	_ = _	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS **District: I004 - OOLOGAH-TALALA**

- If school district's total area in square miles 176.907762 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,731.83 divided by district's total area in square mile 176.907762 = District's Areal В Density <u>9.79</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	- <u> </u>	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,731.83

0.00 5) (District's Square Miles <u>176.907762</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,731.83}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 452 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,281.36	=	0.000000	x .2	0.000000	Х	1,281.36	_ = _	0.00
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1005 - INOLA

- If school district's total area in square miles 101.279585 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,281.36 divided by district's total area in square mile 101.279585 = District's Areal В Density 12.65.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	: _	0.000000	+ .8	5 =	0.850000	Х	0.00 =	0.00
			_				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .8	5 =	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .7	8 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		1.281.36	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,281.36

5) (District's Square Miles <u>101.279585</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,281.36}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 453 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,294.73	=	0.000000	x .2	0.000000	х _	1,294.73	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1006 - SEQUOYAH

- If school district's total area in square miles 64.337432 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,294.73 divided by district's total area in square mile 64.337432 = District's Areal В Density 20.12.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,294.73

- 0.00 5) (District's Square Miles <u>64.337432</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.294.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 454 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	428.79	=	0.189433	x .2	0.037887	Х	428.79	=_	16.25
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: I007 - FOYIL

- If school district's total area in square miles 37.510929 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>428.79</u> divided by district's total area in square mile <u>37.510929</u> = District's Areal В Density 11.43.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_			EC-5	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					6-8	ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
					9-OHP	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM	2	128.79	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>37.510929</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 428.79 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.25

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 455 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,412.55	=	0.000000	x .2	0.000000	Х	1,412.55	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERS District: 1008 - VERDIGRIS

- If school district's total area in square miles 24.242331 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,412.55 divided by district's total area in square mile 24.242331 = District's Areal В Density <u>58.27</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADN	A EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	0.00
					6-8 ADN	A 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1,412.55

0.00 5) (District's Square Miles <u>24.242331</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.412.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 456 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	100.65	=	0.809735	Х	.2	0.161947	Х	100.65	=	16.30
	529	_						Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: C054 - JUSTICE

- If school district's total area in square miles <u>14.354749</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 100.65 divided by district's total area in square mile 14.354749 = District's Areal В Density <u>7.01</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
		_				·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	×	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	×	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y district's Raw ADM		100.65	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>14.354749</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{100.65}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.30

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 457 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	1,405.96	=	0.000000	x .2	0.000000	Х	1,405.96	=	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1001 - SEMINOLE

- If school district's total area in square miles <u>58.015134</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,405.96 divided by district's total area in square mile 58.015134 = District's Areal В Density 24.23 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 0.00 divided by district's Raw ADM 1,405.96 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>58.015134</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.405.96}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 458 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	666.07	=	0.000000	x .2	0.000000	Х _	666.07	=_	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1002 - WEWOKA

- If school district's total area in square miles 35.102884 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 666.07 divided by district's total area in square mile 35.102884 = District's Areal В Density 18.97.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	_	0.000000	+ .85	=	0.850000	X	0.00 =	0.00
	_		_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .78	3 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	d by	district's Raw ADM		666.07	

divided by district's Raw ADM

- 1.00 = District Cost Factor

666.07

0.00 5) (District's Square Miles <u>35.102884</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 666.07 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 459 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	239.33	=	0.547580	x .2	0.109516	Х	239.33	=_	26.21
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1003 - BOWLEGS

- If school district's total area in square miles <u>55.883406</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>239.33</u> divided by district's total area in square mile <u>55.883406</u> = District's Areal В Density <u>4.28</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

239.33

0.00 5) (District's Square Miles <u>55.883406</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 239.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.21

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 460 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	539.88	=	0.000000	x .2	0.000000	Х	539.88	=	0.00
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1004 - KONAWA

- A. If school district's total area in square miles <u>162.087280</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>539.88</u> divided by district's total area in square mile <u>162.087280</u> = District's Areal Density <u>3.33</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	_	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

539.88

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

5) (District's Square Miles 162.087280 - 137.32596) divided by 137.32596 =Area Factor

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>539.88</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 461 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	245.25	=	0.536389	x .2	0.107278	Х	245.25	=_	26.31
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1006 - NEW LIMA

- If school district's total area in square miles <u>54.607198</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>245.25</u> divided by district's total area in square mile <u>54.607198</u> = District's Areal В Density <u>4.49</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		245.25	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>54.607198</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.31

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 462 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	342.27	=	0.352987	x .2	0.070597	Х _	342.27	_ = _	24.16
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1007 - VARNUM

- If school district's total area in square miles <u>28.416640</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>342.27</u> divided by district's total area in square mile <u>28.416640</u> = District's Areal В Density 12.04.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		342.27	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>28.416640</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 342.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.16

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 463 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	213.63	=	0.596163	x .2	0.119233	Х	213.63	=	25.47
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: I010 - SASAKWA

- If school district's total area in square miles <u>83.539601</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>213.63</u> divided by district's total area in square mile <u>83.539601</u> = District's Areal В Density <u>2.56</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					<u> </u>	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

213.63

0.00 5) (District's Square Miles <u>83.539601</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>213.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.47

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 464 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	410.05	=	0.224858	x .2	0.044972	X	410.05	=_	18.44
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: 1014 - STROTHER

- If school district's total area in square miles 108.797027 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>410.05</u> divided by district's total area in square mile <u>108.797027</u> = District's Areal В Density <u>3.77</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	strict's Raw ADM		410.05	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>108.797027</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 410.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.44

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 465 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	185.61	=	0.649130	x .2	0.129826	Χ	185.61	_ = _	24.10
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLE District: I015 - BUTNER

- If school district's total area in square miles 114.857341 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>185.61</u> divided by district's total area in square mile <u>114.857341</u> = District's Areal В Density <u>1.62</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	= _	0.000000	+ .8.	5 =	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =		0.000000	+ .8	5 =	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove							
	0.00 =		0.000000	+ .7	8 =	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divide	ed by	district's Raw ADM		185.61	

divided by district's Raw ADM

- 1.00 = District Cost Factor

185.61

5) (District's Square Miles <u>114.857341</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 185.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.10

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 466 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ.	\Box	NΛ
Kaw	А	1)	M

529 -	349.98	=	0.338412	x .2	0.067682	Х	349.98	_ = _	23.69
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C001 - LIBERTY

- If school district's total area in square miles 32.724097 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>349.98</u> divided by district's total area in square mile <u>32.724097</u> = District's Areal В Density 10.69.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x0.00	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	re				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	349.98	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>32.724097</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>349.98</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.69

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 467 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	70.42	=	0.866881	x .2	0.173376	Х	70.42	=	12.21
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C035 - MARBLE CITY

- A. If school district's total area in square miles <u>31.049639</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>70.42</u> divided by district's total area in square mile <u>31.049639</u> = District's Areal Density <u>2.27</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4)	Sum $1 + 2 + 3$ from above	0.00	divided by district's Raw ADM	70.42
	=	0.00	- 1.00 = District Cost Factor	0

- 5) (District's Square Miles <u>31.049639</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{70.42}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.21

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	370.71	=	0.299225	x .2	0.059845	Х	370.71	=_	22.19
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C036 - BRUSHY

- A. If school district's total area in square miles <u>46.530582</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>370.71</u> divided by district's total area in square mile <u>46.530582</u> = District's Areal Density <u>7.97</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from all	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

370.71

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles 46.530582 137.32596) divided by 137.32596 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 370.71 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __22.19_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 469 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	159.20	=	0.699055	x .2	0.139811	Х	159.20	_ = _	22.26
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C050 - BELFONTE

- If school district's total area in square miles <u>75.625054</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>159.20</u> divided by district's total area in square mile <u>75.625054</u> = District's Areal В Density <u>2.11</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	bove							
	0.00	= _	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided l	oy dis	trict's Raw ADM		159.20	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>75.625054</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 159.20 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.26

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 470 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	366.64	=	0.306919	x .2	0.061384	Х	366.64	=_	22.51
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: C068 - MOFFETT

- If school district's total area in square miles <u>6.506049</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>366.64</u> divided by district's total area in square mile <u>6.506049</u> = District's Areal В Density <u>56.35</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		366.64	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>6.506049</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.51

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 471 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,866.13	=	0.000000	x .2	0.000000	Х _	1,866.13	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1001 - SALLISAW

- If school district's total area in square miles 137.289638 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,866.13 divided by district's total area in square mile 137.289638 = District's Areal В Density 13.59.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,866.13 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>137.289638</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1.866.13}{0.00}$ = Isolation Weight $\frac{0.00}{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 472 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	816.96	_ =	0.000000	x .2	0.000000	Х	816.96	=	0.00
	529						Same Year Raw ADM	_	Small School District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1002 - VIAN

- A. If school district's total area in square miles <u>135.358724</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>816.96</u> divided by district's total area in square mile <u>135.358724</u> = District's Areal Density <u>6.04</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00	=	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	_	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

816.96

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles 135.358724 137.32596) divided by 137.32596 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 816.96 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 473 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D 2147	٨		١./
Raw	А	U	IVI

529 -	1,252.51	_ =	0.000000	x .2	0.000000	X	1,252.51	=_	0.00
	529		_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1003 - MULDROW

- If school district's total area in square miles <u>81.584386</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,252.51 divided by district's total area in square mile 81.584386 = District's Areal В Density 15.35.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by distri	ct's Raw ADM	1,252.51	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>81.584386</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,252.51}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 474 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	338.40	=	0.360302	x .2	0.072060	X	338.40	_ = _	24.39
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1004 - GANS

- If school district's total area in square miles <u>51.328379</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>338.40</u> divided by district's total area in square mile <u>51.328379</u> = District's Areal В Density <u>6.59</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above		0.00	divided by di	strict's Raw ADM		338.40	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>51.328379</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 338.40 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.39

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 475 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	866.44	=	0.000000	x .2	0.000000	Х	866.44	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1005 - ROLAND

- If school district's total area in square miles 40.744882 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>866.44</u> divided by district's total area in square mile <u>40.744882</u> = District's Areal В Density 21.27 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
					EC-5	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	/e					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
					6-8	ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	re					
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9-OHP	ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	8	366.44	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>40.744882</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 866.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 476 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	534.50	=	0.000000	x .2	0.000000	Х	534.50	=	0.00
•	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1006 - GORE

- A. If school district's total area in square miles <u>70.336698</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>534.50</u> divided by district's total area in square mile <u>70.336698</u> = District's Areal Density <u>7.60</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		534.50	

- 1.00 = District Cost Factor

0

5) (District's Square Miles $\underline{70.336698}$ - $\underline{137.32596}$) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>534.50</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 477 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	471.39	=	0.108904	x .2	0.021781	Х	471.39	_ = _	10.27
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAH District: 1007 - CENTRAL

- If school district's total area in square miles 47.723519 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>471.39</u> divided by district's total area in square mile <u>47.723519</u> = District's Areal В Density <u>9.88</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		471.39	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>47.723519</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{471.39}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.27

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 478 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	107.21	=	0.797335	x .2	0.159467	х	107.21	=_	17.10
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: C082 - GRANDVIEW

- If school district's total area in square miles 45.526912 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 107.21 divided by district's total area in square mile 45.526912 = District's Areal В Density <u>2.35</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove					
	0.00	=	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove					
	0.00	=	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM

9-OHP Cost Factor

4)	Sum $1 + 2 + 3$ from above	0.00	divided by district's Raw ADM	107.21
	=	0.00	- 1.00 = District Cost Factor	0

- 5) (District's Square Miles <u>45.526912</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 107.21 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.10

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,267.45	=	0.000000	x .2	0.000000	Х	3,267.45	_ = _	0.00
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1001 - DUNCAN

- If school district's total area in square miles 67.168109 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,267.45 divided by district's total area in square mile 67.168109 = District's Areal В Density 48.65.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM	3,267.45	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>67.168109</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.267.45 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 480 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	942.18	=	0.000000	x .2	0.000000	Х	942.18	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1002 - COMANCHE

- A. If school district's total area in square miles <u>158.150313</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>942.18</u> divided by district's total area in square mile <u>158.150313</u> = District's Areal Density <u>5.96</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	e				
	0.00 =	0.000000	+ .78 =	0.780000	x0.00	= 0.00
	_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by di	strict's Raw ADM	942.18	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>158.150313</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 942.18 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 481 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529	1,437.54	=	0.000000	x .2	0.000000	Х	1,437.54	_ =	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: I003 - MARLOW

- A. If school district's total area in square miles <u>63.561435</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 1,437.54 divided by district's total area in square mile 63.561435 = District's Areal Density 22.62.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,437.54

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 63.561435 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.437.54}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 482 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D	М

529 -	432.18	=	0.183025	x .2	0.036605	Х	432.18	_ = _	15.82
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: I015 - VELMA-ALMA

- If school district's total area in square miles 229.131890 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>432.18</u> divided by district's total area in square mile <u>229.131890</u> = District's Areal В Density <u>1.89</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	182.15	+	23 =	205.15	(Ca)
Grades	6th - 8th	115.97	+	133 =	248.97	(Cb)
Grades	PK3,9 -OHP	134.06	+	128 =	262.06	(Cc)
		432.18				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	205.15 =	0.360712	+ .85 =	1.210712 x	182.15 =	220.53
	_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	248.97 =	0.490019	+ .85 =	1.340019 x	115.97 =	155.40
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	2				
	262.06 =	1.114249	+ .78 =	1.894249 x	134.06 =	253.94
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	629.87	divided by distr	ict's Raw ADM	432.18	

divided by district's Raw ADM

- 1.00 = District Cost Factor

432.18

0.46

5) (District's Square Miles <u>229.131890</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.67</u>

629.87

1.46

- 6) Multiply District Cost Factor (Line 4 above) 0.46 by lessor of the Area Factor (Line 5 above) 0.67 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 432.18 = Isolation Weight 133.98
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 133.98

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 483 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	522.81	_ =	0.011701	x .2	0.002340	Х	522.81	=	1.22
	529	_	_				Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1021 - EMPIRE

- If school district's total area in square miles 104.955233 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>522.81</u> divided by district's total area in square mile <u>104.955233</u> = District's Areal В Density 4.98 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ove				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 522.81 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>104.955233</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 522.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 1.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 484 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	399.72	=	0.244386	x .2	0.048877	Х	399.72	=	19.54
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1034 - CENTRAL HIGH

- If school district's total area in square miles <u>96.516121</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>399.72</u> divided by district's total area in square mile <u>96.516121</u> = District's Areal В Density <u>4.14</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	
EC-5 Cost Factor	EC-5 ADM				_		
						122 divided by "Cb" from above	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	
6-8 Cost Factor	6-8 ADM				_		
						292 divided by " <u>Cc</u> " from above	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	
9-OHP Cost Factor	9-OHP ADM						
	399 72		trict's Raw ADM	divided by dis	0.00	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>96.516121</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 399.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.54

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 485 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	273.11	=	0.483724	x .2	0.096745	Х	273.11	_ = _	26.42
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENS District: 1042 - BRAY-DOYLE

- A. If school district's total area in square miles <u>235.688450</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>273.11</u> divided by district's total area in square mile <u>235.688450</u> = District's Areal Density <u>1.16</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	126.47	+	23 =	149.47	(Ca)
Grades	6th - 8th	73.35	+	133 =	206.35	(Cb)
Grades	PK3,9 -OHP	73.29	+	128 =	201.29	(Cc)
		273.11			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	149.47 =	=	0.495083	+ .85 =	1.345083	х	126.47 =	170.11
		•					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	206.35 =	·	0.591228	+ .85 =	1.441228	x	73.35 =	105.71
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	201.29 =	=	1.450643	+ .78 =	2.230643	Х	73.29 =	163.48
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

273.11

0.61

5) (District's Square Miles <u>235.688450</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.72</u>

439.30

1.61

- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.72 or 1.00 = Isolation Factor 0.44
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>273.11</u> = Isolation Weight <u>120.17</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __120.17_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 486 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	50.09	=	0.905312	x .2	0.181062	Х	50.09	_ = _	9.07
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: C009 - OPTIMA**

- If school district's total area in square miles <u>59.012309</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 50.09 divided by district's total area in square mile 59.012309 = District's Areal В Density <u>0.85</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
	_		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	0.00 =	·	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_		_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	·	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		50.09	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>59.012309</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 50.09 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 9.07

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 487 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	39.00	=	0.926276	x .2	0.185255	х	39.00	=_	7.22
_	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: C080 - STRAIGHT**

- If school district's total area in square miles 150.322318 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>39.00</u> divided by district's total area in square mile <u>150.322318</u> = District's Areal В Density <u>0.26</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	38.00	+	23 =	61.00	(Ca)
Grades	6th - 8th	1.00	+	133 =	134.00	(Cb)
Grades	PK3,9 -OHP	0.00	+	128 =	0.00	(Cc)
		39.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	61.00 =	1.213115	+ .85 =	2.063115 x	38.00 =	78.40
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	e				
	134.00 =	0.910448	+ .85 =	1.760448 x	1.00 =	1.76
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	0.00 =	0.000000	+ .78 =	0.000000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	80.16	divided by dis	strict's Raw ADM	39.00	

divided by district's Raw ADM

- 1.00 = District Cost Factor

39.00

1.06

5) (District's Square Miles <u>150.322318</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.09</u>

80.16

2.06

- 6) Multiply District Cost Factor (Line 4 above) 1.06 by lessor of the Area Factor (Line 5 above) 0.09 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 39.00 = Isolation Weight 3.90
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 7.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 488 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	109.34	=	0.793308	x .2	0.158662	Х	109.34	=_	17.35
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I001 - YARBROUGH

- A. If school district's total area in square miles <u>375.968909</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>109.34</u> divided by district's total area in square mile <u>375.968909</u> = District's Areal Density <u>0.29</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	59.51	+	23 =	82.51	(Ca)
Grades	6th - 8th	20.00	+	133 =	153.00	(Cb)
Grades	PK3,9 -OHP	29.83	+	128 =	157.83	(Cc)
		109.34				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	82.51 =	0.896861	+ .85 =	1.746861	x 59.51 =	103.96
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	153.00 =	0.797386	+ .85 =	1.647386	x 20.00 =	32.95
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	157.83 =	1.850092	+ .78 =	2.630092	x 29.83 =	78.46
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	215.37	divided by dist	rict's Raw ADM	109.34	

- 1.00 = District Cost Factor

0.97

5) (District's Square Miles <u>375.968909</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.74</u>

1.97

- 6) Multiply District Cost Factor (Line 4 above) 0.97 by lessor of the Area Factor (Line 5 above) 1.74 or 1.00 = Isolation Factor 0.97
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{109.34}$ = Isolation Weight $\underline{106.06}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___106.06_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 489 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,935.02	=	0.000000	x .2	0.000000	Х	2,935.02	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I008 - GUYMON

- A. If school district's total area in square miles <u>360.728961</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,935.02</u> divided by district's total area in square mile <u>360.728961</u> = District's Areal Density <u>8.14</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		2,935.02	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>360.728961</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.935.02 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 490 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	67.14	_ = _	0.873081	x .2	0.174616	Х	67.14	=_	11.72
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I015 - HARDESTY

- A. If school district's total area in square miles <u>250.196780</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>67.14</u> divided by district's total area in square mile <u>250.196780</u> = District's Areal Density <u>0.27</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	35.62	+	23 =	58.62	(Ca)
Grades	6th - 8th	15.52	+	133 =	148.52	(Cb)
Grades	PK3,9 -OHP	16.00	+	128 =	144.00	(Cc)
		67.14				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	58.62 =	1.262368	+ .85 =	2.112368	Х	35.62 =	75.24
					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove					
	148.52 =	0.821438	+ .85 =	1.671438	x	15.52 =	25.94
	_				6-8	3 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove					
	144.00 =	= 2.027778	+ .78 =	2.807778	x	16.00 =	44.92
					9-OHF	PADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	146.10	divided by d	istrict's Raw ADM		67.14	

- 1.00 = District Cost Factor

1.18

5) (District's Square Miles <u>250.196780</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.82</u>

2.18

- 6) Multiply District Cost Factor (Line 4 above) 1.18 by lessor of the Area Factor (Line 5 above) 0.82 or 1.00 = Isolation Factor 0.97
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{67.14}$ = Isolation Weight $\underline{65.13}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __65.13_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 491 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	580.36	=	0.000000	x .2	0.000000	х _	580.36	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: I023 - HOOKER**

- If school district's total area in square miles 303.624104 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>580.36</u> divided by district's total area in square mile <u>303.624104</u> = District's Areal В Density <u>1.91</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	249.57	+	23 =	272.57	(Ca)
Grades	6th - 8th	145.20	+	133 =	278.20	(Cb)
Grades	PK3,9 -OHP	185.59	+	128 =	313.59	(Cc)
		580.36				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	272.57 =	0.271490	+ .85 =	1.121490 x	249.57 =	279.89
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	278.20 =	0.438533	+ .85 =	1.288533 x	145.20 =	187.10
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	313.59 =	0.931152	+ .78 =	1.711152 x	185.59 =	317.57
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	784.56	divided by dist	rict's Raw ADM	580.36	

- 1.00 = District Cost Factor

0.35

5) (District's Square Miles <u>303.624104</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.21</u>

1.35

- 6) Multiply District Cost Factor (Line 4 above) 0.35 by lessor of the Area Factor (Line 5 above) 1.21 or 1.00 = Isolation Factor 0.35
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>580.36</u> = Isolation Weight <u>203.13</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 203.13

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 492 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	228.25	= _	0.568526	x .2	0.113705	Х	228.25	=	25.95
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS **District: I053 - TYRONE**

- If school district's total area in square miles 66.947129 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>228.25</u> divided by district's total area in square mile <u>66.947129</u> = District's Areal В Density <u>3.41</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by d	listrict's Raw ADM		228.25	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>66.947129</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 228.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.95

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 493 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

_			
Raw	Α	1)	N

529 -	217.85	=	0.588185	x .2	0.117637	Х	217.85	_ = _	25.63
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I060 - GOODWELL

- A. If school district's total area in square miles <u>186.638993</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>217.85</u> divided by district's total area in square mile <u>186.638993</u> = District's Areal Density <u>1.17</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	96.71	+	23 =	119.71	(Ca)
Grades	6th - 8th	49.61	+	133 =	182.61	(Cb)
Grades	PK3,9 -OHP	71.53	+	128 =	199.53	(Cc)
		217.85				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	119.71 =	0.618161	+ .85 =	1.468161	x 96.71	= 141.99
			-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove				
	182.61 =	= 0.668090	+ .85 =	1.518090	x 49.61	= 75.31
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove				
	199.53 =	= 1.463439	+ .78 =	2.243439	x 71.53	= 160.47
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	377.77	divided by di	strict's Raw ADM	217.85	

- 1.00 = District Cost Factor

0.73

5) (District's Square Miles <u>186.638993</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.36</u>

1.73

- 6) Multiply District Cost Factor (Line 4 above) 0.73 by lessor of the Area Factor (Line 5 above) 0.36 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 217.85 = Isolation Weight 56.64
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>56.64</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 494 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

n			
Raw.	Α	U	IV

529 -	233.88	=	0.557883	x .2	0.111577	Х	233.88	=_	26.10
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXAS District: I061 - TEXHOMA

- A. If school district's total area in square miles <u>252.774953</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>233.88</u> divided by district's total area in square mile <u>252.774953</u> = District's Areal Density <u>0.93</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	98.00	+	23 =	121.00	(Ca)
Grades	6th - 8th	60.10	+	133 =	193.10	(Cb)
Grades	PK3,9 -OHP	75.78	+	128 =	203.78	(Cc)
		233.88			· · · · · · · · · · · · · · · · · · ·	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	121.00 =	0.611570	+ .85 =	1.461570	x 98.00 =	143.23
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	193.10 =	0.631797	+ .85 =	1.481797	x 60.10 =	89.06
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	203.78 =	1.432918	+ .78 =	2.212918	x 75.78 =	167.69
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	399.98	divided by dis	strict's Raw ADM	233.88	

- 1.00 = District Cost Factor

0.71

5) (District's Square Miles <u>252.774953</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.84</u>

1.71

- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.60
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 233.88 = Isolation Weight 140.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>140.33</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 495 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	26.88	=	0.949187	x .2	0.189837	Χ	26.88	=	5.10
	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: C009 - DAVIDSON

- A. If school district's total area in square miles <u>127.647799</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>26.88</u> divided by district's total area in square mile <u>127.647799</u> = District's Areal Density <u>0.21</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

26.88

5) (District's Square Miles <u>127.647799</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 26.88 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.10

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 496 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	224.80	=	0.575047	x .2	0.115009	Х	224.80	_ = _	25.85
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: 1008 - TIPTON

- A. If school district's total area in square miles <u>170.118857</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>224.80</u> divided by district's total area in square mile <u>170.118857</u> = District's Areal Density <u>1.32</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	95.06	+	23 =	118.06	(Ca)
Grades	6th - 8th	59.10	+	133 =	192.10	(Cb)
Grades	PK3,9 -OHP	70.64	+	128 =	198.64	(Cc)
		224.80				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	118.06 =	0.626800	+ .85 =	1.476800 x	95.06 =	140.38
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	/e				
	192.10 =	0.635086	+ .85 =	1.485086 x	59.10 =	87.77
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	ve .				
	198.64 =	1.469996	+ .78 =	2.249996 x	70.64 =	158.94
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

224.80

= 1.72 - 1.00 = District Cost Factor 0.72

5) (District's Square Miles 170.118857 - 137.32596) divided by 137.32596 = Area Factor 0.24

387.09

- 6) Multiply District Cost Factor (Line 4 above) <u>0.72</u> by lessor of the Area Factor (Line 5 above) <u>0.24</u> or 1.00 = Isolation Factor <u>0.17</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 224.80 = Isolation Weight 38.22
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 38.22

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 497 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	841.82	=	0.000000	x .2	0.000000	х	841.82	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I158 - FREDERICK

- If school district's total area in square miles 206.780594 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>841.82</u> divided by district's total area in square mile <u>206.780594</u> = District's Areal В Density <u>4.07</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	è					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

841.82

0.00 5) (District's Square Miles <u>206.780594</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 841.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 498 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D			
ĸaw	Α	U	IV

529 -	213.69	=	0.596049	x .2	0.119210	Х	213.69	=	25.47
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMAN District: I249 - GRANDFIELD

- A. If school district's total area in square miles <u>175.543117</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>213.69</u> divided by district's total area in square mile <u>175.543117</u> = District's Areal Density <u>1.22</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	96.53	+	23 =	119.53	(Ca)
Grades	6th - 8th	52.21	+	133 =	185.21	(Cb)
Grades	PK3,9 -OHP	64.95	+	128 =	192.95	(Cc)
		213.69				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	119.53 =	0.619091	+ .85 =	1.469091 x	96.53 =	141.81
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	185.21 =	0.658712	+ .85 =	1.508712 x	52.21 =	78.77
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	192.95 =	1.513345	+ .78 =	2.293345 x	64.95 =	148.95
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	369.53	divided by distri	ct's Raw ADM	213.69	

- 1.00 = District Cost Factor

0.73

5) (District's Square Miles <u>175.543117</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.28</u>

1.73

- 6) Multiply District Cost Factor (Line 4 above) 0.73 by lessor of the Area Factor (Line 5 above) 0.28 or 1.00 = Isolation Factor 0.20
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 213.69 = Isolation Weight 42.74
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 42.74

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 499 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	272.46	= _	0.484953	x .2	0.096991	Х	272.46	=	26.43
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: C015 - KEYSTONE**

- If school district's total area in square miles 45.324110 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>272.46</u> divided by district's total area in square mile <u>45.324110</u> = District's Areal В Density <u>6.01</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

272.46

- 0.00 5) (District's Square Miles <u>45.324110</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 272.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>26.43</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 500 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	519.66	=	0.017656	x .2	0.003531	Х	519.66	=_	1.84
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E004 - TULSA CHARTER: SCHL ARTS/SCI.

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>519.66</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-3 ADIVI	EC-5 COST Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

9-OHP ADM

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 519.66 = 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>519.66</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 501 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	583.94	=	0.000000	x .2	0.000000	х _	583.94	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E005 - TULSA CHARTER: KIPP TULSA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>583.94</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 -	0.000000	. 79 –	0.790000 v	0.00 -	0.00

0.850000 x

+ .85 =

0.00 =

0.00

- 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 583.94

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{583.94}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 502 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	540.93	=	0.000000	x .2	0.000000	Х	540.93	_ = _	0.00
	529			·			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: E006 - TULSA LEGACY CHARTER SCHL INC**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>540.93</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>. В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from al	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

0.850000 x

+ .85 =

0.00 =

540.93

0.00

divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

0.00

- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 540.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 503 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	450.08	_ =	0.149187	x .2	0.029837	Х	450.08	=_	13.43
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E017 - TULSA CHARTER: COLLEGE BOUND

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>450.08</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00			. =		

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 450.08

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{450.08}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 504 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	863.85	=	0.000000	x .2	0.000000	Х	863.85	=	0.00
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E018 - TULSA CHARTER: HONOR ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>863.85</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00	0.000000	. 70	0.700000	0.00	0.00

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 863.85

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{863.85}$ = Isolation Weight $\underline{0.00}$

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	283.25	=	0.464556	x .2	0.092911	Х	283.25	=_	26.32
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: E019 - TULSA CHARTER: COLLEGIATE HALL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>283.25</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 283.25

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 =Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>283.25</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 506 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	202.81	=	0.616616	x .2	0.123323	х	202.81	=_	25.01
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: G001 - DEBORAH BROWN (CHARTER)**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>202.81</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>. В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	9				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 202.81 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 202.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 507 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,214.00	= _	0.000000	x .2	0.000000	Х	1,214.00	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: G003 - DOVE SCHOOLS OF TULSA**

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,214.00 divided by district's total area in square mile 0 = District's Areal Density 0 В

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

- 0.780000 x 0.000000 0.00 =0.00 + .78 = 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,214.00 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles 0 137.32596) divided by 137.32596 = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.214.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	89.39	=	0.831021	x .2	0.166204	х _	89.39	=_	14.86
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: G004 - SANKOFA MIDDLE SCHL (CHARTER)

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 89.39 divided by district's total area in square mile 0 = District's Areal Density 0.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ 78 =	0.780000 x	0.00 =	0.00

0.850000 x

+ .85 =

0.00 =

0.00

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 89.39

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 89.39 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 509 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	32,784.80	=	0.000000	x .2	0.000000	Х	32,784.80	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: 1001 - TULSA

- A. If school district's total area in square miles <u>177.428629</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>32,784.80</u> divided by district's total area in square mile <u>177.428629</u> = District's Areal Density <u>184.78</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	=	0.00	
EC-5 Cost Factor	EC-5 ADM							
						above	122 divided by " <u>Cb</u> " from al	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	=	0.00	
6-8 Cost Factor	6-8 ADM				_			
						bove	292 divided by " <u>Cc</u> " from ab	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	=	0.00	
9-OHP Cost Factor	9-OHP ADM				_			
	32.784.80		trict's Raw ADM	divided by dist	0.00	9	Sum 1 + 2 + 3 from above	4)

- 1.00 = District Cost Factor

5) (District's Square Miles <u>177.428629</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 32,784.80 = Isolation Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 510 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	4,921.08	_ =	0.000000	x .2	0.000000) x	4,921.08	_ =	0.00
	529				·		Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1002 - SAND SPRINGS**

- If school district's total area in square miles _75.172133_ is greater than the state average area in square miles _137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 4,921.08 divided by district's total area in square mile 75.172133 = District's Areal В Density <u>65.46</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

4,921.08

0.00 - 1.00 = District Cost Factor 5) (District's Square Miles <u>75.172133</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 4.921.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 511 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

19,413.79 0.000000 0.000000 0.00 529 19,413.79 529 Same Year Small School Raw ADM District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1003 - BROKEN ARROW**

- A. If school district's total area in square miles 104.707636 is greater than the state average area in square miles 137.32596, go to next step and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>19,413.79</u> divided by district's total area in square mile <u>104.707636</u> = District's Areal В Density 185.41 .

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.48, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

19,413.79

0

0.00 divided by $\underline{137.32596}$ = Area Factor 5) (District's Square Miles <u>104.707636</u> - <u>137.32596</u>)

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 19,413.79 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 512 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	7,266.34	=	0.000000	x .2	0.000000	Х	7,266.34	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I004 - BIXBY

- A. If school district's total area in square miles <u>75.123736</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>7,266.34</u> divided by district's total area in square mile <u>75.123736</u> = District's Areal Density <u>96.72</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		7,266.34	

- 1.00 = District Cost Factor

5) (District's Square Miles $\underline{75.123736}$ - $\underline{137.32596}$) divided by $\underline{137.32596}$ = Area Factor $\underline{0}$

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{7,266.34}{2}$ = Isolation Weight $\frac{0.00}{2}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 513 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	12,478.23	_ =	0.000000	x .2	0.000000	Х	12,478.23	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I005 - JENKS**

- If school district's total area in square miles 39.814528 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12,478.23 divided by district's total area in square mile 39.814528 = District's Areal В Density 313.41.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		12,478.23	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>39.814528</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12,478.23 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 514 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,958.53	= _	0.000000	x .2	0.000000	Х	2,958.53	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I006 - COLLINSVILLE**

- If school district's total area in square miles 63.849351 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,958.53 divided by district's total area in square mile 63.849351 = District's Areal В Density 46.34.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Χ	0.00 =	0.00
		_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove							
	0.00	= _	0.000000	+ .85 =	=	0.850000	х	0.00 =	0.00
			_					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove							
	0.00	= _	0.000000	+ .78 =	:	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	y dist	rict's Raw ADM		2,958.53	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>63.849351</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.958.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 515 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,272.26	=	0.000000	x .2	0.000000	Х	2,272.26	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: 1007 - SKIATOOK**

- If school district's total area in square miles <u>89.646928</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,272.26 divided by district's total area in square mile 89.646928 = District's Areal В Density <u>25.35</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		2,272.26	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>89.646928</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.272.26}$ = Isolation Weight $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 516 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Δ	\Box	М

529 -	1,078.10	= _	0.000000	x .2	0.000000	х	1,078.10	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I008 - SPERRY**

- If school district's total area in square miles <u>57.008489</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,078.10 divided by district's total area in square mile 57.008489 = District's Areal В Density 18.91.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	0.00 =	Χ	0.850000	+ .85 =	0.000000	0.00 =	(
EC-5 Cost Factor	EC-5 ADM							
						o" from above	2) 122 divided by " <u>Cb</u> " fr	2)
0.00	0.00 =	х	0.850000	+ .85 =	0.000000	0.00 =	(
6-8 Cost Factor	6-8 ADM				_			
						" from above	3) 292 divided by " <u>Cc</u> " fro	3)
0.00	0.00 =	х	0.780000	+ .78 =	0.000000	0.00 =	(
9-OHP Cost Factor	9-OHP ADM				_			
	1.078.10		trict's Raw ADM	divided by dis	0.00	m above	4) Sum 1 + 2 + 3 from a	4)

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>57.008489</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.078.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 517 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	14,920.11	_ =	0.000000	x .2	0.000000	Х	14,920.11	=_	0.00
	529	_					Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I009 - UNION**

- If school district's total area in square miles 27.364591 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 14,920.11 divided by district's total area in square mile 27.364591 = District's Areal В Density <u>545.23</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	- 					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	е					
	0.00 =	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
	- 					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dis	trict's Raw ADM		1/ 920 11	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>27.364591</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 14,920.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 518 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,124.02	=	0.000000	x .2	0.000000	Х	1,124.02	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I010 - BERRYHILL**

- If school district's total area in square miles <u>9.382143</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,124.02 divided by district's total area in square mile 9.382143 = District's Areal В Density <u>119.80</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM		1,124.02	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>9.382143</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{1,124.02}{2}$ = Isolation Weight $\frac{0.00}{2}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 519 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	9,598.94	=	0.000000	x .2	0.000000	Х	9,598.94	=	0.00
_	529	_				_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA **District: I011 - OWASSO**

- If school district's total area in square miles <u>72.437076</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>9,598.94</u> divided by district's total area in square mile <u>72.437076</u> = District's Areal В Density <u>132.51</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	_	0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =	_	0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	d by d	istrict's Raw ADM		9.598.94	

divided by district's Raw ADM

- 1.00 = District Cost Factor

9,598.94

0.00 5) (District's Square Miles <u>72.437076</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 9.598.94 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 520 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,816.13	=	0.000000	x .2	0.000000	Х	2,816.13	_ =	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I013 - GLENPOOL

- A. If school district's total area in square miles <u>18.070864</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,816.13</u> divided by district's total area in square mile <u>18.070864</u> = District's Areal Density <u>155.84</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,816.13

 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>18.070864</u> <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{2.816.13}{2.816.13}$ = Isolation Weight $\frac{0.00}{1.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 521 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	461.54	=	0.127524	x .2	0.025505	Х _	461.54	=_	11.77
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSA District: I014 - LIBERTY

- A. If school district's total area in square miles <u>47.589341</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>461.54</u> divided by district's total area in square mile <u>47.589341</u> = District's Areal Density <u>9.70</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

461.54

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 47.589341 - 137.32596) divided by 137.32596 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{461.54}{1000}$ = Isolation Weight $\frac{0.00}{1000}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __11.77_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 522 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	344.02	=	0.349679	x .2	0.069936	Х	344.02	=_	24.06
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1001 - OKAY

- If school district's total area in square miles 48.981296 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>344.02</u> divided by district's total area in square mile <u>48.981296</u> = District's Areal В Density <u>7.02</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

344.02

0.00 5) (District's Square Miles <u>48.981296</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 344.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.06

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 523 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	3,427.58	=	0.000000	x .2	0.000000	х	3,427.58	=_	0.00
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I017 - COWETA

- If school district's total area in square miles 116.724790 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,427.58 divided by district's total area in square mile 116.724790 = District's Areal В Density 29.36.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85	=	0.850000	X	0.00 =	0.00
			_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve							
	0.00 =		0.000000	+ .85	=	0.850000	х	0.00 =	0.00
								6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve							
	0.00 =		0.000000	+ .78	=	0.780000	х	0.00 =	0.00
								9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided	bv di	strict's Raw ADM		3.427.58	

divided by district's Raw ADM

- 1.00 = District Cost Factor

3,427.58

5) (District's Square Miles <u>116.724790</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.427.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 524 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,061.14	=	0.000000	x .2	0.000000	Х	2,061.14	_ = _	0.00
	529		_				Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: I019 - WAGONER

- A. If school district's total area in square miles <u>144.218645</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,061.14</u> divided by district's total area in square mile <u>144.218645</u> = District's Areal Density <u>14.29</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

2,061.14

5) (District's Square Miles <u>144.218645</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.061.14}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 525 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N A	
Kaw	А	ט	IVI	

529 -	545.49	_ =	0.000000	X	.2	0.000000	Х	545.49	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONER District: 1365 - PORTER CONSOLIDATED

- A. If school district's total area in square miles <u>119.023719</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>545.49</u> divided by district's total area in square mile <u>119.023719</u> = District's Areal Density <u>4.58</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re e				
	0.00 =	0.000000	+ .85 =	0.850000 ×	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abov	е				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

545.49

5) (District's Square Miles <u>119.023719</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>545.49</u> = Isolation Weight <u>0.00</u>

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 526 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	211.15	=	0.600851	x .2	0.120170	х	211.15	_ = _	25.37
	529			_			Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1004 - COPAN

- If school district's total area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.681902_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state average area in square miles __95.68190_ is greater than the state A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>211.15</u> divided by district's total area in square mile <u>95.681902</u> = District's Areal В Density <u>2.21</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =		0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ve						
	0.00 =		0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ve						
	0.00 =		0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		211.15	

divided by district's Raw ADM

- 1.00 = District Cost Factor

211.15

0.00 5) (District's Square Miles <u>95.681902</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 211.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 25.37

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 527 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	1,223.52	_ = _	0.000000	x .2	0.000000	Х	1,223.52	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1007 - DEWEY

- If school district's total area in square miles <u>86.204384</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,223.52 divided by district's total area in square mile 86.204384 = District's Areal В Density 14.19.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by di	strict's Raw ADM		1,223.52	

- 1.00 = District Cost Factor

0

- 0.00 5) (District's Square Miles <u>86.204384</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.223.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 528 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	782.49	=	0.000000	X	.2	0.000000	Х	782.49	=	0.00
	529							Same Year		Small School
								Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: I018 - CANEY VALLEY

- If school district's total area in square miles 190.257259 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>782.49</u> divided by district's total area in square mile <u>190.257259</u> = District's Areal В Density <u>4.11</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
			_				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
	_		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by	district's Raw ADM		782.49	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>190.257259</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>782.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 529 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	6,077.86	=	0.000000	x .2	0.000000	Х _	6,077.86	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTON District: 1030 - BARTLESVILLE

- If school district's total area in square miles <u>97.495947</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 6,077.86 divided by district's total area in square mile 97.495947 = District's Areal В Density <u>62.34</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	= 0.850000	<	0.00 =	0.00
		_				E	C-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from a	bove						
	0.00	= _	0.000000	+ .85 =	= 0.850000	<	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from al	oove						
	0.00	= _	0.000000	+ .78 =	= 0.780000	·	0.00 =	0.00
						9-0	OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided b	oy district's Raw ADM		6,077.86	

- 1.00 = District Cost Factor

- 0.00 5) (District's Square Miles <u>97.495947</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6.077.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 530 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	301.12	=	0.430775	x .2	0.086155	x	301.12	_ = _	25.94
•	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1001 - SENTINEL

- A. If school district's total area in square miles <u>256.255668</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>301.12</u> divided by district's total area in square mile <u>256.255668</u> = District's Areal Density <u>1.18</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	143.44	+	23 =	166.44	(Ca)
Grades	6th - 8th	69.95	+	133 =	202.95	(Cb)
Grades	PK3,9 -OHP	87.73	+	128 =	215.73	(Cc)
		301.12				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	166.44 =	0.444605	+ .85 =	1.294605 x	143.44 =	185.70
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	202.95 =	0.601133	+ .85 =	1.451133 x	69.95 =	101.51
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	215.73 =	1.353544	+ .78 =	2.133544 x	87.73 =	187.18
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	474.39	divided by distric	t's Raw ADM	301.12	

- 1.00 = District Cost Factor

0.58

5) (District's Square Miles <u>256.255668</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.87</u>

1.58

- 6) Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.87 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 301.12 = Isolation Weight 150.56
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __150.56_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 531 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	519.58	=	0.017807	x .2	0.003561	Х	519.58	=_	1.85
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I010 - BURNS FLAT-DILL CITY

- If school district's total area in square miles 131.980533 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>519.58</u> divided by district's total area in square mile <u>131.980533</u> = District's Areal В Density 3.94.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						
	0.00 =	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
	_						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	0.00 =	=	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

519.58

0.00 5) (District's Square Miles <u>131.980533</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>519.58</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 1.85

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 532 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D١	Л
-----	---	----	---

529 -	378.24	=	0.284991	x .2	0.056998	х _	378.24	=_	21.56
	529						Same Year	_	Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: I011 - CANUTE

- A. If school district's total area in square miles <u>156.170454</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>378.24</u> divided by district's total area in square mile <u>156.170454</u> = District's Areal Density <u>2.42</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	175.13	+	23 =	198.13	(Ca)
Grades	6th - 8th	78.63	+	133 =	211.63	(Cb)
Grades	PK3,9 -OHP	124.48	+	128 =	252.48	(Cc)
		378.24				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	198.13 =	0.373492	+ .85 =	1.223492 x	175.13 =	214.27
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	211.63 =	0.576478	+ .85 =	1.426478 x	78.63 =	112.16
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	252.48 =	1.156527	+ .78 =	1.936527 x	124.48 =	241.06
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

378.24

0.50

5) (District's Square Miles <u>156.170454</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.14</u>

567.49

1.50

- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.14 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 378.24 = Isolation Weight 26.48
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __26.48_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 533 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D				
ĸaw	Α	U	IV	

529 -	632.83	=	0.000000	x .2	0.000000	Х	632.83	=_	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITA District: 1078 - CORDELL

- A. If school district's total area in square miles <u>349.565661</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>632.83</u> divided by district's total area in square mile <u>349.565661</u> = District's Areal Density <u>1.81</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	313.61	+	23 =	336.61	(Ca)
Grades	6th - 8th	146.87	+	133 =	279.87	(Cb)
Grades	PK3,9 -OHP	172.35	+	128 =	300.35	(Cc)
		632.83				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	336.61 =	0.219839	+ .85 =	1.069839	x 313.6	51 = 335.51
					EC-5 ADN	M EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	279.87 =	0.435917	+ .85 =	1.285917	x 146.8	37 = 188.86
					6-8 ADN	M 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	300.35 =	0.972199	+ .78 =	1.752199	x172.3	301.99
					9-OHP ADN	M 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	826.36	divided by di	strict's Raw ADM	632.83	33

- 1.00 = District Cost Factor

0.31

5) (District's Square Miles <u>349.565661</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.55</u>

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.55 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 632.83 = Isolation Weight 196.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <a href="https://example.com/en/more-rep-en/more-re

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 534 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	٨		١./
Raw	А	ט	IV

529 -	1,036.35	=	0.000000	x .2	0.000000	х _	1,036.35	_ = _	0.00
_	529					_	Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I001 - ALVA

- A. If school district's total area in square miles <u>633.559136</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,036.35</u> divided by district's total area in square mile <u>633.559136</u> = District's Areal Density <u>1.64</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	549.45	+	23 =	572.45	(Ca)
Grades	6th - 8th	227.43	+	133 =	360.43	(Cb)
Grades	PK3,9 -OHP	259.47	+	128 =	387.47	(Cc)
		1,036.35				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	572.45 =	0.129269	+ .85 =	0.979269	х	549.45 =	538.06
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abov	e					
	360.43 =	0.338485	+ .85 =	1.188485	х	227.43 =	270.30
						6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above	е					
	387.47 =	0.753607	+ .78 =	1.533607	х	259.47 =	397.92
						9-OHP ADM	9-OHP Cost Factor
4)	Sum $1 + 2 + 3$ from above	1,206.28	divided by dist	trict's Raw ADM		1,036.35	

- 1.00 = District Cost Factor

0.16

5) (District's Square Miles <u>633.559136</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>3.61</u>

1.16

- 6) Multiply District Cost Factor (Line 4 above) 0.16 by lessor of the Area Factor (Line 5 above) 3.61 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{1.036.35}$ = Isolation Weight $\underline{165.82}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __165.82_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 535 of 541 Privacy Level: Public

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	AD	M
-----	----	---

529 -	218.74	=	0.586503	x .2	0.117301	х	218.74	_ = _	25.66
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I003 - WAYNOKA

- A. If school district's total area in square miles <u>488.394377</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>218.74</u> divided by district's total area in square mile <u>488.394377</u> = District's Areal Density <u>0.45</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	108.53	+	23 =	131.53	(Ca)
Grades	6th - 8th	48.11	+	133 =	181.11	(Cb)
Grades	PK3,9 -OHP	62.10	+	128 =	190.10	(Cc)
		218.74				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	131.53 =	:	0.562609	+ .85 =	1.412609	Χ	108.53 =	153.31
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from abo	ove						
	181.11 =	·	0.673624	+ .85 =	1.523624	х	48.11 =	73.30
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from abo	ove						
	190.10 =	:	1.536034	+ .78 =	2.316034	х	62.10 =	143.83
							9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

218.74

0.69

5) (District's Square Miles <u>488.394377</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>2.56</u>

370.44

1.69

- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 2.56 or 1.00 = Isolation Factor 0.69
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.74 = Isolation Weight 150.93
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight ___150.93_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 536 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Daw	Λ	\Box	N/	
Raw	А	ט	IV	

529 -	46.26	_ =	0.912552	x .2	0.182510	х	46.26	=_	8.44
_	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODS District: I006 - FREEDOM

- A. If school district's total area in square miles <u>498.939122</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>46.26</u> divided by district's total area in square mile <u>498.939122</u> = District's Areal Density <u>0.09</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	25.13	+	23 =	48.13	(Ca)
Grades	6th - 8th	5.70	+	133 =	138.70	(Cb)
Grades	PK3,9 -OHP	15.43	+	128 =	143.43	(Cc)
		46.26				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	48.13 =	1.537503	+ .85 =	2.387503	x25	.13 =	60.00
					EC-5 AD	MC	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	138.70 =	0.879596	+ .85 =	1.729596	x5	.70 =	9.86
					6-8 A	MC	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above						
	143.43 =	2.035836	+ .78 =	2.815836	x15	.43 =	43.45
	_	_			9-OHP AD	MC	9-OHP Cost Factor

divided by district's Raw ADM

46.26

= 2.45 - 1.00 = District Cost Factor 1.4

5) (District's Square Miles 498.939122 - 137.32596) divided by 137.32596 = Area Factor 2.63

113.31

- 6) Multiply District Cost Factor (Line 4 above) 1.45 by lessor of the Area Factor (Line 5 above) 2.63 or 1.00 = Isolation Factor 1.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\frac{46.26}{}$ = Isolation Weight $\frac{}{}$ 67.08
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 67.08

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 537 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw ADM

529 -	2,513.86	_ =	0.000000	x .2	0.000000	Х	2,513.86	=	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: I001 - WOODWARD

- A. If school district's total area in square miles <u>212.708234</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,513.86</u> divided by district's total area in square mile <u>212.708234</u> = District's Areal Density <u>11.82</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	= _	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	0.00	= _	0.000000	+ .78 =	0.780000	x	0.00 =	0.00
			_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		0.00	divided by o	district's Raw ADM		2,513.86	

- 1.00 = District Cost Factor

5) (District's Square Miles <u>212.708234</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM $\underline{2.513.86}$ = Isolation Weight $\underline{0.00}$

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 538 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	\Box	NΛ

529 -	603.71	=	0.000000	x .2	0.000000	Х	603.71	_ = _	0.00
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1002 - MOORELAND

- If school district's total area in square miles 402.017381 is greater than the state average area in square miles 137.32596, go to next step A. and compute areal density. If district has less than state average area in square miles 137.32596, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 603.71 divided by district's total area in square mile 402.017381 = District's Areal В Density <u>1.50</u>.

If school district's areal density is less than 2.48, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	310.81	+	23 =	333.81	(Ca)
Grades	6th - 8th	138.14	+	133 =	271.14	(Cb)
Grades	PK3,9 -OHP	154.76	+	128 =	282.76	(Cc)
		603.71				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	333.81 =	0.221683	+ .85 =	1.071683 x	310.81 =	333.09
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	271.14 =	0.449952	+ .85 =	1.299952 x	138.14 =	179.58
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	282.76 =	1.032678	+ .78 =	1.812678 x	154.76 =	280.53
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	793.20	divided by dist	rict's Raw ADM	603.71	

divided by district's Raw ADM

- 1.00 = District Cost Factor

603.71

0.31

5) (District's Square Miles <u>402.017381</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.93</u>

793.20

1.31

- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.93 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 603.71 = Isolation Weight 187.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __187.15_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 539 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

D ~	Λ		N A
Raw	А	U	IVI

529 -	199.66	=	0.622571	x .2	0.124514	Х	199.66	_ = _	24.86
	529			_			Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: I003 - SHARON-MUTUAL

- A. If school district's total area in square miles <u>277.231175</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>199.66</u> divided by district's total area in square mile <u>277.231175</u> = District's Areal Density <u>0.72</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

136 64 =

Grades	PK4 - 5th	113.64	+	23 =	136.64	(Ca)
Grades	6th - 8th	41.43	+	133 =	174.43	(Cb)
Grades	PK3,9 -OHP	44.59	+	128 =	172.59	(Cc)
		199.66				

0 541569

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

	150.04	0.541505	1 .05 –	1.551505 X	113.04 -	130.14
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	174.43 =	0.699421	+ .85 =	1.549421 x	41.43 =	64.19
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	172.59 =	1.691871	+ .78 =	2.471871 x	44.59 =	110.22
	<u> </u>				9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1 391569 x

113 64 =

199.66

0.67

158 14

+ 85 =

5) (District's Square Miles <u>277.231175</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>1.02</u>

332.55

1.67

- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 1.02 or 1.00 = Isolation Factor 0.67
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 199.66 = Isolation Weight 133.77
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __133.77_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 540 of 541

Small School and Isolation Weight

2021 - 2022

Statewide Report

2022 1ST 9 WKS

Raw	Α	D	М

529 -	141.01	=	0.733440	x .2	0.146688	Х _	141.01	=_	20.68
	529						Same Year		Small School
							Raw ADM		District Weight

DISTRICT SPARSITY-ISOLATION FORMULA

County: 77 - WOODWARD District: 1005 - FORT SUPPLY

- A. If school district's total area in square miles <u>243.535066</u> is greater than the state average area in square miles <u>137.32596</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.32596</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>141.01</u> divided by district's total area in square mile <u>243.535066</u> = District's Areal Density <u>0.58</u>.

If school district's areal density is less than <u>2.48</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.48</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	64.50	+	23 =	87.50	(Ca)
Grades	6th - 8th	28.61	+	133 =	161.61	(Cb)
Grades	PK3,9 -OHP	47.90	+	128 =	175.90	(Cc)
		141.01				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	87.50	=	0.845714	+ .85 =	1.695714	Х	64.50 =	109.37
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	161.61	=	0.754904	+ .85 =	1.604904	x	28.61 =	45.92
							6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from ab	ove						
	175.90	=	1.660034	+ .78 =	2.440034	х	47.90 =	116.88
							9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		272.17	divided by district's Raw ADM			141.01	

- 1.00 = District Cost Factor

0.93

5) (District's Square Miles <u>243.535066</u> - <u>137.32596</u>) divided by <u>137.32596</u> = Area Factor <u>0.77</u>

1.93

- 6) Multiply District Cost Factor (Line 4 above) 0.93 by lessor of the Area Factor (Line 5 above) 0.77 or 1.00 = Isolation Factor 0.72
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 141.01 = Isolation Weight 101.53
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight __101.53_

Report# FB107b Printed: 1/5/2022 1:01:36 PM Page 541 of 541