# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

### **2024 FINAL**

Raw ADM

750 -	92.29	=	0.876947	x .2	0.175389	Х	92.29	=	16.19
	750						Same Year Raw ADM		Small School District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 01 - ADAIRDistrict: C019 - PEAVINE

- A. If school district's total area in square miles <u>26.110030</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>92.29</u> divided by district's total area in square mile <u>26.110030</u> = District's Areal Density <u>3.53</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

3) 292 divided by "Cc" from above

0.00	=	0.000000	+ .78 =	0.780000	Х	0.00 =	=	0.00
						9-OHP ADM		9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 92.29

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>26.110030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 92.29 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 16.19

6-8 Cost Factor

6-8 ADM

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 622.37 0.170173 0.034035 21.18 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: C022 - MARYETTA

- If school district's total area in square miles 22.209570 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 622.37 divided by district's total area in square mile 22.209570 = District's Areal В. Density <u>28.02</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 622.37 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>22.209570</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 622.37 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 21.18

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 01 - ADAIRDistrict: C024 - ROCKY MOUNTAIN

- A. If school district's total area in square miles <u>19.653480</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>207.22</u> divided by district's total area in square mile <u>19.653480</u> = District's Areal Density <u>10.54</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

Page 3 of 541

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 207.22

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>19.653480</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>207.22</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.99

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 272.08 = 0.637227 x .2 0.127445 x 272.08 = 34.68

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: C028 - ZION

- A. If school district's total area in square miles <u>27.854030</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>272.08</u> divided by district's total area in square mile <u>27.854030</u> = District's Areal Density <u>9.77</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 272.08

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>27.854030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>272.08</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.68

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 176.44 = 0.764747 x .2 0.152949 x 176.44 = 33.5000

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: C029 - DAHLONEGAH

- A. If school district's total area in square miles <u>50.197830</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>176.44</u> divided by district's total area in square mile <u>50.197830</u> = District's Areal Density <u>3.51</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 176.44

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>50.197830</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>176.44</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.50

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 205.37 0.726173 0.145235 29.83 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: I004 - WATTS

- If school district's total area in square miles 38.606180 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 205.37 divided by district's total area in square mile 38.606180 = District's Areal В. Density <u>5.32</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	202 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 205.37 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>38.606180</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 205.37 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 29.83

0.00

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 969.54 = 0.000000 x .2 0.000000 x 969.54 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 01 - ADAIRDistrict: I011 - WESTVILLE

- A. If school district's total area in square miles <u>194.715600</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>969.54</u> divided by district's total area in square mile <u>194.715600</u> = District's Areal Density <u>4.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

9-OHP ADM 9-OHP Cost Factor

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 969.54

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>194.715600</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>969.54</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

750 - 1,383.00 = 0.000000 x .2 0.000000 x 1,383.00 = 0.00 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: I025 - STILWELL

- A. If school district's total area in square miles <u>127.851620</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,383.00</u> divided by district's total area in square mile <u>127.851620</u> = District's Areal Density <u>10.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,383.00

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>127.851620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{1.383.00}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b
Privacy Level: Public

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 182.94 = 0.756080 x .2 0.151216 x 182.94 = 27.66

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 01 - ADAIRDistrict: I030 - CAVE SPRINGS

- A. If school district's total area in square miles <u>39.117010</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>182.94</u> divided by district's total area in square mile <u>39.117010</u> = District's Areal Density <u>4.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		-	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 182.94

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>39.117010</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>182.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 27.66

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 133.66 = 0.821787 x .2 0.164357 x 133.66 = 21.97

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFADistrict: I001 - BURLINGTON

- A. If school district's total area in square miles <u>266.686460</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>133.66</u> divided by district's total area in square mile <u>266.686460</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

94.30 =

Grades	PK4 - 5th	71.30	+	23 =	94.30	(Ca)
Grades	6th - 8th	28.01	+	133 =	161.01	(Cb)
Grades	PK3,9 -OHP	34.35	+	128 =	162.35	(Cc)
		133.66				

0.784730

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	161.01 =	0.757717	+ .85 =	1.607717 x	28.01 =	45.03
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.634730 x

71.30 =

116.56

+ .85 =

- 162.35 = 1.798583 + .78 = 2.578583 x 34.35 = 88.57 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 250.16 divided by district's Raw ADM 133.66

  = 1.87 1.00 = District Cost Factor 0.87
- 5) (District's Square Miles <u>266.686460</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.93</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.87 by lessor of the Area Factor (Line 5 above) 0.93 or 1.00 = Isolation Factor 0.81
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>133.66</u> = Isolation Weight <u>108.26</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 108.26

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 379.35 = 0.494200 x .2 0.098840 x 379.35 = 37.49

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFADistrict: I046 - CHEROKEE

- A. If school district's total area in square miles <u>179.384330</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>379.35</u> divided by district's total area in square mile <u>179.384330</u> = District's Areal Density <u>2.11</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

211.56 =

Grades	PK4 - 5th	188.56	+	23 =	211.56	(Ca)
Grades	6th - 8th	86.70	+	133 =	219.70	(Cb)
Grades	PK3,9 -OHP	104.09	+	128 =	232.09	(Cc)
		379.35				

0.349783

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above				
	219.70 = 0.555303	+ .85 =	1.405303 x	86.70 =	121.84
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				

1.199783 x

188.56 =

226.23

+ .85 =

- 232.09 = 1.258133 + .78 = 2.038133 x 104.09 = 212.15 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 560.22 divided by district's Raw ADM 379.35

  = 1.48 1.00 = District Cost Factor 0.48
- 5) (District's Square Miles <u>179.384330</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.30</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.48 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 379.35 = Isolation Weight 53.11
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_53.11\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 11 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 288.04 0.615947 0.123189 35.48 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 02 - ALFALFADistrict: I093 - TIMBERLAKE

- If school district's total area in square miles 402.384600 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>288.04</u> divided by district's total area in square mile <u>402.384600</u> = District's Areal В. Density <u>0.72</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

161.27 =

Grades	PK4 - 5th	138.27	+	23 =	161.27	(Ca)
Grades	6th - 8th	78.87	+	133 =	211.87	(Cb)
Grades	PK3,9 -OHP	70.90	+	128 =	198.90	(Cc)
		288.04				

0.458858

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO O / IDIVI	E0 0 000t i dotoi
2)	122 divided by "Cb" from above	)				
	211.87 =	0.575825	+ .85 =	1.425825 x	78.87 =	112.45
					6-8 ADM	6-8 Cost Factor
3)	202 divided by "Cc" from above					

1.308858 x

138.27 =

180.98

FC-5 Cost Factor

+ .85 =

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 452.82 divided by district's Raw ADM 288.04 1.57 - 1.00 = District Cost Factor 0.57

- divided by 137.86788 = Area Factor (District's Square Miles <u>402.384600</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.57</u> by lessor of the Area Factor (Line 5 above) <u>1.92</u> or 1.00 = Isolation Factor <u>0.57</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 288.04 = Isolation Weight 164.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 164.18

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 12 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 241.02 = 0.678640 x .2 0.135728 x 241.02 = 32.71

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: C021 - HARMONY

- A. If school district's total area in square miles <u>89.853590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>241.02</u> divided by district's total area in square mile <u>89.853590</u> = District's Areal Density <u>2.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO-5 ADIVI	LC-3 Cost i actor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 241.02

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>89.853590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>241.02</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.71

0.00

EC E Cost Footor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 245.67 = 0.672440 x .2 0.134488 x 245.67 = 33.04

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: C022 - LANE

- A. If school district's total area in square miles <u>202.122290</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.67</u> divided by district's total area in square mile <u>202.122290</u> = District's Areal Density <u>1.22</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	161.40	+	23 =	184.40	(Ca)
Grades	6th - 8th	68.50	+	133 =	201.50	(Cb)
Grades	PK3,9 -OHP	15.77	+	128 =	143.77	(Cc)
		245.67				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	184.40 =	0.401302	+ .85 =	1.251302 x	161.40 =	201.96
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	201.50 =	0.605459	+ .85 =	1.455459 x	68.50 =	99.70

3) 292 divided by "Cc" from above

6-8 Cost Factor

6-8 ADM

Sum 1 + 2 + 3 from above 345.99 divided by district's Raw ADM 245.67

= 1.41 - 1.00 = District Cost Factor 0.41

- 5) (District's Square Miles <u>202.122290</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.47</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.41 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.19
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 245.67 = Isolation Weight 46.68
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.68

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 240.08 = 0.679893 x .2 0.135979 x 240.08 = 32.65

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: I007 - STRINGTOWN

- A. If school district's total area in square miles <u>176.463260</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>240.08</u> divided by district's total area in square mile <u>176.463260</u> = District's Areal Density <u>1.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	111.16	+	23 =	134.16	(Ca)
Grades	6th - 8th	46.20	+	133 =	179.20	(Cb)
Grades	PK3,9 -OHP	82.72	+	128 =	210.72	(Cc)
		240.08				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	134.16 =	0.551580	+ .85 =	1.401580 x	111.16 =	155.80
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above	2				
	179.20 =	0.680804	+ .85 =	1.530804 x	46.20 =	70.72

6-8 ADM

6-8 Cost Factor

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 405.67 divided by district's Raw ADM 240.08

  = 1.69 1.00 = District Cost Factor 0.69
- 5) (District's Square Miles <u>176.463260</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.28</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.28 or 1.00 = Isolation Factor 0.19
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 240.08 = Isolation Weight 45.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 45.62

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: I015 - ATOKA

- A. If school district's total area in square miles <u>126.034070</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>848.42</u> divided by district's total area in square mile <u>126.034070</u> = District's Areal Density <u>6.73</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 848.42 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>126.034070</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>848.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 513.85 = 0.314867 x .2 0.062973 x 513.85 = 32.36

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: I019 - TUSHKA

- A. If school district's total area in square miles <u>60.167780</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>513.85</u> divided by district's total area in square mile <u>60.167780</u> = District's Areal Density <u>8.54</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 >	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 -	0.000000	± 85 =	0.850000	0.00 -	0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 513.85

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>60.167780</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>513.85</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.36

6-8 Cost Factor

6-8 ADM

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 232.88 0.689493 0.137899 32.11 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 03 - ATOKADistrict: I026 - CANEY

- If school district's total area in square miles <u>85.132950</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 232.88 divided by district's total area in square mile 85.132950 = District's Areal В. Density <u>2.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 18 of 541

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>85.132950</u> - <u>137.86788</u>) 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 232.88 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 32.11

Report# FB107b Printed: 8/22/2025 6:45:45 AM Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 241.56 = 0.677920 x .2 0.135584 x 241.56 = 32.75

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 04 - BEAVERDistrict: I022 - BEAVER

- A. If school district's total area in square miles <u>304.586080</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>241.56</u> divided by district's total area in square mile <u>304.586080</u> = District's Areal Density <u>0.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	102.97	+	23 =	125.97	(Ca)
Grades	6th - 8th	68.67	+	133 =	201.67	(Cb)
Grades	PK3,9 -OHP	69.92	+	128 =	197.92	(Cc)
		241.56				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	125.97 =	= 0.587441	+ .85 =	1.437441 x	102.97 =	148.01
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	201.67	- 0.604949	± 85 -	1.454040 v	68.67 -	00 01

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

4) Sum 1 + 2 + 3 from above 405.61 divided by district's Raw ADM 241.56

= 1.68 - 1.00 = District Cost Factor 0.68

- 5) (District's Square Miles <u>304.586080</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.21</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 1.21 or 1.00 = Isolation Factor 0.68
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 241.56 = Isolation Weight 164.26
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 164.26

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 144.87 0.806840 0.161368 23.38 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVERDistrict: 1075 - BALKO

- If school district's total area in square miles 441.150530 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>144.87</u> divided by district's total area in square mile <u>441.150530</u> = District's Areal В. Density 0.33

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	59.66	+	23 =	82.66	(Ca)
Grades	6th - 8th	37.39	+	133 =	170.39	(Cb)
Grades	PK3,9 -OHP	47.82	+	128 =	175.82	(Cc)
		144.87				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	82.66 =	0.895233	+ .85 =	1.745233 x	59.66 =	104.12
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	170 30 -	0.716004	± 85 -	1.566004 v	37 30 -	58 55

6-8 Cost Factor

6-8 ADM

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 279.39 divided by district's Raw ADM 144.87 1.93 - 1.00 = District Cost Factor 0.93

- divided by 137.86788 = Area Factor (District's Square Miles <u>441.150530</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.93</u> by lessor of the Area Factor (Line 5 above) <u>2.20</u> or 1.00 = Isolation Factor <u>0.93</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 144.87 = Isolation Weight 134.73
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 134.73

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 106.72 = 0.857707 x .2 0.171541 x 106.72 = 18.31

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 04 - BEAVERDistrict: I123 - FORGAN

- A. If school district's total area in square miles <u>375.823640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>106.72</u> divided by district's total area in square mile <u>375.823640</u> = District's Areal Density <u>0.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	49.85	+	23 =	72.85	(Ca)
Grades	6th - 8th	18.26	+	133 =	151.26	(Cb)
Grades	PK3,9 -OHP	38.61	+	128 =	166.61	(Cc)
		106.72				

0.806558

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	72.85 =	1.015786	+ .85 =	1.865786 x	49.85 =	93.01
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

30.25

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 221.04 divided by district's Raw ADM 106.72

= 2.07 - 1.00 = District Cost Factor 1.07

- 5) (District's Square Miles <u>375.823640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.73</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.07 by lessor of the Area Factor (Line 5 above) 1.73 or 1.00 = Isolation Factor 1.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 106.72 = Isolation Weight 114.19
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>114.19</u>

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 -	386.46	=	0.484720	x .2	0.096944	х	386.46	=	37.46
	750			_			Same Year Raw ADM		Small School District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 04 - BEAVERDistrict: I128 - TURPIN

- A. If school district's total area in square miles <u>356.676790</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>386.46</u> divided by district's total area in square mile <u>356.676790</u> = District's Areal Density <u>1.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

207.61 =

Grades	PK4 - 5th	184.61	+	23 =	207.61	(Ca)
Grades	6th - 8th	78.10	+	133 =	211.10	(Cb)
Grades	PK3,9 -OHP	123.75	+	128 =	251.75	(Cc)
		386.46				

0.356438

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	211.10 =	0.577925	+ .85 =	1.427925	x 78.10 =	111.52
					6-8 ADM	6-8 Cost Factor

1.206438 x

+ .85 =

3) 292 divided by "Cc" from above

251.75	=	1.159881	+ .78 =	1.939881	Х	123.75 =	240.06
		_			_	9-OHP ADM	9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 574.30 divided by district's Raw ADM 386.46

  = 1.49 -1.00 = District Cost Factor 0.49
- 5) (District's Square Miles <u>356.676790</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.59</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.49 by lessor of the Area Factor (Line 5 above) 1.59 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 386.46 = Isolation Weight 189.37
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>189.37</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 22 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAMDistrict: 1002 - MERRITT

- A. If school district's total area in square miles <u>242.676840</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>817.34</u> divided by district's total area in square mile <u>242.676840</u> = District's Areal Density <u>3.37</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   817.34

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>242.676840</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>817.34</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,098.93 = 0.000000 x .2 0.000000 x 2,098.93 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAMDistrict: 1006 - ELK CITY

- A. If school district's total area in square miles <u>63.328020</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.098.93</u> divided by district's total area in square mile <u>63.328020</u> = District's Areal Density <u>33.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	0.00 9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

2,098.93

0.00

Page 24 of 541

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 63.328020 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.098.93</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 680.53 0.092627 0.018525 12.61 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 05 - BECKHAMDistrict: 1031 - SAYRE

- If school district's total area in square miles 273.307460 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 680.53 divided by district's total area in square mile 273.307460 = District's Areal В. Density <u>2.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 680.53 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>273.307460</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 680.53 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.61

Report# FB107b Privacy Level: Public 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 189.10 = 0.747867 x .2 0.149573 x 189.10 = 28.28

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 05 - BECKHAMDistrict: I051 - ERICK

- A. If school district's total area in square miles <u>269.051810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>189.10</u> divided by district's total area in square mile <u>269.051810</u> = District's Areal Density <u>0.70</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

120.53 =

Grades	PK4 - 5th	97.53	+	23 =	120.53	(Ca)
Grades	6th - 8th	31.63	+	133 =	164.63	(Cb)
Grades	PK3,9 -OHP	59.94	+	128 =	187.94	(Cc)
		189.10				

0.613955

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	164.63 =	0.741056	+ .85 =	1.591056 x	31.63 =	50.33
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

1.463955 x

97.53 =

142.78

- 187.94 = 1.553687 + .78 = 2.333687 x 59.94 = 139.88 9-OHP ADM 9-OHP Cost Factor
- 1) Sum 1 + 2 + 3 from above 332.99 divided by district's Raw ADM 189.10

  = 1.76 1.00 = District Cost Factor 0.76
- 5) (District's Square Miles <u>269.051810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.95</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.76 by lessor of the Area Factor (Line 5 above) 0.95 or 1.00 = Isolation Factor 0.72
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>189.10</u> = Isolation Weight <u>136.15</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>136.15</u>

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 312.83 0.582893 0.116579 36.47 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 06 - BLAINEDistrict: 1009 - OKEENE

- If school district's total area in square miles 226.015070 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>312.83</u> divided by district's total area in square mile <u>226.015070</u> = District's Areal В. Density <u>1.38</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

169.58 =

Grades	PK4 - 5th	146.58	+	23 =	169.58	(Ca)
Grades	6th - 8th	63.37	+	133 =	196.37	(Cb)
Grades	PK3,9 -OHP	102.88	+	128 =	230.88	(Cc)
		312.83				

0.436372

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	196.37 =	0.621276	+ .85 =	1.471276 x	63.37 =	93.23
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.286372 x

+ .85 =

- Sum 1 + 2 + 3 from above 492.15 divided by district's Raw ADM 312.83 1.57 - 1.00 = District Cost Factor 0.57
- (District's Square Miles <u>226.015070</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) <u>0.57</u> by lessor of the Area Factor (Line 5 above) <u>0.64</u> or 1.00 = Isolation Factor <u>0.36</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 312.83 = Isolation Weight 112.62
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 112.62

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 27 of 541

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 722.98 = 0.036027 x .2 0.007205 x 722.98 = 5.21

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 06 - BLAINEDistrict: I042 - WATONGA

- A. If school district's total area in square miles <u>207.656030</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>722.98</u> divided by district's total area in square mile <u>207.656030</u> = District's Areal Density <u>3.48</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.00 :	= 0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 722.98

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>207.656030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>722.98</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_5.21\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

248.07 0.669240 0.133848 33.20 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 06 - BLAINEDistrict: I080 - GEARY

- If school district's total area in square miles 297.453980 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>248.07</u> divided by district's total area in square mile <u>297.453980</u> = District's Areal В. Density <u>0.83</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

137.86 =

Grades	PK4 - 5th	114.86	+	23 =	137.86	(Ca)
Grades	6th - 8th	58.48	+	133 =	191.48	(Cb)
Grades	PK3,9 -OHP	74.73	+	128 =	202.73	(Cc)
		248.07				

0.536776

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	191.48 =	0.637142	+ .85 =	1.487142 x	58.48 =	86.97
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	202.73 =	1.440339	+ .78 =	2.220339 x	74.73 =	165.93
		_			9-OHP ADM	9-OHP Cost Factor

+ .85 =

- 412.19 divided by district's Raw ADM 248.07 1.66 - 1.00 = District Cost Factor 0.66
- 5) (District's Square Miles <u>297.453980</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>1.16</u>
- Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 1.16 or 1.00 = Isolation Factor 0.66
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 248.07 = Isolation Weight 163.73
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 163.73

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 29 of 541

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 315.82 0.578907 0.115781 36.57 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 06 - BLAINEDistrict: I105 - CANTON

- If school district's total area in square miles \_\_252.192100\_ is greater than the state average area in square miles \_\_137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>315.82</u> divided by district's total area in square mile <u>252.192100</u> = District's Areal В. Density <u>1.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

167.48 =

Grades	PK4 - 5th	144.48	+	23 =	167.48	(Ca)
Grades	6th - 8th	76.90	+	133 =	209.90	(Cb)
Grades	PK3,9 -OHP	94.44	+	128 =	222.44	(Cc)
		315.82				

0.441844

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	209.90 =	0.581229	+ .85 =	1.431229 x	76.90 =	110.06
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.291844 x

144.48 =

186.65

**EC-5 Cost Factor** 

+ .85 =

Sum 1 + 2 + 3 from above 494.35 divided by district's Raw ADM 315.82 1.57 - 1.00 = District Cost Factor 0.57

- (District's Square Miles <u>252.192100</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.57 by lessor of the Area Factor (Line 5 above) 0.83 or 1.00 = Isolation Factor 0.47
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 315.82 = Isolation Weight 148.44
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 148.44

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

1,193.67 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I001 - SILO

- If school district's total area in square miles 121.031050 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,193.67 divided by district's total area in square mile 121.031050 = District's В. Areal Density 9.86.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	202 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,193.67 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>121.031050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.193.67 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

491.13 0.345160 0.069032 33.90 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I002 - ROCK CREEK

- If school district's total area in square miles 224.102350 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 491.13 divided by district's total area in square mile 224.102350 = District's Areal В. Density <u>2.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

267.49 =

Grades	PK4 - 5th	244.49	+	23 =	267.49	(Ca)
Grades	6th - 8th	121.59	+	133 =	254.59	(Cb)
Grades	PK3,9 -OHP	125.05	+	128 =	253.05	(Cc)
		491.13				

0.276646

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	)				
	254.59 =	0.479202	+ .85 =	1.329202 x	121.59 =	161.62
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.126646 x

EC E Cost Footor

+ .85 =

253.05	=	1.153922	+ ./8 =	1.933922	X	125.05 =	241.84
						9-OHP ADM	9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 678.91 divided by district's Raw ADM 491.13 1.38 - 1.00 = District Cost Factor 0.38
- 5) (District's Square Miles <u>224.102350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) <u>0.38</u> by lessor of the Area Factor (Line 5 above) <u>0.63</u> or 1.00 = Isolation Factor <u>0.24</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 491.13 = Isolation Weight \_\_117.87\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 117.87

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 32 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 297.36 = 0.603520 x .2 0.120704 x 297.36 = 35.89

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I003 - ACHILLE

- A. If school district's total area in square miles <u>166.219780</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>297.36</u> divided by district's total area in square mile <u>166.219780</u> = District's Areal Density <u>1.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	171.12	+	23 =	194.12	(Ca)
Grades	6th - 8th	54.98	+	133 =	187.98	(Cb)
Grades	PK3,9 -OHP	71.26	+	128 =	199.26	(Cc)
		297.36				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	194.12 =	0.381208	+ .85 =	1.231208 x	171.12 =	210.68
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	187 08 -	0.649005	± 85 -	1.499005 v	54.08 -	82.42

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

4) Sum 1 + 2 + 3 from above 453.11 divided by district's Raw ADM 297.36

= 1.52 - 1.00 = District Cost Factor 0.52

- 5) (District's Square Miles <u>166.219780</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.21</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 0.21 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 297.36 = Isolation Weight 32.71
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.89

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 799.67 = 0.000000 x .2 0.000000 x 799.67 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: 1004 - COLBERT

- A. If school district's total area in square miles <u>66.564940</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>799.67</u> divided by district's total area in square mile <u>66.564940</u> = District's Areal Density <u>12.01</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .6	35	=	0.85000	00	Х	0.00 =	0.00
									-	EC-5 ADM	EC-5 Cost Factor
٥١	400 45 54 4 4 5 4 6 4 6 6		_								

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 799.67

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>66.564940</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 799.67 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I005 - CADDO

- A. If school district's total area in square miles <u>134.572430</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>486.44</u> divided by district's total area in square mile <u>134.572430</u> = District's Areal Density <u>3.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 486.44

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>134.572430</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 486.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.19

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 -	267.36	=	0.643520	x .2	0.128704	х	267.36	_ = _	34.41
_	750						Same Year Raw ADM		Small School District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I040 - BENNINGTON

- If school district's total area in square miles 160.314260 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>267.36</u> divided by district's total area in square mile <u>160.314260</u> = District's Areal В. Density <u>1.67</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

147.63 =

Grades	PK4 - 5th	124.63	+	23 =	147.63	(Ca)
Grades	6th - 8th	54.05	+	133 =	187.05	(Cb)
Grades	PK3,9 -OHP	88.68	+	128 =	216.68	(Cc)
		267.36				

0.501253

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	187.05 =	0.652232	+ .85 =	1.502232 x	54.05 = 6-8 ADM	81.20 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	216.68 =	1.347609	+ .78 =	2.127609 x	88.68 =	188.68 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	438.29	divided by distri	ict's Raw ADM	267.36	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.351253 x

124.63 =

0.64

168.41

+ .85 =

5) (District's Square Miles <u>160.314260</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.16</u>

1.64

- Multiply District Cost Factor (Line 4 above) <u>0.64</u> by lessor of the Area Factor (Line 5 above) <u>0.16</u> or 1.00 = Isolation Factor <u>0.10</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 267.36 = Isolation Weight 26.74
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 34.41

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 36 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 930.43 0.000000 0.000000 0.00 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I048 - CALERA

- If school district's total area in square miles 47.430920 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 930.43 divided by district's total area in square mile 47.430920 = District's Areal В. Density 19.62.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e				

2)

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 930.43 0.00 - 1.00 = District Cost Factor

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>47.430920</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 930.43 = Isolation Weight 0.00\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 3,837.95 = 0.000000 x .2 0.000000 x 3,837.95 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 07 - BRYANDistrict: I072 - DURANT

- A. If school district's total area in square miles <u>43.218450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3.837.95</u> divided by district's total area in square mile <u>43.218450</u> = District's Areal Density <u>88.80</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		,	_		6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Page 38 of 541

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   3,837.95

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>43.218450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.837.95</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I011 - HYDRO-EAKLY

- If school district's total area in square miles 188.137550 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>484.63</u> divided by district's total area in square mile <u>188.137550</u> = District's Areal В. Density 2.58

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	0.00 = 0.000000 + .85 = 0.850000	x 0.00 =	0.00
		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above		

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 484.63 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>188.137550</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 484.63 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.29

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 08 - CADDODistrict: I012 - LOOKEBA SICKLES

- If school district's total area in square miles 106.100470 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>176.79</u> divided by district's total area in square mile <u>106.100470</u> = District's Areal В. Density <u>1.67</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>106.100470</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 176.79 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 27.02

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,350.29 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I020 - ANADARKO

- If school district's total area in square miles 109.440620 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,350.29 divided by district's total area in square mile 109.440620 = District's В. Areal Density 12.34.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,350.29 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>109.440620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.350.29 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 519.40 = 0.307467 x .2 0.061493 x 519.40 = 31.94

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 08 - CADDODistrict: I033 - CARNEGIE

- A. If school district's total area in square miles <u>202.576710</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>519.40</u> divided by district's total area in square mile <u>202.576710</u> = District's Areal Density <u>2.56</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x		
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 519.40 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>202.576710</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>519.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.94

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 506.35 = 0.324867 x .2 0.064973 x 506.35 = 32.90

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I056 - BOONE-APACHE

- A. If school district's total area in square miles <u>137.519660</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>506.35</u> divided by district's total area in square mile <u>137.519660</u> = District's Areal Density <u>3.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				LC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.00 = 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

Page 43 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   506.35

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>137.519660</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>506.35</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.90

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 326.83 0.564227 0.112845 36.88 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: 1064 - CYRIL

- If school district's total area in square miles <u>54.310150</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 326.83 divided by district's total area in square mile 54.310150 = District's Areal В. Density <u>6.02</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 326.83 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>54.310150</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.83 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.88

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I086 - GRACEMONT

- A. If school district's total area in square miles <u>100.679070</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>132.14</u> divided by district's total area in square mile <u>100.679070</u> = District's Areal Density <u>1.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2) 122 divided b	y " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 132.14

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>100.679070</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>132.14</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>21.77</u>

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

179.43 0.760760 0.152152 27.30 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I160 - CEMENT

- If school district's total area in square miles 67.930550 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 179.43 divided by district's total area in square mile 67.930550 = District's Areal В. Density <u>2.64</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>67.930550</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 179.43 = Isolation Weight 0.00\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 27.30

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 712.69 = 0.049747 x .2 0.009949 x 712.69 = 7.09

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 08 - CADDODistrict: I161 - HINTON

- A. If school district's total area in square miles <u>171.591300</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>712.69</u> divided by district's total area in square mile <u>171.591300</u> = District's Areal Density <u>4.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
					-	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	е					
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 712.69

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>171.591300</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>712.69</u> = Isolation Weight <u>0.00</u>

6-8 Cost Factor

6-8 ADM

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 274.02 = 0.634640 x .2 0.126928 x 274.02 = 34.78

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 08 - CADDODistrict: I167 - FORT COBB-BROXTON

- A. If school district's total area in square miles <u>154.589010</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>274.02</u> divided by district's total area in square mile <u>154.589010</u> = District's Areal Density <u>1.77</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	138.76	+	23 =	161.76	(Ca)
Grades	6th - 8th	52.15	+	133 =	185.15	(Cb)
Grades	PK3,9 -OHP	83.11	+	128 =	211.11	(Cc)
		274.02				

0.658925

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	161.76 =	0.457468	+ .85 =	1.307468 x	138.76 =	181.42
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

+ .85 =

3) 292 divided by "Cc" from above

244.44		1 202165	. 70	0.460465	. 02.44		170.70
211.11	=	1.383165	+ ./8 =	2.103100 )	63.11	=	179.76
					9-OHP ADM		9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 439.89 divided by district's Raw ADM 274.02

  = 1.61 1.00 = District Cost Factor 0.61
- 5) (District's Square Miles <u>154.589010</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.12</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.12 or 1.00 = Isolation Factor 0.07
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 274.02 = Isolation Weight 19.18
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.78

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 313.07 = 0.582573 x .2 0.116515 x 313.07 = 36.48

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 08 - CADDODistrict: I168 - BINGER-ONEY

- A. If school district's total area in square miles <u>150.021520</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>313.07</u> divided by district's total area in square mile <u>150.021520</u> = District's Areal Density <u>2.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

166.77 =

Grades	PK4 - 5th	143.77	+	23 =	166.77	(Ca)
Grades	6th - 8th	66.67	+	133 =	199.67	(Cb)
Grades	PK3,9 -OHP	102.63	+	128 =	230.63	(Cc)
		313.07				

0.443725

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	199.67 = 0	.611008 -	85 =	1.461008 x	66.67 =	97.41
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	230.63 = 1	.266097 -	+ .78 =	2.046097 x	102.63 =	209.99
					9-OHP ADM	9-OHP Cost Factor

1.293725 x

143.77 =

186.00

+ .85 =

- Sum 1 + 2 + 3 from above 493.40 divided by district's Raw ADM 313.07

  = 1.58 1.00 = District Cost Factor 0.58
- 5) (District's Square Miles <u>150.021520</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.09</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.09 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 313.07 = Isolation Weight 15.65
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.48

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 49 of 541

Privacy Level: Public

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: C029 - RIVERSIDE

- If school district's total area in square miles 32.753900 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 176.42 divided by district's total area in square mile 32.753900 = District's Areal В. Density <u>5.39</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

2)

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>32.753900</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 176.42 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 26.98

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 318.82 = 0.574907 x .2 0.114981 x 318.82 = 36.66

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: C031 - BANNER

- A. If school district's total area in square miles <u>40.368330</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>318.82</u> divided by district's total area in square mile <u>40.368330</u> = District's Areal Density <u>7.90</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 318.82

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>40.368330</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 318.82 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.66

6-8 Cost Factor

6-8 ADM

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 09 - CANADIANDistrict: C070 - DARLINGTON

- A. If school district's total area in square miles <u>60.984590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>252.70</u> divided by district's total area in square mile <u>60.984590</u> = District's Areal Density <u>4.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   252.70

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>60.984590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>252.70</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.51

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 52 of 541
Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 191.37 = 0.744840 x .2 0.148968 x 191.37 = 28.51

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: C162 - MAPLE

- A. If school district's total area in square miles <u>92.634890</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>191.37</u> divided by district's total area in square mile <u>92.634890</u> = District's Areal Density <u>2.07</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		<u> </u>		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 191.37

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 92.634890 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 191.37 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>28.51</u>

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 5,330.86 = 0.000000 x .2 0.000000 x 5,330.86 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 09 - CANADIANDistrict: I022 - PIEDMONT

- A. If school district's total area in square miles <u>92.231780</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5.330.86</u> divided by district's total area in square mile <u>92.231780</u> = District's Areal Density <u>57.80</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 5,330.86 = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>92.231780</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>5.330.86</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 9,515.20 = 0.000000 x .2 0.000000 x 9,515.20 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: I027 - YUKON

- A. If school district's total area in square miles <u>68.065670</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>9,515.20</u> divided by district's total area in square mile <u>68.065670</u> = District's Areal Density <u>139.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above	)				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	<b>;</b>				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM 9-OHP Cost Factor

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 9,515.20

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>68.065670</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>9.515.20</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,928.63 = 0.000000 x .2 0.000000 x 2,928.63 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: 1034 - EL RENO

- A. If school district's total area in square miles <u>44.713650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.928.63</u> divided by district's total area in square mile <u>44.713650</u> = District's Areal Density <u>65.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					LO 3 ADIVI	LO 3 0031 1 actor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

2,928.63

+ .85 =

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles <u>44.713650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.928.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 304.53 = 0.593960 x .2 0.118792 x 304.53 = 36.18

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 09 - CANADIANDistrict: I057 - UNION CITY

- A. If school district's total area in square miles <u>84.571050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>304.53</u> divided by district's total area in square mile <u>84.571050</u> = District's Areal Density <u>3.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

+ .85 =

- 5) (District's Square Miles <u>84.571050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 304.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.18

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 13,545.63 = 0.000000 x .2 0.000000 x 13,545.63 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 09 - CANADIANDistrict: 1069 - MUSTANG

- A. If school district's total area in square miles <u>73.276540</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>13.545.63</u> divided by district's total area in square mile <u>73.276540</u> = District's Areal Density <u>184.86</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

5) (District's Square Miles <u>73.276540</u> - <u>137.86788</u>)

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	Х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by <u>137.86788</u> = Area Factor

0.850000 x

0.00 =

13,545.63

+ .85 =

= 0.00 - 1.00 = District Cost Factor

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 13.545.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 281.06 0.625253 0.125051 35.15 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 09 - CANADIANDistrict: 1076 - CALUMET

- If school district's total area in square miles <u>94.926780</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 281.06 divided by district's total area in square mile 94.926780 = District's Areal В. Density <u>2.96</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 281.06 0.00 - 1.00 = District Cost Factor 0
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>94.926780</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 281.06 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 35.15

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 281.99 = 0.624013 x .2 0.124803 x 281.99 = 35.19

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: C072 - ZANEIS

- A. If school district's total area in square miles <u>57.420940</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>281.99</u> divided by district's total area in square mile <u>57.420940</u> = District's Areal Density <u>4.91</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove						
	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		•					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 281.99

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>57.420940</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>281.99</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.19

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

750 - 2,598.00 = 0.000000 x .2 0.000000 x 2,598.00 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I019 - ARDMORE

- A. If school district's total area in square miles <u>27.421770</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.598.00</u> divided by district's total area in square mile <u>27.421770</u> = District's Areal Density <u>94.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				0-0 ADIVI	0-0 Cost r actor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,598.00 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>27.421770</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.598.00</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 61 of 541 Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I021 - SPRINGER

- If school district's total area in square miles 102.137850 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>213.75</u> divided by district's total area in square mile <u>102.137850</u> = District's Areal В. Density <u>2.09</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above		
	0.00 = 0.000000 + .85 = 0.850000 x	0.00 =	0.00
		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above		

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>102.137850</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 213.75 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 30.57

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,570.52 = 0.000000 x .2 0.000000 x 1,570.52 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I027 - PLAINVIEW

- A. If school district's total area in square miles <u>74.309720</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.570.52</u> divided by district's total area in square mile <u>74.309720</u> = District's Areal Density <u>21.13</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						

0.850000 x

0.00 =

0.00 =

+ .85 =

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,570.52

+ .78 =

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles  $\underline{74.309720}$   $\underline{137.86788}$  ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.570.52</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,433.52 = 0.000000 x .2 0.000000 x 1,433.52 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 10 - CARTERDistrict: I032 - LONE GROVE

- A. If school district's total area in square miles <u>127.581430</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,433.52</u> divided by district's total area in square mile <u>127.581430</u> = District's Areal Density <u>11.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADIVI	EC-3 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

1,433.52

+ .85 =

- = 0.00 1.00 = District Cost Factor
- 5) (District's Square Miles <u>127.581430</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.433.52</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC E Cost Footor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I043 - WILSON

- A. If school district's total area in square miles <u>91.157210</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>478.64</u> divided by district's total area in square mile <u>91.157210</u> = District's Areal Density <u>5.25</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 478.64

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>91.157210</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 478.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.64

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I055 - HEALDTON

- A. If school district's total area in square miles <u>98.205110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>490.93</u> divided by district's total area in square mile <u>98.205110</u> = District's Areal Density <u>5.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

5) (District's Square Miles <u>98.205110</u> - <u>137.86788</u>)

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		<u>.</u>			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	)				
	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above	,				
	0.00 =	0.000000	+ .78 =	0.780000	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by <u>137.86788</u> = Area Factor

0.850000 x

0.00 =

490.93

+ .85 =

= <u>0.00</u> - 1.00 = District Cost Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 490.93 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.92

Report# FB107b Printed: 8/22/2025 6:45:45 AM Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 160.59 = 0.785880 x .2 0.157176 x 160.59 = 25.24

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 10 - CARTERDistrict: I074 - FOX

- A. If school district's total area in square miles <u>135.351210</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>160.59</u> divided by district's total area in square mile <u>135.351210</u> = District's Areal Density <u>1.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 160.59

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>135.351210</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>160.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_25.24\_

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,255.68 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 10 - CARTERDistrict: I077 - DICKSON

- If school district's total area in square miles 127.942430 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,255.68 divided by district's total area in square mile 127.942430 = District's В. Areal Density 9.81

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,255.68 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>127.942430</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.255.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.871360 0.174272 16.81 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEEDistrict: C010 - LOWREY

- If school district's total area in square miles <u>52.171050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 96.48 divided by district's total area in square mile 52.171050 = District's Areal В. Density <u>1.85</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000 x

0.00 =

0.00 =

+ .85 =

+ .78 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>52.171050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 96.48 = Isolation Weight 0.00\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 16.81

Report# FB107b Privacy Level: Public 0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.807320 0.161464 23.33 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: C014 - NORWOOD

- If school district's total area in square miles 30.066350 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 144.51 divided by district's total area in square mile 30.066350 = District's Areal В. Density <u>4.81</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- divided by  $\underline{137.86788}$  = Area Factor 5) (District's Square Miles <u>30.066350</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 144.51 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 23.33

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 383.18 0.489093 0.097819 37.48 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: C021 - WOODALL

- If school district's total area in square miles 22.852990 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 383.18 divided by district's total area in square mile 22.852990 = District's Areal В. Density <u>16.77</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 71 of 541

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>22.852990</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 383.18 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.48

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 128.26 = 0.828987 x .2 0.165797 x 128.26 = 21.27

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: C026 - SHADY GROVE

- A. If school district's total area in square miles <u>24.082970</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>128.26</u> divided by district's total area in square mile <u>24.082970</u> = District's Areal Density <u>5.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 128.26

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>24.082970</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>128.26</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>21.27</u>

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEEDistrict: C031 - PEGGS

- A. If school district's total area in square miles <u>69.696520</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>173.62</u> divided by district's total area in square mile <u>69.696520</u> = District's Areal Density <u>2.49</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

3) 292 divided by "Cc" from above

- 5) (District's Square Miles <u>69.696520</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>173.62</u> = Isolation Weight <u>0.00</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 523.59 = 0.301880 x .2 0.060376 x 523.59 = 31.61

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: C034 - GRAND VIEW

- A. If school district's total area in square miles <u>29.378130</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>523.59</u> divided by district's total area in square mile <u>29.378130</u> = District's Areal Density <u>17.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

 $\cap \cap \cap$ 

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	= co. +		0.850000	Х	0.00 =	0.00
			_		•		•	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	bove	•						

+ .85 =

0.050000

0.00 -

0.00

6-8 Cost Factor

0.00 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 523.59

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>29.378130</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>523.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.61

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 392.72 0.476373 0.095275 37.42 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEEDistrict: C044 - BRIGGS

- Α. If school district's total area in square miles 64.134050 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 392.72 divided by district's total area in square mile 64.134050 = District's Areal В. Density <u>6.12</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

$$\frac{0.00}{6} = \frac{0.000000}{0.000000} + .85 = \frac{0.850000}{6} \times \frac{0.00}{6} = \frac{0.00}{6-8 \text{ ADM}} = \frac{0.00}{6-8 \text{ Cost Factor}}$$
3) 292 divided by "Cc" from above
$$0.00 = 0.000000 + .78 = 0.780000 \times 0.00 = 0.00$$

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 392.72 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>64.134050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 392.72 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.42

0.00

9-OHP Cost Factor

9-OHP ADM

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 158.94 = 0.788080 x .2 0.157616 x 158.94 = 25.05

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: C066 - TENKILLER

- A. If school district's total area in square miles <u>49.474640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>158.94</u> divided by district's total area in square mile <u>49.474640</u> = District's Areal Density <u>3.21</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 158.94 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>49.474640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>158.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.05</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 76 of 541 Privacy Level: Public

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 768.07 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 11 - CHEROKEEDistrict: 1006 - KEYS

- If school district's total area in square miles 109.176650 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_768.07 divided by district's total area in square mile \_109.176650 = District's Areal В. Density <u>7.04</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 768.07 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>109.176650</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 768.07 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 540.14 = 0.279813 x .2 0.055963 x 540.14 = 30.23

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: I016 - HULBERT

- A. If school district's total area in square miles <u>91.399580</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>540.14</u> divided by district's total area in square mile <u>91.399580</u> = District's Areal Density <u>5.91</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	_	0.000000	+ .05 −	0.00	0000 X	0.00	_	0.00
		-					EC-5 ADM	_	EC-5 Cost Factor
2)	122 divided by "Cb" from all	bove							
	0.00	_	0.000000	+ 85 =	0.85	0000 x	0.00	_	0.00

0.850000 v

0.00 -

6-8 ADM

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   540.14

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>91.399580</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>540.14</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.23

 $\cap \cap \cap$ 

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: I035 - TAHLEQUAH

- A. If school district's total area in square miles <u>139.607560</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,581.35</u> divided by district's total area in square mile <u>139.607560</u> = District's Areal Density <u>25.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

	·	<u>.</u>			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u>.</u>	_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		<u>.</u>	·	_	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

3,581.35

+ .85 =

5) (District's Square Miles <u>139.607560</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.581.35</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 11 - CHEROKEEDistrict: T001 - CHEROKEE IMMERSION CHARTER ES

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>107.75</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 107.75

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>107.75</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 278.17 0.629107 0.125821 35.00 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAWDistrict: I001 - BOSWELL

- If school district's total area in square miles 178.416900 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>278.17</u> divided by district's total area in square mile <u>178.416900</u> = District's Areal В. Density <u>1.56</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

151.40 =

Grades	PK4 - 5th	128.40	+	23 =	151.40	(Ca)
Grades	6th - 8th	71.05	+	133 =	204.05	(Cb)
Grades	PK3,9 -OHP	78.72	+	128 =	206.72	(Cc)
		278.17				

0.488771

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	204.05 =	0.597893	+ .85 =	1.447893 x	71.05 =	102.87
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

- Sum 1 + 2 + 3 from above 447.37 divided by district's Raw ADM 278.17 1.61 - 1.00 = District Cost Factor 0.61
- 5) (District's Square Miles <u>178.416900</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.29 or 1.00 = Isolation Factor 0.18
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 278.17 = Isolation Weight 50.07
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 50.07

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 320.52 = 0.572640 x .2 0.114528 x 320.52 = 36.71

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 12 - CHOCTAWDistrict: I002 - FORT TOWSON

- A. If school district's total area in square miles <u>193.390280</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>320.52</u> divided by district's total area in square mile <u>193.390280</u> = District's Areal Density <u>1.66</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

189.56 =

5) (District's Square Miles <u>193.390280</u> - <u>137.86788</u>)

Grades	PK4 - 5th	166.56	+	23 =	189.56	(Ca)
Grades	6th - 8th	74.61	+	133 =	207.61	(Cb)
Grades	PK3,9 -OHP	79.35	+	128 =	207.35	(Cc)
		320.52				

0.390378

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

				·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	⁄e				
	207.61 =	0.587640	+ .85 =	1.437640	x 74.61 =	107.26
				·	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abov	re				
	207.35 =	1.408247	+ .78 =	2.188247	x 79.35 =	173.64
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by <u>137.86788</u> = Area Factor

1.240378 x

166.56 =

320.52

206.60

+ .85 =

= 1.52 - 1.00 = District Cost Factor 0.52

487.50

- 6) Multiply District Cost Factor (Line 4 above) <u>0.52</u> by lessor of the Area Factor (Line 5 above) <u>0.40</u> or 1.00 = Isolation Factor <u>0.21</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 320.52 = Isolation Weight 67.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 67.31

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 82 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAWDistrict: I004 - SOPER

- A. If school district's total area in square miles <u>138.451980</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>333.38</u> divided by district's total area in square mile <u>138.451980</u> = District's Areal Density <u>2.41</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

195.67 =

Grades	PK4 - 5th	172.67	+	23 =	195.67	(Ca)
Grades	6th - 8th	79.87	+	133 =	212.87	(Cb)
Grades	PK3,9 -OHP	80.84	+	128 =	208.84	(Cc)
		333.38				

0.378188

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	212.87 =	0.573120	+ .85 =	1.423120 x	79.87 =	113.66
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	208.84 =	1.398200	+ .78 =	2.178200 x	80.84 =	176.09
		_			9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.228188 x

172.67 =

333.38

0.51

212.07

+ .85 =

5) (District's Square Miles <u>138.451980</u> - <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>0.00</u>

501.82

1.51

- 6) Multiply District Cost Factor (Line 4 above) <u>0.51</u> by lessor of the Area Factor (Line 5 above) <u>0.00</u> or 1.00 = Isolation Factor <u>0.00</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 333.38 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.04

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 83 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

1,137.40 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 12 - CHOCTAWDistrict: I039 - HUGO

- If school district's total area in square miles 249.674970 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,137.40 divided by district's total area in square mile 249.674970 = District's В. Areal Density 4.56.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	0.00 = 0.000000 + .85 = 0.850000 x	0.00 =	0.00
		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above		

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,137.40 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>249.674970</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.137.40 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 13 - CIMARRONDistrict: 1002 - BOISE CITY

- A. If school district's total area in square miles <u>1444.494310</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>295.10</u> divided by district's total area in square mile <u>1444.494310</u> = District's Areal Density <u>0.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

160.47 =

Grades	PK4 - 5th	137.47	+	23 =	160.47	(Ca)
Grades	6th - 8th	69.55	+	133 =	202.55	(Cb)
Grades	PK3,9 -OHP	88.08	+	128 =	216.08	(Cc)
		295.10				

0.461145

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

۵۱	122 divided by "Ch" from above				EC-5 ADM	EC-5 Cost Factor
۷)	122 divided by "Cb" from above					
	202.55 =	0.602320	+ .85 =	1.452320 x	69.55 =	101.01
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 468.98 divided by district's Raw ADM 295.10

= 1.59 -1.00 = District Cost Factor 0.59

- 5) (District's Square Miles <u>1444.494310</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>9.48</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.59 by lessor of the Area Factor (Line 5 above) 9.48 or 1.00 = Isolation Factor 0.59
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 295.10 = Isolation Weight 174.11
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>174.11</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 77.88 = 0.896160 x .2 0.179232 x 77.88 = 13.96

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 13 - CIMARRONDistrict: I010 - FELT

- A. If school district's total area in square miles <u>345.789480</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>77.88</u> divided by district's total area in square mile <u>345.789480</u> = District's Areal Density <u>0.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

64.16 =

Grades	PK4 - 5th	41.16	+	23 =	64.16	(Ca)
Grades	6th - 8th	15.00	+	133 =	148.00	(Cb)
Grades	PK3,9 -OHP	21.72	+	128 =	149.72	(Cc)
		77.88				

1.153367

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	<b>)</b>				
	148.00 =	0.824324	+ .85 =	1.674324	x 15.00 =	25.11
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	)				
	149.72 =	1.950307	+ .78 =	2.730307	x 21.72 =	59.30
					9-OHP ADM	9-OHP Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 166.87 divided by district's Raw ADM 77.88 = 2.14 1.00 = District Cost Factor 1.14
- 5) (District's Square Miles <u>345.789480</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.51</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.14 by lessor of the Area Factor (Line 5 above) 1.51 or 1.00 = Isolation Factor 1.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 77.88 = Isolation Weight 88.78
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>88.78</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 364.52 0.513973 0.102795 37.47 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 14 - CLEVELANDDistrict: C016 - ROBIN HILL

- If school district's total area in square miles 17.074040 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 364.52 divided by district's total area in square mile 17.074040 = District's Areal В. Density 21.35 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>17.074040</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 364.52 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.47

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 24,079.87 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELANDDistrict: I002 - MOORE

- If school district's total area in square miles 124.946490 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>24,079.87</u> divided by district's total area in square mile <u>124,946490</u> = District's В. Areal Density 192.72

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above	2				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 24,079.87 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>124.946490</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 24.079.87 = Isolation Weight \_0.00\_
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

**EC-5 Cost Factor** 

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 15,653.14 = 0.000000 x .2 0.000000 x 15,653.14 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 14 - CLEVELANDDistrict: I029 - NORMAN

- A. If school district's total area in square miles <u>128.099080</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>15.653.14</u> divided by district's total area in square mile <u>128.099080</u> = District's Areal Density <u>122.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 15,653.14

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>128.099080</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 15.653.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 3,050.90 = 0.000000 x .2 0.000000 x 3,050.90 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 14 - CLEVELANDDistrict: I040 - NOBLE

- A. If school district's total area in square miles <u>118.711820</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,050.90</u> divided by district's total area in square mile <u>118.711820</u> = District's Areal Density <u>25.70</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			EC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above			
	0.00 = 0.000000 + .85 =	0.850000	x 0.00 =	0.00
			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 3,050.90

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>118.711820</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.050.90</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,013.27 = 0.000000 x .2 0.000000 x 1,013.27 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 14 - CLEVELANDDistrict: I057 - LEXINGTON

- A. If school district's total area in square miles <u>104.733030</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,013.27</u> divided by district's total area in square mile <u>104.733030</u> = District's Areal Density <u>9.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
,	, <u>—</u>						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,013.27

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>104.733030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.013.27</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

1,146.33 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 14 - CLEVELANDDistrict: 1070 - LITTLE AXE

- If school district's total area in square miles <u>57.031210</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,146.33 divided by district's total area in square mile 57.031210 = District's Areal В. Density 20.10 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 = 0.00000	0	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00000	0	+ .78 =	0.780000	х	0.00 =	0.00
		_				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 0.0	0	divided by dist	rict's Raw ADM		1.146.33	

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

+ .85 =

5) (District's Square Miles <u>57.031210</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

0.00

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.146.33 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 128.73 = 0.828360 x .2 0.165672 x 128.73 = 21.33

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 15 - COALDistrict: C004 - COTTONWOOD

- A. If school district's total area in square miles <u>35.812190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>128.73</u> divided by district's total area in square mile <u>35.812190</u> = District's Areal Density <u>3.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

- 1.00 = District Cost Factor

0.850000 x

0.00 =

0.00 =

0.00

0.00

EC-5 Cost Factor

9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 128.73

+ .78 =

+ .85 =

5) (District's Square Miles <u>35.812190</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>128.73</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 21.33

Report# FB107b Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 716.32 = 0.044907 x .2 0.008981 x 716.32 = 6.43

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 15 - COALDistrict: 1001 - COALGATE

- A. If school district's total area in square miles <u>357.402320</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>716.32</u> divided by district's total area in square mile <u>357.402320</u> = District's Areal Density <u>2.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	349.79	+	23 =	372.79	(Ca)
Grades	6th - 8th	137.50	+	133 =	270.50	(Cb)
Grades	PK3,9 -OHP	229.03	+	128 =	357.03	(Cc)
		716.32				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	372.79 =	0.198503	+ .85 =	1.048503	Х	349.79 =	366.76
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ve					
	270.50 =	0.451017	+ .85 =	1.301017	Х	137.50 =	178.89
					-	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from abo	ve					
	357.03 =	0.817858	+ .78 =	1.597858	Х	229.03 =	365.96
					(	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	911.61	divided by distr	rict's Raw ADM		716.32	

- 1.00 = District Cost Factor

0.27

5) (District's Square Miles <u>357.402320</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.59</u>

- 6) Multiply District Cost Factor (Line 4 above) 0.27 by lessor of the Area Factor (Line 5 above) 1.59 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 716.32 = Isolation Weight 193.41
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 193.41

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 241.31 = 0.678253 x .2 0.135651 x 241.31 = 32.73

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 15 - COALDistrict: I002 - TUPELO

- A. If school district's total area in square miles <u>118.276840</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>241.31</u> divided by district's total area in square mile <u>118.276840</u> = District's Areal Density <u>2.04</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 241.31

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>118.276840</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>241.31</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.73

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

342.51 0.543320 0.108664 37.22 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 16 - COMANCHEDistrict: C048 - FLOWER MOUND

- If school district's total area in square miles \_9.922590\_ is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 342.51 divided by district's total area in square mile 9.922590 = District's Areal В. Density 34.52.

+ .85 =

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.00 5) (District's Square Miles <u>9.922590</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 342.51 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.22

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: C049 - BISHOP

- A. If school district's total area in square miles <u>7.329400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>567.38</u> divided by district's total area in square mile <u>7.329400</u> = District's Areal Density <u>77.41</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

567.38

0.00

EC E Cost Footor

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 7.329400 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 567.38 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 27.63

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 2,047.01 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: I001 - CACHE

- If school district's total area in square miles 273.592270 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.047.01 divided by district's total area in square mile 273.592270 = District's В. Areal Density 7.48.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,047.01 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>273.592270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.047.01 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 16 - COMANCHEDistrict: 1002 - INDIAHOMA

- If school district's total area in square miles 122.667640 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 194.77 divided by district's total area in square mile 122.667640 = District's Areal В. Density <u>1.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			_	

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>122.667640</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 194.77 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 28.84

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 314.89 = 0.580147 x .2 0.116029 x 314.89 = 36.54

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 16 - COMANCHEDistrict: I003 - STERLING

- A. If school district's total area in square miles <u>92.587980</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>314.89</u> divided by district's total area in square mile <u>92.587980</u> = District's Areal Density <u>3.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x <u>0.00</u> =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 314.89

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>92.587980</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>314.89</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.54

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: I004 - GERONIMO

- If school district's total area in square miles <u>83.606810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 326.52 divided by district's total area in square mile 83.606810 = District's Areal В. Density <u>3.91</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 326.52 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>83.606810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.52 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.87

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 13,817.56 0.000000 0.000000 0.00 750 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: I008 - LAWTON

- If school district's total area in square miles 184.911330 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>13.817.56</u> divided by district's total area in square mile <u>184.911330</u> = District's В. Areal Density 74.73.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 13,817.56 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>184.911330</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 13.817.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: 1009 - FLETCHER

- A. If school district's total area in square miles <u>60.259870</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>475.49</u> divided by district's total area in square mile <u>60.259870</u> = District's Areal Density <u>7.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=		0.850000	Х	0.00 =		0.00
						-			EC-5 ADM	EC-5	Cost Factor
2)	122 divided by "Cb" from al	bove									
	0.00	= _	0.000000	+ .85	=	_	0.850000	х	0.00 =		0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 475.49

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>60.259870</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>475.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.81

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

6-8 Cost Factor

6-8 ADM

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 2,488.36 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 16 - COMANCHEDistrict: I016 - ELGIN

- If school district's total area in square miles 123.041270 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.488.36 divided by district's total area in square mile 123.041270 = District's В. Areal Density 20.22.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,488.36 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>123.041270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.488.36 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 204.05 0.727933 0.145587 29.71 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 16 - COMANCHEDistrict: I132 - CHATTANOOGA

- If school district's total area in square miles 265.146920 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 204.05 divided by district's total area in square mile 265.146920 = District's Areal В. Density <u>0.77</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

121.79 =

Grades	PK4 - 5th	98.79	+	23 =	121.79	(Ca)
Grades	6th - 8th	43.90	+	133 =	176.90	(Cb)
Grades	PK3,9 -OHP	61.36	+	128 =	189.36	(Cc)
		204.05				

0.607603

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	176.90 =	0.689655	+ .85 =	1.539655 x	43.90 =	67.59
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.457603 x

98.79 =

144.00

EC-5 Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 354.07 divided by district's Raw ADM 204.05 1.74 - 1.00 = District Cost Factor 0.74

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>265.146920</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 0.92 or 1.00 = Isolation Factor 0.68
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 204.05 = Isolation Weight 138.75
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 138.75

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 16 - COMANCHEDistrict: T001 - COMANCHE ACADEMY

- If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and Α. compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 81.33 divided by district's total area in square mile 0 = District's Areal Density 0. В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above	e				
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	0.00 9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 81.33 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- Mulitply the Isolation Factor on line 6 times the Raw ADM 81.33 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D.

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 595.29 = 0.206280 x .2 0.041256 x 595.29 = 24.56

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 17 - COTTONDistrict: I001 - WALTERS

- A. If school district's total area in square miles <u>196.142010</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>595.29</u> divided by district's total area in square mile <u>196.142010</u> = District's Areal Density <u>3.03</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
2)	202 divided by "Co" from oboyo					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 595.29

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>196.142010</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>595.29</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>24.56</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 107 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 169.02 = 0.774640 x .2 0.154928 x 169.02 = 26.19

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 17 - COTTONDistrict: I101 - TEMPLE

- A. If school district's total area in square miles <u>177.609000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>169.02</u> divided by district's total area in square mile <u>177.609000</u> = District's Areal Density <u>0.95</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

105.69 =

Grades	PK4 - 5th	82.69	+	23 =	105.69	(Ca)
Grades	6th - 8th	38.50	+	133 =	171.50	(Cb)
Grades	PK3,9 -OHP	47.83	+	128 =	175.83	(Cc)
		169.02				

0.700161

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	171.50 =	0.711370	+ .85 =	1.561370	x 38.50 =	60.11
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	175.83 =	1.660695	+ .78 =	2.440695	x 47.83 =	116.74

1.550161 x

82.69 =

9-OHP ADM

128.18

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

- 1) Sum 1 + 2 + 3 from above 305.03 divided by district's Raw ADM 169.02

  = 1.80 1.00 = District Cost Factor 0.80
- 5) (District's Square Miles 177.609000 137.86788) divided by 137.86788 = Area Factor 0.29
- 6) Multiply District Cost Factor (Line 4 above) 0.80 by lessor of the Area Factor (Line 5 above) 0.29 or 1.00 = Isolation Factor 0.23
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 169.02 = Isolation Weight 38.87
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 38.87

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 108 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

214.87 0.713507 0.142701 30.66 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 17 - COTTONDistrict: I333 - BIG PASTURE

- If school district's total area in square miles 202.218210 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>214.87</u> divided by district's total area in square mile <u>202.218210</u> = District's Areal В. Density <u>1.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

131.68 =

Grades	PK4 - 5th	108.68	+	23	=	131.68	(Ca)
Grades	6th - 8th	46.49	+	133	=	179.49	(Cb)
Grades	PK3,9 -OHP	59.70	+	128	=	187.70	(Cc)
		214.87					

0.561968

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	179.49 =	0.679704	+ .85 =	1.529704 x	46.49 =	71.12
				<u> </u>	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	187.70 =	1.555674	+ .78 =	2.335674 x	59.70 =	139.44
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	364.01	divided by district's	Raw ADM	214.87	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.411968 x

214.87

0.69

153.45

+ .85 =

5) (District's Square Miles <u>202.218210</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

364.01

1.69

- Multiply District Cost Factor (Line 4 above) 0.69 by lessor of the Area Factor (Line 5 above) 0.47 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 214.87 = Isolation Weight 68.76
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 68.76

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 109 of 541

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

0.938507 0.187701 8.66 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIGDistrict: C001 - WHITE OAK

- If school district's total area in square miles 115.262170 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 46.12 divided by district's total area in square mile 115.262170 = District's Areal В. Density <u>0.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000

0.00 =

0.00 =

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>115.262170</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 46.12 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 8.66

0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 537.07 0.283907 0.056781 30.50 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIGDistrict: I006 - KETCHUM

- If school district's total area in square miles 60.401600 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 537.07 divided by district's total area in square mile 60.401600 = District's Areal В. Density <u>8.89</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u>.</u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>60.401600</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 537.07 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 30.50

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 111 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 288.81 = 0.614920 x .2 0.122984 x 288.81 = 35.52

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIGDistrict: I017 - WELCH

- A. If school district's total area in square miles <u>247.672400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>288.81</u> divided by district's total area in square mile <u>247.672400</u> = District's Areal Density <u>1.17</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

160.06 =

Grades	PK4 - 5th	137.06	+	23 =	160.06	(Ca)
Grades	6th - 8th	54.16	+	133 =	187.16	(Cb)
Grades	PK3,9 -OHP	97.59	+	128 =	225.59	(Cc)
		288.81				

0.462327

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	· ·		EC-5 ADM	EC-5 Cost Factor
2)	2) 122 divided by " <u>Cb</u> " from above			
	187.16 = 0.651849 + .85 =	1.501849 x	54.16 =	81.34
			6-8 ADM	6-8 Cost Factor
٥)	202 divided by "Ca" from above			

1.312327 x

137.06 =

179.87

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 463.65 divided by district's Raw ADM 288.81 = 1.61 - 1.00 = District Cost Factor 0.61

- 5) (District's Square Miles <u>247.672400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.80</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.61 by lessor of the Area Factor (Line 5 above) 0.80 or 1.00 = Isolation Factor 0.49
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>288.81</u> = Isolation Weight <u>141.52</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 141.52

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 205.59 0.725880 0.145176 29.85 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIGDistrict: I020 - BLUEJACKET

- If school district's total area in square miles 167.881150 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 205.59 divided by district's total area in square mile 167.881150 = District's Areal В. Density <u>1.22</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	102.20	+	23 =	125.20	(Ca)
Grades	6th - 8th	52.12	+	133 =	185.12	(Cb)
Grades	PK3,9 -OHP	51.27	+	128 =	179.27	(Cc)
		205.59				

0.591054

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	185.12 =	0.659032	+ .85 =	1.509032 x	52.12 =	78.65
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.441054 x

102.20 =

147.28

EC-5 Cost Factor

+ .85 =

125.20 =

Sum 1 + 2 + 3 from above 349.43 divided by district's Raw ADM 205.59 1.70 - 1.00 = District Cost Factor 0.70

- divided by 137.86788 = Area Factor (District's Square Miles <u>167.881150</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.70</u> by lessor of the Area Factor (Line 5 above) <u>0.22</u> or 1.00 = Isolation Factor <u>0.15</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 205.59 = Isolation Weight 30.84
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.84

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 113 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 - 1,276.21 = 0.000000 x .2 0.000000 x 1,276.21 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 18 - CRAIGDistrict: I065 - VINITA

- A. If school district's total area in square miles <u>172.561940</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,276.21</u> divided by district's total area in square mile <u>172.561940</u> = District's Areal Density <u>7.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above			
	0.00 = 0.000000 + .85 =	0.850000 x	0.00 =	0.00
			6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above			

0.850000 x

0.00 =

0.00 =

0.00

0.00

Page 114 of 541

+ .85 =

+ .78 =

9-OHP ADM 9-OHP Cost Factor

1) Sum 1 + 2 + 3 from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 1,276.21

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>172.561940</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.276.21</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: C008 - LONE STAR

- A. If school district's total area in square miles <u>15.821800</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>870.47</u> divided by district's total area in square mile <u>15.821800</u> = District's Areal Density <u>55.02</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

5) (District's Square Miles <u>15.821800</u> - <u>137.86788</u>)

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

divided by <u>137.86788</u> = Area Factor

0.850000 x

0.00 =

870.47

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 870.47 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Privacy Level: Public

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 0.953973 0.190795 6.59 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: C012 - GYPSY

- If school district's total area in square miles 46.369160 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 34.52 divided by district's total area in square mile 46.369160 = District's Areal В. Density <u>0.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>46.369160</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 34.52 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 6.59

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 260.79 = 0.652280 x .2 0.130456 x 260.79 = 34.02

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 19 - CREEKDistrict: C034 - PRETTY WATER

- A. If school district's total area in square miles <u>9.347720</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>260.79</u> divided by district's total area in square mile <u>9.347720</u> = District's Areal Density <u>27.90</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 260.79

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>9.347720</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>260.79</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.02

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 19 - CREEKDistrict: C035 - ALLEN-BOWDEN

- A. If school district's total area in square miles <u>9.966390</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>293.63</u> divided by district's total area in square mile <u>9.966390</u> = District's Areal Density <u>29.46</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 293.63

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>9.966390</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 293.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_35.73\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 1,670.81 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I002 - BRISTOW

- If school district's total area in square miles 242.584790 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,670.81 divided by district's total area in square mile 242.584790 = District's В. Areal Density 6.89.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,670.81 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>242.584790</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.670.81 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,490.57 = 0.000000 x .2 0.000000 x 1,490.57 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I003 - MANNFORD

- A. If school district's total area in square miles <u>77.478180</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.490.57</u> divided by district's total area in square mile <u>77.478180</u> = District's Areal Density <u>19.24</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above		
	0.00 = 0.000000 + .85 = 0.850000	x 0.00 =	0.00
		6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,490.57

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>77.478180</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.490.57</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 547.88 = 0.269493 x .2 0.053899 x 547.88 = 29.53

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I005 - MOUNDS

- A. If school district's total area in square miles <u>39.966340</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>547.88</u> divided by district's total area in square mile <u>39.966340</u> = District's Areal Density <u>13.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			•		6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 547.88

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>39.966340</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>547.88</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>29.53</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 235.79 = 0.685613 x .2 0.137123 x 235.79 = 32.33

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I017 - OLIVE

- A. If school district's total area in square miles <u>95.679790</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.79</u> divided by district's total area in square mile <u>95.679790</u> = District's Areal Density <u>2.46</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2) 122 divided	by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6 9 ADM	6 9 Coot Footor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 235.79

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>95.679790</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>235.79</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.33

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 974.50 = 0.000000 x .2 0.000000 x 974.50 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I018 - KIEFER

- A. If school district's total area in square miles <u>13.589840</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>974.50</u> divided by district's total area in square mile <u>13.589840</u> = District's Areal Density <u>71.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			-		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 974.50

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>13.589840</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>974.50</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 253.15 0.662467 0.132493 33.54 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I020 - OILTON

- If school district's total area in square miles 39.148060 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 253.15 divided by district's total area in square mile 39.148060 = District's Areal В. Density <u>6.47</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			·		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 124 of 541

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>39.148060</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>253.15</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.54

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 380.59 = 0.492547 x .2 0.098509 x 380.59 = 37.49

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I021 - DEPEW

- A. If school district's total area in square miles <u>130.540200</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>380.59</u> divided by district's total area in square mile <u>130.540200</u> = District's Areal Density <u>2.92</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above			
	0.00 = 0.000000 + .85 =	0.850000 x	0.00 =	0.00
			6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 380.59

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>130.540200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>380.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.49

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 835.97 = 0.000000 x .2 0.000000 x 835.97 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I031 - KELLYVILLE

- A. If school district's total area in square miles <u>129.657620</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>835.97</u> divided by district's total area in square mile <u>129.657620</u> = District's Areal Density <u>6.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 835.97

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles 129.657620 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 835.97 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 3,707.28 = 0.000000 x .2 0.000000 x 3,707.28 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 19 - CREEKDistrict: I033 - SAPULPA

- A. If school district's total area in square miles <u>37.489510</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,707.28</u> divided by district's total area in square mile <u>37.489510</u> = District's Areal Density <u>98.89</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- 0.00
   =
   0.000000
   + .78 =
   0.780000
   x
   0.00 =
   0.00

   9-OHP ADM
   9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,707.28

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>37.489510</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.707.28</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 419.73 0.440360 0.088072 36.97 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 19 - CREEKDistrict: I039 - DRUMRIGHT

- Α. If school district's total area in square miles 67.185810 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 419.73 divided by district's total area in square mile 67.185810 = District's Areal В. Density <u>6.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 419.73 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>67.185810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 419.73 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.97

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 486.45 = 0.351400 x .2 0.070280 x 486.45 = 34.19

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 20 - CUSTERDistrict: I005 - ARAPAHO-BUTLER

- A. If school district's total area in square miles <u>294.656460</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>486.45</u> divided by district's total area in square mile <u>294.656460</u> = District's Areal Density <u>1.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

269.59 =

Grades	PK4 - 5th	246.59	+	23 =	269.59	(Ca)
Grades	6th - 8th	112.93	+	133 =	245.93	(Cb)
Grades	PK3,9 -OHP	126.93	+	128 =	254.93	(Cc)
		486.45				

0.274491

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO-3 ADIVI	EO 3 003t 1 actor
2)	122 divided by "Cb" from above					
	245.93 =	0.496076	+ .85 =	1.346076 x	112.93 = 6-8 ADM	152.01 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	254.93 =	1.145412	+ .78 =	1.925412 x	126.93 =	244.39
					9-OHP ADM	9-OHP Cost Factor

1.124491 x

246.59 =

277.29

FC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 673.69 divided by district's Raw ADM 486.45

  = 1.38 1.00 = District Cost Factor 0.38
- 5) (District's Square Miles <u>294.656460</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.14</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.38 by lessor of the Area Factor (Line 5 above) 1.14 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 486.45 = Isolation Weight 184.85
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>184.85</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 129 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 452.21 = 0.397053 x .2 0.079411 x 452.21 = 35.91

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 20 - CUSTERDistrict: I007 - THOMAS-FAY-CUSTER UNIFIED DIST

- A. If school district's total area in square miles <u>463.608060</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>452.21</u> divided by district's total area in square mile <u>463.608060</u> = District's Areal Density <u>0.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

246.76

Grades	PK4 - 5th	223.76	+	23 =	246.76	(Ca)
Grades	6th - 8th	93.14	+	133 =	226.14	(Cb)
Grades	PK3,9 -OHP	135.31	+	128 =	263.31	(Cc)
		452.21				

0.200007

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	246.76 =	0.299887	+ .85 =	1.149887 X	223.76 =	257.30
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	226.14 =	0.539489	+ .85 =	1.389489 x	93.14 =	129.42
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	263.31 =	1.108959	+ .78 =	1.888959 x	135.31 =	255.60
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	642.32	divided by distric	t's Raw ADM	452.21	

- 1.00 = District Cost Factor

1 1 1 1 0 0 0 7 1

222 76 -

0.42

257 20

5) (District's Square Miles <u>463.608060</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>2.36</u>

1.42

- 6) Multiply District Cost Factor (Line 4 above) <u>0.42</u> by lessor of the Area Factor (Line 5 above) <u>2.36</u> or 1.00 = Isolation Factor <u>0.42</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 452.21 = Isolation Weight 189.93
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 189.93

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 130 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 2,423.81 = 0.000000 x .2 0.000000 x 2,423.81 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 20 - CUSTERDistrict: I026 - WEATHERFORD

- A. If school district's total area in square miles <u>154.033690</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,423.81</u> divided by district's total area in square mile <u>154.033690</u> = District's Areal Density <u>15.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,423.81

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>154.033690</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.423.81</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 2,045.37 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 20 - CUSTERDistrict: 1099 - CLINTON

- If school district's total area in square miles 136.878160 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.045.37 divided by district's total area in square mile 136.878160 = District's В. Areal Density 14.94.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,045.37 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>136.878160</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.045.37 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 158.33 0.788893 0.157779 24.98 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 21 - DELAWAREDistrict: C006 - CLEORA

- If school district's total area in square miles 32.250290 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 158.33 divided by district's total area in square mile 32.250290 = District's Areal В. Density <u>4.91</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	oove	:						
	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
		•					-	6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 158.33 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>32.250290</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 158.33 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 24.98

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 167.20 = 0.777067 x .2 0.155413 x 167.20 = 25.99

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: C014 - LEACH

- A. If school district's total area in square miles <u>30.070880</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>167.20</u> divided by district's total area in square mile <u>30.070880</u> = District's Areal Density <u>5.56</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-9 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 167.20 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>30.070880</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>167.20</u> = Isolation Weight <u>0.00</u>

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 65.88 0.912160 0.182432 12.02 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: C030 - KENWOOD

- If school district's total area in square miles 28.793880 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 65.88 divided by district's total area in square mile 28.793880 = District's Areal В. Density <u>2.29</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00	= 0.00
	_	<u> </u>			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>28.793880</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 65.88 = Isolation Weight 0.00\_
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.02

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: C034 - MOSELEY

- A. If school district's total area in square miles <u>23.258380</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>178.81</u> divided by district's total area in square mile <u>23.258380</u> = District's Areal Density <u>7.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 23.258380 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 178.81 = Isolation Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 1,546.23 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: I001 - JAY

- If school district's total area in square miles 255.043450 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.546.23 divided by district's total area in square mile 255.043450 = District's В. Areal Density 6.06.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

0.00

0.00

EC-5 Cost Factor

+ .85 =

+ .78 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,546.23 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>255.043450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.546.23 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 2,472.76 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: I002 - GROVE

- If school district's total area in square miles 188.392690 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.472.76 divided by district's total area in square mile 188.392690 = District's В. Areal Density 13.13.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>188.392690</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.472.76 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 779.87 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: 1003 - KANSAS

- If school district's total area in square miles 133.365860 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_779.87 divided by district's total area in square mile \_133.365860 = District's Areal В. Density <u>5.85</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>133.365860</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 779.87 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Privacy Level: Public 0.00 =

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 731.24 = 0.025013 x .2 0.005003 x 731.24 = 3.66

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 21 - DELAWAREDistrict: 1004 - COLCORD

- A. If school district's total area in square miles <u>84.111120</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>731.24</u> divided by district's total area in square mile <u>84.111120</u> = District's Areal Density <u>8.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .	85	=		0.850000	Χ	0.00 =	0.00
							•			EC-5 ADM	EC-5 Cost Factor
٥١	400 45 54 54 54 5 10 10 11 (55 55 54		_								

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 731.24

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>84.111120</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>731.24</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 3.66

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 149.04 = 0.801280 x .2 0.160256 x 149.04 = 23.88

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 21 - DELAWAREDistrict: I005 - OAKS-MISSION

- A. If school district's total area in square miles <u>55.488430</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>149.04</u> divided by district's total area in square mile <u>55.488430</u> = District's Areal Density <u>2.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 149.04

= 0.00 - 1.00 = District Cost Factor 0

+ .85 =

- 5) (District's Square Miles <u>55.488430</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 149.04 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.88

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 141 of 541 Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 286.68 = 0.617760 x .2 0.123552 x 286.68 = 35.42

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEYDistrict: I005 - VICI

- A. If school district's total area in square miles <u>295.098710</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>286.68</u> divided by district's total area in square mile <u>295.098710</u> = District's Areal Density <u>0.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

172.89 =

5) (District's Square Miles <u>295.098710</u> - <u>137.86788</u>)

Grades	PK4 - 5th	149.89	+	23 =	172.89	(Ca)
Grades	6th - 8th	53.12	+	133 =	186.12	(Cb)
Grades	PK3,9 -OHP	83.67	+	128 =	211.67	(Cc)
		286.68				

0.428018

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 AD	MC	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	186.12 =	0.655491	+ .85 =	1.505491	x53.	.12 =	79.97
		_			6-8 AE	MC	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	211.67 =	1.379506	+ .78 =	2.159506	x 83.	.67 =	180.69
					9-OHP AD	MC	9-OHP Cost Factor

divided by district's Raw ADM

divided by <u>137.86788</u> = Area Factor

1.278018 x

149.89 =

286.68

191.56

+ .85 =

= <u>1.58</u> - 1.00 = District Cost Factor <u>0.58</u>

452.22

- 6) Multiply District Cost Factor (Line 4 above) \_0.58 by lessor of the Area Factor (Line 5 above) \_1.14 or 1.00 = Isolation Factor \_0.58
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>286.68</u> = Isolation Weight <u>166.27</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 166.27

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 142 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 426.28 = 0.431627 x .2 0.086325 x 426.28 = 36.80

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEYDistrict: 1008 - SEILING

- A. If school district's total area in square miles <u>298.524250</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>426.28</u> divided by district's total area in square mile <u>298.524250</u> = District's Areal Density <u>1.43</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	221.56	+	23 =	244.56	(Ca)
Grades	6th - 8th	87.07	+	133 =	220.07	(Cb)
Grades	PK3,9 -OHP	117.65	+	128 =	245.65	(Cc)
		426.28				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

244.56	=	0.302584	+	.85	=	= 1.152584 x	221.56 =	255.37
							EC-5 ADM	EC-5 Cost Factor

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 609.27 divided by district's Raw ADM 426.28

  = 1.43 1.00 = District Cost Factor 0.43
- 5) (District's Square Miles <u>298.524250</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>1.17</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.43 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 426.28 = Isolation Weight 183.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>183.30</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 143 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 110.48 0.852693 0.170539 18.84 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 22 - DEWEYDistrict: I010 - TALOGA

- If school district's total area in square miles <u>350.752360</u> is greater than the state average area in square miles <u>137.86788</u>, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>110.48</u> divided by district's total area in square mile <u>350.752360</u> = District's Areal В. Density <u>0.31</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

82.07 =

Grades	PK4 - 5th	59.07	+	23 =	82.07	(Ca)
Grades	6th - 8th	20.65	+	133 =	153.65	(Cb)
Grades	PK3,9 -OHP	30.76	+	128 =	158.76	(Cc)
		110.48				

0.901669

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO O / IDIVI	20 0 00011 40101
2)	122 divided by "Cb" from above					
	153.65 =	0.794012	+ .85 =	1.644012 x	20.65 =	33.95
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.751669 x

59.07 =

103.47

EC-5 Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 217.99 divided by district's Raw ADM 110.48 1.97 - 1.00 = District Cost Factor 0.97

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>350.752360</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.97</u> by lessor of the Area Factor (Line 5 above) <u>1.54</u> or 1.00 = Isolation Factor <u>0.97</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 110.48 = Isolation Weight 107.17
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 107.17

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLISDistrict: 1002 - FARGO

- A. If school district's total area in square miles <u>343.859690</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>220.34</u> divided by district's total area in square mile <u>343.859690</u> = District's Areal Density <u>0.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	99.09	+	23 =	122.09	(Ca)
Grades	6th - 8th	56.26	+	133 =	189.26	(Cb)
Grades	PK3,9 -OHP	64.99	+	128 =	192.99	(Cc)
		220.34				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	122.09	= 0.6	606110 + .85	5 = 1	.456110 x	99.09 = 14	44.29
					EC-	5 ADM EC-5 Cost F	actor
2)	122 divided by "Cb" from ab	oove					
				_			

3) 292 divided by "Cc" from above

6-8 Cost Factor

4) Sum 1 + 2 + 3 from above 377.40 divided by district's Raw ADM 220.34

= 1.71 - 1.00 = District Cost Factor 0.71

- 5) (District's Square Miles <u>343.859690</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.49</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 1.49 or 1.00 = Isolation Factor 0.71
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 220.34 = Isolation Weight 156.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>156.44</u>

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 159.72 = 0.787040 x .2 0.157408 x 159.72 = 25.14

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 23 - ELLISDistrict: 1003 - ARNETT

- A. If school district's total area in square miles <u>540.894190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>159.72</u> divided by district's total area in square mile <u>540.894190</u> = District's Areal Density <u>0.30</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	85.86	+	23 =	108.86	(Ca)
Grades	6th - 8th	25.85	+	133 =	158.85	(Cb)
Grades	PK3,9 -OHP	48.01	+	128 =	176.01	(Cc)
		159.72				

0.768020

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	108.86 =	0.679772	+ .85 =	1.529772 x	85.86 =	131.35
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

41.83

+ .85 =

3) 292 divided by "Cc" from above

- 5) (District's Square Miles <u>540.894190</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>2.92</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.82 by lessor of the Area Factor (Line 5 above) 2.92 or 1.00 = Isolation Factor 0.82
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>159.72</u> = Isolation Weight <u>130.97</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 130.97

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 356.91 0.524120 0.104824 37.41 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 23 - ELLISDistrict: I042 - SHATTUCK

- If school district's total area in square miles 285.938520 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>356.91</u> divided by district's total area in square mile <u>285.938520</u> = District's Areal В. Density <u>1.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

190.70 =

Grades	PK4 - 5th	167.70	+	23 =	190.70	(Ca)
Grades	6th - 8th	78.15	+	133 =	211.15	(Cb)
Grades	PK3,9 -OHP	111.06	+	128 =	239.06	(Cc)
		356.91				

0.388044

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	211.15 =	0.577788	+ .85 =	1.427788 x	78.15 =	111.58
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.238044 x

167.70 =

207.62

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 541.48 divided by district's Raw ADM 1.52 - 1.00 = District Cost Factor 0.52
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>285.938520</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 1.07 or 1.00 = Isolation Factor 0.52
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 356.91 = Isolation Weight 185.59
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 185.59

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 24 - GARFIELDDistrict: I001 - WAUKOMIS

- A. If school district's total area in square miles <u>82.076530</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>376.50</u> divided by district's total area in square mile <u>82.076530</u> = District's Areal Density <u>4.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 376.50 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>82.076530</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 376.50 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.50

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 24 - GARFIELDDistrict: I018 - KREMLIN-HILLSDALE

- A. If school district's total area in square miles <u>131.837480</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>272.16</u> divided by district's total area in square mile <u>131.837480</u> = District's Areal Density <u>2.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 131.837480 - 137.86788 ) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>272.16</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.68

0.00

0.00 =

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,125.97 = 0.000000 x .2 0.000000 x 1,125.97 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELDDistrict: I042 - CHISHOLM

- A. If school district's total area in square miles <u>87.336100</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,125.97</u> divided by district's total area in square mile <u>87.336100</u> = District's Areal Density <u>12.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

1,125.97

+ .85 =

5) (District's Square Miles <u>87.336100</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{1,125.97}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 403.63 0.461827 0.092365 37.28 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELDDistrict: 1047 - GARBER

- If school district's total area in square miles 173.700540 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 403.63 divided by district's total area in square mile 173.700540 = District's Areal В. Density 2.32

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

197.33 =

Grades	PK4 - 5th	174.33	+	23 =	197.33	(Ca)
Grades	6th - 8th	100.83	+	133 =	233.83	(Cb)
Grades	PK3,9 -OHP	128.47	+	128 =	256.47	(Cc)
		403.63				

0.375006

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	233.83 =	0.521747	+ .85 =	1.371747 x	100.83 =	138.31
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.225006 x

174.33 =

213.56

+ .85 =

Sum 1 + 2 + 3 from above 598.34 divided by district's Raw ADM 403.63 1.48 - 1.00 = District Cost Factor 0.48

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>173.700540</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.48 by lessor of the Area Factor (Line 5 above) 0.26 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 403.63 = Isolation Weight 48.44
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.44

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 151 of 541

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 24 - GARFIELDDistrict: I056 - PIONEER-PLEASANT VALE

- A. If school district's total area in square miles <u>126.157170</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>484.27</u> divided by district's total area in square mile <u>126.157170</u> = District's Areal Density <u>3.84</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
					9	-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM		484.27	

- 1.00 = District Cost Factor

0

5) (District's Square Miles <u>126.157170</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 484.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.32

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 152 of 541 Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 7,546.91 = 0.000000 x .2 0.000000 x 7,546.91 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELDDistrict: I057 - ENID

- A. If school district's total area in square miles <u>47.890470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>7.546.91</u> divided by district's total area in square mile <u>47.890470</u> = District's Areal Density <u>157.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000		0.00
۵)					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 7,546.91

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>47.890470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>7.546.91</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

750 - 382.40 = 0.490133 x .2 0.098027 x 382.40 = 37.49

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 24 - GARFIELDDistrict: I085 - DRUMMOND

- A. If school district's total area in square miles <u>87.528040</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>382.40</u> divided by district's total area in square mile <u>87.528040</u> = District's Areal Density <u>4.37</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

- $0.00 = 0.000000 + .78 = 0.780000 \times 0.00 = 0.00$ 
  - Sum 1 + 2 + 3 from above
     0.00
     divided by district's Raw ADM
     382.40

     =
     0.00
     - 1.00 = District Cost Factor
     0
- 5) (District's Square Miles <u>87.528040</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 382.40 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.49

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 24 - GARFIELDDistrict: 1094 - COVINGTON-DOUGLAS

- A. If school district's total area in square miles <u>271.036640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>235.61</u> divided by district's total area in square mile <u>271.036640</u> = District's Areal Density <u>0.87</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

127.10 =

Grades	PK4 - 5th	104.10	+	23 =	127.10	(Ca)
Grades	6th - 8th	51.58	+	133 =	184.58	(Cb)
Grades	PK3,9 -OHP	79.93	+	128 =	207.93	(Cc)
		235.61				

0.582219

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					LC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	184.58 =	0.660960	+ .85 =	1.510960 x	51.58 = 6-8 ADM	77.94 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	207.93 =	1.404319	+ .78 =	2.184319 x	79.93 =	174.59
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1.432219 x

104.10 =

235.61

149.09

EC E Coot Footor

+ .85 =

= 1.70 - 1.00 = District Cost Factor 0.70

401.62

- 5) (District's Square Miles  $\underline{271.036640}$   $\underline{137.86788}$ ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0.97}$
- 6) Multiply District Cost Factor (Line 4 above) 0.70 by lessor of the Area Factor (Line 5 above) 0.97 or 1.00 = Isolation Factor 0.68
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 235.61 = Isolation Weight 160.21
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 160.21

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 155 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: C016 - WHITEBEAD

- A. If school district's total area in square miles <u>29.371910</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>313.10</u> divided by district's total area in square mile <u>29.371910</u> = District's Areal Density <u>10.66</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-3 ADIVI	EC-5 COSt Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

Page 156 of 541

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 313.10 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles  $\underline{29.371910}$   $\underline{137.86788}$ ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>313.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.48

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 648.54 = 0.135280 x .2 0.027056 x 648.54 = 17.55

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: 1002 - STRATFORD

- A. If school district's total area in square miles <u>153.697640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>648.54</u> divided by district's total area in square mile <u>153.697640</u> = District's Areal Density <u>4.22</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85	=	0.850000	Х	0.00 =		0.00
		-	_				-	EC-5 ADM	-	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ove								
	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =		0.00

3) 292 divided by "<u>Cc</u>" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   648.54

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>153.697640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 648.54 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.55

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 174.67 = 0.767107 x .2 0.153421 x 174.67 = 26.80

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: I005 - PAOLI

- A. If school district's total area in square miles <u>48.167400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>174.67</u> divided by district's total area in square mile <u>48.167400</u> = District's Areal Density <u>3.63</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
		_		_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 174.67

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>48.167400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>174.67</u> = Isolation Weight <u>0.00</u>

0.00

6-8 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: I007 - MAYSVILLE

- If school district's total area in square miles 80.709610 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 286.81 divided by district's total area in square mile 80.709610 = District's Areal В. Density <u>3.55</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
		_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 286.81 0.00 - 1.00 = District Cost Factor 0

- (District's Square Miles <u>80.709610</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 286.81 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.43

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

1,178.48 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 25 - GARVINDistrict: 1009 - LINDSAY

- If school district's total area in square miles 184.953330 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,178.48 divided by district's total area in square mile 184.953330 = District's В. Areal Density 6.37.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,178.48 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>184.953330</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.178.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

1,414.25 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: I018 - PAULS VALLEY

- If school district's total area in square miles <u>51.096760</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,414.25 divided by district's total area in square mile 51.096760 = District's Areal В. Density <u>27.68</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>51.096760</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.414.25 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 680.18 = 0.093093 x .2 0.018619 x 680.18 = 12.66

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 25 - GARVINDistrict: I038 - WYNNEWOOD

- A. If school district's total area in square miles <u>152.860280</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>680.18</u> divided by district's total area in square mile <u>152.860280</u> = District's Areal Density <u>4.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 680.18

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>152.860280</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 680.18 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.66

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 162 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 457.48 = 0.390027 x .2 0.078005 x 457.48 = 35.69

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 25 - GARVINDistrict: 1072 - ELMORE CITY-PERNELL

- A. If school district's total area in square miles <u>220.431860</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>457.48</u> divided by district's total area in square mile <u>220.431860</u> = District's Areal Density <u>2.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

217.27 =

Grades	PK4 - 5th	194.27	+	23 =	217.27	(Ca)
Grades	6th - 8th	105.51	+	133 =	238.51	(Cb)
Grades	PK3,9 -OHP	157.70	+	128 =	285.70	(Cc)
		457.48				

0.340590

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	238.51 =	0.511509	+ .85 =	1.361509 x	105.51 =	143.65
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	285.70 =	1.022051	+ .78 =	1.802051 x	157.70 =	284.18
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1.190590 x

457.48

231.30

+ .85 =

= 1.44 - 1.00 = District Cost Factor 0.44

5) (District's Square Miles 220.431860 - 137.86788) divided by 137.86788 = Area Factor 0.60

659.13

- 6) Multiply District Cost Factor (Line 4 above) <u>0.44</u> by lessor of the Area Factor (Line 5 above) <u>0.60</u> or 1.00 = Isolation Factor <u>0.26</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 457.48 = Isolation Weight 118.94
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>118.94</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 163 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 240.89 = 0.678813 x .2 0.135763 x 240.89 = 32.70

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: C037 - FRIEND

- A. If school district's total area in square miles <u>30.786270</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>240.89</u> divided by district's total area in square mile <u>30.786270</u> = District's Areal Density <u>7.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .00 =	=	0.650000	Х	0.00 =		0.00
								EC-5 ADM		EC-5 Cost Factor
2)	122 divided by "Cb" from al	bove	9							
	0.00	=	0.000000	+ .85 =	=	0.850000	х	0.00 =	:	0.00

0.050000 7

0.00 -

6-8 ADM

6-8 Cost Factor

3) 292 divided by "Cc" from above

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 240.89

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>30.786270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 240.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.70

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 304.11 = 0.594520 x .2 0.118904 x 304.11 = 36.16

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: C096 - MIDDLEBERG

- A. If school district's total area in square miles <u>52.287650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>304.11</u> divided by district's total area in square mile <u>52.287650</u> = District's Areal Density <u>5.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

Page 165 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   304.11

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>52.287650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 304.11 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.16

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 382.91 0.489453 0.097891 37.48 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: C131 - PIONEER

- If school district's total area in square miles 38.632950 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 382.91 divided by district's total area in square mile 38.632950 = District's Areal В. Density <u>9.91</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

+ .85 =

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>38.632950</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 382.91 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.48

0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: I001 - CHICKASHA

- If school district's total area in square miles 43.264930 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,242.04 divided by district's total area in square mile 43.264930 = District's Areal В. Density <u>51.82</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,242.04 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>43.264930</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.242.04 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 605.59 0.192547 0.038509 23.32 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: I002 - MINCO

- If school district's total area in square miles 119.346380 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 605.59 divided by district's total area in square mile 119.346380 = District's Areal В. Density <u>5.07</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	Э					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00

6-8 ADM

6-8 Cost Factor

Page 168 of 541

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 605.59 0.00 - 1.00 = District Cost Factor 0

- (District's Square Miles <u>119.346380</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 605.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.32

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: I051 - NINNEKAH

- A. If school district's total area in square miles <u>97.088850</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>421.81</u> divided by district's total area in square mile <u>97.088850</u> = District's Areal Density <u>4.34</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	0.00 = 0.000000 + .85 = 0.850000 x	0.00 =	0.00
		6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 421.81

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>97.088850</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>421.81</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.92

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 302.26 0.596987 0.119397 36.09 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: I056 - ALEX

- If school district's total area in square miles 144.499000 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 302.26 divided by district's total area in square mile 144.499000 = District's Areal В. Density 2.09

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

167.83 =

Grades	PK4 - 5th	144.83	+	23 =	167.83	(Ca)
Grades	6th - 8th	64.48	+	133 =	197.48	(Cb)
Grades	PK3,9 -OHP	92.95	+	128 =	220.95	(Cc)
		302.26				

0.440922

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	197.48 =	0.617784	+ .85 =	1.467784 x	64.48 =	94.64
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.290922 x

144.83 =

186.96

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 476.94 divided by district's Raw ADM 302.26 1.58 - 1.00 = District Cost Factor 0.58
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>144.499000</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.58</u> by lessor of the Area Factor (Line 5 above) <u>0.05</u> or 1.00 = Isolation Factor <u>0.03</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 302.26 = Isolation Weight 9.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.09

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 170 of 541

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.370320 0.074064 34.98 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 26 - GRADYDistrict: I068 - RUSH SPRINGS

- If school district's total area in square miles 165.078200 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 472.26 divided by district's total area in square mile 165.078200 = District's Areal В. Density <u>2.86</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>165.078200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 472.26 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.98

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 26 - GRADYDistrict: I095 - BRIDGE CREEK

- A. If school district's total area in square miles <u>44.101510</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.875.30</u> divided by district's total area in square mile <u>44.101510</u> = District's Areal Density <u>42.52</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ 78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,875.30

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>44.101510</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.875.30</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: I097 - TUTTLE

- A. If school district's total area in square miles <u>81.793850</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.990.66</u> divided by district's total area in square mile <u>81.793850</u> = District's Areal Density <u>24.34</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,990.66

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>81.793850</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1,990.66</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 330.97 = 0.558707 x .2 0.111741 x 330.97 = 36.98

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 26 - GRADYDistrict: 1099 - VERDEN

- A. If school district's total area in square miles <u>100.662370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>330.97</u> divided by district's total area in square mile <u>100.662370</u> = District's Areal Density <u>3.29</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- 0.00
   =
   0.000000
   + .78
   =
   0.780000
   x
   0.00
   =
   0.00

   9-OHP ADM
   9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 330.97

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>100.662370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>330.97</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.98

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 399.56 = 0.467253 x .2 0.093451 x 399.56 = 37.34

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 26 - GRADYDistrict: I128 - AMBER-POCASSET

- A. If school district's total area in square miles <u>145.995230</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>399.56</u> divided by district's total area in square mile <u>145.995230</u> = District's Areal Density <u>2.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
۷)	122 divided by OD Holli above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   399.56

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>145.995230</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 399.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.34

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 319.83 = 0.573560 x .2 0.114712 x 319.83 = 36.69

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 27 - GRANTDistrict: I054 - MEDFORD

- A. If school district's total area in square miles <u>507.172740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>319.83</u> divided by district's total area in square mile <u>507.172740</u> = District's Areal Density <u>0.63</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

105 /1 \_

Grades	PK4 - 5th	172.41	+	23 =	195.41	(Ca)
Grades	6th - 8th	64.79	+	133 =	197.79	(Cb)
Grades	PK3,9 -OHP	82.63	+	128 =	210.63	(Cc)
		319.83				

0.270604

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	193.41 =	0.376091	+ .65 =	1.220091	172.41	= 211.04
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove				
	197.79 =	0.616816	+ .85 =	1.466816	64.79	= 95.03
					6-8 ADM	6-8 Cost Factor

1 220601 4

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 485.87 divided by district's Raw ADM 319.83

  = 1.52 -1.00 = District Cost Factor 0.52
- 5) (District's Square Miles <u>507.172740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>2.68</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.52 by lessor of the Area Factor (Line 5 above) 2.68 or 1.00 = Isolation Factor 0.52
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 319.83 = Isolation Weight 166.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 166.31

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 27 - GRANTDistrict: I090 - POND CREEK-HUNTER

- A. If school district's total area in square miles <u>214.293630</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>311.65</u> divided by district's total area in square mile <u>214.293630</u> = District's Areal Density <u>1.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

154.92 =

Grades	PK4 - 5th	131.92	+	23	=	154.92	(Ca)
Grades	6th - 8th	69.19	+	133	=	202.19	(Cb)
Grades	PK3,9 -OHP	110.54	+	128	=	238.54	(Cc)
		311.65					

0.477666

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	202.19 = 0.603393	+ .85 =	1.453393 x	69.19 =	100.56
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				
	238.54 = 1.224113	+ .78 =	2.004113 x	110.54 =	221.53
		_		9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 497.24	divided by district	's Raw ADM	311.65	

- 1.00 = District Cost Factor

1.327666 x

131.92 =

0.60

175.15

+ .85 =

5) (District's Square Miles <u>214.293630</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.55</u>

1.60

- 6) Multiply District Cost Factor (Line 4 above) <u>0.60</u> by lessor of the Area Factor (Line 5 above) <u>0.55</u> or 1.00 = Isolation Factor <u>0.33</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 311.65 = Isolation Weight 102.84
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 102.84

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 177 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 125.26 = 0.832987 x .2 0.166597 x 125.26 = 20.87

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 27 - GRANTDistrict: I095 - DEER CREEK-LAMONT

- A. If school district's total area in square miles <u>249.869800</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>125.26</u> divided by district's total area in square mile <u>249.869800</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

83.32 =

Grades	PK4 - 5th	60.32	+	23 =	83.32	(Ca)
Grades	6th - 8th	26.91	+	133 =	159.91	(Cb)
Grades	PK3,9 -OHP	38.03	+	128 =	166.03	(Cc)
		125.26				

0.888142

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	159.91 =	0.762929	+ .85 =	1.612929	x 26.91 :	= _	43.40
		_			6-8 ADM		6-8 Cost Factor
3)	292 divided by "Cc" from above						

1.738142 x

60.32 =

104.84

EC-5 Cost Factor

+ .85 =

166.03 = 1.758718 + .78 = 2.538718 x 38.03 = 96.55 9-OHP ADM 9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 244.79 divided by district's Raw ADM 125.26

  = 1.95 1.00 = District Cost Factor 0.95
- 5) (District's Square Miles <u>249.869800</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.81</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.95 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.77
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 125.26 = Isolation Weight 96.45
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 96.45

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 178 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 636.83 0.150893 0.030179 19.22 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREERDistrict: I001 - MANGUM

- If school district's total area in square miles 393.294930 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 636.83 divided by district's total area in square mile 393.294930 = District's Areal В. Density <u>1.62</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	308.16	+	23 =	331.16	(Ca)
Grades	6th - 8th	145.01	+	133 =	278.01	(Cb)
Grades	PK3,9 -OHP	183.66	+	128 =	311.66	(Cc)
		636.83				

0.438833

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	331.16	=	0.223457	+ .85	=	= 1.073457 x	308.16 =	330.80
		•					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	ove	)					

2)

- Sum 1 + 2 + 3 from above 833.02 divided by district's Raw ADM 636.83 1.31 - 1.00 = District Cost Factor 0.31
- (District's Square Miles <u>393.294930</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.85 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 636.83 = Isolation Weight 197.42
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 197.42

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 222.00 0.704000 0.140800 31.26 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 28 - GREERDistrict: I003 - GRANITE

- Α. If school district's total area in square miles 178.782620 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>222.00</u> divided by district's total area in square mile <u>178.782620</u> = District's Areal В. Density <u>1.24</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	108.84	+	23 =	131.84	(Ca)
Grades	6th - 8th	40.14	+	133 =	173.14	(Cb)
Grades	PK3,9 -OHP	73.02	+	128 =	201.02	(Cc)
		222.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	131.84 =	0.561286	+ .85 =	1.411286	Х	108.84 =	153.60
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	е					

2)

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 379.02 divided by district's Raw ADM 222.00 1.71 - 1.00 = District Cost Factor 0.71
- (District's Square Miles <u>178.782620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.30 or 1.00 = Isolation Factor 0.21
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 222.00 = Isolation Weight 46.62
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.62

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 469.21 = 0.374387 x .2 0.074877 x 469.21 = 35.13

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 29 - HARMONDistrict: 1066 - HOLLIS

- A. If school district's total area in square miles <u>510.566470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>469.21</u> divided by district's total area in square mile <u>510.566470</u> = District's Areal Density <u>0.92</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

243.03 =

Grades	PK4 - 5th	220.03	+	23 =	243.03	(Ca)
Grades	6th - 8th	97.76	+	133 =	230.76	(Cb)
Grades	PK3,9 -OHP	151.42	+	128 =	279.42	(Cc)
		469.21				

0.304489

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
122 divided by "Cb" from above					
230.76 =	0.528688	+ .85 =	1.378688 x	97.76 =	134.78
				6-8 ADM	6-8 Cost Factor
	, —	, <u> </u>	, <del>_</del>	· —	122 divided by " <u>Cb</u> " from above  230.76 = 0.528688 + .85 = 1.378688 x 97.76 =

1.154489 x

220.03 =

254.02

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 665.14 divided by district's Raw ADM 469.21

  = 1.42 -1.00 = District Cost Factor 0.42
- 5) (District's Square Miles <u>510.566470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>2.70</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 2.70 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 469.21 = Isolation Weight 197.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 197.07

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 181 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 455.11 0.393187 0.078637 35.79 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 30 - HARPERDistrict: I001 - LAVERNE

- If school district's total area in square miles <u>833.954690</u> is greater than the state average area in square miles <u>137.86788</u>, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 455.11 divided by district's total area in square mile 833.954690 = District's Areal В. Density 0.55

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

233.74 =

Grades	PK4 - 5th	210.74	+	23 =	233.74	(Ca)
Grades	6th - 8th	110.74	+	133 =	243.74	(Cb)
Grades	PK3,9 -OHP	133.63	+	128 =	261.63	(Cc)
		455.11				

0.316591

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	243.74 =	0.500533	+ .85 =	1.350533 x	110.74 =	149.56
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.166591 x

245.85

+ .85 =

Sum 1 + 2 + 3 from above 648.78 divided by district's Raw ADM 455.11 1.43 - 1.00 = District Cost Factor 0.43

- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>833.954690</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.43</u> by lessor of the Area Factor (Line 5 above) <u>5.05</u> or 1.00 = Isolation Factor <u>0.43</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 455.11 = Isolation Weight 195.70
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 195.70

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 248.73 0.668360 0.133672 33.25 750 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 30 - HARPERDistrict: I004 - BUFFALO

- If school district's total area in square miles <u>532.951330</u> is greater than the state average area in square miles <u>137.86788</u>, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>248.73</u> divided by district's total area in square mile <u>532.951330</u> = District's Areal В. Density <u>0.47</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

147.53 =

Grades	PK4 - 5th	124.53	+	23 =	147.53	(Ca)
Grades	6th - 8th	43.70	+	133 =	176.70	(Cb)
Grades	PK3,9 -OHP	80.50	+	128 =	208.50	(Cc)
		248.73				

0.501593

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	176.70 =	0.690436	+ .85 =	1.540436 x	43.70 =	67.32
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.351593 x

124.53 =

168.31

+ .85 =

- Sum 1 + 2 + 3 from above 411.16 divided by district's Raw ADM 248.73 1.65 - 1.00 = District Cost Factor 0.65
- (District's Square Miles <u>532.951330</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 2.87 or 1.00 = Isolation Factor 0.65
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 248.73 = Isolation Weight 161.67
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 161.67

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELLDistrict: C010 - WHITEFIELD

- A. If school district's total area in square miles <u>30.933420</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>221.51</u> divided by district's total area in square mile <u>30.933420</u> = District's Areal Density <u>7.16</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	_	0.000000	+ .05 =	0.030000	Λ 0.00	- 0.00
		-				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	bove					
	0.00	_	0.000000	+ 85 =	0.850000	x 0.00	= 0.00

0.850000 v

0.00 -

6-8 ADM

 $\cap \cap \cap$ 

6-8 Cost Factor

Page 184 of 541

3) 292 divided by "Cc" from above

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 221.51

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>30.933420</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>221.51</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.22

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELLDistrict: I013 - KINTA

- A. If school district's total area in square miles <u>129.197560</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>167.83</u> divided by district's total area in square mile <u>129.197560</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 167.83

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>129.197560</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 167.83 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 26.05

0.00

EC-5 Cost Factor

9-OHP Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

1,221.75 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELLDistrict: I020 - STIGLER

- If school district's total area in square miles 214.907410 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,221.75 divided by district's total area in square mile 214.907410 = District's В. Areal Density 5.69.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,221.75 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>214.907410</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.221.75 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 243.08 0.675893 0.135179 32.86 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 31 - HASKELLDistrict: I037 - MCCURTAIN

- If school district's total area in square miles 105.084250 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>243.08</u> divided by district's total area in square mile <u>105.084250</u> = District's Areal В. Density <u>2.31</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				0.01.2	

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 243.08 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>105.084250</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 243.08 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 32.86

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 187 of 541 Privacy Level: Public

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 373.60 0.501867 0.100373 37.50 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 31 - HASKELLDistrict: I043 - KEOTA

- If school district's total area in square miles 136.081120 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>373.60</u> divided by district's total area in square mile <u>136.081120</u> = District's Areal В. Density <u>2.75</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>136.081120</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 373.60 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.50

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 243.28 = 0.675627 x .2 0.135125 x 243.28 = 32.87

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHESDistrict: I001 - MOSS

- A. If school district's total area in square miles <u>147.866810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>243.28</u> divided by district's total area in square mile <u>147.866810</u> = District's Areal Density <u>1.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

134.10 =

Grades	PK4 - 5th	111.10	+	23 =	134.10	(Ca)
Grades	6th - 8th	60.09	+	133 =	193.09	(Cb)
Grades	PK3,9 -OHP	72.09	+	128 =	200.09	(Cc)
		243.28				

0.551827

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	193.09 =	0.631830	+ .85 =	1.481830 x	60.09 =	89.04
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.401827 x

111.10 =

155.74

+ .85 =

- 200.09 = 1.459343 + .78 = 2.239343 x 72.09 = 161.43 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 406.21 divided by district's Raw ADM 243.28

  = 1.67 1.00 = District Cost Factor 0.67
- 5) (District's Square Miles <u>147.866810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.07</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.67 by lessor of the Area Factor (Line 5 above) 0.07 or 1.00 = Isolation Factor 0.05
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 243.28 = Isolation Weight 12.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.87

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 189 of 541

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 390.92 = 0.478773 x .2 0.095755 x 390.92 = 37.43

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHESDistrict: I005 - WETUMKA

- A. If school district's total area in square miles <u>140.248250</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>390.92</u> divided by district's total area in square mile <u>140.248250</u> = District's Areal Density <u>2.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			·	

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		-			9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 390.92

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>140.248250</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 390.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.43

Report# FB107b Privacy Level: Public 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 966.50 = 0.000000 x .2 0.000000 x 966.50 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 32 - HUGHESDistrict: 1035 - HOLDENVILLE

- A. If school district's total area in square miles <u>150.915310</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>966.50</u> divided by district's total area in square mile <u>150.915310</u> = District's Areal Density <u>6.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- 0.00
   =
   0.000000
   + .78
   =
   0.780000
   x
   0.00
   =
   0.00

   9-OHP ADM
   9-OHP Cost Factor
- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   966.50

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>150.915310</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>966.50</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 163.81 = 0.781587 x .2 0.156317 x 163.81 = 25.61

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 32 - HUGHESDistrict: I048 - CALVIN

- A. If school district's total area in square miles <u>154.964450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>163.81</u> divided by district's total area in square mile <u>154.964450</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	81.63	+	23 =	104.63	(Ca)
Grades	6th - 8th	36.51	+	133 =	169.51	(Cb)
Grades	PK3,9 -OHP	45.67	+	128 =	173.67	(Cc)
		163.81				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

104.63	=	0.707254	+ .85	=	1.557254	Χ	81.63 =	127.12
							EC-5 ADM	EC-5 Cost Factor

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 296.84 divided by district's Raw ADM 163.81

  = 1.81 1.00 = District Cost Factor 0.81
- 5) (District's Square Miles <u>154.964450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.12</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.81 by lessor of the Area Factor (Line 5 above) 0.12 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 163.81 = Isolation Weight 16.38
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.61</u>

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

199.20 0.734400 0.146880 29.26 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 32 - HUGHESDistrict: 1054 - STUART

- If school district's total area in square miles 151.468180 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>199.20</u> divided by district's total area in square mile <u>151.468180</u> = District's Areal В. Density 1.32

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

100.32 =

Grades	PK4 - 5th	77.32	+	23 =	100.32	(Ca)
Grades	6th - 8th	50.76	+	133 =	183.76	(Cb)
Grades	PK3,9 -OHP	71.12	+	128 =	199.12	(Cc)
		199.20				

0.737640

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	183.76 =	0.663909	+ .85 =	1.513909 x	50.76 =	76.85
		_	_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	199.12 =	1.466452	+ .78 =	2.246452 x	71.12 =	159.77
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	359.38	divided by distric	ct's Raw ADM	199.20	

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.587640 x

77.32 =

199.20

0.80

122.76

+ .85 =

5) (District's Square Miles <u>151.468180</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

359.38

1.80

- Multiply District Cost Factor (Line 4 above) 0.80 by lessor of the Area Factor (Line 5 above) 0.10 or 1.00 = Isolation Factor 0.08
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 199.20 = Isolation Weight 15.94
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.26

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 32 - HUGHESDistrict: I056 - GRAHAM-DUSTIN

- A. If school district's total area in square miles <u>137.422260</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>140.72</u> divided by district's total area in square mile <u>137.422260</u> = District's Areal Density <u>1.02</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

Page 194 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 140.72

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>137.422260</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>140.72</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.86

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 452.30 0.396933 0.079387 35.91 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSONDistrict: I001 - NAVAJO

- Α. If school district's total area in square miles 145.609450 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>452.30</u> divided by district's total area in square mile <u>145.609450</u> = District's Areal В. Density <u>3.11</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000

0.00 =

0.00 =

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>145.609450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 452.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.91

0.00

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSONDistrict: I014 - DUKE

- A. If school district's total area in square miles <u>157.010950</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>165.95</u> divided by district's total area in square mile <u>157.010950</u> = District's Areal Density <u>1.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

94.30 =

Grades	PK4 - 5th	71.30	+	23 =	94.30	(Ca)
Grades	6th - 8th	36.00	+	133 =	169.00	(Cb)
Grades	PK3,9 -OHP	58.65	+	128 =	186.65	(Cc)
		165.95				

0.784730

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	169.00 =	0.721893	+ .85 =	1.571893 x	36.00 =	56.59 6-8 Cost Factor
3)	292 divided by "Cc" from above				O O NEW	0 0 0001 4 0001
	186.65 =	1.564425	+ .78 =	2.344425 x	58.65 = 9-OHP ADM	137.50 9-OHP Cost Factor

1.634730 x

71.30 =

116.56

+ .85 =

- Sum 1 + 2 + 3 from above 310.65 divided by district's Raw ADM 165.95

  = 1.87 1.00 = District Cost Factor 0.87
- 5) (District's Square Miles <u>157.010950</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.14</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.87 by lessor of the Area Factor (Line 5 above) 0.14 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 165.95 = Isolation Weight 19.91
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>25.85</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 196 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 3,550.63 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSONDistrict: I018 - ALTUS

- If school district's total area in square miles 245.262860 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,550.63 divided by district's total area in square mile 245.262860 = District's В. Areal Density 14.48.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,550.63 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>245.262860</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.550.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 160.70 0.785733 0.157147 25.25 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

#### County: 33 - JACKSONDistrict: I040 - OLUSTEE-ELDORADO

- If school district's total area in square miles 284.505890 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>160.70</u> divided by district's total area in square mile <u>284.505890</u> = District's Areal В. Density <u>0.56</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	85.99	+	23 =	108.99	(Ca)
Grades	6th - 8th	35.87	+	133 =	168.87	(Cb)
Grades	PK3,9 -OHP	38.84	+	128 =	166.84	(Cc)
		160.70				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	108.99 =	0.678961	+ .85 =	1.528961	X	85.99 =	131.48
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 286.15 divided by district's Raw ADM 160.70 1.78 - 1.00 = District Cost Factor 0.78

- (District's Square Miles <u>284.505890</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.78 by lessor of the Area Factor (Line 5 above) 1.06 or 1.00 = Isolation Factor 0.78
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 160.70 = Isolation Weight 125.35
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 125.35

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 178.74 = 0.761680 x .2 0.152336 x 178.74 = 27.23

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 33 - JACKSONDistrict: I054 - BLAIR

- A. If school district's total area in square miles <u>58.401620</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>178.74</u> divided by district's total area in square mile <u>58.401620</u> = District's Areal Density <u>3.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					· <u> </u>	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	e					
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 178.74

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>58.401620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>178.74</u> = Isolation Weight <u>0.00</u>

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 256.92 = 0.657440 x .2 0.131488 x 256.92 = 37.0800

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 34 - JEFFERSONDistrict: 1001 - RYAN

- A. If school district's total area in square miles <u>277.980690</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>256.92</u> divided by district's total area in square mile <u>277.980690</u> = District's Areal Density <u>0.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

153.12 =

Grades	PK4 - 5th	130.12	+	23 =	153.12	(Ca)
Grades	6th - 8th	49.29	+	133 =	182.29	(Cb)
Grades	PK3,9 -OHP	77.51	+	128 =	205.51	(Cc)
		256.92				

0.483281

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO 3 ADIVI	LO-3 003(1 actor
2)	122 divided by "Cb" from above					
	182.29 =	0.669263	+ .85 =	1.519263 x	49.29 = 6-8 ADM	74.88 6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.333281 x

130.12 =

173.49

FC-5 Cost Factor

+ .85 =

205.51 = 1.420855 + .78 = 2.200855 x 77.51 = 170.59

9-OHP ADM 9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 418.96 divided by district's Raw ADM 256.92

  = 1.63 1.00 = District Cost Factor 0.63
- 5) (District's Square Miles <u>277.980690</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.02</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.63 by lessor of the Area Factor (Line 5 above) 1.02 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>256.92</u> = Isolation Weight <u>161.86</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 161.86

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 322.34 0.570213 0.114043 36.76 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 34 - JEFFERSONDistrict: I014 - RINGLING

- If school district's total area in square miles 270.142370 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 322.34 divided by district's total area in square mile 270.142370 = District's Areal В. Density <u>1.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

163.91 =

Grades	PK4 - 5th	140.91	+	23 =	163.91	(Ca)
Grades	6th - 8th	63.86	+	133 =	196.86	(Cb)
Grades	PK3,9 -OHP	117.57	+	128 =	245.57	(Cc)
		322.34				

0.451467

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	196.86 =	0.619730	+ .85 =	1.469730 x	63.86 =	93.86
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	245.57 =	1.189070	+ .78 =	1.969070 x	117.57 =	231.50
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.301467 x

322.34

0.58

183.39

+ .85 =

- 5) (District's Square Miles <u>270.142370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.96 or 1.00 = Isolation Factor 0.56
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 322.34 = Isolation Weight 180.51

508.75

1.58

Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight \_\_180.51\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 201 of 541

Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 34 - JEFFERSONDistrict: I023 - WAURIKA

- A. If school district's total area in square miles <u>261.212380</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>438.50</u> divided by district's total area in square mile <u>261.212380</u> = District's Areal Density <u>1.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

244.93 =

Grades	PK4 - 5th	221.93	+	23 =	244.93	(Ca)
Grades	6th - 8th	81.83	+	133 =	214.83	(Cb)
Grades	PK3,9 -OHP	134.74	+	128 =	262.74	(Cc)
		438.50				

0.302127

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	214.83 =	0.567891	+ .85 =	1.417891 x	81.83 =	116.03
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	262.74 =	1.111365	+ .78 =	1.891365 x	134.74 =	254.84
					9-OHP ADM	9-OHP Cost Factor

1.152127 x

+ .85 =

- Sum 1 + 2 + 3 from above 626.56 divided by district's Raw ADM 438.50

  = 1.43 -1.00 = District Cost Factor 0.43
- 5) (District's Square Miles <u>261.212380</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.89</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.43 by lessor of the Area Factor (Line 5 above) 0.89 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>438.50</u> = Isolation Weight <u>166.63</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 166.63

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 202 of 541

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 35 - JOHNSTONDistrict: C007 - MANNSVILLE

- A. If school district's total area in square miles <u>44.644590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>68.43</u> divided by district's total area in square mile <u>44.644590</u> = District's Areal Density <u>1.53</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

0

0.00

EC-5 Cost Factor

+ .85 =

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 68.43

- 1.00 = District Cost Factor

5) (District's Square Miles <u>44.644590</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 68.43 = Isolation Weight 0.00

D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.44

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 203 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.894733 0.178947 14.13 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTONDistrict: C010 - RAVIA

- If school district's total area in square miles 43.777310 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>78.95</u> divided by district's total area in square mile <u>43.777310</u> = District's Areal В. Density <u>1.80</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						

0.850000 x

0.780000

9-OHP Cost Factor Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM

+ .78 =

+ .85 =

0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>43.777310</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 78.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.13

Report# FB107b Privacy Level: Public 0.00 =

0.00 =

9-OHP ADM

0.00

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 190.10 = 0.746533 x .2 0.149307 x 190.10 = 28.38

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 35 - JOHNSTONDistrict: I002 - MILL CREEK

- A. If school district's total area in square miles <u>159.702450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>190.10</u> divided by district's total area in square mile <u>159.702450</u> = District's Areal Density <u>1.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	86.40	+	23 =	109.40	(Ca)
Grades	6th - 8th	45.45	+	133 =	178.45	(Cb)
Grades	PK3,9 -OHP	58.25	+	128 =	186.25	(Cc)
		190.10				

0.676417

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	178.45 =	0.683665	+ .85 =	1.533665 x	45.45 =	69.71
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	186.25 =	1.567785	+ .78 =	2.347785 x	58.25 = 9-OHP ADM	136.76 9-OHP Cost Factor

1.526417 x

86.40 =

131.88

+ .85 =

- Sum 1 + 2 + 3 from above 338.35 divided by district's Raw ADM 190.10

  = 1.78 1.00 = District Cost Factor 0.78
- 5) (District's Square Miles <u>159.702450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.16</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.78 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 190.10 = Isolation Weight 22.81
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>28.38</u>

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 883.22 = 0.000000 x .2 0.000000 x 883.22 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 35 - JOHNSTONDistrict: I020 - TISHOMINGO

- A. If school district's total area in square miles <u>221.733140</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>883.22</u> divided by district's total area in square mile <u>221.733140</u> = District's Areal Density <u>3.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 883.22 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>221.733140</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>883.22</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 206.50 = 0.724667 x .2 0.144933 x 206.50 = 29.93

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTONDistrict: 1029 - MILBURN

- A. If school district's total area in square miles <u>64.635190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>206.50</u> divided by district's total area in square mile <u>64.635190</u> = District's Areal Density <u>3.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		-	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	oove						
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		•				_	6-8 ADM	6-8 Cost Factor

0.850000 x

+ .85 =

0.00 =

0.00

Page 207 of 541

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 206.50 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>64.635190</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>206.50</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.93

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 224.91 = 0.700120 x .2 0.140024 x 224.91 = 31.49

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 35 - JOHNSTONDistrict: 1035 - COLEMAN

- A. If school district's total area in square miles <u>62.173200</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>224.91</u> divided by district's total area in square mile <u>62.173200</u> = District's Areal Density <u>3.62</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 224.91

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>62.173200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>224.91</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.49

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 35 - JOHNSTONDistrict: 1037 - WAPANUCKA

- A. If school district's total area in square miles <u>139.281650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>186.97</u> divided by district's total area in square mile <u>139.281650</u> = District's Areal Density <u>1.34</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

106.44 =

Grades	PK4 - 5th	83.44	+	23 =	106.44	(Ca)
Grades	6th - 8th	30.09	+	133 =	163.09	(Cb)
Grades	PK3,9 -OHP	73.44	+	128 =	201.44	(Cc)
		186.97				

0.695227

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	)				
	163.09 =	0.748053	+ .85 =	1.598053	x 30.09 =	48.09
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	201.44 =	1.449563	+ .78 =	2.229563	x 73.44 =	163.74
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1.545227 x

186.97

128.93

+ .85 =

= 1.82 - 1.00 = District Cost Factor 0.82

5) (District's Square Miles 139.281650 - 137.86788) divided by 137.86788 = Area Factor 0.01

340.76

- 6) Multiply District Cost Factor (Line 4 above) <u>0.82</u> by lessor of the Area Factor (Line 5 above) <u>0.01</u> or 1.00 = Isolation Factor <u>0.01</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.97 = Isolation Weight 1.87
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_28.07\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 209 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 123.93 0.834760 0.166952 20.69 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAYDistrict: C027 - PECKHAM

- If school district's total area in square miles 82.973070 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 123.93 divided by district's total area in square mile 82.973070 = District's Areal В. Density <u>1.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				0.01.2	

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>82.973070</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 123.93 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 20.69

0.00

EC-5 Cost Factor

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 105.88 0.858827 0.171765 18.19 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAYDistrict: C050 - KILDARE

- If school district's total area in square miles 99.361640 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 105.88 divided by district's total area in square mile 99.361640 = District's Areal В. Density <u>1.07</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 105.88 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>99.361640</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 105.88 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 18.19

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

1,073.45 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 36 - KAYDistrict: I045 - BLACKWELL

- Α. If school district's total area in square miles 114.352650 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.073.45 divided by district's total area in square mile 114.352650 = District's В. Areal Density 9.39.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	202 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,073.45 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>114.352650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.073.45 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 4,501.25 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAYDistrict: I071 - PONCA CITY

- If school district's total area in square miles 172.960010 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 4,501.25 divided by district's total area in square mile 172.960010 = District's В. Areal Density 26.02.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 4,501.25 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>172.960010</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 4.501.25 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 796.44 = 0.000000 x .2 0.000000 x 796.44 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAYDistrict: I087 - TONKAWA

- A. If school district's total area in square miles <u>127.567610</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>796.44</u> divided by district's total area in square mile <u>127.567610</u> = District's Areal Density <u>6.24</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x		
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 796.44

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>127.567610</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>796.44</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 36 - KAYDistrict: I125 - NEWKIRK

- A. If school district's total area in square miles <u>336.377310</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>741.29</u> divided by district's total area in square mile <u>336.377310</u> = District's Areal Density <u>2.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

337.73 =

Grades	PK4 - 5th	314.73	+	23 =	337.73	(Ca)
Grades	6th - 8th	184.78	+	133 =	317.78	(Cb)
Grades	PK3,9 -OHP	241.78	+	128 =	369.78	(Cc)
		741.29				

0.219110

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO-3 ADIVI	LO 3 003(1 actor
2)	122 divided by "Cb" from above					
	317.78 =	0.383913	+ .85 =	1.233913 x	184.78 =	228.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.069110 x

336.48

EC-5 Cost Factor

+ .85 =

369.78 = 0.789659 + .78 = 1.569659 x 241.78 = 379.51 9-OHP ADM 9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 943.99 divided by district's Raw ADM 741.29

  = 1.27 1.00 = District Cost Factor 0.27
- 5) (District's Square Miles <u>336.377310</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.44</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.27 by lessor of the Area Factor (Line 5 above) 1.44 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 741.29 = Isolation Weight 200.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 200.15

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 215 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 196.43 0.738093 0.147619 29.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHERDistrict: 1002 - DOVER

- Α. If school district's total area in square miles 123.537870 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 196.43 divided by district's total area in square mile 123.537870 = District's Areal В. Density <u>1.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 196.43 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>123.537870</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 196.43 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.00

0.00

EC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 211.58 0.717893 0.143579 30.38 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHERDistrict: 1003 - LOMEGA

- If school district's total area in square miles 220.536570 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>211.58</u> divided by district's total area in square mile <u>220.536570</u> = District's Areal В. Density <u>0.96</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	103.59	+	23 =	126.59	(Ca)
Grades	6th - 8th	41.99	+	133 =	174.99	(Cb)
Grades	PK3,9 -OHP	66.00	+	128 =	194.00	(Cc)
		211.58				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	126.59	= 0.584564	+ .85 =	1.434564 x	103.59 =	148.61
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove				
	174.99	= 0.697183	+ .85 =	1.547183 x	41.99 =	64.97
					6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 364.40 divided by district's Raw ADM 1.72 - 1.00 = District Cost Factor 0.72

- (District's Square Miles <u>220.536570</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.72 by lessor of the Area Factor (Line 5 above) 0.60 or 1.00 = Isolation Factor 0.43
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 211.58 = Isolation Weight 90.98
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 90.98

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 217 of 541

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,345.89 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 37 - KINGFISHERDistrict: 1007 - KINGFISHER

- Α. If school district's total area in square miles 184.218600 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,345.89 divided by district's total area in square mile 184.218600 = District's В. Areal Density 7.31

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_	_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,345.89 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>184.218600</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.345.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 37 - KINGFISHERDistrict: I016 - HENNESSEY

- If school district's total area in square miles 243.341030 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>830.50</u> divided by district's total area in square mile <u>243.341030</u> = District's Areal В. Density <u>3.41</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 830.50 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>243.341030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 830.50 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

750 - 765.41 = 0.000000 x .2 0.000000 x 765.41 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHERDistrict: 1089 - CASHION

- A. If school district's total area in square miles <u>115.307110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>765.41</u> divided by district's total area in square mile <u>115.307110</u> = District's Areal Density <u>6.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						

0.850000 x

0.00 =

0.00 =

9-OHP ADM

0.00

0.00

EC-5 Cost Factor

9-OHP Cost Factor

Page 220 of 541

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 765.41

= 0.00 - 1.00 = District Cost Factor 0

+ .78 =

- 5) (District's Square Miles <u>115.307110</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 765.41 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 457.05 = 0.390600 x .2 0.078120 x 457.05 = 35.70

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 37 - KINGFISHERDistrict: I105 - OKARCHE

- A. If school district's total area in square miles <u>153.896490</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>457.05</u> divided by district's total area in square mile <u>153.896490</u> = District's Areal Density <u>2.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 457.05 = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>153.896490</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>457.05</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_35.70\_

0.00

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWADistrict: I001 - HOBART

- A. If school district's total area in square miles <u>136.701940</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>681.60</u> divided by district's total area in square mile <u>136.701940</u> = District's Areal Density <u>4.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 681.60

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>136.701940</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 681.60 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.43

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 100.22 = 0.866373 x .2 0.173275 x 100.22 = 17.37

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWADistrict: I002 - LONE WOLF

- A. If school district's total area in square miles <u>160.610090</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>100.22</u> divided by district's total area in square mile <u>160.610090</u> = District's Areal Density <u>0.62</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	55.29	+	23 =	78.29	(Ca)
Grades	6th - 8th	18.59	+	133 =	151.59	(Cb)
Grades	PK3,9 -OHP	26.34	+	128 =	154.34	(Cc)
		100.22				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	78.29 =	0.945204	+ .85 =	1.795204 x	55.29 =	99.26
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	151.59 =	0.804802	+ .85 =	1.654802 x	18.59 =	30.76
					6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

- 1) Sum 1 + 2 + 3 from above 200.40 divided by district's Raw ADM 100.22

  = 2.00 1.00 = District Cost Factor 1.00
- 5) (District's Square Miles <u>160.610090</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.16</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.00 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.16
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 100.22 = Isolation Weight 16.04
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.37

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 258.64 = 0.655147 x .2 0.131029 x 258.64 = 33.89

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 38 - KIOWADistrict: 1003 - MOUNTAIN VIEW-GOTEBO

- A. If school district's total area in square miles <u>409.932930</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>258.64</u> divided by district's total area in square mile <u>409.932930</u> = District's Areal Density <u>0.63</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	129.03	+	23 =	152.03	(Ca)
Grades	6th - 8th	60.71	+	133 =	193.71	(Cb)
Grades	PK3,9 -OHP	68.90	+	128 =	196.90	(Cc)
		258.64				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	152.03 =	0.486746	+ .85 =	1.336746 x	129.03 =	172.48
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	193.71 =	0.629807	+ .85 =	1.479807 x	60.71 =	89.84

6-8 ADM

6-8 Cost Factor

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 418.24 divided by district's Raw ADM 258.64

= 1.62 -1.00 = District Cost Factor 0.62

- 5) (District's Square Miles <u>409.932930</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.97</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.62 by lessor of the Area Factor (Line 5 above) 1.97 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>258.64</u> = Isolation Weight <u>160.36</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 160.36

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 38 - KIOWADistrict: I004 - SNYDER

- If school district's total area in square miles 450.351170 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 436.45 divided by district's total area in square mile 450.351170 = District's Areal В. Density <u>0.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

252.58 =

Grades	PK4 - 5th	229.58	+	23 =	252.58	(Ca)
Grades	6th - 8th	77.77	+	133 =	210.77	(Cb)
Grades	PK3,9 -OHP	129.10	+	128 =	257.10	(Cc)
		436.45				

0.292976

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	210.77 =	0.578830	+ .85 =	1.428830 x	77.77 =	111.12
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.142976 x

262.40

+ .85 =

Sum 1 + 2 + 3 from above 620.84 divided by district's Raw ADM 1.42 - 1.00 = District Cost Factor 0.42

- divided by 137.86788 = Area Factor (District's Square Miles <u>450.351170</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 2.27 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 436.45 = Isolation Weight 183.31
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 183.31

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.921987 0.184397 10.79 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMERDistrict: C004 - PANOLA

- If school district's total area in square miles 120.277590 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>58.51</u> divided by district's total area in square mile <u>120.277590</u> = District's Areal В. Density <u>0.49</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>120.277590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 58.51 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.79

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 886.45 = 0.000000 x .2 0.000000 x 886.45 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 39 - LATIMERDistrict: I001 - WILBURTON

- A. If school district's total area in square miles <u>180.793830</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>886.45</u> divided by district's total area in square mile <u>180.793830</u> = District's Areal Density <u>4.90</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.00	0.000000	0.050000	2.22	2.22

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 886.45

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>180.793830</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>886.45</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

6-8 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 289.44 0.614080 0.122816 35.55 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 39 - LATIMERDistrict: I002 - RED OAK

- If school district's total area in square miles 129.931580 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>289.44</u> divided by district's total area in square mile <u>129.931580</u> = District's Areal В. Density <u>2.23</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 289.44 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>129.931580</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 289.44 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.55

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 200.98 = 0.732027 x .2 0.146405 x 200.98 = 29.42

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 39 - LATIMERDistrict: I003 - BUFFALO VALLEY

- A. If school district's total area in square miles <u>154.167640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>200.98</u> divided by district's total area in square mile <u>154.167640</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

103.50 =

Grades	PK4 - 5th	80.50	+	23 =	103.50	(Ca)
Grades	6th - 8th	45.67	+	133 =	178.67	(Cb)
Grades	PK3,9 -OHP	74.81	+	128 =	202.81	(Cc)
		200.98				

0.714976

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above		
	178.67 = 0.682823 + .85 = 1.532823 x	45.67 =	70.00
		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above		

1.564976 x

80.50 =

125.98

+ .85 =

202.81 = 1.439771 + .78 = 2.219771 x 74.81 = 166.06 9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 362.04 divided by district's Raw ADM 200.98

= 1.80 -1.00 = District Cost Factor 0.80

- 5) (District's Square Miles <u>154.167640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.12</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.80 by lessor of the Area Factor (Line 5 above) 0.12 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 200.98 = Isolation Weight 20.10
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.42

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 229 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 40 - LE FLOREDistrict: C004 - SHADY POINT

- A. If school district's total area in square miles <u>5.016050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>174.72</u> divided by district's total area in square mile <u>5.016050</u> = District's Areal Density <u>34.83</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

174.72

0.00

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 5.016050 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>174.72</u> = Isolation Weight <u>0.00</u>

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 89.02 = 0.881307 x .2 0.176261 x 89.02 = 15.69

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: C011 - MONROE

- A. If school district's total area in square miles <u>51.229000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>89.02</u> divided by district's total area in square mile <u>51.229000</u> = District's Areal Density <u>1.74</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

							LC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from al	OOV	Э					
	0.00	=	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
							6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC E Cost Footor

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 89.02

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>51.229000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 89.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>15.69</u>

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 261.18 0.651760 0.130352 34.05 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: C014 - HODGEN

- Α. If school district's total area in square miles 140.452350 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>261.18</u> divided by district's total area in square mile <u>140.452350</u> = District's Areal В. Density <u>1.86</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

220.31 =

Grades	PK4 - 5th	197.31	+	23 =	220.31	(Ca)
Grades	6th - 8th	56.99	+	133 =	189.99	(Cb)
Grades	PK3,9 -OHP	6.88	+	128 =	134.88	(Cc)
		261.18				

0.335890

2.164887

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	189.99 =	0.642139	+ .85 =	1.492139 x	56.99 =	85.04
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.185890 x

2.944887

197.31 =

6.88 =

20.26

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 339.29 divided by district's Raw ADM 261.18 1.30 - 1.00 = District Cost Factor 0.30
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles 140.452350 -<u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.30 by lessor of the Area Factor (Line 5 above) 0.02 or 1.00 = Isolation Factor 0.01
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 261.18 = Isolation Weight 2.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.05

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 232 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 97.74 = 0.869680 x .2 0.173936 x 97.74 = 17.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 40 - LE FLOREDistrict: C039 - FANSHAWE

- A. If school district's total area in square miles <u>77.803230</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>97.74</u> divided by district's total area in square mile <u>77.803230</u> = District's Areal Density <u>1.26</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				0 0 7.5	0 0 00001 00001
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_			9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles <u>77.803230</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 97.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 17.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,081.46 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: 1002 - SPIRO

- If school district's total area in square miles 129.773980 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.081.46 divided by district's total area in square mile 129.773980 = District's В. Areal Density 8.33.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,081.46 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>129.773980</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.081.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: 1003 - HEAVENER

- A. If school district's total area in square miles <u>127.772160</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>853.27</u> divided by district's total area in square mile <u>127.772160</u> = District's Areal Density <u>6.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 853.27

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles 127.772160 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>853.27</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

0.00

EC-5 Cost Factor

9-OHP Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 741.05 = 0.011933 x .2 0.002387 x 741.05 = 1.77

750 Same Year Raw ADM School District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I007 - POCOLA

- A. If school district's total area in square miles <u>31.595410</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>741.05</u> divided by district's total area in square mile <u>31.595410</u> = District's Areal Density <u>23.45</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 741.05

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>31.595410</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 741.05 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 1.77

0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 237.54 = 0.683280 x .2 0.136656 x 237.54 = 32.46

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 40 - LE FLOREDistrict: I016 - LE FLORE

- A. If school district's total area in square miles <u>183.136970</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>237.54</u> divided by district's total area in square mile <u>183.136970</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

137.14 =

Grades	PK4 - 5th	114.14	+	23 =	137.14	(Ca)
Grades	6th - 8th	45.07	+	133 =	178.07	(Cb)
Grades	PK3,9 -OHP	78.33	+	128 =	206.33	(Cc)
		237.54				

0.539595

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_	_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above					
	178.07 = 0.	685124	+ .85 =	1.535124 x	45.07 = 6-8 ADM	69.19 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	206.33 = 1.	415209	+ .78 =	2.195209 x	78.33 = 9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	399.75	divided by distric	ct's Raw ADM	237.54	

- 1.00 = District Cost Factor

+ .85 =

1.389595 x

114.14 =

0.68

158.61

5) (District's Square Miles <u>183.136970</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.33</u>

1.68

- 6) Multiply District Cost Factor (Line 4 above) 0.68 by lessor of the Area Factor (Line 5 above) 0.33 or 1.00 = Isolation Factor 0.22
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 237.54 = Isolation Weight 52.26
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 52.26

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 237 of 541

Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 297.51 = 0.603320 x .2 0.120664 x 297.51 = 35.90

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 40 - LE FLOREDistrict: I017 - CAMERON

- A. If school district's total area in square miles <u>74.821240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>297.51</u> divided by district's total area in square mile <u>74.821240</u> = District's Areal Density <u>3.98</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	= co. +	=	0.850000	Х	0.00 =	_	0.00
								EC-5 ADM		EC-5 Cost Factor
2)	122 divided by "Cb" from al	bove	9							
	0.00	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =		0.00

0.050000 7

0.00 -

6-8 ADM

6-8 Cost Factor

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 297.51

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>74.821240</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 297.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.90

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 238 of 541 Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 749.80 = 0.000267 x .2 0.000053 x 749.80 = 0.04

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I020 - PANAMA

- A. If school district's total area in square miles <u>90.128400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>749.80</u> divided by district's total area in square mile <u>90.128400</u> = District's Areal Density <u>8.32</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
٥)	000 11 11 110 114					

0.850000 x

0.00 =

0.00

Page 239 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 749.80

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>90.128400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>749.80</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.04\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 138.59 0.815213 0.163043 22.60 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I026 - BOKOSHE

- Α. If school district's total area in square miles <u>58.563420</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 138.59 divided by district's total area in square mile 58.563420 = District's Areal В. Density <u>2.37</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	ve					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 138.59 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>58.563420</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 138.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.60

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,165.42 = 0.000000 x .2 0.000000 x 2,165.42 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I029 - POTEAU

- A. If school district's total area in square miles <u>85.026640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,165.42</u> divided by district's total area in square mile <u>85.026640</u> = District's Areal Density <u>25.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>85.026640</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{2.165.42}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

2,165.42

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 460.68 = 0.385760 x .2 0.077152 x 460.68 = 35.54

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 40 - LE FLOREDistrict: 1049 - WISTER

- A. If school district's total area in square miles <u>49.630360</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>460.68</u> divided by district's total area in square mile <u>49.630360</u> = District's Areal Density <u>9.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 460.68

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>49.630360</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 460.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.54

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 507.90 = 0.322800 x .2 0.064560 x 507.90 = 32.79

750 Same Year Small School District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: 1052 - TALIHINA

- A. If school district's total area in square miles <u>71.056660</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>507.90</u> divided by district's total area in square mile <u>71.056660</u> = District's Areal Density <u>7.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 507.90

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>71.056660</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>507.90</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.79

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

218.89 0.708147 0.141629 31.00 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: 1062 - WHITESBORO

- If school district's total area in square miles <u>253.323740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.89</u> divided by district's total area in square mile <u>253.323740</u> = District's Areal В. Density <u>0.86</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

120.02 =

Grades	PK4 - 5th	97.02	+	23 =	120.02	(Ca)
Grades	6th - 8th	43.07	+	133 =	176.07	(Cb)
Grades	PK3,9 -OHP	78.80	+	128 =	206.80	(Cc)
		218.89				

0.616564

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	176.07 =	0.692906	+ .85 =	1.542906 x	43.07 =	66.45
		_	_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.466564 x

+ .85 =

206.80	=	1.411992	+ .78 =	2.191992	X	78.80 =	172.73
						9-OHP ADM	9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 381.47 divided by district's Raw ADM 218.89 1.74 - 1.00 = District Cost Factor 0.74
- 5) (District's Square Miles <u>253.323740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.74 by lessor of the Area Factor (Line 5 above) 0.84 or 1.00 = Isolation Factor 0.62
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.89 = Isolation Weight 135.71
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 135.71

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I067 - HOWE

- A. If school district's total area in square miles <u>31.335750</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>677.19</u> divided by district's total area in square mile <u>31.335750</u> = District's Areal Density <u>21.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

0.00

9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 677.19

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>31.335750</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 677.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.15

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 362.78 0.516293 0.103259 37.46 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 40 - LE FLOREDistrict: I091 - ARKOMA

- If school district's total area in square miles 3.596210 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 362.78 divided by district's total area in square mile 3.596210 = District's Areal В. Density 100.88.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u>.</u>		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>3.596210</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 362.78 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.46

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 41 - LINCOLNDistrict: C005 - WHITE ROCK

- A. If school district's total area in square miles <u>50.614640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>154.45</u> divided by district's total area in square mile <u>50.614640</u> = District's Areal Density <u>3.05</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 154.45

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>50.614640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>154.45</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>24.53</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 247 of 541

Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,111.07 = 0.000000 x .2 0.000000 x 1,111.07 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I001 - CHANDLER

- A. If school district's total area in square miles <u>113.545950</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,111.07</u> divided by district's total area in square mile <u>113.545950</u> = District's Areal Density <u>9.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO-5 ADIVI	LC-5 Cost i actor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,111.07

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>113.545950</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.111.07</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I003 - DAVENPORT

- If school district's total area in square miles <u>78.461440</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 366.66 divided by district's total area in square mile 78.461440 = District's Areal В. Density <u>4.67</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 366.66 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>78.461440</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.66 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.48

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 473.48 = 0.368693 x .2 0.073739 x 473.48 = 34.91

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I004 - WELLSTON

- A. If school district's total area in square miles <u>104.163630</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>473.48</u> divided by district's total area in square mile <u>104.163630</u> = District's Areal Density <u>4.55</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   473.48

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>104.163630</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>473.48</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.91

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 835.74 = 0.000000 x .2 0.000000 x 835.74 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I054 - STROUD

- A. If school district's total area in square miles <u>160.070270</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>835.74</u> divided by district's total area in square mile <u>160.070270</u> = District's Areal Density <u>5.22</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 835.74

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>160.070270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>835.74</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

### Small School and Isolation Weight

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: 1095 - MEEKER

- A. If school district's total area in square miles <u>119.872370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>742.74</u> divided by district's total area in square mile <u>119.872370</u> = District's Areal Density <u>6.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

9 Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 742.74

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>119.872370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 742.74 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>1.44</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 41 - LINCOLNDistrict: I103 - PRAGUE

- A. If school district's total area in square miles <u>139.801090</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,050.42</u> divided by district's total area in square mile <u>139.801090</u> = District's Areal Density <u>7.51</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,050.42

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>139.801090</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.050.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I105 - CARNEY

- If school district's total area in square miles 48.934300 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 215.27 divided by district's total area in square mile 48.934300 = District's Areal В. Density <u>4.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

+ .85 =

+ .78 =

0.00 =9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>48.934300</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 215.27 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 30.70

Report# FB107b Printed: 8/22/2025 6:45:45 AM Privacy Level: Public

0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 290.72 = 0.612373 x .2 0.122475 x 290.72 = 35.61

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 41 - LINCOLNDistrict: I134 - AGRA

- A. If school district's total area in square miles <u>54.941640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>290.72</u> divided by district's total area in square mile <u>54.941640</u> = District's Areal Density <u>5.29</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2) 122 divided by " <u>Cb</u> " fr	om above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 290.72

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>54.941640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 290.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.61

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 42 - LOGANDistrict: I001 - GUTHRIE

- A. If school district's total area in square miles <u>207.694240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,491.14</u> divided by district's total area in square mile <u>207.694240</u> = District's Areal Density <u>16.81</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

3,491.14

0.00

Page 256 of 541

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 207.694240 - 137.86788 ) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.491.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 572.55 = 0.236600 x .2 0.047320 x 572.55 = 27.09

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGANDistrict: I002 - CRESCENT

- A. If school district's total area in square miles <u>136.933650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>572.55</u> divided by district's total area in square mile <u>136.933650</u> = District's Areal Density <u>4.18</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x		
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   572.55

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>136.933650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>572.55</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 27.09

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 228.93 = 0.694760 x .2 0.138952 x 228.93 = 31.81

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 42 - LOGANDistrict: I003 - MULHALL-ORLANDO

- A. If school district's total area in square miles <u>223.711730</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>228.93</u> divided by district's total area in square mile <u>223.711730</u> = District's Areal Density <u>1.02</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

132.95 =

Grades	PK4 - 5th	109.95	+	23 =	132.95	(Ca)
Grades	6th - 8th	60.97	+	133 =	193.97	(Cb)
Grades	PK3,9 -OHP	58.01	+	128 =	186.01	(Cc)
		228.93				

0.556600

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	193.97 =	0.628963	+ .85 =	1.478963	x 60.97 =	90.17
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	186.01 =	1.569808	+ .78 =	2.349808	x 58.01 =	136.31
					9-OHP ADM	9-OHP Cost Factor

1.406600 x

109.95 =

154.66

+ .85 =

- Sum 1 + 2 + 3 from above 381.14 divided by district's Raw ADM 228.93

  = 1.66 1.00 = District Cost Factor 0.66
- 5) (District's Square Miles <u>223.711730</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.62</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 0.62 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>228.93</u> = Isolation Weight <u>93.86</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_ 93.86\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 258 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 340.49 0.546013 0.109203 37.18 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 42 - LOGANDistrict: I014 - COYLE

- If school district's total area in square miles 180.110980 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>340.49</u> divided by district's total area in square mile <u>180.110980</u> = District's Areal В. Density <u>1.89</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

187.08 =

Grades	PK4 - 5th	164.08	+	23 =	 187.08	(Ca)
Grades	6th - 8th	80.11	+	133 =	 213.11	(Cb)
Grades	PK3,9 -OHP	96.30	+	128 =	 224.30	(Cc)
		340.49				

0.395553

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	213.11 =	0.572474	+ .85 =	1.422474 x	80.11 =	113.95
	<del></del>	_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.245553 x

+ .85 =

164.08 =

204.37

EC-5 Cost Factor

- Sum 1 + 2 + 3 from above 518.80 divided by district's Raw ADM 340.49 1.52 - 1.00 = District Cost Factor 0.52
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>180.110980</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.52</u> by lessor of the Area Factor (Line 5 above) <u>0.31</u> or 1.00 = Isolation Factor <u>0.16</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.49 = Isolation Weight 54.48
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 54.48

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 43 - LOVEDistrict: I004 - THACKERVILLE

- A. If school district's total area in square miles <u>60.400440</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>273.64</u> divided by district's total area in square mile <u>60.400440</u> = District's Areal Density <u>4.53</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

5) (District's Square Miles <u>60.400440</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>273.64</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.76

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 333.73 = 0.555027 x .2 0.111005 x 333.73 = 37.05

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 43 - LOVEDistrict: 1005 - TURNER

- A. If school district's total area in square miles <u>237.057970</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>333.73</u> divided by district's total area in square mile <u>237.057970</u> = District's Areal Density <u>1.41</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

187.28 =

Grades	PK4 - 5th	164.28	+	23 =	187.28	(Ca)
Grades	6th - 8th	77.93	+	133 =	210.93	(Cb)
Grades	PK3,9 -OHP	91.52	+	128 =	219.52	(Cc)
		333.73				

0.395130

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	210.93 =	0.578391	+ .85 =	1.428391 x	77.93 =	111.31
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	219.52 =	1.330175	+ .78 =	2.110175 x	91.52 =	193.12
					9-OHP ADM	9-OHP Cost Factor

1.245130 x

204.55

+ .85 =

- 4) Sum 1 + 2 + 3 from above 508.98 divided by district's Raw ADM 333.73

  = 1.53 1.00 = District Cost Factor 0.53
- 5) (District's Square Miles <u>237.057970</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.72</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 0.72 or 1.00 = Isolation Factor 0.38
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 333.73 = Isolation Weight 126.82
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>126.82</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 261 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,137.93 = 0.000000 x .2 0.000000 x 1,137.93 = 11.2200

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 43 - LOVEDistrict: I016 - MARIETTA

- A. If school district's total area in square miles <u>164.609580</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,137.93</u> divided by district's total area in square mile <u>164.609580</u> = District's Areal Density <u>6.91</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,137.93

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>164.609580</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.137.93</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.22

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 340.90 0.545467 0.109093 37.19 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJORDistrict: I001 - RINGWOOD

- If school district's total area in square miles 119.528730 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>340.90</u> divided by district's total area in square mile <u>119.528730</u> = District's Areal В. Density 2.85

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 263 of 541

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 340.90 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>119.528730</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.90 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.19

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 111.72 0.851040 0.170208 19.02 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJORDistrict: I004 - ALINE-CLEO

- If school district's total area in square miles 193.979630 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>111.72</u> divided by district's total area in square mile <u>193.979630</u> = District's Areal В. Density 0.58

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

75.30 =

Grades	PK4 - 5th	52.30	+	23 =	75.30	(Ca)
Grades	6th - 8th	22.93	+	133 =	155.93	(Cb)
Grades	PK3,9 -OHP	36.49	+	128 =	164.49	(Cc)
		111.72				

0.982736

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	155.93 =	0.782402	+ .85 =	1.632402 x	22.93 =	37.43
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.832736 x

52.30 =

+ .85 =

3

- Sum 1 + 2 + 3 from above 226.52 divided by district's Raw ADM 111.72 2.03 - 1.00 = District Cost Factor 1.03
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>193.979630</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 1.03 by lessor of the Area Factor (Line 5 above) 0.41 or 1.00 = Isolation Factor 0.42
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 111.72 = Isolation Weight 46.92
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 46.92

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 750.27 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 44 - MAJORDistrict: I084 - FAIRVIEW

- If school district's total area in square miles 316.805820 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_750.27 divided by district's total area in square mile \_316.805820 = District's Areal В. Density <u>2.37</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

397.71 =

Grades	PK4 - 5th	374.71	+	23 =	397.71	(Ca)
Grades	6th - 8th	168.23	+	133 =	301.23	(Cb)
Grades	PK3,9 -OHP	207.33	+	128 =	335.33	(Cc)
		750.27				

0.186065

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	301.23 =	0.405006	+ .85 =	1.255006 x	168.23 =	211.13
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

1.036065 x

374.71 =

388.22

- Sum 1 + 2 + 3 from above 941.61 divided by district's Raw ADM 750.27 1.26 - 1.00 = District Cost Factor 0.26
- divided by 137.86788 = Area Factor 5) (District's Square Miles <u>316.805820</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0.26 by lessor of the Area Factor (Line 5 above) 1.30 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 750.27 = Isolation Weight 195.07
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 195.07

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 194.49 = 0.740680 x .2 0.148136 x 194.49 = 28.81

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 44 - MAJORDistrict: I092 - CIMARRON

- A. If school district's total area in square miles <u>150.541760</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>194.49</u> divided by district's total area in square mile <u>150.541760</u> = District's Areal Density <u>1.29</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

129.50 =

Grades	PK4 - 5th	106.50	+	23 =	129.50	(Ca)
Grades	6th - 8th	38.06	+	133 =	171.06	(Cb)
Grades	PK3,9 -OHP	49.93	+	128 =	177.93	(Cc)
		194.49				

0.571429

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	171.06 =	0.713200	+ .85 =	1.563200 x	38.06 =	59.50
					6-8 ADM	6-8 Cost Factor

+ .85 =

1.421429 x

106.50 =

151.38

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 331.77 divided by district's Raw ADM 194.49

= 1.71 - 1.00 = District Cost Factor 0.71

- 5) (District's Square Miles <u>150.541760</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.09</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 0.09 or 1.00 = Isolation Factor 0.06
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 194.49 = Isolation Weight 11.67
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>28.81</u>

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 - 1,757.86 = 0.000000 x .2 0.000000 x 1,757.86 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALLDistrict: 1002 - MADILL

- A. If school district's total area in square miles <u>257.705180</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,757.86</u> divided by district's total area in square mile <u>257.705180</u> = District's Areal Density <u>6.82</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,757.86

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>257.705180</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.757.86</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 45 - MARSHALLDistrict: 1003 - KINGSTON

- If school district's total area in square miles 169.229740 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,227.81 divided by district's total area in square mile 169.229740 = District's В. Areal Density 7.26.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

0.00

0.00

EC-5 Cost Factor

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,227.81 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>169.229740</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.227.81 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 268 of 541 Privacy Level: Public

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

115.31 0.846253 0.169251 19.52 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYESDistrict: C035 - WICKLIFFE

- If school district's total area in square miles 20.489790 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 115.31 divided by district's total area in square mile 20.489790 = District's Areal В. Density <u>5.63</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>20.489790</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 115.31 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 19.52

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYESDistrict: C043 - OSAGE

- If school district's total area in square miles 33.500980 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 93.06 divided by district's total area in square mile 33.500980 = District's Areal В. Density <u>2.78</u>.

+ .85 =

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					LO 3 ADIVI	EO 5 003t 1 actor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

FC-5 Cost Factor

- 0.00 divided by district's Raw ADM 93.06 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>33.500980</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.06 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 16.30

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,891.59 = 0.000000 x .2 0.000000 x 2,891.59 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYESDistrict: I001 - PRYOR

- A. If school district's total area in square miles <u>99.395730</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,891.59</u> divided by district's total area in square mile <u>99.395730</u> = District's Areal Density <u>29.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

0.00

6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,891.59

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles 99.395730 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.891.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,032.80 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYESDistrict: 1002 - ADAIR

- If school district's total area in square miles 162.027670 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,032.80 divided by district's total area in square mile 162.027670 = District's В. Areal Density 6.37.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
3)	292 divided by "Cc" from above				6-6 ADIVI	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,032.80 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>162.027670</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.032.80 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

**EC-5 Cost Factor** 

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 46 - MAYESDistrict: I016 - SALINA

- A. If school district's total area in square miles <u>78.956220</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>763.65</u> divided by district's total area in square mile <u>78.956220</u> = District's Areal Density <u>9.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 763.65

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>78.956220</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 763.65 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

1,176.09 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 46 - MAYESDistrict: I017 - LOCUST GROVE

- If school district's total area in square miles 152.547330 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,176.09 divided by district's total area in square mile 152.547330 = District's В. Areal Density 7.71

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_		_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,176.09 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>152.547330</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.176.09 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 821.20 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 46 - MAYESDistrict: I032 - CHOUTEAU-MAZIE

- If school district's total area in square miles 135.263620 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>821.20</u> divided by district's total area in square mile <u>135.263620</u> = District's Areal В. Density <u>6.07</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>135.263620</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 821.20 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,633.26 = 0.000000 x .2 0.000000 x 2,633.26 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 47 - MCCLAINDistrict: I001 - NEWCASTLE

- A. If school district's total area in square miles <u>54.662090</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.633.26</u> divided by district's total area in square mile <u>54.662090</u> = District's Areal Density <u>48.17</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

2,633.26

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 54.662090 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.633.26</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 768.68 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAINDistrict: 1002 - DIBBLE

- If school district's total area in square miles <u>73.346720</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>768.68</u> divided by district's total area in square mile <u>73.346720</u> = District's Areal В. Density 10.48.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 768.68 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>73.346720</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 768.68 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,219.13 = 0.000000 x .2 0.000000 x 1,219.13 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 47 - MCCLAINDistrict: I005 - WASHINGTON

- A. If school district's total area in square miles <u>96.197350</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.219.13</u> divided by district's total area in square mile <u>96.197350</u> = District's Areal Density <u>12.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,219.13

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>96.197350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.219.13</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 47 - MCCLAINDistrict: I010 - WAYNE

- If school district's total area in square miles 184.871200 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 462.03 divided by district's total area in square mile 184.871200 = District's Areal В. Density 2.50

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>184.871200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 462.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.48

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 - 1,463.04 = 0.000000 x .2 0.000000 x 1,463.04 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 47 - MCCLAINDistrict: I015 - PURCELL

- A. If school district's total area in square miles <u>41.661240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,463.04</u> divided by district's total area in square mile <u>41.661240</u> = District's Areal Density <u>35.12</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1,463.04

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 41.661240 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.463.04</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 280 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,244.11 = 0.000000 x .2 0.000000 x 2,244.11 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 47 - MCCLAINDistrict: I029 - BLANCHARD

- A. If school district's total area in square miles <u>62.323820</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.244.11</u> divided by district's total area in square mile <u>62.323820</u> = District's Areal Density <u>36.01</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

Page 281 of 541

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,244.11

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>62.323820</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.244.11</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 163.42 = 0.782107 x .2 0.156421 x 163.42 = 25.56

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: C001 - FOREST GROVE

- A. If school district's total area in square miles <u>44.221160</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>163.42</u> divided by district's total area in square mile <u>44.221160</u> = District's Areal Density <u>3.70</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_	'	6 8 VDM	6.9 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 163.42

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>44.221160</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>163.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_25.56\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.514520 0.102904 37.47 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: C009 - LUKFATA

- If school district's total area in square miles 22.626010 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 364.11 divided by district's total area in square mile 22.626010 = District's Areal В. Density 16.09 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>22.626010</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 364.11 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.47

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 64.02 = 0.914640 x .2 0.182928 x 64.02 = 11.71

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAINDistrict: C023 - GLOVER

- A. If school district's total area in square miles <u>27.805410</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>64.02</u> divided by district's total area in square mile <u>27.805410</u> = District's Areal Density <u>2.30</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO-3 ADIVI	LO-3 COSt i actor
2) 12	22 divided by "Cb" from abo	ve				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

0.00

6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 64.02

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>27.805410</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 64.02 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 11.71

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: C037 - DENISON

- A. If school district's total area in square miles <u>27.689190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>292.16</u> divided by district's total area in square mile <u>27.689190</u> = District's Areal Density <u>10.55</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

+ .85 =

= 0.00 - 1.00 = District Cost Factor

0.00

5) (District's Square Miles <u>27.689190</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>292.16</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.67

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 227.33 = 0.696893 x .2 0.139379 x 227.33 = 31.69

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: C072 - HOLLY CREEK

- A. If school district's total area in square miles <u>34.816650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>227.33</u> divided by district's total area in square mile <u>34.816650</u> = District's Areal Density <u>6.53</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00
	_		_				•	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove							
	0.00 =	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =	0.00

6-8 ADM

6-8 Cost Factor

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 227.33

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>34.816650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>227.33</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.69

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,238.64 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 48 - MCCURTAINDistrict: 1005 - IDABEL

- Α. If school district's total area in square miles 127.076500 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,238.64 divided by district's total area in square mile 127.076500 = District's В. Areal Density 9.75.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	202 divided by "Cc" from above				0-0 ADIVI	0-0 COSt Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,238.64 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>127.076500</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.238.64 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 448.46 0.402053 0.080411 36.06 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: 1006 - HAWORTH

- If school district's total area in square miles 281.115730 is greater than the state average area in square miles 137.86788, go to next A. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 448.46 divided by district's total area in square mile 281.115730 = District's Areal В. Density <u>1.60</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	188.79	+	23 =	211.79	(Ca)
Grades	6th - 8th	104.56	+	133 =	237.56	(Cb)
Grades	PK3,9 -OHP	155.11	+	128 =	283.11	(Cc)
		448.46				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	211.79 =	0.349403	+ .85 =	1.199403 x	188.79 =	226.44
		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	237.56 =	0.513554	+ .85 =	1.363554 x	104.56 =	142.57

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 649.98 divided by district's Raw ADM 448.46 1.45 - 1.00 = District Cost Factor 0.45

- (District's Square Miles <u>281.115730</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.04</u>
- Multiply District Cost Factor (Line 4 above) <u>0.45</u> by lessor of the Area Factor (Line 5 above) <u>1.04</u> or 1.00 = Isolation Factor <u>0.45</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 448.46 = Isolation Weight 201.81
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 201.81

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 288 of 541

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 902.48 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 48 - MCCURTAINDistrict: I011 - VALLIANT

- If school district's total area in square miles 152.109040 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 902.48 divided by district's total area in square mile 152.109040 = District's Areal В. Density <u>5.93</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
3)	292 divided by "Cc" from above				6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 902.48 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>152.109040</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 902.48 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 150.50 = 0.799333 x .2 0.159867 x 150.50 = 24.06

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 48 - MCCURTAINDistrict: I013 - EAGLETOWN

- A. If school district's total area in square miles <u>299.563400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>150.50</u> divided by district's total area in square mile <u>299.563400</u> = District's Areal Density <u>0.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

96.82 =

Grades	PK4 - 5th	73.82	+	23 =	96.82	(Ca)
Grades	6th - 8th	28.96	+	133 =	161.96	(Cb)
Grades	PK3,9 -OHP	47.72	+	128 =	175.72	(Cc)
		150.50				

0.764305

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	161.96 =	0.753272	+ .85 =	1.603272 x	28.96 =	46.43
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

73.82 =

119.17

+ .85 =

- 4) Sum 1 + 2 + 3 from above 282.12 divided by district's Raw ADM 150.50

  = 1.87 1.00 = District Cost Factor 0.87
- 5) (District's Square Miles <u>299.563400</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>1.17</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.87 by lessor of the Area Factor (Line 5 above) 1.17 or 1.00 = Isolation Factor 0.87
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 150.50 = Isolation Weight 130.94
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 130.94

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 290 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 269.41 = 0.640787 x .2 0.128157 x 269.41 = 34.53

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 48 - MCCURTAINDistrict: I014 - SMITHVILLE

- A. If school district's total area in square miles <u>383.894250</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>269.41</u> divided by district's total area in square mile <u>383.894250</u> = District's Areal Density <u>0.70</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

166.43 =

Grades	PK4 - 5th	143.43	+	23 =	166.43	(Ca)
Grades	6th - 8th	55.47	+	133 =	188.47	(Cb)
Grades	PK3,9 -OHP	70.51	+	128 =	198.51	(Cc)
		269.41				

0.444631

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	188.47 = 0.64	7318 + .8	35 =	1.497318	55.47 = 6-8 ADM	= 83.06 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	198.51 = 1.470	0959 + .7	78 =	2.250959	9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 42	7.47 divid	ed by district's Raw	/ ADM	269.41	

1.294631 x

143.43 =

0.59

185.69

+ .85 =

5) (District's Square Miles <u>383.894250</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.78</u>

1.59

6) Multiply District Cost Factor (Line 4 above) <u>0.59</u> by lessor of the Area Factor (Line 5 above) <u>1.78</u> or 1.00 = Isolation Factor <u>0.59</u>

- 1.00 = District Cost Factor

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>269.41</u> = Isolation Weight <u>158.95</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>158.95</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 -	495.27	_ =	0.339640	X	.2	0.067928	Х	495.27	_ = _	33.64
	750		_					Same Year Raw ADM		Small School District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 48 - MCCURTAINDistrict: 1039 - WRIGHT CITY

- A. If school district's total area in square miles <u>165.874810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>495.27</u> divided by district's total area in square mile <u>165.874810</u> = District's Areal Density <u>2.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

0.00 =

1) 74 divided by "Ca" from above

4) Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		_		_	9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

495.27

0.00

+ .85 =

5) (District's Square Miles <u>165.874810</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 495.27 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.64

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 218.49 0.708680 0.141736 30.97 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 48 - MCCURTAINDistrict: 1071 - BATTIEST

- If school district's total area in square miles 397.220200 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>218.49</u> divided by district's total area in square mile <u>397.220200</u> = District's Areal В. Density 0.55

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

115.54 =

Grades	PK4 - 5th	92.54	+	23 =	115.54	(Ca)
Grades	6th - 8th	60.88	+	133 =	193.88	(Cb)
Grades	PK3,9 -OHP	65.07	+	128 =	193.07	(Cc)
		218.49				

0.640471

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	193.88 =	0.629255	+ .85 =	1.479255 x	60.88 =	90.06
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.490471 x

137.93

EC-5 Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 377.16 divided by district's Raw ADM 218.49 1.73 - 1.00 = District Cost Factor 0.73

- divided by 137.86788 = Area Factor (District's Square Miles <u>397.220200</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) <u>0.73</u> by lessor of the Area Factor (Line 5 above) <u>1.88</u> or 1.00 = Isolation Factor <u>0.73</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 218.49 = Isolation Weight 159.50
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 159.50

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 293 of 541

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,559.67 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 48 - MCCURTAINDistrict: 1074 - BROKEN BOW

- If school district's total area in square miles 213.768170 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,559.67 divided by district's total area in square mile 213.768170 = District's В. Areal Density 7.30.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above	;				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above	•				

0.850000 x

0.00 =

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

0.000000

				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by district's Raw ADM	1,559.67	

+ .78 =

- 0.00 - 1.00 = District Cost Factor (District's Square Miles <u>213.768170</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.559.67 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

0.928280 0.185656 9.99 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSHDistrict: C003 - RYAL

- If school district's total area in square miles 18.053540 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 53.79 divided by district's total area in square mile 18.053540 = District's Areal В. Density 2.98 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				O O ADIVI	0 0 00st i actor

0.850000 x

0.00 =

0.00

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>18.053540</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 53.79 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 9.99

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 102.29 0.863613 0.172723 17.67 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSHDistrict: C016 - STIDHAM

- If school district's total area in square miles 62.703230 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 102.29 divided by district's total area in square mile 62.703230 = District's Areal В. Density <u>1.63</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>62.703230</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 102.29 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 17.67

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,172.82 = 0.000000 x .2 0.000000 x 1,172.82 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSHDistrict: 1001 - EUFAULA

- A. If school district's total area in square miles <u>140.226830</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,172.82</u> divided by district's total area in square mile <u>140.226830</u> = District's Areal Density <u>8.36</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		<u> </u>	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,172.82 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>140.226830</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.172.82</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,391.33 = 0.000000 x .2 0.000000 x 1,391.33 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 49 - MCINTOSHDistrict: I019 - CHECOTAH

- A. If school district's total area in square miles <u>282.707070</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,391.33</u> divided by district's total area in square mile <u>282.707070</u> = District's Areal Density <u>4.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2) 122 divided by "Cb" from above			
0.00 = 0.000000 + .85 =	0.850000 x	0.00 =	0.00
		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,391.33 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>282.707070</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{1.391.33}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 211.69 = 0.717747 x .2 0.143549 x 211.69 = 30.39

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 49 - MCINTOSHDistrict: 1027 - MIDWAY

- A. If school district's total area in square miles <u>108.988200</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>211.69</u> divided by district's total area in square mile <u>108.988200</u> = District's Areal Density <u>1.94</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	0.00 = 6-8 ADM	0.00 6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 211.69

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>108.988200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>211.69</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.39

0.00

EC-5 Cost Factor

0.00 =

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 60.14 = 0.919813 x .2 0.183963 x 60.14 = 11.06

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 49 - MCINTOSHDistrict: 1064 - HANNA

- A. If school district's total area in square miles <u>111.906740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>60.14</u> divided by district's total area in square mile <u>111.906740</u> = District's Areal Density <u>0.54</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   60.14

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>111.906740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 60.14 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>11.06</u>

0.00

6-8 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

1,474.53 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAYDistrict: I001 - SULPHUR

- If school district's total area in square miles 144.747020 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,474.53 divided by district's total area in square mile 144.747020 = District's В. Areal Density 10.19.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 301 of 541

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,474.53 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>144.747020</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.474.53 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 50 - MURRAYDistrict: I010 - DAVIS

- A. If school district's total area in square miles <u>229.331650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>865.40</u> divided by district's total area in square mile <u>229.331650</u> = District's Areal Density <u>3.77</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			EC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above			
	0.00 = 0.000000 + .85 =	0.850000	x 0.00 =	0.00
			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   865.40

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>229.331650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>865.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 51 - MUSKOGEEDistrict: C009 - WAINWRIGHT

- A. If school district's total area in square miles <u>55.370390</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>73.63</u> divided by district's total area in square mile <u>55.370390</u> = District's Areal Density <u>1.33</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ 78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 73.63

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>55.370390</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 73.63 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 13.28

Report# FB107b Privacy Level: Public

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.029707 0.005941 4.32 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 51 - MUSKOGEEDistrict: 1002 - HASKELL

- If school district's total area in square miles 146.479050 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>727.72</u> divided by district's total area in square mile <u>146.479050</u> = District's Areal В. Density <u>4.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>146.479050</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 727.72 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 4.32

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,748.36 = 0.000000 x .2 0.000000 x 1,748.36 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 51 - MUSKOGEEDistrict: I003 - FORT GIBSON

- A. If school district's total area in square miles <u>57.042430</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,748.36</u> divided by district's total area in square mile <u>57.042430</u> = District's Areal Density <u>30.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abov	re					
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

Page 305 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,748.36 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>57.042430</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.748.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 276.18 = 0.631760 x .2 0.126352 x 276.18 = 34.90

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 51 - MUSKOGEEDistrict: 1006 - WEBBERS FALLS

- A. If school district's total area in square miles <u>89.345350</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>276.18</u> divided by district's total area in square mile <u>89.345350</u> = District's Areal Density <u>3.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Paw ADM 276.18

 9 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 276.18

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>89.345350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>276.18</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.90

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

750 - 661.95 = 0.117400 x .2 0.023480 x 661.95 = 15.54

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEEDistrict: 1008 - OKTAHA

- A. If school district's total area in square miles <u>67.712470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>661.95</u> divided by district's total area in square mile <u>67.712470</u> = District's Areal Density <u>9.78</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		<u> </u>	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 661.95

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles  $\underline{67.712470}$   $\underline{137.86788}$ ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 661.95 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 

   <u>15.54</u>

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 4,805.51 = 0.000000 x .2 0.000000 x 4,805.51 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 51 - MUSKOGEEDistrict: I020 - MUSKOGEE

- A. If school district's total area in square miles <u>133.602390</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4.805.51</u> divided by district's total area in square mile <u>133.602390</u> = District's Areal Density <u>35.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 4,805.51

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>133.602390</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>4.805.51</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,008.10 = 0.000000 x .2 0.000000 x 2,008.10 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 51 - MUSKOGEEDistrict: 1029 - HILLDALE

- A. If school district's total area in square miles <u>27.341880</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.008.10</u> divided by district's total area in square mile <u>27.341880</u> = District's Areal Density <u>73.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,008.10

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>27.341880</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.008.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

139.97 0.813373 0.162675 22.77 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEEDistrict: I046 - BRAGGS

- If school district's total area in square miles 77.229840 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 139.97 divided by district's total area in square mile 77.229840 = District's Areal В. Density <u>1.81</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000 x

0.00 =

0.00 =

+ .85 =

+ .78 =

				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above		 	 	

- divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>77.229840</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 139.97 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 22.77

0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 819.96 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEEDistrict: 1074 - WARNER

- Α. If school district's total area in square miles <u>84.170280</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 819.96 divided by district's total area in square mile 84.170280 = District's Areal В. Density <u>9.74</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 819.96 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>84.170280</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 819.96 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 51 - MUSKOGEEDistrict: I088 - PORUM

- A. If school district's total area in square miles <u>101.097190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>410.62</u> divided by district's total area in square mile <u>101.097190</u> = District's Areal Density <u>4.06</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
			•		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 410.62

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>101.097190</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 410.62 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.16

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

1,017.35 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLEDistrict: I001 - PERRY

- If school district's total area in square miles 199.253720 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.017.35 divided by district's total area in square mile 199.253720 = District's В. Areal Density 5.11

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,017.35 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>199.253720</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.017.35 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLEDistrict: I002 - BILLINGS

- If school district's total area in square miles 183.479140 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>77.30</u> divided by district's total area in square mile <u>183.479140</u> = District's Areal В. Density <u>0.42</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

50.03 =

Grades	PK4 - 5th	27.03	+	23 =	50.03	(Ca)
Grades	6th - 8th	24.23	+	133 =	157.23	(Cb)
Grades	PK3,9 -OHP	26.04	+	128 =	154.04	(Cc)
		77.30				

1.479113

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_	· · · · · · · · · · · · · · · · · · ·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	157.23 = 0.77593	3 + .85 =	1.625933 x	24.23 =	39.40
		_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				

27.03 =

+ .85 =

Sum 1 + 2 + 3 from above 172.03 divided by district's Raw ADM 2.23 - 1.00 = District Cost Factor 1.23

- (District's Square Miles <u>183.479140</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 1.23 by lessor of the Area Factor (Line 5 above) 0.33 or 1.00 = Isolation Factor 0.41
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 77.30 = Isolation Weight 31.69
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 31.69

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 52 - NOBLEDistrict: I004 - FRONTIER

- A. If school district's total area in square miles <u>261.758260</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>340.35</u> divided by district's total area in square mile <u>261.758260</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

203.09 =

Grades	PK4 - 5th	180.09	+	23 =	203.09	(Ca)
Grades	6th - 8th	76.41	+	133 =	209.41	(Cb)
Grades	PK3,9 -OHP	83.85	+	128 =	211.85	(Cc)
		340.35				

0.364370

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	209.41 =	0.582589	+ .85 =	1.432589 x	76.41 =	109.46 6-8 Cost Factor
3)	292 divided by "Cc" from above				0-6 ADIVI	0-0 Cost r actor
	211.85 =	1.378334	+ .78 =	2.158334 x	83.85 =	180.98

1.214370 x

180.09 =

9-OHP ADM

218.70

9-OHP Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 509.14 divided by district's Raw ADM 340.35

= 1.50 - 1.00 = District Cost Factor 0.50

- 5) (District's Square Miles <u>261.758260</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>0.90</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.50 by lessor of the Area Factor (Line 5 above) 0.90 or 1.00 = Isolation Factor 0.45
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 340.35 = Isolation Weight 153.16
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>153.16</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 315 of 541

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 52 - NOBLEDistrict: 1006 - MORRISON

- If school district's total area in square miles 146.894280 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 628.56 divided by district's total area in square mile 146.894280 = District's Areal В. Density <u>4.28</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ 85 =	0.850000 x	0.00 =	0.00

6-8 Cost Factor

Page 316 of 541

6-8 ADM

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 628.56 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>146.894280</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 628.56 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 20.36

Report# FB107b Printed: 8/22/2025 6:45:45 AM Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 590.85 = 0.212200 x .2 0.042440 x 590.85 = 25.08

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 53 - NOWATADistrict: I003 - OKLAHOMA UNION

- A. If school district's total area in square miles <u>307.747990</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>590.85</u> divided by district's total area in square mile <u>307.747990</u> = District's Areal Density <u>1.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

288.17 =

Grades	PK4 - 5th	265.17	+	23 =	288.17	(Ca)
Grades	6th - 8th	144.95	+	133 =	277.95	(Cb)
Grades	PK3,9 -OHP	180.73	+	128 =	308.73	(Cc)
		590.85				

0.256793

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	277.95 =	0.438928	+ .85 =	1.288928	x144.95_=	186.83
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	308.73 =	0.945810	+ .78 =	1.725810	x 180.73 =	311.91
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.106793 x

265.17 =

590.85

0.34

293.49

+ .85 =

5) (District's Square Miles <u>307.747990</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.23</u>

792.23

1.34

- 6) Multiply District Cost Factor (Line 4 above) <u>0.34</u> by lessor of the Area Factor (Line 5 above) <u>1.23</u> or 1.00 = Isolation Factor <u>0.34</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>590.85</u> = Isolation Weight <u>200.89</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 200.89

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 317 of 541

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 737.02 = 0.017307 x .2 0.003461 x 737.02 = 2.55

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 53 - NOWATADistrict: I040 - NOWATA

- A. If school district's total area in square miles <u>197.579710</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>737.02</u> divided by district's total area in square mile <u>197.579710</u> = District's Areal Density <u>3.73</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above						
	0.00 = 0.00	0000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 737.02

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>197.579710</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>737.02</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 2.55

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 245.39 = 0.672813 x .2 0.134563 x 245.39 = 33.02

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

## County: 53 - NOWATADistrict: 1051 - SOUTH COFFEYVILLE

- A. If school district's total area in square miles <u>59.381560</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>245.39</u> divided by district's total area in square mile <u>59.381560</u> = District's Areal Density <u>4.13</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 -	0.000000	± 78 –	0.780000 v	0.00 -	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 245.39

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>59.381560</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>245.39</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.02

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 319 of 541

Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 140.79 = 0.812280 x .2 0.162456 x 140.79 = 22.87

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 54 - OKFUSKEEDistrict: C029 - BEARDEN

- A. If school district's total area in square miles <u>71.822230</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>140.79</u> divided by district's total area in square mile <u>71.822230</u> = District's Areal Density <u>1.96</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

 $\cap \cap \cap$ 

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .00	=	0.650000	Χ_	0.00	= .	0.00
		•	_				-	EC-5 ADM	-	EC-5 Cost Factor
2)	122 divided by "Cb" from all	oove	;							
	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00	=	0.00

0.050000 7

0.00 -

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 140.79

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>71.822230</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>140.79</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 22.87

6-8 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 246.58 0.671227 0.134245 33.10 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEEDistrict: 1002 - MASON

- Α. If school district's total area in square miles 112.528260 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>246.58</u> divided by district's total area in square mile <u>112.528260</u> = District's Areal В. Density <u>2.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 246.58 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>112.528260</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 246.58 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.10

Report# FB107b Privacy Level: Public 0.00

EC-5 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 202.73 0.729693 0.145939 29.59 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEEDistrict: I014 - PADEN

- Α. If school district's total area in square miles 102.815530 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 202.73 divided by district's total area in square mile 102.815530 = District's Areal В. Density <u>1.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>102.815530</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 202.73 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.59

0.00

EC-5 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 54 - OKFUSKEEDistrict: I026 - OKEMAH

- If school district's total area in square miles 164.904530 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_761.28 divided by district's total area in square mile \_164.904530 = District's Areal В. Density 4.62

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				O O ALDINI	0 0 0031 1 00101

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>164.904530</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 761.28 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 381.85 = 0.490867 x .2 0.098173 x 381.85 = 37.49

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 54 - OKFUSKEEDistrict: I031 - WELEETKA

- A. If school district's total area in square miles <u>147.170510</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>381.85</u> divided by district's total area in square mile <u>147.170510</u> = District's Areal Density <u>2.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LOOMDIN	EO 0 000t 1 doto1
2)	122 divided by "Cb" from above	Э				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   381.85

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>147.170510</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>381.85</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.49

0.00

FC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: C029 - OAKDALE

- If school district's total area in square miles <u>8.965340</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_714.02 divided by district's total area in square mile \_8.965340 = District's Areal В. Density <u>79.64</u>.

+ .85 =

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					LO-5 ADIVI	LO-5 Cost i actor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

0.00

FC-5 Cost Factor

0.00 5) (District's Square Miles <u>8.965340</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 714.02 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 6.85

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 383.61 = 0.488520 x .2 0.097704 x 383.61 = 37.48

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: C074 - CRUTCHO

- A. If school district's total area in square miles <u>5.552640</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>383.61</u> divided by district's total area in square mile <u>5.552640</u> = District's Areal Density <u>69.09</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-9 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 383.61

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>5.552640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>383.61</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.48

Report# FB107b Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

2024		NI A	١A
ZUZ4	ГΙ	INA	AL

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E003 - HUPFELD CHARTER ACADEMY at WESTERN VILLAGE

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>282.38</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			·	

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

 0.00
 =
 0.000000
 + .78
 =
 0.780000
 x
 0.00
 =
 0.00

 9-OHP ADM
 9-OHP Cost Factor

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 282.38

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>282.38</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E012 - KIPP OKC COLLEGE PREP CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>447.70</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 447.70

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 447.70 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E026 - WESTERN GATEWAY CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>273.42</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>273.42</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 769.14 = 0.000000 x .2 0.000000 x 769.14 = 0

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E028 - JOHN REX CHARTER SCHOOL

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>769.14</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 769.14

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0.000000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>769.14</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E030 - HARDING CHARTER PREPARATORY SCHOOL

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>938.14</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

938.14 Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 938.14 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>0.000000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>938.14</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: E035 - OKLAHOMA PUBLIC MONTESSORI INITIATIVE

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>0.00</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	trict's Raw ADM	0.00	

- 1.00 = District Cost Factor

5) (District's Square Miles 0 - 137.86788) divided by 137.86788 =Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 0.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 332 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

2024	FI	N	AL
------	----	---	----

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: G004 - ASTEC CHARTER SCHOOL

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.232.19 divided by district's total area in square mile 0 = District's Areal Density \_ В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

+ .78 =

0.850000 x

0.780000

0.00 =

0.00 =

0.00

0.00

EC-5 Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by 0 <u>137.86788</u> = Area Factor

0.000000

Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1,232.19 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: G009 - DOVE SCHOOLS OF OKC

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,937.25</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,937.25

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0.000000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.937.25</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: G010 - WK JACKSON LEADERSHIP CHARTER ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>115.67</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 115.67

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>115.67</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: G011 - HARDING FINE ARTS CHARTER ACADEMY

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>388.75</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Paw ADM 388.75

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 388.75

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>0.000000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 388.75 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 336 of 541

Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 4,248.66 = 0.000000 x .2 0.000000 x 4,248.66 = 0

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: G021 - SANTA FE SOUTH CHARTER

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>4,248.66</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	 0.00	(Ca)
Grades	6th - 8th	0	+	133 =	 0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	 0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

4,248.66

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 0.000000 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\frac{4.248.66}{1.00}$  = Isolation Weight  $\frac{0.00}{1.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 18,641.49 0.000000 0.000000 0.00 750 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: I001 - PUTNAM CITY

- If school district's total area in square miles 42.784200 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 18,641.49 divided by district's total area in square mile 42.784200 = District's В. Areal Density 435.71

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LOOMDIN	EO 0 000t 1 d0t01
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
3)	292 divided by "Cc" from above				6-8 ADM	6-8 Cost Factor
5)	202 dividua 5, <u>00</u> Hom above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 18,641.49 0.00 - 1.00 = District Cost Factor 0
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>42.784200</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 18.641.49 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 338 of 541

Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 822.33 = 0.000000 x .2 0.000000 x 822.33 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: 1003 - LUTHER

- A. If school district's total area in square miles <u>132.728710</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>822.33</u> divided by district's total area in square mile <u>132.728710</u> = District's Areal Density <u>6.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 -	0.00000	. 95 –	0.850000 v	0.00 -	0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 822.33 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>132.728710</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>822.33</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

6-8 Cost Factor

6-8 ADM

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 5,795.87 = 0.000000 x .2 0.000000 x 5,795.87 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: I004 - CHOCTAW-NICOMA PARK

- A. If school district's total area in square miles <u>57.985310</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5,795.87</u> divided by district's total area in square mile <u>57.985310</u> = District's Areal Density <u>99.95</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 5,795.87

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>57.985310</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>5.795.87</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

7,890.81 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: 1006 - DEER CREEK

- If school district's total area in square miles 71.391140 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_7,890.81 divided by district's total area in square mile \_71.391140 = District's Areal В. Density 110.53.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.00 = 0.00000	00 + .85	= 0.850000	x 0.00 =	0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				
	0.00 = 0.00000	00 + .78 :	= 0.780000	x 0.00 =	0.00
				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 0.0	00 divided b	by district's Raw ADM	7,890.81	

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

5) (District's Square Miles <u>71.391140</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 7.890.81 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

2,073.78 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: 1007 - HARRAH

- If school district's total area in square miles 64.548340 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,073.78 divided by district's total area in square mile 64.548340 = District's Areal В. Density 32.13.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above				
	0.00 = 0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				
	0.00 = 0.000000	+ .78 =	0.780000 x	0.00 =	0.00
				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 0.00	divided by district's Rav	v ADM	2,073.78	

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>64.548340</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.073.78 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,128.37 = 0.000000 x .2 0.000000 x 1,128.37 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: 1009 - JONES

- A. If school district's total area in square miles <u>51.597610</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,128.37</u> divided by district's total area in square mile <u>51.597610</u> = District's Areal Density <u>21.87</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3/	202 divided by "Co" from above				0-0 ADIVI	0-6 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,128.37

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>51.597610</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.128.37</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: I012 - EDMOND

- A. If school district's total area in square miles <u>128.846960</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>25.825.06</u> divided by district's total area in square mile <u>128.846960</u> = District's Areal Density <u>200.43</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

from above					
0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				6-8 ADM	6-8 Cost Factor
		0.00 = 0.000000	0.00 = 0.000000 + .85 =	0.00 = 0.000000 + .85 = 0.850000 x	0.00 = 0.000000 + .85 = 0.850000 x 0.00 = 6-8 ADM

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 25,825.06

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>128.846960</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>25.825.06</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 344 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: 1037 - MILLWOOD

- A. If school district's total area in square miles <u>9.079590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,074.40</u> divided by district's total area in square mile <u>9.079590</u> = District's Areal Density <u>118.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,074.40

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>9.079590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.074.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: I041 - WESTERN HEIGHTS

- A. If school district's total area in square miles <u>25.783830</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.837.44</u> divided by district's total area in square mile <u>25.783830</u> = District's Areal Density <u>110.05</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 346 of 541

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Paw ADM 2.837.44

9 Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,837.44

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles  $\underline{25.783830}$   $\underline{137.86788}$  ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.837.44</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: I052 - MIDWEST CITY-DEL CITY

- A. If school district's total area in square miles <u>70.371390</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>12,297.72</u> divided by district's total area in square mile <u>70.371390</u> = District's Areal Density <u>174.75</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 12,297.72

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>70.371390</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12,297.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,248.32 = 0.000000 x .2 0.000000 x 1,248.32 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: 1053 - CROOKED OAK

- A. If school district's total area in square miles <u>4.418360</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,248.32</u> divided by district's total area in square mile <u>4.418360</u> = District's Areal Density <u>282.53</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,248.32

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>4.418360</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.248.32</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,770.08 = 0.000000 x .2 0.000000 x 1,770.08 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 55 - OKLAHOMADistrict: 1088 - BETHANY

- A. If school district's total area in square miles <u>0.713480</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,770.08</u> divided by district's total area in square mile <u>0.713480</u> = District's Areal Density <u>2480.91</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
2)						

+ .85 =

3) 292 divided by "Cc" from above

- 5) (District's Square Miles <u>0.713480</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1,770.08</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

0.00 =

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: 1089 - OKLAHOMA CITY

- A. If school district's total area in square miles <u>134.211740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>32,732.89</u> divided by district's total area in square mile <u>134.211740</u> = District's Areal Density <u>243.89</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

9-OHP ADM

0.00

0.00

EC-5 Cost Factor

9-OHP Cost Factor

0.00 = 0.000000 + .78 = 0.780000 x 0.00 =

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 32,732.89

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>134.211740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 32,732.89 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 350 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 46.58 = 0.937893 x .2 0.187579 x 46.58 = 0

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: J001 - OKLAHOMA YOUTH ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>46.58</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 46.58

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 46.58 = Isolation Weight 0.00

0.00

0.00 =

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: J002 - ACADEMIES OF OKLAHOMA CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>221.18</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   221.18

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 221.18 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

2024	FI	N	AL
------	----	---	----

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: J003 - LE MONDE INTERNATIONAL CHARTER

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 387.51 divided by district's total area in square mile 0 = District's Areal Density 0 В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

- 1.00 = District Cost Factor

0.850000 x

0.00 =

9-OHP ADM

0

0.00

EC-5 Cost Factor

9-OHP Cost Factor Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM

+ .85 =

(District's Square Miles <u>0</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0

0.00

Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 387.51 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

2024	FI	N	AL
------	----	---	----

Raw ADM

750 3,491.89 0.000000 0.000000 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z002 - OKLAHOMA VIRTUAL CHARTER ACADEMY

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3.491.89 divided by district's total area in square mile 0 = District's Areal Density \_ В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,491.89 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.491.89 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z003 - OKLAHOMA CONNECTIONS ACADEMY CHARTER VIRTUAL

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.213.89 divided by district's total area in square mile 0 = District's Areal Density \_ В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.000 = 0.00000	<u>0</u> + .85	5 = 0.850000	x <u>0.00</u> = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				
	0.000 = 0.00000	0 + .78	8 = 0.780000	x 0.00 = 9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 0.0	0 divide	ed by district's Raw ADM	1.213.89	

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>0</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.213.89 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z004 - INSIGHT VIRTUAL CHARTER SCHOOL OF OKLAHOMA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,044.23</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>0</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.044.23</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

20	24	FI	N	Δ	ı

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z006 - E-SCHOOL VIRTUAL CHARTER ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>457.79</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

+ .85 =

5) (District's Square Miles <u>0</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>457.79</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

20	24	FI	N	Δ	ı

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z007 - DOVE VIRTUAL CHARTER ACADEMY

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 169.91 divided by district's total area in square mile 0 = District's Areal Density 0 В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 169.91 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 27,770.55 = 0.000000 x .2 0.000000 x 27,770.55 = 0

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z014 - EPIC CHARTER VIRTUAL SCHOOL

- A. If school district's total area in square miles <u>0.000000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>27,770.55</u> divided by district's total area in square mile <u>0.000000</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		,			9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 27,770.55

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0.000000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>27,770.55</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

2024	FI	Ν	ΑI	
------	----	---	----	--

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z016 - VIRTUAL PREPARATORY CHARTER ACADEMY OF OKLA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>152.68</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					-	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 152.68

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>152.68</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b
Privacy Level: Public

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 55 - OKLAHOMADistrict: Z018 - St. Isdore of Seville Catholic Virtual School

- If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and Α. compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 0.00 divided by district's total area in square mile 0 = District's Areal Density 0. В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

- 0.00 divided by district's Raw ADM 0.00 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- Mulitply the Isolation Factor on line 6 times the Raw ADM 0.00 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

0.00 =

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 314.54 0.580613 0.116123 36.53 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 56 - OKMULGEEDistrict: C011 - TWIN HILLS

- If school district's total area in square miles 94.260150 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 314.54 divided by district's total area in square mile 94.260150 = District's Areal В. Density <u>3.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>94.260150</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 314.54 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.53

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,170.39 = 0.000000 x .2 0.000000 x 1,170.39 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1001 - OKMULGEE

- A. If school district's total area in square miles <u>77.054240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,170.39</u> divided by district's total area in square mile <u>77.054240</u> = District's Areal Density <u>15.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	= 0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,170.39

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>77.054240</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.170.39</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 56 - OKMULGEEDistrict: I002 - HENRYETTA

- A. If school district's total area in square miles <u>48.257450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.044.66</u> divided by district's total area in square mile <u>48.257450</u> = District's Areal Density <u>21.65</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,044.66

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 48.257450 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.044.66</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 916.42 0.000000 0.000000 0.00 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1003 - MORRIS

- If school district's total area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 916.42 divided by district's total area in square mile 138.498100 = District's Areal В. Density 6.62

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 916.42 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>138.498100</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 916.42 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 8/22/2025 6:45:45 AM Privacy Level: Public

0.00

**EC-5 Cost Factor** 

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1004 - BEGGS

- A. If school district's total area in square miles <u>170.456400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>944.46</u> divided by district's total area in square mile <u>170.456400</u> = District's Areal Density <u>5.54</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						

0.850000 x

0.780000

0.00 =

0.00 =

9-OHP ADM

+ .85 =

+ .78 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 944.46

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>170.456400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>944.46</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

0.00

0.00

EC-5 Cost Factor

9-OHP Cost Factor

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: I005 - PRESTON

- If school district's total area in square miles 39.129300 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 621.65 divided by district's total area in square mile 39.129300 = District's Areal В. Density 15.89 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00	0.000000	. 05	0.850000	0.00	0.00

6-8 ADM

6-8 Cost Factor

Page 367 of 541

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0

- (District's Square Miles <u>39.129300</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 621.65 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 21.28

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 233.73 = 0.688360 x .2 0.137672 x 233.73 = 32.18

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1006 - SCHULTER

- A. If school district's total area in square miles <u>26.434290</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>233.73</u> divided by district's total area in square mile <u>26.434290</u> = District's Areal Density <u>8.84</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	=	0.000000	+	.85	=	0.850000 x	Κ	0.00 =		0.00
								EC-5 ADM	Е	C-5 Cost Factor

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 233.73

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>26.434290</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>233.73</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.18

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 299.06 0.601253 0.120251 35.96 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1007 - WILSON

- If school district's total area in square miles 36.577180 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 299.06 divided by district's total area in square mile 36.577180 = District's Areal В. Density <u>8.18</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

0.00

9-OHP Cost Factor

9-OHP ADM

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 299.06 0.00 - 1.00 = District Cost Factor 0

- (District's Square Miles <u>36.577180</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 299.06 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 35.96

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 369 of 541 Privacy Level: Public

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 496.39 0.338147 0.067629 33.57 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 56 - OKMULGEEDistrict: 1008 - DEWAR

- If school district's total area in square miles 33.974130 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 496.39 divided by district's total area in square mile 33.974130 = District's Areal В. Density <u>14.61</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 496.39 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>33.974130</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 496.39 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 33.57

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: C003 - OSAGE HILLS

- A. If school district's total area in square miles <u>23.621810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>172.03</u> divided by district's total area in square mile <u>23.621810</u> = District's Areal Density <u>7.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
		,			9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 172.03

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>23.621810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 172.03 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>26.51</u>

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 47.07 = 0.937240 x .2 0.187448 x 47.07 = 8.82

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: C007 - BOWRING

- A. If school district's total area in square miles <u>278.749010</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>47.07</u> divided by district's total area in square mile <u>278.749010</u> = District's Areal Density <u>0.17</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

58.38 =

Grades	PK4 - 5th	35.38	+	23 =	58.38	(Ca)
Grades	6th - 8th	10.84	+	133 =	143.84	(Cb)
Grades	PK3,9 -OHP	0.85	+	128 =	128.85	(Cc)
		47.07				

1.267557

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

۵)	400 11 11 110 1111				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	143.84 =	0.848165	+ .85 =	1.698165 x	10.84 =	18.41
		_			6-8 ADM	6-8 Cost Factor

2.117557 x

35.38 =

74.92

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 95.92 divided by district's Raw ADM 47.07

  = 2.04 1.00 = District Cost Factor 1.04
- 5) (District's Square Miles <u>278.749010</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.02</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.04 by lessor of the Area Factor (Line 5 above) 1.02 or 1.00 = Isolation Factor 1.04
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 47.07 = Isolation Weight 48.95
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.95

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 69.29 = 0.907613 x .2 0.181523 x 69.29 = 12.58

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: C035 - AVANT

- A. If school district's total area in square miles <u>71.313870</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 69.29 divided by district's total area in square mile 71.313870 = District's Areal Density 0.97.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	0.00 = 0.000000 + .85 = 0.8500	00 x 0.00 =	0.00
		6-8 ADM	6-8 Cost Factor
٥١	202 divided by "Co" from above		

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- 9) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 69.29 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>71.313870</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 12.58

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 270.51 = 0.639320 x .2 0.127864 x 270.51 = 34.59

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: C052 - ANDERSON

- A. If school district's total area in square miles <u>31.404270</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>270.51</u> divided by district's total area in square mile <u>31.404270</u> = District's Areal Density <u>8.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

0.00

6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 270.51

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>31.404270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>270.51</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.59

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 307.09 = 0.590547 x .2 0.118109 x 307.09 = 36.27

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: C077 - MCCORD

- A. If school district's total area in square miles <u>14.847450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>307.09</u> divided by district's total area in square mile <u>14.847450</u> = District's Areal Density <u>20.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 307.09

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>14.847450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 307.09 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.27

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I002 - PAWHUSKA

- A. If school district's total area in square miles <u>328.819170</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>705.14</u> divided by district's total area in square mile <u>328.819170</u> = District's Areal Density <u>2.14</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

363.10 =

Grades	PK4 - 5th	340.10	+	23 =	363.10	(Ca)
Grades	6th - 8th	157.86	+	133 =	290.86	(Cb)
Grades	PK3,9 -OHP	207.18	+	128 =	335.18	(Cc)
		705.14				

0.203801

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	290.86 =	0.419446	+ .85 =	1.269446 x	157.86 =	200.39
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	335.18 =	0.871174	+ .78 =	1.651174 x	207.18 =	342.09
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.053801 x

705.14

0.28

358.40

+ .85 =

- 5) (District's Square Miles <u>328.819170</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.39</u>
- 6) Multiply District Cost Factor (Line 4 above) \_0.28 by lessor of the Area Factor (Line 5 above) \_1.39 or 1.00 = Isolation Factor \_0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 705.14 = Isolation Weight 197.44

900.88

1.28

 Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 197.44

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 376 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I011 - SHIDLER

- A. If school district's total area in square miles <u>409.716050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>180.47</u> divided by district's total area in square mile <u>409.716050</u> = District's Areal Density <u>0.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

101.90 =

Grades	PK4 - 5th	78.90	+	23 =	101.90	(Ca)
Grades	6th - 8th	39.82	+	133 =	172.82	(Cb)
Grades	PK3,9 -OHP	61.75	+	128 =	189.75	(Cc)
		180.47				

0.726202

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	172.82 =	0.705937	+ .85 =	1.555937 x	39.82 =	61.96
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	189.75 -	1 538867	± 78 -	2 318867 v	61 75 -	1/13 10

1.576202 x

9-OHP ADM

124.36

9-OHP Cost Factor

+ .85 =

1) Sum 1 + 2 + 3 from above 329.51 divided by district's Raw ADM 180.47

= 1.83 - 1.00 = District Cost Factor 0.83

- 5) (District's Square Miles <u>409.716050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.97</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0.83</u> by lessor of the Area Factor (Line 5 above) <u>1.97</u> or 1.00 = Isolation Factor <u>0.83</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 180.47 = Isolation Weight 149.79
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>149.79</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 377 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I029 - BARNSDALL

- A. If school district's total area in square miles <u>149.154040</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>445.92</u> divided by district's total area in square mile <u>149.154040</u> = District's Areal Density <u>2.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 445.92

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>149.154040</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 445.92 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.16

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I030 - WYNONA

- If school district's total area in square miles 92.787030 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 104.84 divided by district's total area in square mile 92.787030 = District's Areal В. Density <u>1.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 104.84 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>92.787030</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 104.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 18.04

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 526.24 = 0.298347 x .2 0.059669 x 526.24 = 31.40

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: 1038 - HOMINY

- A. If school district's total area in square miles <u>227.617970</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>526.24</u> divided by district's total area in square mile <u>227.617970</u> = District's Areal Density <u>2.31</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

283.13 =

Grades	PK4 - 5th	260.13	+	23 =	283.13	(Ca)
Grades	6th - 8th	110.40	+	133 =	243.40	(Cb)
Grades	PK3,9 -OHP	155.71	+	128 =	283.71	(Cc)
		526.24				

0.261364

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	243.40 =	0.501233	+ .85 =	1.351233 x	110.40 =	149.18
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.111364 x

260.13 =

289.10

+ .85 =

- 283.71 = 1.029220 + .78 = 1.809220 x 155.71 = 281.71 9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above 719.99 divided by district's Raw ADM 526.24

  = 1.37 1.00 = District Cost Factor 0.37
- 5) (District's Square Miles <u>227.617970</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.65</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.37 by lessor of the Area Factor (Line 5 above) 0.65 or 1.00 = Isolation Factor 0.24
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>526.24</u> = Isolation Weight <u>126.30</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>126.30</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 380 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 276.10 = 0.631867 x .2 0.126373 x 276.10 = 34.89

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I050 - PRUE

- A. If school district's total area in square miles <u>111.439590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>276.10</u> divided by district's total area in square mile <u>111.439590</u> = District's Areal Density <u>2.48</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LC-5 ADIVI	EC-3 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

Page 381 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 276.10 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>111.439590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>276.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.89

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 57 - OSAGEDistrict: I090 - WOODLAND

- A. If school district's total area in square miles <u>350.412590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>348.41</u> divided by district's total area in square mile <u>350.412590</u> = District's Areal Density <u>0.99</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

17E EG \_

Grades	PK4 - 5th	152.56	+	23 =	175.56	(Ca)
Grades	6th - 8th	91.18	+	133 =	224.18	(Cb)
Grades	PK3,9 -OHP	104.67	+	128 =	232.67	(Cc)
		348.41				

0 424500

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	173.30	=	0.421508	= co. +	1.27 1308	Х	152.56 =	193.96
							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	oove						
	224.18	=	0.544206	+ .85 =	1.394206	х	91.18 =	127.12

1 271500 V

150 56

6-8 ADM

102 00

6-8 Cost Factor

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 534.10 divided by district's Raw ADM 348.41

= 1.53 - 1.00 = District Cost Factor 0.53

- 5) (District's Square Miles <u>350.412590</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.54</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.53 by lessor of the Area Factor (Line 5 above) 1.54 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 348.41 = Isolation Weight 184.66
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>184.66</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 382 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 93.30 = 0.875600 x .2 0.175120 x 93.30 = 16.34

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 58 - OTTAWADistrict: C010 - TURKEY FORD

- A. If school district's total area in square miles <u>36.261740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>93.30</u> divided by district's total area in square mile <u>36.261740</u> = District's Areal Density <u>2.57</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	X	0.00 =	0.00
	_					EC-5 ADM	EC-5 Cost Factor
2) 12	22 divided by " <u>Cb</u> " from abo	ove					

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 93.30

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>36.261740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 93.30 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 

   <u>16.34</u>

0.00

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 789.40 = 0.000000 x .2 0.000000 x 789.40 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I001 - WYANDOTTE

- A. If school district's total area in square miles <u>111.719910</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>789.40</u> divided by district's total area in square mile <u>111.719910</u> = District's Areal Density <u>7.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00	
		-	_				_	EC-5 ADM	EC-5 Cost Factor	
2)	122 divided by "Cb" from ab	oove								
	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00	

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 789.40 = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>111.719910</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>789.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

6-8 Cost Factor

6-8 ADM

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I014 - QUAPAW

- A. If school district's total area in square miles <u>76.826560</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>597.24</u> divided by district's total area in square mile <u>76.826560</u> = District's Areal Density <u>7.77</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 597.24

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>76.826560</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>597.24</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 24.33

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I018 - COMMERCE

- A. If school district's total area in square miles <u>56.952960</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>878.26</u> divided by district's total area in square mile <u>56.952960</u> = District's Areal Density <u>15.42</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 878.26

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>56.952960</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 878.26 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 2,110.07 = 0.000000 x .2 0.000000 x 2,110.07 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I023 - MIAMI

- A. If school district's total area in square miles <u>78.130650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,110.07</u> divided by district's total area in square mile <u>78.130650</u> = District's Areal Density <u>27.01</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

0.00

Page 387 of 541

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,110.07

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>78.130650</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2,110.07</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 446.56 0.404587 0.080917 36.13 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I026 - AFTON

- If school district's total area in square miles 105.866230 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 446.56 divided by district's total area in square mile 105.866230 = District's Areal В. Density 4.22

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 446.56 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>105.866230</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 446.56 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.13

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 58 - OTTAWADistrict: I031 - FAIRLAND

- A. If school district's total area in square miles <u>72.746520</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>551.51</u> divided by district's total area in square mile <u>72.746520</u> = District's Areal Density <u>7.58</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 551.51

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>72.746520</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>551.51</u> = Isolation Weight <u>0.00</u>

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 264.73 0.647027 0.129405 34.26 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 59 - PAWNEEDistrict: C002 - JENNINGS

- If school district's total area in square miles 26.074140 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 264.73 divided by district's total area in square mile 26.074140 = District's Areal В. Density 10.15.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
		-	_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove	;					

0.000000 .85 =

292 divided by "Cc" from above

0.000000 + .78 = 0.00 =0.00 0.00 =9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>26.074140</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 264.73 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 34.26

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 625.53 = 0.165960 x .2 0.033192 x 625.53 = 20.76

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 59 - PAWNEEDistrict: I001 - PAWNEE

- A. If school district's total area in square miles <u>291.507000</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>625.53</u> divided by district's total area in square mile <u>291.507000</u> = District's Areal Density <u>2.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

316.95 =

Grades	PK4 - 5th	293.95	+	23 =	316.95	(Ca)
Grades	6th - 8th	130.63	+	133 =	263.63	(Cb)
Grades	PK3,9 -OHP	200.95	+	128 =	328.95	(Cc)
		625.53				

0.233475

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	263.63 =	0.462770	+ .85 =	1.312770 x	130.63 =	171.49
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	328.95 =	0.887673	+ .78 =	1.667673 x	200.95 =	335.12

+ .85 =

1.083475 x

293.95 =

9-OHP ADM

318.49

EC-5 Cost Factor

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 825.10 divided by district's Raw ADM 625.53
- = 1.32 1.00 = District Cost Factor 0.32
- 5) (District's Square Miles <u>291.507000</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.11</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.32 by lessor of the Area Factor (Line 5 above) 1.11 or 1.00 = Isolation Factor 0.32
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 625.53 = Isolation Weight \_200.17
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>200.17</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 391 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,599.48 = 0.000000 x .2 0.000000 x 1,599.48 = 0.00 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 59 - PAWNEEDistrict: I006 - CLEVELAND

- A. If school district's total area in square miles <u>182.086940</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,599.48</u> divided by district's total area in square mile <u>182.086940</u> = District's Areal Density <u>8.78</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	2				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   1,599.48

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>182.086940</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.599.48</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 156.07 0.791907 0.158381 24.72 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNEDistrict: C104 - OAK GROVE

- If school district's total area in square miles 12.553050 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 156.07 divided by district's total area in square mile 12.553050 = District's Areal В. Density 12.43.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 156.07 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>12.553050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 156.07 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 24.72

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 449.61 0.400520 0.080104 36.02 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNEDistrict: 1003 - RIPLEY

- If school district's total area in square miles <u>84.206060</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 449.61 divided by district's total area in square mile 84.206060 = District's Areal В. Density <u>5.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 394 of 541

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 449.61 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>84.206060</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 449.61 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.02

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 5,969.26 = 0.000000 x .2 0.000000 x 5,969.26 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 60 - PAYNEDistrict: I016 - STILLWATER

- A. If school district's total area in square miles <u>123.518730</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5,969.26</u> divided by district's total area in square mile <u>123.518730</u> = District's Areal Density <u>48.33</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   5,969.26

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>123.518730</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>5.969.26</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,573.27 = 0.000000 x .2 0.000000 x 1,573.27 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 60 - PAYNEDistrict: I056 - PERKINS-TRYON

- A. If school district's total area in square miles <u>186.340340</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,573.27</u> divided by district's total area in square mile <u>186.340340</u> = District's Areal Density <u>8.44</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
			•		6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,573.27

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>186.340340</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.573.27</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,700.81 = 0.000000 x .2 0.000000 x 1,700.81 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNEDistrict: I067 - CUSHING

- A. If school district's total area in square miles <u>84.402680</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,700.81</u> divided by district's total area in square mile <u>84.402680</u> = District's Areal Density <u>20.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,700.81

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>84.402680</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.700.81</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 332.85 0.556200 0.111240 37.03 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 60 - PAYNEDistrict: I101 - GLENCOE

- If school district's total area in square miles <u>89.381520</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 332.85 divided by district's total area in square mile 89.381520 = District's Areal В. Density <u>3.72</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>89.381520</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 332.85 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.03

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 366.68 0.511093 0.102219 37.48 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 60 - PAYNEDistrict: I103 - YALE

- If school district's total area in square miles 130.736770 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 366.68 divided by district's total area in square mile 130.736770 = District's Areal В. Density 2.80

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000

0.00 =

0.00 =

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 366.68 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>130.736770</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 366.68 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.48

0.00

0.00

EC-5 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURGDistrict: C009 - KREBS

- A. If school district's total area in square miles <u>12.878840</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>467.19</u> divided by district's total area in square mile <u>12.878840</u> = District's Areal Density <u>36.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			·	

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 467.19

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>12.878840</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 467.19 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.23

Report# FB107b
Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: C029 - FRINK-CHAMBERS

- If school district's total area in square miles 25.409050 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 399.97 divided by district's total area in square mile 25.409050 = District's Areal В. Density <u>15.74</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 399.97 0.00 - 1.00 = District Cost Factor 0
- divided by  $\underline{137.86788}$  = Area Factor (District's Square Miles <u>25.409050</u> - <u>137.86788</u>)
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 399.97 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.33

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 132.31 0.823587 0.164717 21.79 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: C056 - TANNEHILL

- Α. If school district's total area in square miles <u>59.289110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 132.31 divided by district's total area in square mile 59.289110 = District's Areal В. Density <u>2.23</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	oove	:						
	0.00	=	0.000000	+ .85	=	0.850000	Х	0.00 =	0.00
		•					-	6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 132.31 0.00 - 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>59.289110</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 132.31 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 21.79

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 121.36 = 0.838187 x .2 0.167637 x 121.36 = 20.34

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: C088 - HAYWOOD

- A. If school district's total area in square miles <u>95.164810</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>121.36</u> divided by district's total area in square mile <u>95.164810</u> = District's Areal Density <u>1.28</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	)					
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					<u> </u>	6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 121.36

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>95.164810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>121.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>20.34</u>

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

0.932907 0.186581 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: E020 - CARLTON LANDING ACADEMY

- If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and Α. compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 50.32 divided by district's total area in square mile 0 = District's Areal Density 0. В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

9-OHP ADM 9-OHP Cost Factor Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 50.32

- 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- Mulitply the Isolation Factor on line 6 times the Raw ADM 50.32 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D.

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 693.69 = 0.075080 x .2 0.015016 x 693.69 = 10.42

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I001 - HARTSHORNE

- A. If school district's total area in square miles <u>128.862370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>693.69</u> divided by district's total area in square mile <u>128.862370</u> = District's Areal Density <u>5.38</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	0.00 9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

693.69

0.00

Page 405 of 541

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 128.862370 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 693.69 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.42

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURGDistrict: I002 - CANADIAN

- A. If school district's total area in square miles <u>101.699550</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>444.38</u> divided by district's total area in square mile <u>101.699550</u> = District's Areal Density <u>4.37</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 :	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 :	= 0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 444.38 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>101.699550</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 444.38 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.22

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 303.21 = 0.595720 x .2 0.119144 x 303.21 = 36.13

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I011 - HAILEYVILLE

- A. If school district's total area in square miles <u>185.180470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>303.21</u> divided by district's total area in square mile <u>185.180470</u> = District's Areal Density <u>1.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

176 12 \_

Grades	PK4 - 5th	153.13	+	23 =	176.13	(Ca)
Grades	6th - 8th	60.03	+	133 =	193.03	(Cb)
Grades	PK3,9 -OHP	90.05	+	128 =	218.05	(Cc)
		303.21				

0.420444

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	1/0.13 =	0.420144	+ .65 =	1.270144 X	153.13 =	194.50
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	193.03 =	0.632026	+ .85 =	1.482026 x	60.03 =	88.97

1 270111

6-8 ADM

104 50

6-8 Cost Factor

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 474.30 divided by district's Raw ADM 303.21

= 1.56 -1.00 = District Cost Factor 0.56

- 5) (District's Square Miles <u>185.180470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.34</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 0.34 or 1.00 = Isolation Factor 0.19
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 303.21 = Isolation Weight 57.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_57.61\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 297.19 = 0.603747 x .2 0.120749 x 297.19 = 35.89

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I014 - KIOWA

- A. If school district's total area in square miles <u>255.773540</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>297.19</u> divided by district's total area in square mile <u>255.773540</u> = District's Areal Density <u>1.16</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

167.95 =

Grades	PK4 - 5th	144.95	+	23 =	167.95	(Ca)
Grades	6th - 8th	65.31	+	133 =	198.31	(Cb)
Grades	PK3,9 -OHP	86.93	+	128 =	214.93	(Cc)
		297.19				

0.440607

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		<u> </u>		_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	198.31 =	0.615198	+ .85 =	1.465198 x	65.31 =	95.69
					6-8 ADM	6-8 Cost Factor

1.290607 x

144.95 =

+ .85 =

187.07

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 468.67 divided by district's Raw ADM 297.19

= 1.58 - 1.00 = District Cost Factor 0.58

- 5) (District's Square Miles <u>255.773540</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.86</u>
- 6) Multiply District Cost Factor (Line 4 above) <u>0.58</u> by lessor of the Area Factor (Line 5 above) <u>0.86</u> or 1.00 = Isolation Factor <u>0.50</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 297.19 = Isolation Weight 148.60
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 148.60

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 378.49 = 0.495347 x .2 0.099069 x 378.49 = 37.50

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I017 - QUINTON

- A. If school district's total area in square miles <u>151.533170</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>378.49</u> divided by district's total area in square mile <u>151.533170</u> = District's Areal Density <u>2.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

Page 409 of 541

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 378.49

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>151.533170</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>378.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.50

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I025 - INDIANOLA

- A. If school district's total area in square miles <u>134.315370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>276.75</u> divided by district's total area in square mile <u>134.315370</u> = District's Areal Density <u>2.06</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 276.75

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>134.315370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>276.75</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.93

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 410 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 61 - PITTSBURGDistrict: I028 - CROWDER

- A. If school district's total area in square miles <u>165.744360</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>326.29</u> divided by district's total area in square mile <u>165.744360</u> = District's Areal Density <u>1.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

184.77 =

Grades	PK4 - 5th	161.77	+	23 =	184.77	(Ca)
Grades	6th - 8th	68.22	+	133 =	201.22	(Cb)
Grades	PK3,9 -OHP	96.30	+	128 =	224.30	(Cc)
		326.29				

0.400498

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	201.22 =	0.606302	+ .85 =	1.456302 x	68.22 =	99.35
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.250498 x

161.77 =

202.29

EC-5 Cost Factor

+ .85 =

- 224.30 = 1.301828 + .78 = 2.081828 x 96.30 = 200.48 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 502.12 divided by district's Raw ADM 326.29

  = 1.54 1.00 = District Cost Factor 0.54
- 5) (District's Square Miles <u>165.744360</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.20</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.54 by lessor of the Area Factor (Line 5 above) 0.20 or 1.00 = Isolation Factor 0.11
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 326.29 = Isolation Weight 35.89
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.87

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 411 of 541

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 317.63 0.576493 0.115299 36.62 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I030 - SAVANNA

- Α. If school district's total area in square miles <u>71.126470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 317.63 divided by district's total area in square mile 71.126470 = District's Areal В. Density <u>4.47</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

0.00

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>71.126470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 317.63 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.62

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 157.40 = 0.790133 x .2 0.158027 x 157.40 = 24.87

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I063 - PITTSBURG

- A. If school district's total area in square miles <u>121.080130</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>157.40</u> divided by district's total area in square mile <u>121.080130</u> = District's Areal Density <u>1.30</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	T .05 =	0.000000 X	0.00 =	0.00
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 v

0.00 -

 $\cap \cap \cap$ 

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 157.40 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>121.080130</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>157.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>24.87</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 61 - PITTSBURGDistrict: I080 - MCALESTER

- A. If school district's total area in square miles <u>31.684250</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.973.40</u> divided by district's total area in square mile <u>31.684250</u> = District's Areal Density <u>93.84</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,973.40

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>31.684250</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.973.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 414 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOCDistrict: 1001 - ALLEN

- A. If school district's total area in square miles <u>157.732900</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>443.03</u> divided by district's total area in square mile <u>157.732900</u> = District's Areal Density <u>2.81</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 =	0.850000	Х	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	bove	9					

6-8 ADM 6-8 Cost Factor

.85 =

3) 292 divided by "Cc" from above

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 443.03

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>157.732900</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>443.03</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.27

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 570.28 0.239627 0.047925 27.33 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOCDistrict: 1009 - VANOSS

- If school district's total area in square miles 145.510300 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>570.28</u> divided by district's total area in square mile <u>145.510300</u> = District's Areal В. Density 3.92

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 570.28 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>145.510300</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 570.28 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 27.33

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

1,734.77 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 62 - PONTOTOCDistrict: I016 - BYNG

- If school district's total area in square miles 117.392350 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.734.77 divided by district's total area in square mile 117.392350 = District's В. Areal Density 14.78.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

						EC-2 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	0.00 = 0.000	0000	+ .85 =	0.850000	x	0.00 =	0.00
					<u>-</u>	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 = 0.000	0000	+ .78 =	0.780000	Х	0.00 =	0.00
						9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	0.00	divided by dist	rict's Raw ADM		1,734.77	

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

+ .85 =

5) (District's Square Miles <u>117.392350</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.734.77 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 2,649.90 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOCDistrict: I019 - ADA

- If school district's total area in square miles 13.710350 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2,649.90 divided by district's total area in square mile 13.710350 = District's Areal В. Density 193.28 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 COSt Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,649.90 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>13.710350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.649.90 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 882.39 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 62 - PONTOTOCDistrict: 1024 - LATTA

- Α. If school district's total area in square miles 50.618970 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 882.39 divided by district's total area in square mile 50.618970 = District's Areal В. Density <u>17.43</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
				_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

9-OHP ADM 9-OHP Cost Factor Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 882.39

+ .78 =

.85 =

- 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>50.618970</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 882.39 = Isolation Weight 0.00\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

0.00

0.00 =

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 62 - PONTOTOCDistrict: I030 - STONEWALL

- A. If school district's total area in square miles <u>201.522190</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>443.67</u> divided by district's total area in square mile <u>201.522190</u> = District's Areal Density <u>2.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

242.42 =

Grades	PK4 - 5th	219.42	+	23 =	242.42	(Ca)
Grades	6th - 8th	100.84	+	133 =	233.84	(Cb)
Grades	PK3,9 -OHP	123.41	+	128 =	251.41	(Cc)
		443.67				

0.305255

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	233.84 =	0.521724	+ .85 =	1.371724	x100.84 =	138.32
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	251.41 =	1.161449	+ .78 =	1.941449	x 123.41 =	239.59
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

1.155255 x

219.42 =

443.67

253.49

+ .85 =

= 1.42 - 1.00 = District Cost Factor 0.42

5) (District's Square Miles 201.522190 - 137.86788) divided by 137.86788 = Area Factor 0.46

631.40

- 6) Multiply District Cost Factor (Line 4 above) <u>0.42</u> by lessor of the Area Factor (Line 5 above) <u>0.46</u> or 1.00 = Isolation Factor <u>0.19</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 443.67 = Isolation Weight 84.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>84.30</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 420 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 272.27 = 0.636973 x .2 0.127395 x 272.27 = 34.69

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 62 - PONTOTOCDistrict: I037 - ROFF

- A. If school district's total area in square miles <u>159.431240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>272.27</u> divided by district's total area in square mile <u>159.431240</u> = District's Areal Density <u>1.71</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	117.56	+	23 =	140.56	(Ca)
Grades	6th - 8th	63.19	+	133 =	196.19	(Cb)
Grades	PK3,9 -OHP	91.52	+	128 =	219.52	(Cc)
		272.27				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	140.56 =	0.526466	+ .85 =	1.376466 x	117.56 =	161.82
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	196.19 =	0.621846	+ .85 =	1.471846 x	63.19 =	93.01
			_		6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 447.95 divided by district's Raw ADM 272.27

= 1.65 - 1.00 = District Cost Factor 0.65

- 5) (District's Square Miles <u>159.431240</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.16</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 0.16 or 1.00 = Isolation Factor 0.10
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 272.27 = Isolation Weight 27.23
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.69

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 538.17 = 0.282440 x .2 0.056488 x 538.17 = 30.40

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: C027 - GROVE

- A. If school district's total area in square miles <u>12.025620</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>538.17</u> divided by district's total area in square mile <u>12.025620</u> = District's Areal Density <u>44.75</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x0.00	= 0.00
		_			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   538.17

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>12.025620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>538.17</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.40

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 206.96 = 0.724053 x .2 0.144811 x 206.96 = 29.97

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: C029 - PLEASANT GROVE

- A. If school district's total area in square miles <u>1.811040</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>206.96</u> divided by district's total area in square mile <u>1.811040</u> = District's Areal Density <u>114.28</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

	_	_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

206.96

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 1.811040 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 206.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.97

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: C032 - SOUTH ROCK CREEK

- A. If school district's total area in square miles <u>18.786240</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>420.32</u> divided by district's total area in square mile <u>18.786240</u> = District's Areal Density <u>22.37</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

6-8 ADM

6-8 Cost Factor

Page 424 of 541

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 420.32 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>18.786240</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>420.32</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.95

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,597.57 = 0.000000 x .2 0.000000 x 1,597.57 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: 1001 - MCLOUD

- A. If school district's total area in square miles <u>73.747050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.597.57</u> divided by district's total area in square mile <u>73.747050</u> = District's Areal Density <u>21.66</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

9 Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,597.57

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>73.747050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.597.57</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1002 - DALE

- A. If school district's total area in square miles <u>41.943060</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>821.58</u> divided by district's total area in square mile <u>41.943060</u> = District's Areal Density <u>19.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   821.58

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>41.943060</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>821.58</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: 1003 - BETHEL

- A. If school district's total area in square miles <u>55.213080</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,179.67</u> divided by district's total area in square mile <u>55.213080</u> = District's Areal Density <u>21.37</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,179.67

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>55.213080</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1,179.67</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: 1004 - MACOMB

- A. If school district's total area in square miles <u>83.532650</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>283.33</u> divided by district's total area in square mile <u>83.532650</u> = District's Areal Density <u>3.39</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above				0-0 ADIVI	0-0 Cost r actor
	0.00 =	0.000000	+ .78 =	0.780000 >	x 0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

0.00

5) (District's Square Miles <u>83.532650</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 283.33 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 35.26

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: 1005 - EARLSBORO

- A. If school district's total area in square miles <u>31.390400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>259.17</u> divided by district's total area in square mile <u>31.390400</u> = District's Areal Density <u>8.26</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 259.17

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>31.390400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>259.17</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.92

9-OHP Cost Factor

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: I010 - NORTH ROCK CREEK

- A. If school district's total area in square miles <u>37.557540</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.235.05</u> divided by district's total area in square mile <u>37.557540</u> = District's Areal Density <u>32.88</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,235.05

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>37.557540</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{1.235.05}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 430 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,938.30 = 0.000000 x .2 0.000000 x 1,938.30 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: I092 - TECUMSEH

- A. If school district's total area in square miles <u>85.763470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.938.30</u> divided by district's total area in square mile <u>85.763470</u> = District's Areal Density <u>22.60</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

Page 431 of 541

+ .85 =

4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,938.30 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>85.763470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{1.938.30}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 3,243.26 = 0.000000 x .2 0.000000 x 3,243.26 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: 1093 - SHAWNEE

- A. If school district's total area in square miles <u>25.431310</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,243.26</u> divided by district's total area in square mile <u>25,431310</u> = District's Areal Density <u>127,53</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

3,243.26

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 25.431310 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.243.26</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 432 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: I112 - ASHER

- A. If school district's total area in square miles <u>65.273160</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>266.59</u> divided by district's total area in square mile <u>65.273160</u> = District's Areal Density <u>4.08</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 65.273160 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>266.59</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.37

266.59

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.891720 0.178344 14.48 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 63 - POTTAWATOMIEDistrict: I115 - WANETTE

- If school district's total area in square miles 133.057600 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 81.21 divided by district's total area in square mile 133.057600 = District's Areal В. Density <u>0.61</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>133.057600</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 81.21 = Isolation Weight \_0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.48

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 271.98 = 0.637360 x .2 0.127472 x 271.98 = 34.67

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 63 - POTTAWATOMIEDistrict: I117 - MAUD

- A. If school district's total area in square miles <u>75.769210</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>271.98</u> divided by district's total area in square mile <u>75.769210</u> = District's Areal Density <u>3.59</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85	=	0.850000	Χ	0.00 =	0.00
								EC-5 ADM	EC-5 Cost Factor
٥١	100 divided by "Ch" from a	h o v	-						

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- 5) (District's Square Miles <u>75.769210</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>271.98</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.67

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 64 - PUSHMATAHADistrict: C002 - ALBION

- A. If school district's total area in square miles <u>100.356800</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>37.78</u> divided by district's total area in square mile <u>100.356800</u> = District's Areal Density <u>0.38</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 37.78

= 0.00 -1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>100.356800</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>37.78</u> = Isolation Weight <u>0.00</u>

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 59.55 = 0.920600 x .2 0.184120 x 59.55 = 10.96

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: C004 - TUSKAHOMA

- A. If school district's total area in square miles <u>77.665150</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>59.55</u> divided by district's total area in square mile <u>77.665150</u> = District's Areal Density <u>0.77</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
	_	_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   59.55

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>77.665150</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 59.55 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 10.96

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 54.05 = 0.927933 x .2 0.185587 x 54.05 = 10.03

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: C015 - NASHOBA

- A. If school district's total area in square miles <u>170.555840</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>54.05</u> divided by district's total area in square mile <u>170.555840</u> = District's Areal Density <u>0.32</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

57.51 =

Grades	PK4 - 5th	34.51	+	23 =	57.51	(Ca)
Grades	6th - 8th	12.75	+	133 =	145.75	(Cb)
Grades	PK3,9 -OHP	6.79	+	128 =	134.79	(Cc)
		54.05				

1.286733

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-	5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from about	ve					
	145.75 =	0.837050	+ .85 =	1.687050	x	12.75 =	21.51
					6-	8 ADM	6-8 Cost Factor

2.136733 x

34.51 =

73.74

+ .85 =

3) 292 divided by "Cc" from above

- 1) Sum 1 + 2 + 3 from above 115.26 divided by district's Raw ADM 54.05

  = 2.13 1.00 = District Cost Factor 1.13
- 5) (District's Square Miles <u>170.555840</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>0.24</u>
- 6) Multiply District Cost Factor (Line 4 above) 1.13 by lessor of the Area Factor (Line 5 above) 0.24 or 1.00 = Isolation Factor 0.27
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>54.05</u> = Isolation Weight <u>14.59</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.59

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 412.04 = 0.450613 x .2 0.090123 x 412.04 = 37.13

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: I001 - RATTAN

- A. If school district's total area in square miles <u>259.757550</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>412.04</u> divided by district's total area in square mile <u>259.757550</u> = District's Areal Density <u>1.59</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

235 37 -

Grades	PK4 - 5th	212.37	+	23 =	235.37	(Ca)
Grades	6th - 8th	79.70	+	133 =	212.70	(Cb)
Grades	PK3,9 -OHP	119.97	+	128 =	247.97	(Cc)
		412.04				

0.31/300

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	233.37 =	0.314399	+ .05 =	1.104399 X	212.37 =	247.20
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	212.70 =	0.573578	+ .85 =	1.423578 x	79.70 =	113.46
			_		6-8 ADM	6-8 Cost Factor

1 16/300 v

212 37 -

247 28

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 595.59 divided by district's Raw ADM 412.04

= 1.45 -1.00 = District Cost Factor 0.45

- 5) (District's Square Miles <u>259.757550</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.88</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.45 by lessor of the Area Factor (Line 5 above) 0.88 or 1.00 = Isolation Factor 0.40
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 412.04 = Isolation Weight 164.82
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 164.82

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 240.03 0.679960 0.135992 32.64 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: I010 - CLAYTON

- If school district's total area in square miles 295.117480 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>240.03</u> divided by district's total area in square mile <u>295.117480</u> = District's Areal В. Density <u>0.81</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

104.10 =

Grades	PK4 - 5th	81.10	+	23 =	104.10	(Ca)
Grades	6th - 8th	43.55	+	133 =	176.55	(Cb)
Grades	PK3,9 -OHP	115.38	+	128 =	243.38	(Cc)
		240.03				

0.710855

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	176.55 =	0.691022	+ .85 =	1.541022 x	43.55 =	67.11
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	243.38 =	1.199770	+ .78 =	1.979770 x	115.38 =	228.43
					9-OHP ADM	9-OHP Cost Factor

1.560855 x

81.10 =

126.59

+ .85 =

422.13 divided by district's Raw ADM 240.03 1.76 - 1.00 = District Cost Factor 0.76

5) (District's Square Miles <u>295.117480</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

- Multiply District Cost Factor (Line 4 above) <u>0.76</u> by lessor of the Area Factor (Line 5 above) <u>1.14</u> or 1.00 = Isolation Factor <u>0.76</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 240.03 = Isolation Weight 182.42
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 182.42

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 440 of 541

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 955.00 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: I013 - ANTLERS

- Α. If school district's total area in square miles 324.759810 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>955.00</u> divided by district's total area in square mile <u>324.759810</u> = District's Areal В. Density 2.94

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 955.00 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>324.759810</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 955.00 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 186.14 = 0.751813 x .2 0.150363 x 186.14 = 27.99

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 64 - PUSHMATAHADistrict: 1022 - MOYERS

- A. If school district's total area in square miles <u>160.844680</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>186.14</u> divided by district's total area in square mile <u>160.844680</u> = District's Areal Density <u>1.16</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	78.15	+	23 =	101.15	(Ca)
Grades	6th - 8th	47.14	+	133 =	180.14	(Cb)
Grades	PK3,9 -OHP	60.85	+	128 =	188.85	(Cc)
		186.14				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	101.15 =	0.731587	+ .85 =	1.581587	Χ	78.15 =	123.60
		_	_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	100 14	0.677054	. 05	1 507051	.,	47 4 4	74.00

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 337.14 divided by district's Raw ADM 186.14

  = 1.81 1.00 = District Cost Factor 0.81
- 5) (District's Square Miles <u>160.844680</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.17</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.81 by lessor of the Area Factor (Line 5 above) 0.17 or 1.00 = Isolation Factor 0.14
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.14 = Isolation Weight 26.06

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 210.16 = 0.719787 x .2 0.143957 x 210.16 = 30.25

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLSDistrict: 1003 - LEEDEY

- A. If school district's total area in square miles <u>319.243470</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>210.16</u> divided by district's total area in square mile <u>319.243470</u> = District's Areal Density <u>0.66</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

124.57 =

Grades	PK4 - 5th	101.57	+	23 =	124.57	(Ca)
Grades	6th - 8th	50.81	+	133 =	183.81	(Cb)
Grades	PK3,9 -OHP	57.78	+	128 =	185.78	(Cc)
		210.16				

0.594044

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			EC-5 ADM	EC-5 Cost Factor
122 divided by " <u>Cb</u> " from above				
183.81 = 0.663729	+ .85 =	1.513729 x	50.81 =	76.91
			6-8 ADM	6-8 Cost Factor
292 divided by "Cc" from above				
		183.81 = 0.663729 + .85 =	183.81 = 0.663729 + .85 = 1.513729 x	122 divided by " <u>Cb</u> " from above  183.81 = 0.663729 + .85 = 1.513729 x 50.81 = 6-8 ADM

146.67

+ .85 =

185.78 = 1.571752 + .78 = 2.351752 x 57.78 = 135.88 9-OHP ADM 9-OHP Cost Factor

4) Sum 1 + 2 + 3 from above 359.46 divided by district's Raw ADM 210.16

= 1.71 - 1.00 = District Cost Factor 0.71

- 5) (District's Square Miles <u>319.243470</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.32</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.71 by lessor of the Area Factor (Line 5 above) 1.32 or 1.00 = Isolation Factor 0.71
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>210.16</u> = Isolation Weight <u>149.21</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>149.21</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 116.33 = 0.844893 x .2 0.168979 x 116.33 = 19.66

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 65 - ROGER MILLSDistrict: 1006 - REYDON

- A. If school district's total area in square miles <u>248.163260</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>116.33</u> divided by district's total area in square mile <u>248.163260</u> = District's Areal Density <u>0.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

82.42 =

Grades	PK4 - 5th	59.42	+	23 =	82.42	(Ca)
Grades	6th - 8th	19.54	+	133 =	152.54	(Cb)
Grades	PK3,9 -OHP	37.37	+	128 =	165.37	(Cc)
		116.33				

0.897840

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LO 3 ADIVI	LO 3 003t 1 actor
2)	122 divided by "Cb" from above					
	152.54 =	0.799790	+ .85 =	1.649790 x	19.54 =	32.24
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	165.37 =	1.765737	+ .78 =	2.545737 x	37.37 =	95.13
					9-OHP ADM	9-OHP Cost Factor

1.747840 x

59.42 =

103.86

FC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 231.23 divided by district's Raw ADM 116.33

  = 1.99 1.00 = District Cost Factor 0.99
- 5) (District's Square Miles <u>248.163260</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>0.80</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.99 by lessor of the Area Factor (Line 5 above) 0.80 or 1.00 = Isolation Factor 0.79
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 116.33 = Isolation Weight 91.90
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 
   <u>91.90</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 444 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 -	306.86	=	0.590853	x .2	0.118171	х _	306.86	=_	36.26
	750						Same Year Raw ADM		Small School District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 65 - ROGER MILLSDistrict: 1007 - CHEYENNE

- A. If school district's total area in square miles <u>446.823160</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>306.86</u> divided by district's total area in square mile <u>446.823160</u> = District's Areal Density <u>0.69</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

175.61 =

Grades	PK4 - 5th	152.61	+	23 =	175.61	(Ca)
Grades	6th - 8th	61.59	+	133 =	194.59	(Cb)
Grades	PK3,9 -OHP	92.66	+	128 =	220.66	(Cc)
		306.86				

0.421388

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-2 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	194.59 =	0.626959	+ .85 =	1.476959 x	61.59 =	90.97
					6-8 ADM	6-8 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 479.89 divided by district's Raw ADM 306.86

  = 1.56 1.00 = District Cost Factor 0.56
- 5) (District's Square Miles <u>446.823160</u> <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>2.24</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.56 by lessor of the Area Factor (Line 5 above) 2.24 or 1.00 = Isolation Factor 0.56
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 306.86 = Isolation Weight 171.84
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>171.84</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 107.69 = 0.856413 x .2 0.171283 x 107.69 = 18.45

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 65 - ROGER MILLSDistrict: I015 - SWEETWATER

- A. If school district's total area in square miles <u>192.424380</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>107.69</u> divided by district's total area in square mile <u>192.424380</u> = District's Areal Density <u>0.56</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

71.78 =

Grades	PK4 - 5th	48.78	+	23 =	71.78	(Ca)
Grades	6th - 8th	26.79	+	133 =	159.79	(Cb)
Grades	PK3,9 -OHP	32.12	+	128 =	160.12	(Cc)
		107.69				

1.030928

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	159.79 = 0.76350	2 + .85 =	1.613502	x <u>26.79</u> =	43.23
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				
	160.12 = 1.82363	2 + .78 =	2.603632	x <u>32.12</u> =	83.63
				9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 218.6	1 divided by dis	trict's Raw ADM	107.69	

1.880928 x

48.78 =

1.03

91.75

+ .85 =

5) (District's Square Miles <u>192.424380</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.40</u>

2.03

6) Multiply District Cost Factor (Line 4 above) 1.03 by lessor of the Area Factor (Line 5 above) 0.40 or 1.00 = Isolation Factor 0.41

- 1.00 = District Cost Factor

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 107.69 = Isolation Weight 44.15
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 44.15

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 258.01 = 0.655987 x .2 0.131197 x 258.01 = 33.85

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 65 - ROGER MILLSDistrict: 1066 - HAMMON

- A. If school district's total area in square miles <u>249.032610</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>258.01</u> divided by district's total area in square mile <u>249.032610</u> = District's Areal Density <u>1.04</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

140.76 =

Grades	PK4 - 5th	117.76	+	23 =	140.76	(Ca)
Grades	6th - 8th	59.85	+	133 =	192.85	(Cb)
Grades	PK3,9 -OHP	80.40	+	128 =	208.40	(Cc)
		258.01				

0.525718

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	192.85 =	0.632616	+ .85 =	1.482616 x	59.85 =	88.73
			_		6-8 ADM	6-8 Cost Factor

1.375718 x

117.76 =

162.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 426.09 divided by district's Raw ADM 258.01

  = 1.65 -1.00 = District Cost Factor 0.65
- 5) (District's Square Miles <u>249.032610</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.81</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.65 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 0.53
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>258.01</u> = Isolation Weight <u>136.75</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>136.75</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 506.55 = 0.324600 x .2 0.064920 x 506.55 = 32.89

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 66 - ROGERSDistrict: C009 - JUSTUS-TIAWAH

- A. If school district's total area in square miles <u>33.593120</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>506.55</u> divided by district's total area in square mile <u>33.593120</u> = District's Areal Density <u>15.08</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	•				
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   506.55

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>33.593120</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{506.55}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 32.89

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: I001 - CLAREMORE

- A. If school district's total area in square miles <u>33.676480</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3.881.85</u> divided by district's total area in square mile <u>33.676480</u> = District's Areal Density <u>115.27</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

3,881.85

0

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 33.676480 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.881.85</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 449 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,810.40 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: I002 - CATOOSA

- If school district's total area in square miles 81.820270 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,810.40 divided by district's total area in square mile 81.820270 = District's Areal В. Density 22.13 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,810.40 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>81.820270</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.810.40 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: 1003 - CHELSEA

- If school district's total area in square miles 180.897050 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM \_799.52 divided by district's total area in square mile \_180.897050 = District's Areal В. Density 4.42

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

6-8 ADM 6-8 Cost Factor
3) 292 divided by "Cc" from above
$$0.00 = 0.000000 + .78 = 0.780000 \times 0.00 = 0.00$$

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 799.52 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>180.897050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 799.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

9-OHP Cost Factor

9-OHP ADM

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 66 - ROGERSDistrict: I004 - OOLOGAH-TALALA

- A. If school district's total area in square miles <u>176.907760</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,739.87</u> divided by district's total area in square mile <u>176.907760</u> = District's Areal Density <u>9.83</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,739.87

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>176.907760</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.739.87</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,362.08 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: I005 - INOLA

- If school district's total area in square miles 101.279580 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,362.08 divided by district's total area in square mile 101.279580 = District's В. Areal Density 13.45.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			•		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,362.08 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>101.279580</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.362.08 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,272.08 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: I006 - SEQUOYAH

- If school district's total area in square miles 64.337440 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,272.08 divided by district's total area in square mile 64.337440 = District's Areal В. Density 19.77.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u>.</u>		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

0.00

0.00

**EC-5 Cost Factor** 

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,272.08 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>64.337440</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.272.08 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: 1007 - FOYIL

- If school district's total area in square miles 37.510930 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 409.65 divided by district's total area in square mile 37.510930 = District's Areal В. Density 10.92 .

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 409.65 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>37.510930</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 409.65 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.18

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,391.62 = 0.000000 x .2 0.000000 x 1,391.62 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 66 - ROGERSDistrict: I008 - VERDIGRIS

- A. If school district's total area in square miles <u>24.242330</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.391.62</u> divided by district's total area in square mile <u>24.242330</u> = District's Areal Density <u>57.40</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2) 122 divided by "	Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			•	_	6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,391.62

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>24.242330</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.391.62</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

133.42 0.822107 0.164421 21.94 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: C054 - JUSTICE

- If school district's total area in square miles 14.354750 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 133.42 divided by district's total area in square mile 14.354750 = District's Areal В. Density <u>9.29</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>14.354750</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 133.42 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 21.94

0.00

0.00 =

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,383.67 = 0.000000 x .2 0.000000 x 1,383.67 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 67 - SEMINOLEDistrict: 1001 - SEMINOLE

- A. If school district's total area in square miles <u>58.015130</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.383.67</u> divided by district's total area in square mile <u>58.015130</u> = District's Areal Density <u>23.85</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 :	= 0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

9-OHP ADM

0.00

0.00

EC-5 Cost Factor

9-OHP Cost Factor

+ .85 =

 $0.00 = 0.000000 + .78 = 0.780000 \times 0.00 =$ 

5) (District's Square Miles <u>58.015130</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.383.67</u> = Isolation Weight <u>0.00</u>

D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 458 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 605.15 = 0.193133 x .2 0.038627 x 605.15 = 23.38

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: I002 - WEWOKA

- A. If school district's total area in square miles <u>35.102880</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM 605.15 divided by district's total area in square mile 35.102880 = District's Areal Density 17.24.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-3 ADIVI	EC-5 COSt Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

0.850000 x

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 605.15

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>35.102880</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 605.15 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 23.38

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: 1003 - BOWLEGS

- A. If school district's total area in square miles <u>55.883400</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>250.62</u> divided by district's total area in square mile <u>55.883400</u> = District's Areal Density <u>4.48</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2) 122 divi	ded by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			_		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

0.00

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 250.62 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>55.883400</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>250.62</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.37

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 519.23 0.307693 0.061539 31.95 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: 1004 - KONAWA

- If school district's total area in square miles 162.087290 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>519.23</u> divided by district's total area in square mile <u>162.087290</u> = District's Areal В. Density <u>3.20</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	0.00 = 0.000000 + .85 = 0.850000 x	0.00 =	0.00
		6-8 ADM	6-8 Cost Factor
3)	292 divided by " <u>Cc</u> " from above		

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 519.23 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>162.087290</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 519.23 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 31.95

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: 1006 - NEW LIMA

- A. If school district's total area in square miles <u>54.607200</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>255.51</u> divided by district's total area in square mile <u>54.607200</u> = District's Areal Density <u>4.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	= _	0.000000	+ .85 =	=	0.850000	Х	0.00 =		0.00
	_		_				•	EC-5 ADM	Е	C-5 Cost Factor
2)	122 divided by "Cb" from ab	ove								
	0.00	=	0.000000	+ .85 =	=	0.850000	Х	0.00 =		0.00

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 255.51

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>54.607200</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>255.51</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.69

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 462 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: I007 - VARNUM

- A. If school district's total area in square miles <u>28.416630</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>303.86</u> divided by district's total area in square mile <u>28.416630</u> = District's Areal Density <u>10.69</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
_,	izz divided by <u>es</u> nom above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 303.86

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>28.416630</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 303.86 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.15

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 463 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: I010 - SASAKWA

- A. If school district's total area in square miles <u>83.539600</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>188.54</u> divided by district's total area in square mile <u>83.539600</u> = District's Areal Density <u>2.26</u>.

+ .85 =

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

		_			EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	0.00 9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

5) (District's Square Miles <u>83.539600</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 188.54 = Isolation Weight 0.00

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 350.46 0.532720 0.106544 37.34 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 67 - SEMINOLEDistrict: 1014 - STROTHER

- If school district's total area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>350.46</u> divided by district's total area in square mile <u>108.797040</u> = District's Areal В. Density 3.22

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 350.46 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>108.797040</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 350.46 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.34

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 206.81 = 0.724253 x .2 0.144851 x 206.81 = 29.96

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 67 - SEMINOLEDistrict: I015 - BUTNER

- A. If school district's total area in square miles <u>114.857350</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>206.81</u> divided by district's total area in square mile <u>114.857350</u> = District's Areal Density <u>1.80</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3/	202 divided by "Co" from above				0-0 ADIVI	0-6 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 466 of 541

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   206.81

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>114.857350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 206.81 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 29.96

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 324.51 = 0.567320 x .2 0.113464 x 324.51 = 36.82

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 68 - SEQUOYAHDistrict: C001 - LIBERTY

- A. If school district's total area in square miles <u>32.724100</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>324.51</u> divided by district's total area in square mile <u>32.724100</u> = District's Areal Density <u>9.92</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+	.85 =	=	0.850000	Х	0.00 =	0.00
		•							EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from all	bove	<b>;</b>							
	0.00		0.000000		0.5		0.050000		0.00	0.00

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 324.51

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>32.724100</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 324.51 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 36.82

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 79.61 = 0.893853 x .2 0.178771 x 79.61 = 14.23

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 68 - SEQUOYAHDistrict: C035 - MARBLE CITY

- A. If school district's total area in square miles <u>31.049670</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>79.61</u> divided by district's total area in square mile <u>31.049670</u> = District's Areal Density <u>2.56</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2) 122 divided by "	Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   79.61

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>31.049670</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM  $\underline{79.61}$  = Isolation Weight  $\underline{0.00}$
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 14.23

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 361.88 0.517493 0.103499 37.45 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: C036 - BRUSHY

- If school district's total area in square miles 46.530560 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 361.88 divided by district's total area in square mile 46.530560 = District's Areal В. Density <u>7.78</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 361.88 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>46.530560</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 361.88 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.45

0.00

EC-5 Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 143.90 0.808133 0.161627 23.26 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 68 - SEQUOYAHDistrict: C050 - BELFONTE

- If school district's total area in square miles <u>75.625050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 143.90 divided by district's total area in square mile 75.625050 = District's Areal В. Density <u>1.90</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

Page 470 of 541

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor

- 5) (District's Square Miles <u>75.625050</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 143.90 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 23.26

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 348.34 0.535547 0.107109 37.31 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: C068 - MOFFETT

- If school district's total area in square miles <u>6.506050</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>348.34</u> divided by district's total area in square mile <u>6.506050</u> = District's Areal В. Density <u>53.54</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 348.34 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>6.506050</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 348.34 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.31

0.00

**EC-5 Cost Factor** 

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 1,871.90 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: 1001 - SALLISAW

- If school district's total area in square miles 137.289620 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,871.90 divided by district's total area in square mile 137.289620 = District's В. Areal Density 13.63.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				O O ADIVI	0 0 00311 40101

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,871.90 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>137.289620</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.871.90 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 792.40 = 0.000000 x .2 0.000000 x 792.40 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: I002 - VIAN

- A. If school district's total area in square miles <u>135.358730</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>792.40</u> divided by district's total area in square mile <u>135.358730</u> = District's Areal Density <u>5.85</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 -

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .00 =	0.650000 X	0.00 =	0.00
			-		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
			<del>-</del>		6-8 ADM	6-8 Cost Factor

0.050000 7

0.00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 792.40

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>135.358730</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>792.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 1,325.55 = 0.000000 x .2 0.000000 x 1,325.55 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: I003 - MULDROW

- A. If school district's total area in square miles <u>81.584390</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.325.55</u> divided by district's total area in square mile <u>81.584390</u> = District's Areal Density <u>16.25</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

- 0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
  9-OHP ADM 9-OHP Cost Factor
- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   1,325.55

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>81.584390</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.325.55</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 336.07 0.551907 0.110381 37.10 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: 1004 - GANS

- If school district's total area in square miles <u>51.328370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 336.07 divided by district's total area in square mile 51.328370 = District's Areal В. Density <u>6.55</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00	0.000000	. 05	0.050000	0.00	0.00

6-8 ADM

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 336.07 0.00 - 1.00 = District Cost Factor 0

- (District's Square Miles <u>51.328370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 336.07 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 37.10

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 930.37 = 0.000000 x .2 0.000000 x 930.37 = 0.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: 1005 - ROLAND

- A. If school district's total area in square miles <u>40.744880</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>930.37</u> divided by district's total area in square mile <u>40.744880</u> = District's Areal Density <u>22.83</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

 $\cap \cap \cap$ 

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	= co. +	0.850000	Х	0.00 =	0.00
			_			•	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from al	bove	)					

+ .85 =

0.050000

0.00 -

\_\_\_\_\_

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 930.37

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles 40.744880 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>930.37</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

6-8 Cost Factor

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 68 - SEQUOYAHDistrict: I006 - GORE

- A. If school district's total area in square miles <u>70.336290</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>490.06</u> divided by district's total area in square mile <u>70.336290</u> = District's Areal Density <u>6.97</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00	
					EC-5 ADM	EC-5 Cost Factor	
2)	122 divided by "Cb" from above						

0.00

6-8 Cost Factor

Page 477 of 541

+ .85 =

- 5) (District's Square Miles <u>70.336290</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 490.06 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.97

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 68 - SEQUOYAHDistrict: 1007 - CENTRAL

- If school district's total area in square miles 47.723520 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>510.91</u> divided by district's total area in square mile <u>47.723520</u> = District's Areal В. Density 10.71.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	.000000	+ .78 =	0.780000 x	0.00 = 9-OHP ADM	0.00 9-OHP Cost Factor

0.850000 x

0.00 =

0.00

+ .85 =

- 0.00 divided by district's Raw ADM 510.91 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>47.723520</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 510.91 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 32.57

Report# FB107b Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

0.891347 0.178269 14.53 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 69 - STEPHENSDistrict: C082 - GRANDVIEW

- If school district's total area in square miles 45.526910 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 81.49 divided by district's total area in square mile 45.526910 = District's Areal В. Density <u>1.79</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

Page 479 of 541

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>45.526910</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 81.49 = Isolation Weight 0.00\_
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 14.53

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 3,304.10 = 0.000000 x .2 0.000000 x 3,304.10 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENSDistrict: I001 - DUNCAN

- A. If school district's total area in square miles <u>67.168110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,304.10</u> divided by district's total area in square mile <u>67.168110</u> = District's Areal Density <u>49.19</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

	_			_	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

0.850000 x

0.00 =

3,304.10

+ .85 =

5) (District's Square Miles <u>67.168110</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.304.10</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 858.23 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 69 - STEPHENSDistrict: I002 - COMANCHE

- Α. If school district's total area in square miles 158.150320 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>858.23</u> divided by district's total area in square mile <u>158.150320</u> = District's Areal В. Density <u>5.43</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
		_			EC-5	ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 858.23 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>158.150320</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 858.23 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENSDistrict: I003 - MARLOW

- A. If school district's total area in square miles <u>63.561420</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,377.49</u> divided by district's total area in square mile <u>63.561420</u> = District's Areal Density <u>21.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 -	0.00000	<b>+</b> 78 <b>-</b>	0.780000 v	0.00 -	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

- 1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,377.49

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>63.561420</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.377.49</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

9-OHP Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 469.03 0.374627 0.074925 35.14 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 69 - STEPHENSDistrict: I015 - VELMA-ALMA

- Α. If school district's total area in square miles 229.131890 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 469.03 divided by district's total area in square mile 229.131890 = District's Areal В. Density <u>2.05</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	216.10	+	23 =	239.10	(Ca)
Grades	6th - 8th	104.19	+	133 =	237.19	(Cb)
Grades	PK3,9 -OHP	148.74	+	128 =	276.74	(Cc)
		469.03				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	239.10 =	0.309494	+ .85 =	1.159494 x	216.10 =	250.57
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	237.19 =	0.514356	+ .85 =	1.364356 x	104.19 =	142.15
			_		6-8 ADM	6-8 Cost Factor

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 665.68 divided by district's Raw ADM 469.03 1.42 - 1.00 = District Cost Factor 0.42

- (District's Square Miles <u>229.131890</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.42 by lessor of the Area Factor (Line 5 above) 0.66 or 1.00 = Isolation Factor 0.28
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 469.03 = Isolation Weight 131.33
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 131.33

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.354013 0.070803 34.30 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 69 - STEPHENSDistrict: I021 - EMPIRE

- Α. If school district's total area in square miles 104.955230 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 484.49 divided by district's total area in square mile 104.955230 = District's Areal В. Density 4.62

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
					· ·	EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

0.00

6-8 Cost Factor

+ .85 =

- (District's Square Miles <u>104.955230</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 484.49 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.30

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 484 of 541 Privacy Level: Public

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 431.79 0.424280 0.084856 36.64 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 69 - STEPHENSDistrict: 1034 - CENTRAL HIGH

- Α. If school district's total area in square miles 96.516120 is greater than the state average area in square miles 137.86788, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 431.79 divided by district's total area in square mile 96.516120 = District's Areal В. Density <u>4.47</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 431.79 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>96.516120</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 431.79 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 36.64

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 269.97 = 0.640040 x .2 0.128008 x 269.97 = 34.56

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 69 - STEPHENSDistrict: I042 - BRAY-DOYLE

- A. If school district's total area in square miles <u>235.688450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>269.97</u> divided by district's total area in square mile <u>235.688450</u> = District's Areal Density <u>1.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

163.92 =

Grades	PK4 - 5th	140.92	+	23 =	163.92	(Ca)
Grades	6th - 8th	51.17	+	133 =	184.17	(Cb)
Grades	PK3,9 -OHP	77.88	+	128 =	205.88	(Cc)
		269.97				

0.451440

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	184.17 =	0.662431	+ .85 =	1.512431 x	51.17 =	77.39
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	205.88 =	1.418302	+ .78 =	2.198302 x	77.88 =	171.20
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

269.97

0.60

+ .85 =

5) (District's Square Miles <u>235.688450</u> - <u>137.86788</u> ) divided by <u>137.86788</u> = Area Factor <u>0.71</u>

431.99

1.60

- 6) Multiply District Cost Factor (Line 4 above) <u>0.60</u> by lessor of the Area Factor (Line 5 above) <u>0.71</u> or 1.00 = Isolation Factor <u>0.43</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>269.97</u> = Isolation Weight <u>116.09</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>116.09</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 486 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.933893 0.186779 9.26 Small School Same Year District Weight Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: C009 - OPTIMA

- If school district's total area in square miles <u>59.012320</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 49.58 divided by district's total area in square mile 59.012320 = District's Areal В. Density <u>0.84</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		<u> </u>			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>59.012320</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 49.58 = Isolation Weight \_0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 9.26

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 0.962067 0.192413 5.47 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 70 - TEXASDistrict: C080 - STRAIGHT

- If school district's total area in square miles \_\_\_150.322320\_ is greater than the state average area in square miles \_\_137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 28.45 divided by district's total area in square mile 150.322320 = District's Areal В. Density <u>0.19</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

51.45 =

Grades	PK4 - 5th	28.45	+	23 =	51.45	(Ca)
Grades	6th - 8th	0.00	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0.00	+	128 =	0.00	(Cc)
		28.45				

1.438290

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 COSt Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.000000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

2.288290 x

+ .85 =

- Sum 1 + 2 + 3 from above 65.10 divided by district's Raw ADM 2.29 - 1.00 = District Cost Factor 1.29
- 5) (District's Square Miles <u>150.322320</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.09</u>
- Multiply District Cost Factor (Line 4 above) 1.29 by lessor of the Area Factor (Line 5 above) 0.09 or 1.00 = Isolation Factor 0.12
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 28.45 = Isolation Weight 3.41
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 5.47

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 122.47 0.836707 0.167341 20.49 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: I001 - YARBROUGH

- If school district's total area in square miles 375.968910 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 122.47 divided by district's total area in square mile 375.968910 = District's Areal В. Density <u>0.33</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	59.27	+	23 =	82.27	(Ca)
Grades	6th - 8th	33.72	+	133 =	166.72	(Cb)
Grades	PK3,9 -OHP	29.48	+	128 =	157.48	(Cc)
		122.47				

0.899477

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	166.72 =	0.731766	+ .85 =	1.581766 x	33.72 =	53.34
3)	292 divided by " <u>Cc</u> " from above				6-8 ADM	6-8 Cost Factor

1.749477 x

59.27 =

103.69

+ .85 =

Sum 1 + 2 + 3 from above 234.69 divided by district's Raw ADM 1.92 - 1.00 = District Cost Factor 0.92

- (District's Square Miles <u>375.968910</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.92 by lessor of the Area Factor (Line 5 above) 1.73 or 1.00 = Isolation Factor 0.92
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 122.47 = Isolation Weight 112.67
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 112.67

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 2,962.60 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: 1008 - GUYMON

- If school district's total area in square miles 360.728970 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.962.60 divided by district's total area in square mile 360.728970 = District's В. Areal Density 8.21.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_		_	6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,962.60 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>360.728970</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.962.60 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 41.99 = 0.944013 x .2 0.188803 x 41.99 = 7.93

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: I015 - HARDESTY

- A. If school district's total area in square miles <u>250.196800</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>41.99</u> divided by district's total area in square mile <u>250.196800</u> = District's Areal Density <u>0.17</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

48.44 =

Grades	PK4 - 5th	25.44	+	23 =	48.44	(Ca)
Grades	6th - 8th	10.56	+	133 =	143.56	(Cb)
Grades	PK3,9 -OHP	5.99	+	128 =	133.99	(Cc)
		41.99				

1.527663

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	143.56 =	0.849819	+ .85 =	1.699819 x	10.56 =	17.95
		_	_		6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	133.99 =	2.179267	+ .78 =	2.959267 x	5.99 =	17.73

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 96.17 divided by district's Raw ADM 41.99

+ .85 =

5) (District's Square Miles <u>250.196800</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.81</u>

2.29

6) Multiply District Cost Factor (Line 4 above) 1.29 by lessor of the Area Factor (Line 5 above) 0.81 or 1.00 = Isolation Factor 1.04

- 1.00 = District Cost Factor

1.29

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 41.99 = Isolation Weight 43.67
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 43.67

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 491 of 541 Privacy Level: Public

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 616.07 = 0.178573 x .2 0.035715 x 616.07 = 22.00

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: I023 - HOOKER

- A. If school district's total area in square miles <u>303.624090</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>616.07</u> divided by district's total area in square mile <u>303.624090</u> = District's Areal Density <u>2.03</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	281.83	+	23 =	304.83	(Ca)
Grades	6th - 8th	146.44	+	133 =	279.44	(Cb)
Grades	PK3,9 -OHP	187.80	+	128 =	315.80	(Cc)
		616.07				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

304.83	=	0.242758	+	.85	=	=	 1.092758	3 x	281.83 =		307.97
								_	EC-5 ADM	EC	C-5 Cost Factor

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 816.51 divided by district's Raw ADM 616.07

  = 1.33 1.00 = District Cost Factor 0.33
- 5) (District's Square Miles <u>303.624090</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.20</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.33 by lessor of the Area Factor (Line 5 above) 1.20 or 1.00 = Isolation Factor 0.33
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 616.07 = Isolation Weight \_203.30
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 203.30

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 210.73 = 0.719027 x .2 0.143805 x 210.73 = 30.30

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: I053 - TYRONE

- A. If school district's total area in square miles <u>66.947130</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>210.73</u> divided by district's total area in square mile <u>66.947130</u> = District's Areal Density <u>3.15</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 210.73

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles  $\underline{66.947130}$   $\underline{137.86788}$ ) divided by  $\underline{137.86788}$  = Area Factor  $\underline{0}$
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>210.73</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 30.30

0.00

**EC-5 Cost Factor** 

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 186.34 = 0.751547 x .2 0.150309 x 186.34 = 28.01

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 70 - TEXASDistrict: I060 - GOODWELL

- A. If school district's total area in square miles <u>186.638990</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>186.34</u> divided by district's total area in square mile <u>186.638990</u> = District's Areal Density <u>1.00</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	96.99	+	23 =	119.99	(Ca)
Grades	6th - 8th	36.35	+	133 =	169.35	(Cb)
Grades	PK3,9 -OHP	53.00	+	128 =	181.00	(Cc)
		186.34				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	119.99 =	0.616718	+ .85 =	1.466718 x	96.99 =	142.26
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	160.25	0.720402	. 05 _	1 570402 v	26.25	E7 00

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

- 4) Sum 1 + 2 + 3 from above 326.18 divided by district's Raw ADM 186.34

  = 1.75 -1.00 = District Cost Factor 0.75
- 5) (District's Square Miles <u>186.638990</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.35</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.75 by lessor of the Area Factor (Line 5 above) 0.35 or 1.00 = Isolation Factor 0.26
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 186.34 = Isolation Weight 48.45
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 48.45

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 215.71 = 0.712387 x .2 0.142477 x 215.71 = 30.73

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 70 - TEXASDistrict: I061 - TEXHOMA

- A. If school district's total area in square miles <u>252.774960</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>215.71</u> divided by district's total area in square mile <u>252.774960</u> = District's Areal Density <u>0.85</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

115 1/ -

Grades	PK4 - 5th	92.14	+	23 =	115.14	(Ca)
Grades	6th - 8th	41.81	+	133 =	174.81	(Cb)
Grades	PK3,9 -OHP	81.76	+	128 =	209.76	(Cc)
		215.71				

0.642606

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	115.14 =	0.042090	+ .05 =	1.492090 X	92.14 =	137.34
			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	174.81 =	0.697901	+ .85 =	1.547901 x	41.81 =	64.72

1 /02606 v

137 5/

3) 292 divided by "Cc" from above

4) Sum 1 + 2 + 3 from above 379.85 divided by district's Raw ADM 215.71

= 1.76 - 1.00 = District Cost Factor 0.76

- 5) (District's Square Miles <u>252.774960</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.83</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.76 by lessor of the Area Factor (Line 5 above) 0.83 or 1.00 = Isolation Factor 0.63
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>215.71</u> = Isolation Weight <u>135.90</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 135.90

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMANDistrict: C009 - DAVIDSON

- A. If school district's total area in square miles <u>127.647780</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>26.08</u> divided by district's total area in square mile <u>127.647780</u> = District's Areal Density <u>0.20</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

_		_	_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
_			•		6-8 ADM	6-8 Cost Factor

+ .85 =

0.850000 x

0.00 =

3) 292 divided by "Cc" from above

- 9 Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 26.08 = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles 127.647780 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>26.08</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_5.03\_

0.00

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 227.14 = 0.697147 x .2 0.139429 x 227.14 = 31.67

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 71 - TILLMANDistrict: 1008 - TIPTON

- A. If school district's total area in square miles <u>170.118850</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>227.14</u> divided by district's total area in square mile <u>170.118850</u> = District's Areal Density <u>1.34</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

118.44 =

Grades	PK4 - 5th	95.44	+	23 =	118.44	(Ca)
Grades	6th - 8th	51.42	+	133 =	184.42	(Cb)
Grades	PK3,9 -OHP	80.28	+	128 =	208.28	(Cc)
		227.14				

0.624789

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	184.42 =	0.661533	+ .85 =	1.511533	x 51.42 =	77.72
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	208.28 =	1.401959	+ .78 =	2.181959	x 80.28 =	175.17
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.474789 x

95.44 =

0.73

140.75

+ .85 =

5) (District's Square Miles <u>170.118850</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.23</u>

393.64

1.73

- 6) Multiply District Cost Factor (Line 4 above) <u>0.73</u> by lessor of the Area Factor (Line 5 above) <u>0.23</u> or 1.00 = Isolation Factor <u>0.17</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 227.14 = Isolation Weight 38.61
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 38.61

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 762.86 0.000000 0.000000 0.00 Small School Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

County: 71 - TILLMANDistrict: I158 - FREDERICK

- If school district's total area in square miles 206.780590 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>762.86</u> divided by district's total area in square mile <u>206.780590</u> = District's Areal В. Density <u>3.69</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>206.780590</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 762.86 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

750 - 215.66 = 0.712453 x .2 0.142491 x 215.66 = 30.73

750 Same Year Raw ADM District Weight

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 71 - TILLMANDistrict: I249 - GRANDFIELD

- A. If school district's total area in square miles <u>175.543110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>215.66</u> divided by district's total area in square mile <u>175.543110</u> = District's Areal Density <u>1.23</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

114.98 =

Grades	PK4 - 5th	91.98	+	23 =	114.98	(Ca)
Grades	6th - 8th	44.55	+	133 =	177.55	(Cb)
Grades	PK3,9 -OHP	79.13	+	128 =	207.13	(Cc)
		215.66				

0.643590

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	177.55 =	0.687130	+ .85 =	1.537130 x	44.55 =	68.48
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	207.13 =	1.409743	+ .78 =	2.189743 x	79.13 =	173.27

1.493590 x

91.98 =

9-OHP ADM

137.38

9-OHP Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 379.13 divided by district's Raw ADM 215.66
  = 1.76 1.00 = District Cost Factor 0.76
- 5) (District's Square Miles <u>175.543110</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.27</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.76 by lessor of the Area Factor (Line 5 above) 0.27 or 1.00 = Isolation Factor 0.21
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 215.66 = Isolation Weight 45.29
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 45.29

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 499 of 541

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

### **2024 FINAL**

Raw ADM

750 292.99 0.609347 0.121869 35.71 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: C015 - KEYSTONE

- If school district's total area in square miles 45.324120 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 292.99 divided by district's total area in square mile 45.324120 = District's Areal В. Density <u>6.46</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>45.324120</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 292.99 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 35.71

# **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: E004 - TULSA SCHOOL OF ARTS AND SCIENCES CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>515.24</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 515.24

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>515.24</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

### **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

2024	FI	N	AL
------	----	---	----

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: E005 - KIPP TULSA ACADEMY CHARTER

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>512.66</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

+ .85 =

0.850000 x

0.00 =

9-OHP ADM

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 512.66

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>512.66</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

## Small School and Isolation Weight

2023 - 2024

### Statewide Report

2024	FI	N	Α	L
------	----	---	---	---

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: E006 - TULSA LEGACY CHARTER SCHOOL

- A. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>564.58</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u> В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	0.000000	+ .85 =	0.850000	( 0.00 =	= 0.00
					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					

292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 564.58 0.00 - 1.00 = District Cost Factor 0
- (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor 0
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 564.58 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

### Statewide Report

#### **2024 FINAL**

Raw ADM

#### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: E017 - COLLEGE BOUND ACADEMY of TULSA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>814.78</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

0.00	=	0.000000	+	.85	=	_	(	0.850000	Χ	0.00 =	=	0.00
		_				-				EC-5 ADM		EC-5 Cost Factor

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   814.78

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>814.78</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

2024	N	٨	ı
ZUZ4	IV	А	L

Raw ADM

750 1,163.55 0.000000 0.000000 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: E018 - TULSA HONOR CHARTER ACADEMY

- Α. If school district's total area in square miles \_0\_ is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1.163.55 divided by district's total area in square mile 0 = District's Areal Density \_ В.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by 0 <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.163.55 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

2024	FI	N	Α	L
------	----	---	---	---

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: G001 - DEBORAH BROWN COMMUNITY CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>201.63</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 201.63

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 0 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>201.63</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

2024		N.I	Α	ı
ZUZ4	ГΙ	IM	А	L

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: G003 - DOVE SCHOOLS OF TULSA

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.228.48</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>0</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

6) Multiply District Cost Factor (Line 4 above) <u>0</u> by lessor of the Area Factor (Line 5 above) <u>0</u> or 1.00 = Isolation Factor <u>0</u>

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.228.48</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

1,228.48

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 84.35 = 0.887533 x .2 0.177507 x 84.35 = 0

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: G004 - SANKOFA CHARTER SCHOOL

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>84.35</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 84.35

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 84.35 = Isolation Weight 0.00

9-OHP Cost Factor

9-OHP ADM

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: G006 - TULSA CLASSICAL CHARTER ACADEMY

- A. If school district's total area in square miles <u>0</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>641.96</u> divided by district's total area in square mile <u>0</u> = District's Areal Density <u>0</u>

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

+ .85 =

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00

9-OHP ADM 9-OHP Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 641.96

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>0</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 641.96 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 33,480.10 0.000000 0.000000 0.00 750 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I001 - TULSA

- If school district's total area in square miles 177.428630 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>33,480.10</u> divided by district's total area in square mile <u>177,428630</u> = District's В. Areal Density 188.70.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

+ .85 =

0.850000 x

0.00 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 33,480.10 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>177.428630</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 33,480.10 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

**EC-5 Cost Factor** 

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 5,074.23 = 0.000000 x .2 0.000000 x 5,074.23 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: I002 - SAND SPRINGS

- A. If school district's total area in square miles <u>75.172130</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>5.074.23</u> divided by district's total area in square mile <u>75.172130</u> = District's Areal Density <u>67.50</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

0.850000 x

0.00 =

0.00

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 5,074.23

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>75.172130</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>5.074.23</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 19,996.40 = 0.000000 x .2 0.000000 x 19,996.40 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: I003 - BROKEN ARROW

- A. If school district's total area in square miles <u>104.707630</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>19.996.40</u> divided by district's total area in square mile <u>104.707630</u> = District's Areal Density <u>190.97</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

+ .85 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 19,996.40

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>104.707630</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>19.996.40</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

**EC-5 Cost Factor** 

9-OHP Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 8,073.26 = 0.000000 x .2 0.000000 x 8,073.26 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I004 - BIXBY

- A. If school district's total area in square miles <u>75.123740</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>8.073.26</u> divided by district's total area in square mile <u>75.123740</u> = District's Areal Density <u>107.47</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 8,073.26

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>75.123740</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 8.073.26 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I005 - JENKS

- If school district's total area in square miles 39.814530 is greater than the state average area in square miles 137.86788, go to next step A. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 12.683.66 divided by district's total area in square mile 39.814530 = District's В. Areal Density 318.57.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.780000

0.00 =

0.00 =

0.00

0.00

EC-5 Cost Factor

+ .85 =

+ .78 =

0.00 =9-OHP ADM 9-OHP Cost Factor Sum 1 + 2 + 3 from above

0.00 divided by district's Raw ADM 12,683.66 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>39.814530</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 12.683.66 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 514 of 541 Privacy Level: Public

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 3,135.52 = 0.000000 x .2 0.000000 x 3,135.52 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 72 - TULSADistrict: I006 - COLLINSVILLE

- A. If school district's total area in square miles <u>63.849350</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>3,135.52</u> divided by district's total area in square mile <u>63.849350</u> = District's Areal Density <u>49.11</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00			·	

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above						
	0.00 =	0.000000	+ .85 =	0.850000	х	0.00 =	0.00
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	0.00 =	0.000000	+ .78 =	0.780000	х	0.00 =	0.00

0.850000 x

0.00 =

9-OHP ADM

0.00

EC-5 Cost Factor

9-OHP Cost Factor

- 4) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,135.52

  = 0.00 -1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>63.849350</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>3.135.52</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 2,310.87 = 0.000000 x .2 0.000000 x 2,310.87 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I007 - SKIATOOK

- A. If school district's total area in square miles <u>89.646930</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.310.87</u> divided by district's total area in square mile <u>89.646930</u> = District's Areal Density <u>25.78</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000		
- `					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,310.87

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>89.646930</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.310.87</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM
Privacy Level: Public

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,064.21 = 0.000000 x .2 0.000000 x 1,064.21 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I008 - SPERRY

- A. If school district's total area in square miles <u>57.008580</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1.064.21</u> divided by district's total area in square mile <u>57.008580</u> = District's Areal Density <u>18.67</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above	)				
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,064.21

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>57.008580</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.064.21</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: 1009 - UNION

- A. If school district's total area in square miles <u>27.364590</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>14.958.52</u> divided by district's total area in square mile <u>27.364590</u> = District's Areal Density <u>546.64</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

0.850000 x

0.00 =

14,958.52

0.00

+ .85 =

= 0.00 - 1.00 = District Cost Factor

5) (District's Square Miles 27.364590 - 137.86788) divided by 137.86788 = Area Factor 0

0.00

Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 14,958.52 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

**2024 FINAL** 

Raw ADM

1,138.38 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I010 - BERRYHILL

- If school district's total area in square miles \_9.382150\_ is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,138.38 divided by district's total area in square mile 9.382150 = District's Areal В. Density <u>121.33</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 1,138.38 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>9.382150</u> <u>137.86788</u>) divided by  $\underline{137.86788}$  = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.138.38 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 9,854.95 = 0.000000 x .2 0.000000 x 9,854.95 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I011 - OWASSO

- A. If school district's total area in square miles <u>72.436980</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>9.854.95</u> divided by district's total area in square mile <u>72.436980</u> = District's Areal Density <u>136.05</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00

0.850000 x

0.00 =

6-8 ADM

+ .85 =

3) 292 divided by "Cc" from above

 Sum 1 + 2 + 3 from above
 0.00
 divided by district's Raw ADM
 9,854.95

 =
 0.00
 - 1.00 = District Cost Factor
 0

- 5) (District's Square Miles <u>72.436980</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>9.854.95</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

0.00

6-8 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 2,813.22 = 0.000000 x .2 0.000000 x 2,813.22 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I013 - GLENPOOL

- A. If school district's total area in square miles <u>18.070860</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2.813.22</u> divided by district's total area in square mile <u>18.070860</u> = District's Areal Density <u>155.68</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

					EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	0.00 =	0.000000	+ .78 =	0.780000 x	0.00 =	0.00
					9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>18.070860</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>

0.00

0.00

- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2.813.22</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

2,813.22

0.00

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 72 - TULSADistrict: I014 - LIBERTY

- A. If school district's total area in square miles <u>47.589370</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>472.72</u> divided by district's total area in square mile <u>47.589370</u> = District's Areal Density <u>9.93</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .6	35	=	0.85000	00	Х	0.00 =	0.00
									-	EC-5 ADM	EC-5 Cost Factor
٥١	400 45 54 4 4 5 4 6 4 6 6		_								

2) 122 divided by "Cb" from above

3) 292 divided by "Cc" from above

1) Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 472.72

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>47.589370</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 472.72 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.95

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 365.56 = 0.512587 x .2 0.102517 x 365.56 = 37.48

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 73 - WAGONERDistrict: I001 - OKAY

- A. If school district's total area in square miles <u>48.981300</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>365.56</u> divided by district's total area in square mile <u>48.981300</u> = District's Areal Density <u>7.46</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2) 122 divid	ded by " <u>Cb</u> " from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00 =	6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 365.56

  = 0.00 1.00 = District Cost Factor 0
- 5) (District's Square Miles <u>48.981300</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>365.56</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.48

0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 3,591.01 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 73 - WAGONERDistrict: I017 - COWETA

- If school district's total area in square miles 116.724790 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 3,591.01 divided by district's total area in square mile 116.724790 = District's В. Areal Density 30.76.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00 6-8 Cost Factor
3)	202 divided by "Cc" from above				0-0 ADIVI	0-0 COSt Factor

0.850000 x

0.00 =

+ .85 =

292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 3,591.01 0.00 - 1.00 = District Cost Factor

- (District's Square Miles <u>116.724790</u> <u>137.86788</u>) divided by 137.86788 = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 3.591.01 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

0.00

EC-5 Cost Factor

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 2,010.84 0.000000 0.000000 2,010.84 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 73 - WAGONERDistrict: I019 - WAGONER

- If school district's total area in square miles 144.218640 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 2.010.84 divided by district's total area in square mile 144.218640 = District's В. Areal Density 13.94.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

0.850000 x

0.00 =

0.00 =

0.00

0.00

**EC-5 Cost Factor** 

Page 525 of 541

+ .85 =

+ .78 =

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 2,010.84 0.00 - 1.00 = District Cost Factor
- (District's Square Miles <u>144.218640</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 2.010.84 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 0.00

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 557.36 = 0.256853 x .2 0.051371 x 557.36 = 28.63

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 73 - WAGONERDistrict: I365 - PORTER CONSOLIDATED

- A. If school district's total area in square miles <u>119.023710</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>557.36</u> divided by district's total area in square mile <u>119.023710</u> = District's Areal Density <u>4.68</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+ .85 :	=	0.850000	Х	0.00 =	 0.00
		-	_				•	EC-5 ADM	 EC-5 Cost Factor
2)	122 divided by "Cb" from ab	oove							
	0.00		0.000000	. 05		0.050000		0.00	0.00

3) 292 divided by "Cc" from above

6-8 ADM

6-8 Cost Factor

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 557.36

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>119.023710</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>557.36</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_28.63\_

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 250.41 = 0.666120 x .2 0.133224 x 250.41 = 33.36

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 74 - WASHINGTONDistrict: 1004 - COPAN

- A. If school district's total area in square miles <u>95.681900</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>250.41</u> divided by district's total area in square mile <u>95.681900</u> = District's Areal Density <u>2.62</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00 =	=	0.000000	+ .85 =	0.850000	Χ	0.00 =	0.00
			_				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from abo	ove						

0.00 = 0.000000 + .85 = 0.850000 x 0.00 = 0.00
6-8 ADM 6-8 Cost Factor

3) 292 divided by "Cc" from above

0.00 = 0.000000 + .78 = 0.780000 x 0.00 = 0.00
9-OHP ADM 9-OHP Cost Factor

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   250.41

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>95.681900</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>250.41</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 33.36

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

1,204.88 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 74 - WASHINGTONDistrict: 1007 - DEWEY

- If school district's total area in square miles 86.204380 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 1,204.88 divided by district's total area in square mile 86.204380 = District's Areal В. Density 13.98.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	0.000 = 0.00000	<u>0</u> + .85	= 0.850000	x 0.00 =	0.00 6-8 Cost Factor
3)	292 divided by "Cc" from above				
	0.000 = 0.00000	0 + .78	= 0.780000	x 0.00 = 9-OHP ADM	9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 0.0	0 divided	by district's Raw ADM	1,204.88	

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

5) (District's Square Miles <u>86.204380</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor

0.00

0.00

- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 1.204.88 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

1,204.88

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 747.20 = 0.003733 x .2 0.000747 x 747.20 = 0.56

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 74 - WASHINGTONDistrict: I018 - CANEY VALLEY

- A. If school district's total area in square miles <u>190.257260</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>747.20</u> divided by district's total area in square mile <u>190.257260</u> = District's Areal Density <u>3.93</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2) 122 divided by "	Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 = 6-8 ADM	0.00 6-8 Cost Factor

0.850000 x

0.00 =

+ .85 =

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 747.20 = 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles 190.257260 137.86788) divided by 137.86788 = Area Factor 0
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0

Printed: 8/22/2025 6:45:45 AM

- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>747.20</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.56\_

0.00

EC-5 Cost Factor

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

6,167.44 0.000000 0.000000 0.00 Small School Same Year District Weight Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 74 - WASHINGTONDistrict: 1030 - BARTLESVILLE

- If school district's total area in square miles 97.495950 is greater than the state average area in square miles 137.86788, go to next step Α. and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM 6,167.44 divided by district's total area in square mile 97.495950 = District's Areal В. Density <u>63.26</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
3)	292 divided by "Cc" from above				6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

- Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 6,167.44 0.00 - 1.00 = District Cost Factor
- 5) (District's Square Miles <u>97.495950</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 6.167.44 = Isolation Weight 0.00
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 0.00

# Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 288.82 0.614907 0.122981 35.52 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITADistrict: 1001 - SENTINEL

- If school district's total area in square miles 256.255680 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>288.82</u> divided by district's total area in square mile <u>256.255680</u> = District's Areal В. Density <u>1.13</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

170.75 =

Grades	PK4 - 5th	147.75	+	23 =	170.75	(Ca)
Grades	6th - 8th	52.79	+	133 =	185.79	(Cb)
Grades	PK3,9 -OHP	88.28	+	128 =	216.28	(Cc)
		288.82				

0.433382

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					EC-5 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	185.79 =	0.656655	+ .85 =	1.506655 x	52.79 =	79.54
					6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					

1.283382 x

216.28	=	1.350102	+ .78 =	= 2.130102 x	88.28 =	188.05
					9-OHP ADM	9-OHP Cost Factor

- Sum 1 + 2 + 3 from above 457.21 divided by district's Raw ADM 288.82 1.58 - 1.00 = District Cost Factor 0.58
- 5) (District's Square Miles <u>256.255680</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.58 by lessor of the Area Factor (Line 5 above) 0.86 or 1.00 = Isolation Factor 0.50
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 288.82 = Isolation Weight 144.41
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the D. Weighted District Weight 144.41

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 75 - WASHITADistrict: I010 - BURNS FLAT-DILL CITY

- A. If school district's total area in square miles <u>131.980530</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>483.87</u> divided by district's total area in square mile <u>131.980530</u> = District's Areal Density <u>3.67</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of 2.49, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LOOMEN	EO 0 000t 1 dotor
2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000 x	0.00 =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

EC-5 Cost Factor

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   483.87

   =
   0.00
   1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>131.980530</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>483.87</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 34.34

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITADistrict: I011 - CANUTE

- A. If school district's total area in square miles <u>156.170450</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>407.59</u> divided by district's total area in square mile <u>156.170450</u> = District's Areal Density <u>2.61</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

	0.00	=	0.000000	+	.85	=	 0.850000	Χ	0.00 =	0.	00
		-						•	EC-5 ADM	EC-5 Cost Fact	tor
2)	122 divided by "Cb" from all	oove									
	0.00	=	0.000000	+	.85	=	 0.850000	Х	0.00 =	0.	00

3) 292 divided by "Cc" from above

Sum 1 + 2 + 3 from above 0.00 divided by district's Raw ADM 407.59

= 0.00 - 1.00 = District Cost Factor 0

- 5) (District's Square Miles <u>156.170450</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 407.59 = Isolation Weight 0.00
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 37.22

6-8 Cost Factor

6-8 ADM

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 616.58 = 0.177893 x .2 0.035579 x 616.58 = 21.94

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 75 - WASHITADistrict: 1078 - CORDELL

- A. If school district's total area in square miles <u>349.565670</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>616.58</u> divided by district's total area in square mile <u>349.565670</u> = District's Areal Density <u>1.76</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

343.44 =

Grades	PK4 - 5th	320.44	+	23 =	343.44	(Ca)
Grades	6th - 8th	131.50	+	133 =	264.50	(Cb)
Grades	PK3,9 -OHP	164.64	+	128 =	292.64	(Cc)
		616.58				

0.215467

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

		EC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by " <u>Cb</u> " from above		
	264.50 = 0.461248 + .85 = 1.311248 x	131.50 =	172.43
		6-8 ADM	6-8 Cost Factor

1.065467 x

+ .85 =

3) 292 divided by "Cc" from above

- 4) Sum 1 + 2 + 3 from above 806.55 divided by district's Raw ADM 616.58

  = 1.31 1.00 = District Cost Factor 0.31
- 5) (District's Square Miles <u>349.565670</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.54</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.31 by lessor of the Area Factor (Line 5 above) 1.54 or 1.00 = Isolation Factor 0.31
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 616.58 = Isolation Weight 191.14
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 191.14

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 1,035.60 = 0.000000 x .2 0.000000 x 1,035.60 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODSDistrict: I001 - ALVA

- A. If school district's total area in square miles <u>633.559150</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>1,035.60</u> divided by district's total area in square mile <u>633.559150</u> = District's Areal Density <u>1.63</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

544.59 =

Grades	PK4 - 5th	521.59	+	23 =	544.59	(Ca)
Grades	6th - 8th	234.38	+	133 =	367.38	(Cb)
Grades	PK3,9 -OHP	279.63	+	128 =	407.63	(Cc)
		1,035.60				

0.135882

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	367.38 = 0.332	081 + .85	= 1.182081	x 234.38 =	= 277.06
				6-8 ADM	6-8 Cost Factor
2)					

+ .85 =

0.985882 x

521.59 =

514.23

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above 1,209.71 divided by district's Raw ADM 1,035.60 = 1.17 1.00 = District Cost Factor 0.17
- 5) (District's Square Miles <u>633.559150</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>3.60</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.17 by lessor of the Area Factor (Line 5 above) 3.60 or 1.00 = Isolation Factor 0.17
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>1.035.60</u> = Isolation Weight <u>176.05</u>
- Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 176.05

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 535 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODSDistrict: I003 - WAYNOKA

- A. If school district's total area in square miles <u>488.394360</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>236.09</u> divided by district's total area in square mile <u>488.394360</u> = District's Areal Density <u>0.48</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

140.49 =

Grades	PK4 - 5th	117.49	+	23 =	140.49	(Ca)
Grades	6th - 8th	51.03	+	133 =	184.03	(Cb)
Grades	PK3,9 -OHP	67.57	+	128 =	195.57	(Cc)
		236.09				

0.526728

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	184.03 = 0.662935 +	.85 =	1.512935 x		77.21
				6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above				

1.376728 x

117.49 =

161.75

9-OHP Cost Factor

- 195.57 = 1.493072 + .78 = 2.273072 x 67.57 = 153.59
- 4) Sum 1 + 2 + 3 from above 392.55 divided by district's Raw ADM 236.09

  = 1.66 1.00 = District Cost Factor 0.66
- 5) (District's Square Miles <u>488.394360</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>2.54</u>
- 6) Multiply District Cost Factor (Line 4 above) 0.66 by lessor of the Area Factor (Line 5 above) 2.54 or 1.00 = Isolation Factor 0.66
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>236.09</u> = Isolation Weight <u>155.82</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 155.82

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 32.82 = 0.956240 x .2 0.191248 x 32.82 = 6.28

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

County: 76 - WOODSDistrict: I006 - FREEDOM

- A. If school district's total area in square miles <u>498.939110</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>32.82</u> divided by district's total area in square mile <u>498.939110</u> = District's Areal Density <u>0.07</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

37.04 =

Grades	PK4 - 5th	14.04	+	23 =	37.04	(Ca)
Grades	6th - 8th	7.17	+	133 =	140.17	(Cb)
Grades	PK3,9 -OHP	11.61	+	128 =	139.61	(Cc)
		32.82				

1.997840

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

					LC-3 ADIVI	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	140.17 =	0.870372	+ .85 =	1.720372 x	7.17 =	12.34
		_			6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above					
	139.61 =	2.091541	+ .78 =	2.871541 x	11.61 =	33.34

2.847840 x

- 9-OHP ADM 9-OHP Cost Factor
- 4) Sum 1 + 2 + 3 from above 85.66 divided by district's Raw ADM 32.82

  = 2.61 1.00 = District Cost Factor 1.61
- 5) (District's Square Miles 498.939110 137.86788) divided by 137.86788 = Area Factor 2.62
- 6) Multiply District Cost Factor (Line 4 above) 1.61 by lessor of the Area Factor (Line 5 above) 2.62 or 1.00 = Isolation Factor 1.61
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 32.82 = Isolation Weight \_52.84
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>52.84</u>

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 2,456.94 = 0.000000 x .2 0.000000 x 2,456.94 = 0.00

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 77 - WOODWARDDistrict: I001 - WOODWARD

- A. If school district's total area in square miles <u>212.708230</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>2,456.94</u> divided by district's total area in square mile <u>212.708230</u> = District's Areal Density <u>11.55</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

0.00 =

Grades	PK4 - 5th	0	+	23 =	0.00	(Ca)
Grades	6th - 8th	0	+	133 =	0.00	(Cb)
Grades	PK3,9 -OHP	0	+	128 =	0.00	(Cc)
		0.00				

0.000000

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

2)	122 divided by "Cb" from above					
	0.00 =	0.000000	+ .85 =	0.850000	x 0.00_ =	0.00
					6-8 ADM	6-8 Cost Factor

0.850000 x

0.00 =

0.00

**EC-5 Cost Factor** 

+ .85 =

3) 292 divided by "Cc" from above

- Sum 1 + 2 + 3 from above
   0.00
   divided by district's Raw ADM
   2,456.94

   =
   0.00
   - 1.00 = District Cost Factor
   0
- 5) (District's Square Miles <u>212.708230</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0</u>
- 6) Multiply District Cost Factor (Line 4 above) 0 by lessor of the Area Factor (Line 5 above) 0 or 1.00 = Isolation Factor 0
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>2,456.94</u> = Isolation Weight <u>0.00</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_0.00\_

## Small School and Isolation Weight

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 563.85 0.248200 0.049640 27.99 Small School Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 77 - WOODWARDDistrict: I002 - MOORELAND

- If school district's total area in square miles 402.017380 is greater than the state average area in square miles 137.86788, go to next Α. step and compute areal density. If district has less than state average area in square miles 137.86788, go to paragraph "D" at the end of the Weighted District Calculation.
- Compute areal density: School District's Raw ADM <u>563.85</u> divided by district's total area in square mile <u>402.017380</u> = District's Areal В. Density <u>1.40</u>.

If school district's areal density is less than 2.49, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

Group the subtotals of the Raw ADM (unweighted) as follows: C.

321.09 =

Grades	PK4 - 5th	298.09	+	23 =	321.09	(Ca)
Grades	6th - 8th	109.29	+	133 =	242.29	(Cb)
Grades	PK3,9 -OHP	156.47	+	128 =	284.47	(Cc)
		563.85				

0.230465

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

			_		EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above					
	242.29 =	0.503529	+ .85 =	1.353529 x	109.29 = 6-8 ADM	147.93 6-8 Cost Factor
3)	292 divided by "Cc" from above					
	284.47 =	1.026470	+ .78 =	1.806470 x	156.47 =	282.66 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above	752.67	divided by distric	t's Raw ADM	563.85	

divided by district's Raw ADM

- 1.00 = District Cost Factor

+ .85 =

1.080465 x

298.09 =

0.33

322.08

- 5) (District's Square Miles <u>402.017380</u> <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor
- Multiply District Cost Factor (Line 4 above) 0.33 by lessor of the Area Factor (Line 5 above) 1.92 or 1.00 = Isolation Factor 0.33
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 563.85 = Isolation Weight 186.07

1.33

D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight 186.07

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 539 of 541

# **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

750 - 218.49 = 0.708680 x .2 0.141736 x 218.49 = 30.97

750 Same Year Raw ADM District Weight

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 77 - WOODWARDDistrict: I003 - SHARON-MUTUAL

- A. If school district's total area in square miles <u>277.231180</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>218.49</u> divided by district's total area in square mile <u>277.231180</u> = District's Areal Density <u>0.79</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

142.70 =

Grades	PK4 - 5th	119.70	+	23 =	142.70	(Ca)
Grades	6th - 8th	48.24	+	133 =	181.24	(Cb)
Grades	PK3,9 -OHP	50.55	+	128 =	178.55	(Cc)
		218.49				

0.518570

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

				EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above				
	181.24 = 0.673141	+ .85 = 1.52	3141 x	48.24 = 6-8 ADM	73.48 6-8 Cost Factor
3)	292 divided by "Cc" from above				
	178.55 = 1.635396	+ .78 = 2.41	5396 x	50.55 = 9-OHP ADM	122.10 9-OHP Cost Factor
4)	Sum 1 + 2 + 3 from above 359.40	divided by district's Raw ADN	1	218.49	

- 1.00 = District Cost Factor

1.368570 x

119.70 =

0.64

163.82

+ .85 =

5) (District's Square Miles <u>277.231180</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>1.01</u>

1.64

- 6) Multiply District Cost Factor (Line 4 above) 0.64 by lessor of the Area Factor (Line 5 above) 1.01 or 1.00 = Isolation Factor 0.64
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM <u>218.49</u> = Isolation Weight <u>139.83</u>
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight <u>139.83</u>

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 540 of 541

## **Small School and Isolation Weight**

2023 - 2024

## Statewide Report

### **2024 FINAL**

Raw ADM

### DISTRICT SPARSITY-ISOLATION FORMULA

### County: 77 - WOODWARDDistrict: I005 - FORT SUPPLY

- A. If school district's total area in square miles <u>243.535060</u> is greater than the state average area in square miles <u>137.86788</u>, go to next step and compute areal density. If district has less than state average area in square miles <u>137.86788</u>, go to paragraph "D" at the end of the Weighted District Calculation.
- B. Compute areal density: School District's Raw ADM <u>138.69</u> divided by district's total area in square mile <u>243.535060</u> = District's Areal Density <u>0.57</u>.

If school district's areal density is less than <u>2.49</u>, calculate the District Sparsity-Isolation Formula as follows in the next step. If district has an areal density of <u>2.49</u>, or greater, proceed to Paragraph "D" at the end of the Weighted District Calculation

C. Group the subtotals of the Raw ADM (unweighted) as follows:

89.82 =

Grades	PK4 - 5th	66.82	+	23 =	89.82	(Ca)
Grades	6th - 8th	31.60	+	133 =	164.60	(Cb)
Grades	PK3,9 -OHP	40.27	+	128 =	168.27	(Cc)
		138.69				

0.823870

Use these Grade Level Group amounts in the following formula:

1) 74 divided by "Ca" from above

Sum 1 + 2 + 3 from above

						EC-5 ADM	EC-5 Cost Factor
2)	122 divided by "Cb" from above						
	164.60 =	0.741191	+ .85 =	1.591191	х	31.60 =	50.28
						6-8 ADM	6-8 Cost Factor
3)	292 divided by "Cc" from above						
	168.27 =	1.735306	+ .78 =	2.515306	х	40.27 =	101.29
						9-OHP ADM	9-OHP Cost Factor

divided by district's Raw ADM

- 1.00 = District Cost Factor

1.673870 x

66.82 =

0.90

111.85

+ .85 =

5) (District's Square Miles <u>243.535060</u> - <u>137.86788</u>) divided by <u>137.86788</u> = Area Factor <u>0.77</u>

263.42

1.90

- 6) Multiply District Cost Factor (Line 4 above) <u>0.90</u> by lessor of the Area Factor (Line 5 above) <u>0.77</u> or 1.00 = Isolation Factor <u>0.69</u>
- 7) Mulitply the Isolation Factor on line 6 times the Raw ADM 138.69 = Isolation Weight 95.70
- D. Select the greater weight of the Small School District Weight or the Isolation Weight and use that for the Weighted District Weight \_\_95.70\_

Report# FB107b Printed: 8/22/2025 6:45:45 AM Page 541 of 541