


# BASIN 2

## Little River (McCurtain County) - 1 / Southeast Region



**Surface Water Legend**  
 Planning Basin  
 OWRB Major Streams  
 OWRB Lakes

**Groundwater Legend**  
 Planning Basin  
 Major Bedrock Aquifer  
 Antlers (An)  
 Minor Bedrock Aquifer  
 Broken Bow (BB)  
 Holly Creek (HC)  
 Kiamichi (Ki)  
 Pine Mountain (PM)  
 Woodbine (Wb)  
 Minor Alluvial Aquifer  
 Haworth Isolated Terrace (HIT)  
 Little River (Li)



Interactive maps can be viewed through the OCWP dashboards, accessible at [oklahoma.gov/owrb/water-planning](http://oklahoma.gov/owrb/water-planning)

### SUMMARY

- Basin 2 - Little River (McCurtain County) - 1 demands are supplied by a combination of surface water, groundwater, and out-of-basin supplies.
- Water demand (withdrawal) is projected to increase by 729 acre-feet per year (40%) between 2020 and 2075.
- Physical surface water gaps are projected in Basin 2 as early as 2035 and will continue to through 2075.
- Physical alluvial groundwater depletions are projected in Basin 2 as early as 2060 and will continue through 2075.
- Physical bedrock groundwater depletions are projected in Basin 2 as early as 2030 and will continue through 2075.
- Basin 2 is projected to have surface water available for appropriation through 2075, but its permitting may be subject to provisions of the 2016 Water Settlement Agreement.
- Basin 2 is projected to have groundwater available for appropriation through 2075.
- To mitigate projected water supply shortages in this basin, the following strategies will typically be most effective:
  - Reduce water demand through conservation, water loss reduction, and other activities (PS, SSI, OG, TE). **WSS**
  - Reduce water demands through agricultural water saving options (CI, LS). **WSS**
  - Continue/increase reliance on in-basin surface water (all sectors). **WSS** **WDI**
  - Continue/increase reliance on in-basin groundwater (all sectors). **WSS** **WDI**



OWRB Water Planning Page  
[oklahoma.gov/owrb/water-planning](http://oklahoma.gov/owrb/water-planning)

Refer to the “Guide to Region and Basin Fact Sheets” for a description of the types of information detailed in this fact sheet.

**Water Demand Sectors:** PS = Public Supply, SSI = Self-supplied Industrial, OG = Oil & Gas, TE = Thermoelectric Power, CI = Crop Irrigation, LS = Livestock, SSD = Self-supplied Domestic

**OCWP Statewide Recommendations** are designed to address current and anticipated water supply challenges and are noted throughout this fact sheet with the following icons: **WIW** Water Infrastructure & Workforce, **WM** Water Management, **WSS** Water Supplies & Storage, and **WDI** Water Data & Information



## Population


How is the population expected to change in the future?

2020	2030	2035	2045	2060	2075
5,700	6,503	6,694	7,112	7,863	8,534

## Water Demand Projections

How much water is needed to meet Oklahomans' needs?

Basin 2 accounts for approximately 3% of the overall water demands of the Southeast Region.



### Total Demand by Sector (AFY)

	2020	2030	2035	2045	2060	2075
Self-supplied Domestic	54	62	64	68	75	81
Self-supplied Industrial	-	-	-	-	-	-
Crop Irrigation	116	181	181	181	181	181
Livestock	344	356	362	360	355	352
Oil & Gas	37	37	37	37	37	37
Public Supply	1,267	1,445	1,487	1,580	1,747	1,896
Thermoelectric Power	-	-	-	-	-	-
<b>Total</b>	<b>1,818</b>	<b>2,081</b>	<b>2,130</b>	<b>2,225</b>	<b>2,394</b>	<b>2,547</b>

AFY = acre-feet per year; Small differences may result due to rounding.

## Physical Water Shortages

Will there be enough "wet water" physically available to meet anticipated needs?

WIW WM WSS

	Magnitude (AFY)					Frequency <sup>1</sup>
	2030	2035	2045	2060	2075	2075
Surface Water Gap	-	5	25	48	64	11%
Alluvial Groundwater Depletion	-	-	-	1	1	6%
Bedrock Groundwater Depletion	1	1	1	1	1	N/A

1. Probability of a water shortage occurring in at least one month of the year.

## Legal Water Availability

Will there be water available for permitting after meeting 2075 demands?

WM WSS

Estimated Surface Water available for appropriation in 2075 (AFY)	Inside 2016 Water Settlement Area? <sup>1</sup>	Is there a downstream mainstem restriction? <sup>2</sup>	Estimated Groundwater available for appropriation in 2075 (AFY)
1,609,900	Yes	No	710,870

- If, yes – basin wholly or partially subject to the provisions of the 2016 Water Settlement Agreement.
- If, yes – mainstem restriction may impact water available for appropriation within the basin.

## Water Management Strategies

What approaches are most viable for meeting future needs and mitigating shortages?

WSS WDI WIW WM

Water Management Category	Demand Sector	Basin 2 Evaluation
Demand Management	PS, SSI, OG, TE	Effective at Meeting Future Demands
Agriculture Options	CI, LS	Effective at Meeting Future Demands
Increase Reliance on In-Basin Surface Water	All sectors	Effective at Meeting Future Demands
Increase Reliance on In-Basin Groundwater	All sectors	Effective at Meeting Future Demands
Stormwater Capture & Use	PS, SSI	No Shortage or Needs Met by Other Strategies
Reuse	PS, SSI	No Shortage or Needs Met by Other Strategies
Water Transfers	All sectors	No Shortage or Needs Met by Other Strategies

In addition to the water management strategies, water users need:

- Options to address water quality concerns, which could include expanding source water protection programs and expanding water quality studies.
- Ways to address infrastructure limitations, which could include additional water funding from the State, Federal, and/or public-private partnerships, and by providers setting water rates that fully fund system operation and maintenance.