## DME Supplier & Medical Gas Supplier / Distributor Inspection Form

License No. \_\_\_\_\_ OBNDD \_\_\_\_\_ DEA \_\_\_\_\_

Date: \_\_\_\_\_ In: \_\_\_\_\_ Out: \_\_\_\_\_

Periodic
New

 $\Box$  Closing

NAME\_\_\_\_\_

 $\hfill\square$  Change of Ownership / Name / Location

Licenses Current	Y	N
------------------	---	---

ZIP

Busines	s Hours:
Mon-Fri	
Sat	Sun

## **Oklahoma State Board of Pharmacy**

2920 N Lincoln Blvd, Ste A, Oklahoma City, OK 73105 Phone (405) 521-3815 / Fax (405) 900-8365 Website: www.pharmacy.ok.gov / E-mail: pharmacy@pharmacy.ok.gov

## PLEASE RETAIN UNTIL NEXT INSPECTION

PHONE

CITY

ADDRESS		

Responsible Person In Charge		ity No	Medical Gas Supplier / Distributor			
Mgr:	Yes	K	Cylinders Chained, Racked or Nested	Y	N	
			Designated Full/Empty/Quarantine Areas	Y	Ν	
Durable Medical Equipment Supplier			Proper Signage "No smoking, etc."		Ν	
DME stored at appropriate temperature	ΥN		Invoices Maintained Properly	Y	Ν	
DME stored in clean and orderly condition	ΥN		Other Med Gases (i.e. Nitrogen, Carbon Dioxide)	Y	Ν	
DME stored in other locations	ΥN		Nitrous Oxide Secure	Y	Ν	NA
If yes, are those locations licensed	ΥN		Rx's Maintained/Updated Annually	Y	Ν	
Designated Quarantine Area	ΥN		Lot #'s Maintained and Recorded	Y	Ν	
Invoices/Records Maintained Properly	ΥN		Distributor Checks Vendor Licenses Medical Gas Source(s)	Y	Ν	
Rx's Maintained/Updated Annually	ΥN		Sells to the Following: (check all that apply)			-
Policies and Procedures Maintained	ΥN		Patients     Hospice Patients     Physician	ns/Dei	ntists	6
Policy and Procedure for Product Recalls	ΥN		<ul> <li>Hospitals/Nursing Homes          Other Suppliers         Other</li> </ul>		_	
Personnel providing delivery / setup, maintenance, &	ΥN		Cylinders/Liquid Oxygen Transfilled	Y	N	
repair obtaining annual CE			Liquid Oxygen Provided Liquid Oxygen COA	Y Y	N N	
Accredited by an organization recognized by CMS	ΥN		Liquid Oxygen Source(s)			_
Comments:						

Important: You are directed to take prompt action to correct the above violations. If such action is disregarded, Board action may result. These deficiencies have been explained and will be corrected.

Employee:

Compliance Officer: