

COVID-19 Vaccine Provider Call

October 2021



Agenda

- US/State Data
- COVID Administration Guidance
 - Third Dose v. Booster
 - Co-Administration
- Jansen Vaccine Expiry
- Vaccine Ordering and Distribution
- COVID 19 shot record update
- COVID Vaccine Efforts
 - Guest Speaker - Wendi Fralick-Executive Director-
The Center for Individuals with Physical Challenges

Distribution By the Numbers

for the week starting September 27, 2021



41 Weeks of distribution



471 M Total doses delivered



388.7 M Total doses administered and reported



76.7% of US Adults (18+) have received at least 1 dose (n = 198.1 M)



93.3% of US Adults (65+) have received at least 1 dose (n = 51.0 M)



23.2 M Doses to adolescents 12–17 y/o



2.27 M Additional doses administered



163 K+ Total providers nationwide



4.0% Percentage of doses reported as wastage



182.6 M Americans are fully vaccinated



STATEWIDE COVID-19 VACCINE ADMINISTRATION (AS OF 9/28/2021)

1,861,123

people have received
at least 1 dose* of the
COVID-19 vaccine



1,593,163

people are **fully
vaccinated**** with the
COVID-19 vaccine

57,203

people have received
either a **3rd dose^** or
booster dose^^ of the
COVID-19 vaccine



Across Oklahoma, a total of **3,402,692**
COVID-19 vaccine doses have been **administered**
since 12/14/2020

*Refers to individuals receiving Pfizer and Moderna COVID-19 vaccines and/or receiving single shot of J&J/Janssen Vaccine; **Refers to individuals fully vaccinated after receiving either Pfizer and/or Moderna COVID-19 vaccines (both doses) and/or receiving single shot of J&J/Janssen Vaccine; ^3rd dose for individuals moderately to severely immunocompromised; ^^Booster dose for individuals 65+ or certain other adults at high risk of severe COVID-19 to be received at least six months after completion of the primary Pfizer vaccine series.




Note: Total vaccines administered does not include doses administered by federal entities (Bureau of Prisons, Veterans Health, Indian Health Service, or Department of Defense).

Not for public distribution, data intended for internal planning purposes.


Data Source: COVID-19 Vaccination Reporting Specification (CVRS) Dataset - Oklahoma State Immunization Information System (OSIIS); Data reflect information entered as of 11:59PM 9/28/2021

STATE COVID-19 VACCINE ADMINISTRATION BREAKDOWN - FULLY VACCINATED (AS OF 9/28/2021)


Among the **1,593,163 people** who are **fully vaccinated**, the **majority** are **female**




Among the **1,593,163 people** who are **fully vaccinated**, the **ages** range between **12-111 years**



Primary Race



Ethnicity



Note: Fully vaccinated refers to individuals completing series after receiving either Pfizer and/or Moderna COVID-19 vaccines (both doses) and/or receiving single shot of J&J/Janssen Vaccine.


Not for public distribution, data intended for internal planning purposes.

Data Source: COVID-19 Vaccination Reporting Specification (CVRS) Dataset - Oklahoma State Immunization Information System (OSIIS); Data reflect information entered as of 11:59PM 9/28/2021. Data does not include doses administered by federal entities in Oklahoma.


COVID-19 VACCINATIONS IN OKLAHOMA – FEDERAL AND STATE (9/28/2021)

Total Doses Delivered	Count	Adult Rate per 100K	Total Doses Administered	Count	Adult Rate per 100K
	4,997,810	166,331		4,126,107	128,784


Total Population








Population 12+



Population 18+



Population 65+



COVID Vaccine Administration Guidance

- **Primary Series**

- Two doses (0.3 mL) 3 weeks apart for 12 years of age and older

- **Third Dose**

- Single dose (0.3 mL) at least 28 days following the second dose for 12 years of age and older who have undergone solid organ transplantation, or who are diagnosed with conditions that are considered to have an equivalent level of immunocompromise

- **Booster Dose**

- Single dose (0.3 mL) **at least** 6 months after completing the primary series for
 - 65 years of age and older
 - 18 - 64 years of age at high risk of severe COVID-19
 - 18 - 64 years of age whose frequent institutional or occupational exposure puts them at high risk of serious complications of COVID-19 including severe COVID-19



Moderna

- **Primary Series**

- Two doses (0.5 mL each) 1 month apart.
- There are no data available on the interchangeability of Moderna with other COVID-19 vaccines to complete the vaccination series. Individuals who have received one dose of the Moderna should receive a second dose of the Moderna to complete the vaccination series.

- **3rd dose**

- Single (0.5 mL) administered at least 28 days following the second dose is authorized for 18 years of age and older who have undergone solid organ transplantation, or who are diagnosed with conditions that are considered to have an equivalent level of immunocompromise.



Co-Administration

- You may administer COVID-19 and Influenza vaccines without regard to timing (both live, attenuated and non-live influenza vaccines).
- This includes administration of COVID-19 and Influenza vaccines one the same day, as well as co-administration at any time interval.
- Administer the COVID-19 vaccines and vaccines that may be more likely to cause a local reaction (i.e., adjuvanted influenza vaccines) in different limbs, if possible.
- When deciding whether to co-administer other vaccine(s) with COVID-19 vaccine, consider:
 - Whether the patient is behind or at risk of becoming behind on recommended vaccines
 - The patient's risk of vaccine-preventable disease
 - The reactogenicity profile of the vaccines
 - The likelihood of avoiding a missed opportunity to vaccinate



Vaccine Update

Kaitlin Hixson | Immunization Field Consultant

Janssen Vaccine Expiration September

Janssen COVID-19 Vaccine has no more extension.

- Providers should visit www.vaxcheck.jnj to confirm the latest expiration dates of the vaccine.
- Check the expiration date before administering or discarding the vaccine. If you see a wrong expiration date in OSIS, please update it in OSIS inventory and in your systems if applicable.
- **Please do not administer expired vaccines.**



Vaccine Expiration Dates




Important for all vaccines:

- Check the expiration dates upon receiving vaccines.
- Due to increased studies about stability data, check the expiration date again later (before administering vaccines and during weekly reconciliation).

How to check expiration dates?

- Scan QR code and it will take you to the website showing the expiration date
- Locate lot number on the package and type in the website
 - [Janssen website](#)
 - [Modern website](#)
- Pfizer: printed on the box



Pfizer The expiration date is written on the vial.	
Moderna A QR code on the vial is scanned and a website provides the expiration date.	
J&J/Janssen Scan the QR code located on the outer carton, or call 1-800-565-4008, or go to www.vaxcheck.inj	



Wastage

Do not return unused, open, spoiled, or expired COVID19 vaccines to manufacturers, distributors, OSDH, or CHD. Store wasted vaccines separately from viable vaccines and label them accordingly. The label should say: "Wasted. DO NOT USE."

Open vials must be disposed of in the sharps container at the end of each day. Do not put open vials back into the fridge: adjust in OSIIS and discard at the end of the day.

COVID-19 vaccine program requirements include reporting wastage (unused, open, spoiled, or expired) into OSIIS. Please follow the Wastage tip sheet to report COVID-19 vaccine wastage.



After recording, the vaccine must be disposed in accordance with Oklahoma regulations and processes to dispose of regulated medical waste.

A screenshot of a digital form for reporting vaccine wastage. The form has a list of categories on the left, each preceded by a green checkmark. The categories are: BROKEN VIAL/SYRINGE, VACCINE DRAWN INTO SYRINGE BUT NOT ADMIN, LOST OR UNACCOUNTED FOR VACCINE, VTRCKS - NON VACCINE PRODUCT (E.G. IG, HBIG, DIL), OPEN VIAL BUT ALL DOSES NOT ADMINISTERED, ADD INITIAL INVENTORY, AGGREGATE DOSES ADMINISTERED, EXTRA, PRIVATE - BROKE VIAL, PRIVATE - EXPIRED, PRIVATE - MIS-HANDLED, PRIVATE - OPTED OUT VACCINATIONS, PRIVATE - OTHER, PRIVATE - RECALL, PRIVATE - RECONCILIATION, PRIVATE - UNACCOUNTED, PRIVATE - WASTED, and VTRCKS - OTHER. The 'VTRCKS - OTHER' category is highlighted in blue at the bottom of the list.

✓	BROKEN VIAL/SYRINGE
✓	VACCINE DRAWN INTO SYRINGE BUT NOT ADMIN
✓	LOST OR UNACCOUNTED FOR VACCINE
✓	VTRCKS - NON VACCINE PRODUCT (E.G. IG, HBIG, DIL)
✓	OPEN VIAL BUT ALL DOSES NOT ADMINISTERED
	ADD INITIAL INVENTORY
	AGGREGATE DOSES ADMINISTERED
	EXTRA
	PRIVATE - BROKE VIAL
	PRIVATE - EXPIRED
	PRIVATE - MIS-HANDLED
	PRIVATE - OPTED OUT VACCINATIONS
	PRIVATE - OTHER
	PRIVATE - RECALL
	PRIVATE - RECONCILIATION
	PRIVATE - UNACCOUNTED
	PRIVATE - WASTED
✓	VTRCKS - OTHER


Vaccine Ordering and Distribution

Sai Teja Paruchuri, Vaccine Specialist

Reconciliation

Reconciliation – **weekly**

- Providers are required to reconcile and order covid vaccines only once during the ordering time frame: Thursday, Friday, or Monday.
- If a clinic doesn't reconcile COVID inventory for 14 days, it will not be able to create VFC & 317 vaccine orders.
- An informational video on COVID 19 vaccine reconciliation and ordering can be accessed at <https://vimeo.com/528424790>
- [Inventory Reconciliation](#)



Ordering Process: starting Aug 17

Minor change in delivery of orders with min quantities

- Providers **must reconcile their COVID-19 vaccines inventory weekly in OSIS** – by Monday, noon.
- Providers must create orders in OSIS on Thursday-Friday-Monday.
- Providers can order as much as they need. If they need less than min order quantity, they still must order min quantity in OSIS and add a comment with the actual amount needed.
 - If a provider needs one vial, OSDH will deliver one vial!

COVID-19 Order ⓘ

Cancel Submit To VFC Program

Clinic: CANNON FAMILY DENTISTRY (720602)

Clinic Comments

CVX	Name	NDC	Manufacturer Code	Manufacturer	Cost per Package	Doses per Package	Intent	Qty of Packages	
CVX	NAME	NDC	MANUFAC	MANUFACTURER					Clear All Filters
207	MODERNA COVID-19 (10 X 10 DOSE 5.0 ML MDV)	80777-0273-99	MOD	MODERNA	\$1.00	100	ADULT	1	ADD TO CART

- The cut-off to create orders in OSIS – Monday, 5pm.



Ordering Process

- The cut off for providers to request any changes/cancellation to orders is Tuesday, 1pm.
 - To request a change, a provider should email to OSDH VaccineHelp <VaccineHelp@health.ok.gov>
 - If provider doesn't receive a confirmation of changes/cancellation within 24h, provider must call the OSDH Immunization Service 405.426.8580 to ensure that the order has been cancelled.
- Orders with at least min quantity, will be approved in OSIS and directly shipped to providers – CHANGE
- Orders with less than min quantity will be rejected in OSIS with a note that County Health Department (CHD) will fulfill the order and will get in touch with provider via email or phone.
 - Example of the message: *"Your order will be fulfilled by your County Health Department. Watch for e-mail communication about the process and phone calls to arrange vaccine transfer."*
 - CHDs will deliver vaccines to providers on the same or the following week. Delivered by CHD employees, national guard, or courier service.



Ordering Process

- Upon delivery of the vaccine by CHD, provider should:
 1. Sign a Bill of Lading and keep a copy
 2. Check that delivered vaccines are viable
 3. Immediately place them into a storage according to [the guidelines](#) and label appropriately indicating expiration or/and Beyond-use dates (BUDs)
 - 4. Accept transfer in OSIIS**
- Questions about orders:
 - OSIIS: OSIISHELP@health.ok.gov;
 - Vaccine ordering process: VaccineHelp@health.ok.gov;
 - Order fulfillment/delivery: contact CHDs (contacts will be shared in the follow-up email)



OSIIS Shot Records

Martin Lansdale, MPH
OSIIS Data Quality Coordinator

Shot Records: Public Portal

- OSIIS has a public portal that can be found at the below link:
 - https://osiis.health.ok.gov/osiis_public/Application/PublicPortal
 - **DISCLAIMER:** Not all shots are recorded in OSIIS as reporting private vaccine is not required.
- Patients can search and download a copy of their shot record for just covid shots or their complete immunization history through the portal.
- The public portal uses **patient name, date-of-birth, email, and phone number** for verification purposes (all have to be on the shot record in OSIIS or patients cannot pull their shot record).
- Currently OSIIS has a high amount of missing emails/phone numbers.
- Providers need to make sure to document email and phone number for the patient **and add/send it to OSIIS** with the shot record in order to increase the likelihood of a records match in the portal.



Shot Records: Lost/Fraudulent

- Lost Shot Records
 - Providers
 - https://osiis.health.ok.gov/osiis_public/Application/PublicPortal
- [Fraud Alert: COVID-19 Scams | Office of Inspector General | Government Oversight | U.S. Department of Health and Human Services \(hhs.gov\)](#)
 - **HHS OIG Hotline**
 - [TIPS.HHS.GOV](https://tips.hhs.gov)
 - 1-800-447-8477
 - To report Falsified reports, please send complaints to the Multicounty Grand Jury Unit at AG office. The best way to contact them is through Crystal Ryan (crystal.ryan@oag.ok.gov) or Tara Shields (tara.shields@oag.ok.gov).



How To Guides

"How To" Guides

- [How to Turn On User Default Order Notifications](#)
- [Inventory Reconciliation](#)
- [How to Place a Covid-19 Vaccine Order](#)
- [Immunizing a Patient for COVID](#)
- [How to add an extra dose](#)
- [Wastage](#)



Questions/Suggestions

Facilities can order PPE using the Big Commerce online ordering system.

If a facility needs assistance with setting up an account, please use the link, <https://okppe.mybigcommerce.com/>. Proceed to the "Need an Account?" page and complete the Contact Us for an account. Usually, an account is created within 24 hours.